United States
Department of
Agriculture

Forest Service

**Northeastern Forest
Experiment Station**

General Technical
Report NE-186

Chicago's Urban Forest Ecosystem: Results of the Chicago Urban Forest Climate Project

E. Gregory McPherson
David J. Nowak
Rowan A. Rowntree

McPherson, E. Gregory; Nowak, David J.; Rowntree, Rowan A. eds. 1994. **Chicago's urban forest ecosystem: results of the Chicago Urban Forest Climate Project.** Gen. Tech. Rep. NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 201 p.

Results of the 3-year Chicago Urban Forest Climate Project indicate that there are an estimated 50.8 million trees in the Chicago area of Cook and DuPage Counties; 66 percent of these trees rated in good or excellent condition. During 1991, trees in the Chicago area removed an estimated 6,145 tons of air pollutants, providing air cleansing valued at $9.2 million dollars. These trees also sequester approximately 155,000 tons of carbon per year, and provide residential heating and cooling energy savings that, in turn, reduce carbon emissions from power plants by about 12,600 tons annually. Shade, lower summer air temperatures, and a reduction in windspeed associated with increasing tree cover by 10 percent can lower total heating and cooling energy use by 5 to 10 percent annually ($50 to $90 per dwelling unit). The projected net present value of investment in planting and care of 95,000 trees in Chicago is $38 million ($402 per planted tree), indicating that the long-term benefits of trees are more than twice their costs. Policy and program opportunities to strengthen the connection between city residents and city trees are presented.

Retrevial Terms: urban climate, air pollution, urban forestry, energy conservation, carbon dioxide, urban ecosystem

---

Northeastern Forest Experiment Station
5 Radnor Corporate Center
100 Matsonford Road, Suite 200
P.O. Box 6775
Radnor, Pennsylvania 19087-4585

June 1994

Chicago's Urban Forest Ecosystem: Results of the Chicago Urban Forest Climate Project

E. Gregory McPherson
David J. Nowak
Rowan A. Rowntree

Contents

Chapter 8

Benefits and Costs of Tree Planting and Care in Chicago

E. Gregory McPherson, Research Forester, USDA Forest Service, Northeastern Forest Experiment Station, Davis, CA

Abstract

Benefit-cost analysis is used to estimate the net present value, benefit-cost ratio, and discounted payback periods of proposed tree plantings in the City of Chicago. A "typical" tree species, green ash (*Fraxinus pennsylvanica*), was located in "typical" park, residential yard, street, highway, and public housing sites. The 30-year stream of annual costs and benefits associated with planting 95,000 trees was estimated using a computer model called Cost-Benefit Analysis of Trees (C-BAT) and discount rates of 4, 7, and 10 percent. NPV were positive and projected benefit-cost ratios were greater than 1 at all discount rates. Assuming a 7-percent discount rate, a net present value of $38 million or $402 per planted tree was projected. Benefit-cost ratios were largest for trees planted in residential yard and public housing sites (3.5), and least for park (2.1) and highway (2.3) sites. Discounted payback periods ranged from 9 to 15 years. Expenditures for planting alone accounted for more than 80 percent of projected costs except at public housing sites, while the largest benefits were attributed to "other" benefits (e.g., scenic, wildlife, improved water quality, noise abatement, and social values) and energy savings. Considerations for planting and managing Chicago's urban forest to maximize return on investment are presented.

Introduction

Trees have a long and rich tradition in Chicago. This tradition can be seen today as the formal elm bosques in Grant Park, Chicago's many majestic tree-lined boulevards, its extensive forest preserves, and the informal plantings of hawthorns, hackberry, oak, and other natives that grace its many parks (McPherson et al. 1993a). In Chicago and most surrounding communities, trees have long been recognized as valuable community assets. First-rate urban forestry programs abound as evidence of commitment to the perpetuation of healthy community forests. However, dwindling budgets for planting and care of street and park trees are creating new challenges for urban forestry. Community officials are asking if trees are worth the price to plant and care for them over the long term. Urban forestry programs now must prove their cost-effectiveness.

Similarly, some residents wonder whether it is worth the trouble of maintaining street trees in front of their home or in their yard. Certain species are particularly bothersome due to litterfall, roots that invade sewers or heave sidewalks, shade that kills grass, or sap from aphids that fouls cars and other objects. Branches broken by wind, ice, and snow can damage property. Thorns and low-hanging branches can be injurious. These problems are magnified when trees do not receive regular care, or when the wrong tree was selected for planting.

The purpose of this analysis is to quantify some of the benefits and costs associated with tree planting and care in Chicago. In previous sections of this report, existing and potential benefits of Chicago's urban forest have been outlined with respect to climate, air quality, atmospheric carbon, and energy used for space heating and cooling. Relations between these functions and the composition and distribution of tree species have been discussed. In this study, benefit-cost analysis was used to estimate the annual dollar value of benefits and costs over a 30-year period associated with the planting and care of 95,000 new trees in Chicago. The estimated number of new trees is based upon interviews with entities responsible for much of the tree planting and care in the city and covers projected plantings between 1992 and 1997 as follows:

—12,500 trees planted and maintained in parks by the Chicago Park District.
—25,000 trees planted by residents in their yards with maintenance by professional arborists beginning 15 years after planting.
—50,000 trees planted along residential streets and maintained by the Bureau of Forestry.
—5,000 trees planted along expressways under the auspices of Gateway Green and the Illinois Department of Transportation, with maintenance by volunteers and city personnel.
—2,500 trees planted in public housing sites by local residents under the direction of the Openlands Project, with initial maintenance by residents and Openland's TreeKeepers and professional maintenance of larger trees.

Quantifying benefits and costs associated with these plantings will provide initial answers to the following questions:

1) Are trees worth it? Do their benefits exceed their costs? If so, by how much?
2) In what locations do trees provide the greatest net benefits?
3) How many years does it take before newly planted trees produce net benefits in Chicago?
4) What tree-planting and management strategies will increase net benefits derived from Chicago's urban forest?

This analysis is complicated by incomplete information on such critical variables as tree growth and mortality rates, the value of social, aesthetic, and economic benefits that trees produce. and costs associated with infrastructure repair, litigation, and program administration. When data from local sources were unavailable, it was necessary to use the best available data. As a result, some variables were excluded from this analysis (e.g., costs of litter clean-up and health care benefits and costs). Estimating the value of social, aesthetic, and economic benefits, called "other benefits" in this study, is uncertain because we have yet to identify the full extent of these benefits or their implications. Additional problems emerge since many of these benefits are not exchanged in markets and it is often difficult to estimate appropriate dollar values. This lack of data required the development of several assumptions about the planting and care of a "typical" tree species in "typical" locations. To simplify the analysis it was necessary to limit its scope to the planting of trees over a 5-year period and their care over a 30-year period. Benefit-cost data were gathered in 1992 and 1993 from local contacts and used to estimate future values. Therefore, this study provides an initial approximation of those benefits and costs for which information is available. As our understanding of urban forest structure, function, and values increases, and we learn more about urban forestry programs and costs, these assumptions and the methods used to estimate benefits and costs will be improved.

Background

Urban trees provide a range of services for community residents that can influence the quality of our environment. As illustrated elsewhere in this report, trees in the Chicago area can moderate local climate, reduce building energy use (Akbari et al. 1992), improve air quality (McPherson and Nowak 1993), and sequester and avoid carbon dioxide (Nowak 1993, Rowntree and Nowak 1991). Other studies have found that urban forests reduce stormwater runoff (Lormand 1988; Sanders 1986), increase property values (Anderson and Cordell 1988), and provide a connection to nature, relaxation, or spiritual joy (Dwyer et al. 1992). Quantifying the value of these and other benefits and the costs associated with urban trees can assist planners and managers optimize their return on investment in Chicago's urban forest.

Current efforts to determine the value of greenspace do not include the broad range of important benefits and costs or how they vary across time and location. Nor do they allow comparison of future cost-benefit relationships associated with alternative management scenarios (McPherson 1992). In response to these limitations, the Cost-Benefit Analysis of Trees (C-BAT) computer model was developed to quantify various management costs and environmental benefits. C-BAT as applied here quantifies annual benefits and costs for a 30-year period associated with the establishment and care of trees in Chicago.

Approch

C-BAT

C-BAT estimates annual benefits and costs for newly planted trees in different locations over a specified planning horizon. C-BAT is unique in that it directly connects tree size with the spatial-temporal flow of benefits and costs. Prices are assigned to each cost (e.g., planting, pruning, removal, irrigation, infrastructure repair, liability, waste disposal) and benefit (e.g., heating/cooling energy savings, absorption of air pollution, reduction in stormwater runoff) through direct estimation and implied valuation of benefits as environmental externalities. This makes it possible to estimate the net benefits of plantings in typical locations and with typical tree species. C-BAT incorporates the different rates of growth and mortality as well as different levels of maintenance associated with typical trees. Hence, this greenspace accounting approach "grows trees" in different locations and directly calculates the annual flow of benefits and costs as trees mature and die (McPherson 1992).

Although Chicago's urban forest is planted with many tree species (Nowak 1994a: Chapter 2, this report), the scope of this analysis is limited to planting and care of a single typical tree species, green ash (*Fraxinus pennsylvanica*), in each of five typical locations: parks, residential yards, residential streets, highways, and public housing sites. Typical locations were selected to represent the types of trees, management approaches, socio-economic situations, and growing conditions that influence tree health and productivity in Chicago. Green ash was selected as the typical species because it is one of the most widely planted and successful tree species in Chicago (Nowak 1994a: Chapter 2, this report).

In this study, trees are "planted" during the first 5 years and their growth is assumed to follow an S-shaped curve that incorporates a slow start after transplanting. As trees age, their numbers decrease. Transplanting-related losses occur during the first 5 years after planting, and age-independent losses occur over the entire 30-year analysis period. Transplanting-related losses are based on annual loss rates reported by local managers and other studies (Miller and Miller 1991; Nowak et al. 1990). Age independent losses are assumed to be equally likely to occur in any year (Richards 1979). Tree growth and mortality rates reflect rates expected for the green ash on each type of site.

Each year, C-BAT calculates total leaf area for each age class by multiplying the number of live trees times the typical tree's leaf-area (LA). LA is calculated using the typical tree's leaf-area index (LAI) and ground projection (GP) term, where GP is the area under the tree-crown dripline:

$$LA = LAI \times GP$$

The LAI of a tree varies with species, size, and condition. In this study, the LAI of green ash trees in Chicago is assumed to be 5 based on data presented in Chapter 2.

C-BAT directly connects selected benefits and costs with estimated leaf area of the planted trees. Because many functional benefits of trees are related to leaf-atmosphere processes (e.g., interception, transpiration, photosynthesis), benefits increase as leaf-surface area increases. Similarly, pruning and removal costs usually increase with tree size. To account for these time-dependent relationships, benefits and costs are assumed to vary with leaf area.

For most costs and benefits, prices are obtained for large trees (assumed to be 20-inches in d.b.h. or about 45-feet tall and wide) and estimated for trees of smaller size using different functions (e.g., linear, sine, cosine). For parameters such as sidewalk repair, costs are small for young trees but increase relatively rapidly as tree roots grow large enough to heave pavement. For other parameters such as rainfall interception, benefits are directly proportional to leaf area (Aston 1979). In this study, a linear function is used to estimate all benefits and costs with the exception of infrastructure repair and litigation costs (cosine function) and benefits related to energy savings (sine function). These prices are divided by the tree's leaf area to derive a base price per unit LA for different tree size classes (e.g., $20/10,000 ft^2 LA = $0.002/$ft^2$ LA). C-BAT multiplies the base price times the total LA of trees in that size class to estimate the total annual nominal value of each benefit and cost. Once the nominal values are calculated for each year into the future, they can be adjusted to account for future inflation and discounted to a present value. Thus, both tree size and the number of live or dead trees influence the dollar value of each benefit and cost.

Most benefits occur on an annual basis, but some costs are periodic. For instance, street trees are pruned on yearly cycles and removed when they pose a hazard or soon after they die. C-BAT calculates tree and stump removal costs for the same year as each tree dies. Pruning costs are average annual costs based on average tree size.

Generally, benefits directly related to leaf-surface area increase yearly as trees grow larger and add more leaves each spring. However, two benefits are more directly related to the annual change in tree girth than to the increase in leaf area: "other benefits" (i.e., social, aesthetic, and other environmental benefits not explicitly accounted for); and the storage of atmospheric carbon in tree biomass. The annual value of these benefits is proportional to the increase in d.b.h. for that year. Relations between tree d.b.h., age, and crown dimensions are based on findings reported by Nowak (1994c: Chapter 6, this report) and data from Churack and Miller (1992, Univ. of Wisconsin-Stevens Point, pers. commun.), Fleming (1988), and Frelich (1992).

In this study, both direct estimation and implied valuation are used to assign values. Much of the cost data for tree management were directly estimated based on interviews with local contact persons. Findings from energy simulations presented by McPherson (1994: Chapter 7, this report) are used in this study to directly estimate energy savings due to shading, temperature modification, and wind speed reductions from trees. Other benefits are estimated using implied valuation, which relies on the costs of required or anticipated environmental control measures or regulations. For instance, if society is willing to pay $1 per pound for current or planned air-pollution control, then the air-pollution mitigation value of a tree that absorbs or intercepts 1 pound of air pollution should be $1 (Chernick and Caverhill 1991; Graves et al. 1987).

Tree Planting and Care

Contact persons from each organization (Table 1) were interviewed to estimate the number of trees to be planted annually over a 5-year period (1992 to 1997), growth and mortality rates, and planting and management practices and costs. Costs summarized in Table 2 and described in the section that follows are for the typical large tree (45-feet tall, 20-inch d.b.h.) and adjusted downward for smaller trees using functions noted previously.

Trees in Parks

There are about 250,000 trees in Chicago parks that receive regular care from the Chicago Park District. On average, the Park District expects to plant 2,500 trees per year for the next 5 years. About 30 varieties will be planted, with an average planting height of 15-feet (4-inches d.b.h.). Total planting costs average $470 per tree, including $100 for watering during the establishment period. The typical green ash is assumed to have a life-span of 30 to 50 years after planting mortality and an average annual height growth rate of 0.8-feet (0.4-inch d.b.h.). It is expected to attain a height of 39 feet (16-inch d.b.h.) 30 years after planting. Mortality during the 5-year establishment period is assumed to be 16 percent, with an overall loss rate of 39 percent for 30 years.

The cost to prune a large park tree is assumed to be $160, and the typical tree is pruned four times over 30 years. Large tree and stump removal costs are assumed to be $900 and $110, respectively, with 80 percent of all dead trees and stumps removed. Sixty percent of the removed wood is recycled as mulch and the remainder is taken to a landfill where the dumping fee is $40 per ton. Each year the Park

Table 1. —"Typical" locations, planting sizes, and organizational roles

Tree location	Planting size[a]	Organization and assumed tree planting/care activity
Park	15 ft, 4-inch caliper	Chicago Park District plant and maintain
Residential yard	12 ft, 2-inch caliper	Residents plant and maintain while trees are small; arborists maintain/remove large trees
Residential street	12 ft, 2-inch caliper	Bureau of Forestry plant and maintain
Highway	14 ft, 3-inch caliper	Gateway Green, Illinois Dept. of Transportation, and arborists plant and maintain
Public housing	13 ft, 2.5-inch caliper	Openlands, TreeKeepers, and residents plant and maintain while young; professional maintenance of larger trees

[a] Tree height in feet and caliper (trunk diameter) in inches measured 6 inches (15 cm) above the ground.

Table 2.—Estimated tree planting and management costs

Cost category [a]	Tree location				
	Park	Yard	Street	Highway	Housing
Planting					
Cost per tree (dollars)	470	250	162	250	150
Pruning					
Cost per tree (dollars)	160	196	97	150	160
Frequency (# in 30 yrs)	4	1	5	3	4
Tree removal					
Cost per tree (dollars)	900	504	658	312	900
Frequency (% removed)	80	100	100	60	80
Stump removal					
Cost per tree (dollars)	110	140	108	91	110
Frequency (% removed)	80	50	100	100	80
Waste disposal					
Cost (dollars per ton)	40	na	na	na	na
Infrastructure repair (dollars per tree per year)					
Walk, curb, gutter cost	0.62	0.62	2.49	0.25	0.62
Sewer and water cost	0.38	1.15	0.76	0.12	0.76
Litigation and liability					
Cost (dollars per tree per year)	0.01	0.50	1	0.75	0.07
Inspection					
Cost (dollars per tree per year)	0.19	0	0.35	0	0.19
Program administration					
Cost (dollars per tree per year)	0.94	0	0	2.63	32.78

[a] Cost estimates given as dollars per year per tree (45-ft tall, 20-inch d.b.h.) unless shown otherwise.

District spends about $75 per tree on the Grant Park elm program to control Dutch elm disease, but other expenditures for pest and disease control are minimal. The annual program administration cost is assumed to be $0.94 per large tree, while costs for litigation/liability and infrastructure repair are negligible.

Residential Yard Trees

Eight local garden centers were surveyed to estimate the number of trees planted annually in Chicago's residential landscapes. Questions were asked regarding numbers of trees sold, most popular species and sizes, and average cost. Based on the response, an estimated 5,000 trees will be planted each year in residential yards at an average planting height of 12-feet (2-inches d.b.h.). The average cost of this size tree is assumed to be $250. The typical green ash in yards is assumed to grow at an average annual rate of 0.8 feet in height (0.4-inch d.b.h.), reaching a height of 36 feet (14-inches d.b.h.) 30 years after planting. Due to the relatively favorable growing conditions in yards, low mortality rates are expected. Only 4 percent of the transplants are assumed to die during the first 5 years; a mortality rate of 18 percent is assumed for the entire 30 years.

On average, residential yard trees are assumed to be pruned once by a paid landscape professional over the 30-year analysis period at a cost of $196 per tree. Costs for tree and stump removal are assumed to be $504 and $140 per large tree, respectively. Costs are included for removal of all trees and 50 percent of all stumps.

Tree roots can damage old sewer lines that are cracked or otherwise susceptible to invasion. Several local companies were contacted to estimate the extent to which street and yard trees damage sewer lines and repair costs. Respondents noted that sewer damage is minor until trees and sewers are more than 30 years old, and that roots from trees in yards usually are a greater problem than roots from street trees. The latter assertion may be due to the fact that sewers become closer to the root zone as they enter houses than at the street. Repair costs typically range from $100 for rodding to $1,000 or more for excavation and replacement. This study assumes that on average, 10 percent of all yard trees planted will invade sewers during the 30-year period after planting, each requiring repair at an average cost of $345. When factored over the 30-year period, this cost amounts to about $1.15 per year per tree. The annual costs for repair of sidewalks due to damage from yard trees is $0.62 per tree.

The annual litigation or liability costs associated with property damage from yard trees is assumed to be $0.50 per tree based on data from other cities (McPherson et al. 1993b).

Residential Street Trees

Chicago's Bureau of Forestry maintains nearly a half million trees along city streets and boulevards. It anticipates planting 10,000 bare root trees each year for the next 5 years at an average planting cost of $162 each. Trees are typically 12-feet tall (2-inches d.b.h.) when planted. Along streets the typical green ash is assumed to grow at an average annual rate of 0.67 feet (0.33-inch d.b.h.), reaching a height of 32 feet (12-inches d.b.h.) 30 years after planting. It is assumed that 28 percent of the trees die during the first 5 years, with 42 percent dying over the 30-year planning horizon.

The Chicago Bureau of Forestry anticipates pruning street trees once every 6 years at an average cost of $97 per tree. All dead trees and their stumps are removed at a cost of $658 and $108 per tree, respectively. Nearly all of the removed wood is salvaged and used as mulch or compost. Roots of older street trees can cause sidewalk heaving that is costly to repair. In Chicago, costs for sidewalk repair are shared between the city and property owner. Approximately $3 million is spent annually for sidewalk repair (Ronny Eisen, City of Chicago Transportation Dept., 1993, pers. commun.). It is estimated that about $1 million is spent each year repairing sidewalk damage that is largely attributed to trees, or $2.18 each year per street tree. Data on the cost of curb and gutter repair due to tree damage are unavailable for Chicago but is asssumed to be 14 percent of sidewalk repair costs ($0.31 per tree per year) based on information from other cities (McPherson et al. 1993b). Based on data from several local sewer contractors, the estimated cost is $0.76 per year per large tree.

Data on litigation and liability costs are unavailable for Chicago, so costs are estimated as $1 annually per tree based on data from several other cities (McPherson et al. 1993b). The annual inspection cost is $0.35 per tree, while Bureau of Forestry program administration costs are included in the unit costs cited. Inspection costs cover time and expenses for personnel who regularly inspect trees, adjust staking, apply mulch, and perform other minor tree-care operations.

Trees Along Highways

The Chicago Gateway Green Committee is a nonprofit organization that raises funds for tree planting and care. Gateway Green teams with Illinois Department of Transportation (IDOT), Hendricken The Care of Trees, City of Chicago, and local volunteers to plant and care for trees along major transportation corridors. Recent plantings along the Kennedy Expressway and at the Ohio-Ontario-Orleans triangle demonstrate the success of this collaboration. IDOT is responsible for additional tree plantings associated with the reconstruction of expressways and highways. Planting numbers vary yearly depending on the construction schedule: and trees planted within the city limits are maintained by city personnel.

From 1992 to 1997, about 1,000 trees will be planted annually along Chicago's expressways and major streets by IDOT and Gateway Green. Plantings contain many native species that are well adapted to local growing conditions. The typical green ash is assumed to be 14 feet tall (3-inches d.b.h.) with an average planting cost of $250 per tree. This $250 incorporates savings due to donated labor from Gateway Green volunteers. Green ash trees along expressways are assumed to grow at an average annual rate of 0.67 feet in height (0.33-inch d.b.h.) attaining a height of 34 feet (13-inches d.b.h.) after 30 years, which is about their typical life-span since highways are rebuilt every 25 to 30 years. It is anticipated that sixteen percent of the new trees will die during the first 5 years. A loss rate of 39 percent is expected over the 30-year period.

On average, expressway trees are pruned once every 10 years at a cost of about $150 per large tree. Costs for tree and stump removal are assumed to be $312 and $91 per tree, respectively. Sixty percent of all dead trees are removed, and all stumps are removed. Nearly all waste wood is recycled as mulch used for landscaping. Because expressway trees are not planted close to sidewalks, curbs and gutters, and other built property, damage to them from trees is minimal. Program administration costs are assumed to be $2.63 annually per tree based largely on IDOT's projected expenses.

Trees In Public Housing Sites

Openlands Project is a nonprofit organization with an active urban forestry program called TreeKeepers, which teaches volunteers how to plant and maintain trees. Openlands plants 300 to 500 trees each year at a variety of locations throughout Chicago. About half of these trees are planted at public housing sites with participation from local residents. Other planting sites include libraries, parks, and streets. Plantings involve TreeKeepers and other volunteers. To simplify this analysis, data for tree planting and care at public housing and similar park-like sites are used.

During the next 5 years, Openlands expects to plant about 2,500 balled and burlapped trees (311 per year) averaging 13 feet in height (2.5 inches d.b.h.). It costs about $150 to plant each tree. The typical green ash is assumed to have an average annual growth rate of 0.8 feet in height (0.4-inch d.b.h.) per year and attain a height of 37 feet (14.5-inches d.b.h.) 30 years after planting. Mortality during the first 5 years is assumed to be 16 percent, and estimated as 39 percent for the entire 30 years.

TreeKeepers and other Openlands volunteers do not prune or remove trees over 10 inches d.b.h. Therefore, maintenance of maturing trees is performed by local arborists or other landscape professionals. Pruning costs are assumed to be $160 per tree, with the typical tree pruned four times over 30 years. Large tree and stump removal costs are assumed to be $900 and $110, respectively, with 80 percent of all dead trees and stumps removed. Annual program administration costs are $32.78 per tree. Administration costs cover expenses for coordinating, training, and supplying volunteers with equipment needed to plant and maintain trees.

Energy Savings

Trees can reduce energy use for air conditioning (AC) by shading building surfaces and lowering air temperatures and windspeed. During winter, trees can conserve energy use for heating by lowering windspeeds and associated infiltration of cold outside air. However, even bare branches of deciduous trees can block winter sunlight and increase heating energy use (Heisler 1986). Results from energy simulations for a typical two-story brick building in Chicago (McPherson 1994: Chapter 7, this report) are used in this benefit-cost analysis. Specifically, a single deciduous tree 36 feet (11 m) tall and 24 feet (7 m) wide was estimated to reduce annual air conditioning energy use by 266 kWh (0.96 GJ) and heating energy use by 4.42 MBtu (4.66 GJ). These base values represent maximum potential savings from a well-sited tree around a typical two-story residential building in Chicago. Reduction factors are applied to these base values to account for less than optimal shading and indirect effects, less than 100 percent presence of air-conditioning and natural gas heating devices, and less than mature tree size (McPherson 1991). Electricity and natural gas prices are $0.12 per kilowatt-hour (kWh) and $5 per million Btu (MBtu). About 40 percent of all households in Chicago have central air conditioning, 36 percent have room air conditioning, and 93 percent use natural gas for space heating (Thomas Hemminger and Claire Saddler, Commonwealth Edison; Bob Pendlebury, People's Gas, 1993, pers. commun.). Reduction factors that account for less than optimal tree placement with respect to buildings are based on personal observation of tree locations in Chicago and a previous study (McPherson 1993) (Table 3).

Air Quality Improvement

Although the ability of urban greenspace to mitigate air pollution through particulate interception and absorption of gases is recognized by many, few studies have translated this environmental control function into dollars and cents. This study uses an approach similar to that used previously by Chicago Urban Forest Climate Project (CUFCP) scientists to model the value of improvements in air quality from trees in a portion of Lincoln Park (McPherson and Nowak 1993). This analysis also includes benefits from the avoided costs of residual power plant emissions control due to cooling energy savings from trees.

Pollutant uptake is modeled as the surface deposition velocity times the pollutant concentration. Deposition velocities to vegetation for each pollutant, i.e., particulate matter less than 10 µm (PM10), ozone (O_3), nitrogen dioxide (NO_2), sulfur dioxide (SO_2), and carbon monoxide (CO) are derived from the limited literature on this subject (Davidson and Wu 1988).

Two scenarios with different pollution concentrations are used to estimate uptake rates. The first scenario uses average annual pollution concentrations during periods when National Ambient Air Quality Standard (NAAQS) levels are exceeded. The second scenario uses average pollution concentrations. Average annual pollution concentrations and the number of hours associated with each scenario are derived for in-leaf and leaf-off months from 2 years of data collected at Edgewater (gaseous pollutants) and the Chicago Avenue Pumping Station (particulates). All trees are considered to be deciduous, so annual pollutant uptake rates are calculated using in-leaf data only (May through October). Gaseous absorption is assumed to occur during daylight hours when stomates are open.

Biogenic hydrocarbon emissions from planted trees can contribute to O_3 pollution. However, as noted by Nowak (1994b: Chapter 5, this report), reducing city temperatures with trees can lower O_3 production and hydrocarbon emission. Because much research is needed before these complex interactions are understood, these costs and benefits are assumed to be offsetting.

Emissions by power plants depend on the type of technology used to generate electricity, fuel type, plant age, and other factors. Energy savings by trees will influence future emissions, and future emissions will be different as Commonwealth Edison begins to retire nuclear power plants. However, it is conservatively assumed that pollution emission rates will not change because advanced control technologies will offset an increase in the use of fossil fuels. Current emission rates provided by Commonwealth Edison are used for PM10 and SO_2 (Tom Hemminger, Commonwealth Edison, 1991, pers. commun.). Generic emission rates are used for other pollutants (California Energy Commission 1992). Avoided emissions are calculated by multiplying annual savings in electric energy from trees by the estimated power-plant emission rate for each pollutant (McPherson et al. 1993b) (Table 4).

The societal value of reducing air pollutants through tree planting is estimated using the cost of traditional air-pollution

Table 3.—Location reduction factors for energy, hydrologic, and other benefits, in percent

	Tree location				
Category	Park	Yard	Street	Highway	Housing
Shade	30	60	50	30	50
ET cooling	50	90	80	50	80
Wind	50	90	80	50	80
Hydrologic	15	30	70	25	30
Other benefits					
Species factor	70	70	70	70	70
Condition factor	70	70	70	70	70
Location factor	70	75	75	65	65

Table 4.—Assumptions for estimating implied value of air quality improvement

Item	PM10	O_3	NO_2	SO_2	CO
Deposition velocity (cm/sec)	0.60	0.45	0.40	0.66	0.0006
Control costs (dollars/ton)	1,307	490	4,412	1,634	920
Emission factors (lb/MWh)	0.14	0.03	2.10	6.81	0.63

controls as proxies for the price society is willing to pay to reduce air pollutants. Due to the unavailability of data for Chicago regarding air-pollution control costs, 1990 estimates for the Northeastern United States are used for this analysis (California Energy Commission 1992). These values may not reflect the actual price Chicagoans are willing to pay to reduce various air pollutants. Deposition velocities, control costs, and emission factors for each pollutant are listed in Table 4.

Carbon Dioxide Sequestered and Avoided

Carbon dioxide is a major greenhouse gas that influences atmospheric processes and climate. As part of the CUFCP, the potential of urban and community forests to directly store carbon in their biomass has been reported in this report (Nowak 1994c: Chapter 6). Other studies have analyzed the extent to which cooling energy savings attributed to urban forests reduce atmospheric carbon released by power plants as a byproduct of electric generation (Huang et al. 1987; Rowntree and Nowak 1991, Sampson et al. 1992; Nowak 1993). Generally, avoided carbon emissions are many times greater per tree than are amounts of carbon stored. This study uses an approach similar to that developed by Rowntree and Nowak (1991).

Sequestered carbon is calculated using biomass equations for a sugar maple (*Acer saccharum*) to represent hardwood biomass (Wenger 1984). Hardwood dry weight is estimated to be 56 percent of fresh weight and carbon storage is approximately 45 percent of total dry-weight biomass. Annual carbon sequestration for a 20-inch d.b.h. (45-foot tall) deciduous tree is estimated to be 100 lb (45 kg).

Avoided carbon emissions from power plants are calculated using energy analysis estimates of cooling energy saved and Commonwealth Edison's current fuel mix. A weighted average carbon emission rate of 0.11 lb (50 g) per kilowatt-hour was calculated. Estimated carbon emissions associated with natural gas consumed for space heating total 29.9 lb (13.6 kg) per million Btu (Larry Guzy, Peoples Gas, 1993, pers. commun.). The implied value of stored and avoided carbon is assumed to be $22 per ton (California Energy Commission 1992).

Hydrologic Benefits

Rainfall intercepted and stored by the crowns of trees eventually evaporates. Findings from hydrologic simulations using different amounts of tree-canopy cover indicate that existing tree cover reduces urban stormwater runoff by 4 to 8 percent, and that modest increases in tree cover can further reduce runoff (Sanders 1986; Lormand 1988). Power plants use approximately 0.6 gal (2.3 l) of water to produce 1 kWh of electricity (McPherson 1991), so trees that provide energy savings through cooling also reduce water use associated with power production. Avoided water use at power plants is calculated by multiplying the rate of water use (0.6 gal) and kilowatt-hours of annual cooling energy saved. According to the Chicago Water Collection Division, the value of this water is estimated using a local retail water price of $0.00175 per gallon.

Most jurisdictions in the Chicago area require on-site retention-detention basins or other control devices to ensure that off-site flow does not exceed predevelopment rates. Costs for land acquisition, basin excavation, landscaping, and maintenance were approximately $0.02 per gallon of water retained (McPherson et al. 1993b). This price is used to establish a base implied value for rainfall interception and consequent avoided costs for stormwater control.

The amount of rainfall intercepted annually by trees is calculated as a linear function of tree size (Aston 1979). The value of tree-crown interception for retention-detention begins to accrue after the storage capacity of soil and other surfaces is filled and runoff commences. For example, storm events less than 0.1 inch seldom result in runoff. For this study, it is assumed that 80 percent of annual rainfall results in runoff. Interception equations for leafless and in-leaf periods (Hamilton and Rowe 1949) are used to estimate annual interception volumes for trees with different crown spreads.

In urban areas, land-cover characteristics dominate runoff processes and overland flow. Runoff from parking lots will exceed runoff from lawns under similar storm conditions. Thus, the potential effect on runoff of rainfall interception by trees can vary according to land cover characteristics associated with each planting location. To calculate net avoided runoff, land-cover reduction factors are incorporated and are assigned to each location based on the rational method for estimating runoff (Dunne and Leopold 1978) (Table 2).

Other Benefits

There are many environmental and aesthetic benefits provided by trees in Chicago that should be included in any benefit-cost analysis. Environmental benefits from trees not accounted for thus far include noise abatement, soil conservation, water-quality effects, increased human thermal comfort, and wildlife habitat. Although such benefits are more difficult to quantify than those described previously, they can be just as important.

Research shows that humans derive substantial pleasure from trees, whether it be feelings of relaxation, connection to nature, or religious joy (Dwyer et al. 1992). Trees provide important settings for recreation in and near cities. Research on the aesthetic quality of residential streets has shown that street trees have the single strongest positive influence on scenic quality.

Research comparing variations in sales prices over a large number of residential properties with different tree resources suggests that people are willing to pay 3 to 7 percent more for residential properties with ample tree resources versus few or no trees (Morales et al. 1983; Payne 1973). One of the most comprehensive studies of the influence of trees on residential property values was based on actual sales prices for 844 single-family homes in Athens, Georgia (Anderson and Cordell 1988). Each large front-yard tree was associated with about a 1-percent increase in sales price ($336). A value of 9 percent ($15,000) was determined in a U.S. Tax Court case for the loss of a large black oak on a property valued at $164,500 (Neely 1988).

Several approaches can be used to estimate the value of "other" benefits provided by trees. The hedonic pricing approach relies on differences in sales prices or property values of similar houses with good tree cover and no or little tree cover. The dollar difference should reflect the willingness of buyers to pay for the economic, social, and environmental benefits that trees provide. Some limitations to using this approach for this study include the difficulty associated with determining the value of individual trees on a property; the need to extrapolate results from studies done years ago in the east and south to Chicago; and the need to extrapolate results from trees on residential properties to trees in other locations (e.g., streets, parks, highways, public housing).

A second approach is to estimate the compensatory value of a tree using techniques developed by the Council of Landscape and Tree Appraisers and described by Neely (1992). Tree valuation is used by appraisers to calculate the replacement cost of a tree of similar size and kind as one that has been damaged or destroyed. The replacement value of smaller trees is estimated using local market prices for a transplantable tree of similar size and species. For larger trees, a basic value is calculated based on the local market price for the largest normally-available transplantable tree. This value is then adjusted downward to account for the species, condition, and location. A trunk adjustment factor is applied to trees larger than 30 inches d.b.h. based on the premise that a mature tree will not increase in value as rapidly as its trunk area will increase (Figure 1).

A good overview of the tree valuation method is provided by Miller (1988). The approach is used with street tree inventory data to estimate the asset value of street tree populations. The tree valuation was used in an economic analysis of the optimum pruning cycle for Milwaukee, Wisconsin by comparing the marginal cost of pruning to its marginal return (Miller and Sylvester 1981). Street tree inventory data regarding



Figure 1. —Trunk area is adjusted for trees greater than 30 inches d.b.h. to more realistically estimate their replacement value. Estimated trunk diameter for a typical green ash used to calculate trunk area and tree replacement value is shown.

pruning intervals and tree condition were used with regression analysis to determine relations between pruning and condition class. Marginal costs were calculated as the loss in tree value associated with lower condition classes and extended pruning cycles. Thus, Miller and Sylvester (1981) applied the tree valuation formula to estimate the economic value of benefits forgone as tree condition deteriorates. This study adopts a similar approach to estimate the total value of benefits trees produce at a given time. Then the value of energy, air quality, carbon, and hydrologic benefits are subtracted from this total to calculate the remaining "other benefits". Tree replacement value (Neely 1988) is estimated as:

Replacement Value = Basic Value x Species Factor x Condition Factor x Location Factor

where Basic Value = \$27 x (0.789 x d_2) and d is tree d.b.h. in inches. Because in this analysis benefits begin accruing in 1992, basic value is calculated using \$27 per square inch of trunk area, the value used in 1992 (Neely 1988). Currently, it costs about \$33 to \$35 per square inch of trunk area to purchase and install a typical 4-inch (10 cm) tree in the Chicago area (George Ware, Morton Arboretum, 1993, pers. commun.). Species and condition factors are assumed to be 70 percent for all trees, corresponding with species that are fairly well adapted to local growing conditions and in fair to good condition (Table 3). Locations factors range from 65 percent for highway and public housing trees to 75 percent for street trees based on the site context, functional contribution of trees, and likely placement (Table 3).

As described previously, annual tree-replacement value is calculated as the incremental value associated with the yearly increase in trunk diameter of each age class. To avoid double-counting the environmental benefits already discussed (e.g., energy and carbon savings, improvement in air quality, hydrologic benefits), these benefits are totaled and subtracted from the incremental tree replacement value each year. Theoretically, the amount remaining after the environmental benefits already accounted for are deducted represents the value of benefits such as aesthetic value, improved health, wildlife value, and social empowerment.

Discount Rates

C-BAT was designed to estimate annual costs and benefits over a 30-year period. This is long enough to reflect benefits from maturing trees and still be within the planning horizon of policymakers. With a tree-planting and care program, benefits and costs are incurred at various points in time. Because decisionmakers have other uses for the dollars that they invest in the tree program as well as the ones they receive, it is important that the analysis reflect the cost of other foregone investment opportunities. This usually is done by discounting all benefits and costs to the beginning of the investment period using a rate of compound interest. The discount rate incorporates the time value of money and inflation. The former refers to the fact that a dollar received in the future is worth less than one received in the present since the present dollar can earn interest. Inflation is the anticipated escalation in prices over time. For studies such as this, selecting a discount rate is problematic because the cost of capital for a municipality is different than for a resident or a nonprofit organization, all of whom are investing in the planting and care of trees. The net present value (NPV) of investments will be higher for decisionmakers with lower discount rates, but lower for those who face a higher cost of capital. At higher discount rates, NPV decrease several fold because most costs are incurred during the first five years when trees are planted, while most benefits accrue later as the trees mature and are discounted heavily. To assess how C-BAT findings change in response to different discount rates simulations were conducted using rates of 4, 7, and 10 percent. The NPV estimates (benefits minus costs) in this study can be interpreted as yield on the investment in excess of the cost of capital (discount or interest rate).

Investment in tree planting is evaluated using NPV and benefit-cost ratios. The former is the present value of benefits minus the present value of costs; the latter is the ratio of the present value of benefits and costs. If the benefit-cost ratio is greater than one, net benefits are produced. Higher ratios and NPV indicate greater returns relative to dollars invested.

Model Limitations

The application of C-BAT yields results that must be interpreted with care because of the limitations associated with the available data and with C-BAT itself. There is considerable variability in the quality of information upon which C-BAT results are based. For instance, cost data for tree planting, pruning, and removal are thought to be quite reliable, but information on litigation/liability, infrastructure repair, and administration costs was difficult to obtain and is less reliable. Second, there is a high degree of uncertainty associated with some parameters used to model benefits. For example, a stronger empirical basis is needed to estimate benefits not explicitly accounted for, such as "other" benefits. Limitations of the tree valuation method include 1) the need to extrapolate value to large trees for which transplants of similar size are unavailable, 2) the lack of research-based guides for adjusting the basic value by species, condition, and location, and 3) the fact that the amount one demands as compensation for a damaged or destroyed tree may be greater than what one is willing to pay for the same tree prior to the casualty (Randall 1981).

Limited urban forest research makes it necessary to base some assumptions on professional observation and data from forest trees rather than on research results for urban trees. Carbon sequestration benefits may be understated if open-growing urban trees have relatively more biomass than forest trees.

C-BAT accounts for only a few of the many benefits and costs associated with trees. For example, some benefits and costs not explicitly considered in this study include effects of trees on human health and wildlife habitat, as well as costs of pick-up and disposal of tree litter.

This is pioneering research that awaits thorough testing and validation with field data. Results are first-order approximations and some error is to be expected. As our understanding of urban forestry increases better methods will be available to estimate benefits and costs.

Results and Discussion

Growth, Mortality, and Leaf Area

Growth curves for the typical trees are shown in Figure 2. The green ash in park, yard, and public housing sites display similar growth rates. Growth rates for trees along highways and residential streets are slower because less favorable growing conditions are assumed.

Mortality rates reflect anticipated loss associated with growing conditions, care, and likely damage from cars, vandalism, pest/disease, and other impacts. Loss rates are projected to be greatest along residential streets (42 percent), where trees are exposed to a variety of human and environmental abuse (Table 5). A 39-percent loss rate is projected for trees planted in parks, on public housing sites, and along highways. About 18 percent of the trees planted in residential yards are expected to die. Of the 95,000 trees planted, 33,150 (35 percent) are projected to die, leaving 61,850 trees alive at the end of the 30-year analysis (Figure 3).

The total amount of leaf area varies according to tree numbers and size. Although twice as many trees are projected to be planted along residential streets than in yards, total leaf area is similar because yard trees are faster growing (i.e., larger trees) and have a lower mortality rate (Figure 4). Because relatively few trees are projected to be planted in highway and public housing locations, their projected total leaf area is small.

Future Tree Cover

Patterns of growth and mortality that influence total leaf area have a similar impact on new tree cover (Table 5). Planting of 95,000 trees is projected to add approximately 1,204 acres (487 ha) of future tree cover 30 years after planting began. Yard trees account for 26 percent of all trees planted and 36 percent of new tree cover. Together, park and street-tree plantings contribute 56 percent of total future tree cover; trees planted along highways and on public housing sites account for the remaining 6 percent.

To place the magnitude of future tree cover in perspective it was compared to the amounts of current tree cover and total land area of Chicago. Based on our analysis of aerial photographs, trees and shrubs cover about 18,608 acres (7,530 ha) or 11.1 percent of total land area in Chicago (McPherson et al. 1993a). The addition of 1,204 acres (487 ha) of new tree cover due to planting of 95,000 trees increases overall tree cover by about 1 percent, assuming *no* other change in land cover. This future tree cover amounts to 7 percent of existing tree cover, so it is not an insignificant contribution.

Another way to assess the relative impact of these proposed plantings is to project their effect on the current canopy-stocking levels. We found that about 32 percent of land in Chicago that is actively managed is Available Growing Space (AGS), meaning land that can be planted with trees because it is not covered with paving and buildings (McPherson et al. 1993a). The proportion of AGS occupied by trees is called the Canopy Stocking Level (CSL), and is about 25 percent in Chicago. By comparison, CSL for 12 other U.S. cities ranged from 19 to 65 percent (McPherson et al. 1993b). The relatively low CSL for Chicago implies that there is space available for new tree planting, though some of this space should not be planted with trees (e.g., prairie, playfields). The additional 1,204 acres (487 ha) of future tree cover would increase CSL from 25 percent to 28 percent.

Net Present Values and Benefit-Cost Ratios

The NPV reflects the magnitude of investment in tree planting and care at each location, as well as the flow of benefits and costs over time. The projected NPVs were positive at all

Table 5.—C-BAT results

Tree location	No. trees planted	Mortality rate (%)[a]	New tree cover[b]	NPV in $1,000[c]	Benefit /cost[d]	Per planted tree (dollars)[e]		
						PV benefit	PV cost	NPV
Park	12,500	39	190	5,592	2.14	840	393	447
Yard	25,000	18	433	14,637	3.51	818	233	585
Street	50,000	42	489	15,160	2.81	471	168	303
Highway	5,000	39	58	1,606	2.32	564	243	321
Housing	2,500	39	34	1,155	3.52	645	184	461
Total	95,000	35	1,204	38,150	2.83	621	219	402

[a] Percentage of trees planted expected to die during 30-year planning period.
[b] Estimate of new tree cover in acres provided by plantings in 30 years (2022) assuming listed mortality and no replacement planting after 5 years.
[c] Net present values assuming 7-percent discount rate and 30-year analysis period.
[d] Discounted benefit-cost ratio assuming 7-percent discount rate and 30-year analysis period.
[e] Present value of benefits and costs per planted tree assuming 7-percent discount rate and 30-year analysis period.



Figure 2. —Growth curves modeled for the typical green ash tree at each planting location.



Figure 3. —Projected number of live trees at each location, assuming planting and replacement during the first 5 years only.



Figure 4. —Projected leaf-surface area for trees at each planting location.

discount rates, ranging from $638,153 at public housing sites with a 10 percent discount rate to $30.6 million for street trees with a 4 percent discount rate. At a 7 percent discount rate, the NPV of the entire planting (95,000 trees) is projected to be $38 million or about $402 per planted tree (Table 5). This means that on average the present value of the yield on investment in tree planting and care in excess of the cost of capital is $402 per tree. The NPV of street and yard trees is projected to be about $15 million each, while the NPV for park tree plantings is $5.6 million. The NPVs are lower for planting and care of trees along highways ($1.6 million) and at public housing sites ($1.2 million) because fewer trees are projected to be planted than in the other locations.

The discounted benefit-cost ratio (BCR), or the present value of benefits divided by costs, is greater than 1.0 at all discount rates. The BCRs range from 1.49 for park trees with a 10-percent discount rate, to 5.52 for residential yard trees with a 4-percent discount rate. At a 7-percent discount rate, the BCR for all locations is 2.83, meaning that $2.83 is returned for every $1 invested in tree planting and care in excess of the 7-percent cost of capital (Table 5). BCRs are projected to be greatest for residential plantings (3.5 for yard and public housing at 7-percent) and least for park trees (2.14), although actual BCRs will vary with the mix of species used and other factors influencing growth, mortality, and tree performance.

Although NPVs and BCRs vary considerably with discount rate, these results indicate that economic incentives for investing in tree planting and care exist, even for decisionmakers who face relatively high discount rates. While the rate of return on investment in tree planting and care is less at higher discount rates, benefits still exceed costs for this 30 year analysis. Given this result, a 7 percent discount rate is assumed for findings that follow.

The estimated present value of total benefits and costs is $59 and $21 million, respectively (Tables 6 -7). Expenditures for planting alone are projected to account for more than 80 percent of all costs except for trees at public housing sites, where program administration costs are substantial. "Other" scenic, social, and ecological benefits represent 52 to 78 percent of total benefits. Energy savings, removal of atmospheric CO_2, and hydrologic benefits are the next most important benefits produced by the trees.

Heating savings associated with reductions in windspeed from the maturing trees are projected to account for about 70 percent of total energy savings (Table 6). This trend, noted in the previous section of this report, can be attributed to Chicago's relatively long heating season and the pervasiveness of space-heating devices compared to air conditioners. The present value of carbon emissions avoided due to heating and cooling energy savings is about 3 to 6 times the value of carbon sequestered by trees (Table 6). In several other studies, savings from avoided emissions were 4 to 15 times greater than savings from direct carbon uptake and storage in tree biomass (Huang et al. 1987; Nowak 1993; Sampson et al. 1992). Smaller avoided emissions for Chicago can be explained by several factors. First, 80 percent of Chicago's base-load electricity is generated by nuclear power, with relatively little emissions of CO_2. Second, Chicago has a short cooling season, so savings in air-conditioning energy are less than the national average or regions with warmer weather. Third, although heating savings are substantial in Chicago, natural gas is a relatively clean burning fuel, so

Table 6.—Projected present value of benefits for tree plantings in Chicago (30 year analysis, 7-percent discount rate, in thousands of dollars)

Benefit category	Tree location					
	Park	Yard	Street	Highway	Housing	Total
Energy[a]						
Shade	233	984	1,184	91	75	2,567
ET cooling	340	1,296	1,676	135	105	3,552
Wind reduction	1,479	5,648	7,302	586	457	15,472
Subtotal	2,052	7,928	10,162	812	637	21,591
Air quality[b]						
PM10	8	11	11	2	1	33
Ozone	1	2	1	0	0	4
Nitrogen dioxide	8	19	18	2	2	49
Sulfur dioxide	8	23	21	2	2	56
Carbon monoxide	1	1	1	0	0	3
Subtotal	26	56	52	6	5	145
Carbon dioxide[c]						
Sequestered	37	65	82	12	5	201
Avoided	92	359	465	37	27	980
Subtotal	129	424	547	49	32	1,181
Hydrologic[d]						
Runoff avoided	46	170	494	24	15	749
Saved at power plant	6	26	32	3	2	69
Subtotal	52	196	526	27	17	818
Other benefits[e]	8,242	11,854	12,262	1,926	923	35,207
Total	10,501	20,458	23,549	2,820	1,614	58,942

[a] Net heating and cooling savings estimated using Chicago weather data and utility prices of $0.12 per kWh and $5 per MBtu. Heating costs due to winter shade from trees are included in this analysis.
[b] Implied values calculated using traditional costs of pollution control (see Table 4).
[c] Implied values calculated using traditional costs of control ($0.011/lb) and carbon emission rates of 0.11 lb/kWh and 29.9 lb per MBtu.
[d] Implied values calculated using typical retention/detention basin costs for stormwater runoff control ($0.02/gal) and potable water cost of ($0.00175/gal) for avoided power plant water consumption.
[e] Based on tree replacement costs (Neely 1988).

carbon savings are not great. Thus, care must be taken in comparing results from Chicago with other communities. Savings in air-conditioning energy and associated removal of atmospheric CO_2 could be higher in communities served by utilities more reliant on coal, oil, and gas than Commonwealth Edison, or in cities with longer cooling seasons.

Present Values of Costs and Benefits Per Planted Tree

Differences in return on investment can be understood by examining the present value of costs and benefits per planted tree at different planting locations (Figures 5-6). Despite the fact that trees of similar size and wholesale price are projected for planting in all locations, the present value of planting costs varies markedly, ranging from $109 per tree at public housing sites where volunteer assistance kept costs down to $341 in parks where costs for initial irrigation added to planting expenditures. Participation by residents of public housing in tree planting and care can reduce initial tree loss to neglect vandalism. Similarly, initial watering of park trees can increas survival rates by reducing tree loss to drought.

The present value of pruning costs is only $12 per plante street tree even though trees are assumed to be pruned mo frequently along streets than at other locations (every 6 years In fact, the present value of total costs is only $168 per tre for street trees (Figure 5). Cost-effective planting and care street trees is important because they account for about on third of Chicago's overall tree cover (McPherson et al. 1993a

The present value of removal costs is projected to be highe for trees planted in parks and public housing sites ($16 $22 per tree). Costs for infrastructure repair, pest and d ease control, and liability/litigation are relatively small. T present value of program administration costs for tree plantin by Openlands and trained volunteers is $35 per planted tre A similar finding was noted for other U.S. cities (McPhers ıble 7.—Projected present value of costs for tree plantings in Chicago (30 year analysis, 7-percent discount rate, in ousands of dollars)

Cost category	Park	Yard	Street	Highway	Housing	Total
	Tree location					
Planting[a]	4,258	5,484	7,107	1,097	272	18,218
Pruning[b]	346	192	585	75	57	1,255
Removal[c]						
Tree	221	105	547	18	36	927
Stump	27	15	90	9	4	145
Subtotal	248	120	637	27	40	1,072
Tree waste disposal[d]	31	0	0	0	0	31
Inspection[e]	3	0	13	0	1	17
Infrastructure repair[f]						
Sewer/water	3	14	8	0	1	26
Sidewalk/curb	5	7	27	1	1	41
Subtotal	8	21	35	1	2	67
Liability/litigation[g]	0	6	11	1	0	18
Program administration[h]	15	0	0	13	87	115
Total	4,909	5,823	8,388	1,214	459	20,793

ı Reported cost of trees, site preparation, planting, and initial watering (see Table 2).
ˀ Reported cost of standard Class II pruning. Pruning frequency varied by location (see Table 2).
: Reported cost of tree and stump removal. Frequency of removals varied by location (see Table 2).
ʲ Tree waste disposal fee $40/ton. Value of wood waste recycled as compost and mulch assumed to offset recycling costs where no net cost shown.
ˀ Reported labor and material costs for systematic tree inspection (see Table 2).
Cost of infrastructure repair due to damage from tree roots assumed to vary by location (see Table 2).
ǯ Cost of litigation/liability as reported or based on data from other cities (McPherson et al. 1993) when unavailable.
ˀ Salaries of administrative personnel and other program administration expenditures. Administrative costs were incorporated in other reported costs for residential street trees.



Figure 5. —Present value of costs per tree planted at each location, assuming a 30-year analysis period and 7-percent discount rate.



Figure 6. —Present value of benefits per tree planted at each location, assuming a 30-year analysis period and 7-percent discount rate.

et al. 1993b). Generally, nonprofit tree groups have higher administrative costs than municipal programs using in-house or contracted services because of their small size and amount of funds spent organizing and training volunteers. These additional expenditures somewhat offset savings associated with reduced labor costs for planting and initial tree care compared to municipal programs.

The projected present value of benefits per planted tree is $471 and $564 for street and highway plantings, respectively, $645 for public housing sites, and more than $800 for trees planted in parks and residential yards (Figure 6). Lower benefits for street and highway trees can be attributed to their slower growth (Figure 2), smaller total leaf area (Figure 3), and relatively smaller energy and other benefits due to locational factors.

The amount of annual benefits the typical tree produces depends on tree size as well as relations between location and functional performance. Larger trees can produce more benefits than smaller trees because they have more leaf-surface area. Because yard trees exert more influence on building energy use than highway trees, they produce greater energy savings per unit leaf area. To illustrate how these factors influence benefits, nondiscounted annual benefits are estimated for the typical tree at year 30 in each typical location (Table 8). Estimated savings in annual air-conditioning energy from the 36-foot tall (14-inches d.b.h.) yard tree are 201 kWh (0.7 GJ) ($24 nominal) compared to 102 kWh (0.4 GJ) ($12 nominal) for a 34-foot tall (13-inches d.b.h.) tree along a highway. Differences in benefits from the uptake of air pollutants by trees, including carbon sequestered, are assumed to be solely due to differences in tree size, because little is known about spatial variations in pollution concentrations that influence rates of vegetation uptake. However, location-related differences in cooling energy savings translate into differences in avoided emissions and water consumed in the process of electric power generation. For instance, trees are projected to intercept more particulate matter and absorb more O_3 and NO_2 directly than in avoided power-plant emissions. But energy savings from the same trees result in greater avoided emissions of SO_2, CO, and CO_2 than is gained through direct absorption and sequestration. Street trees are projected to provide the greatest annual reductions in avoided stormwater runoff, 327 gallons (12.4 kl) for the 32-foot tall tree (12-inches d.b.h.) compared to 104 gallons (3.9 kl) avoided by a park tree of larger size. More runoff is avoided by street trees than by trees at other sites because street tree canopies intercept rainfall over mostly paved surfaces. In the absence of street trees, rainfall on paving begins to runoff quickly. Trees in yards and parks provide less reduction in avoided runoff because in their absence, more rainfall infiltrates into soil and vegetated areas; thus, less total runoff is avoided. Assumed differences in economic, social, aesthetic, and psychological values attached to trees in different locations are reflected in the projected value of "other" benefits (Table 8).

Discounted Payback Periods

The discounted payback period is the number of years before the benefit-cost ratio exceeds 1.0 and net benefits begin to accrue. Assuming a 7 percent discount rate, projected payback periods range from 9 years for trees planted and maintained at public housing sites to 15 years for plantings in parks and along highways (Figure 7). Yard and street trees are projected to have 13- and 14-year discounted payback periods, respectively. As expected, payback periods are

Table 8.—Projected annual benefits produced 30 years after planting by the typical green ash tree at typical locations

Benefit category	Tree location				
	Park	Yard	Street	Highway	Housing
Tree size (height in feet)	39	36	32	34	37
d.b.h. (inches)	16	14	12	13	14.5
Energy					
Cooling (kWh)	116	201	152	102	179
Heating (MBtu)	5.1	8.3	6.5	4.5	7.7
PM10 (lb)					
Direct uptake	2.19	1.8	1.41	1.67	1.93
Avoided emissions	0.02	0.30	0.02	0.01	0.02
Ozone (lb)					
Direct uptake	0.79	0.65	0.51	0.60	0.70
Avoided emissions	0	0.01	0.01	0	0.01
Nitogen dioxide (lb)					
Direct uptake	0.55	0.45	0.36	0.42	0.48
Avoided emissions	0.15	0.26	0.19	0.13	0.23
Sulphur dioxide (lb)					
Direct uptake	0.51	0.42	0.33	0.39	0.45
Avoided emissions	0.79	1.37	1.03	0.69	1.22
Carbon monoxide (lb)					
Direct uptake	0.04	0.03	0.03	0.03	0.04
Avoided emissions	0.08	0.13	0.10	0.07	0.12
Carbon dioxide (lb)					
Direct uptake	112	94	77	87	49
Avoided emissions	166	271	212	145	241
Hydrology (gal)					
Runoff avoided	104	177	327	132	187
Water saved	69	120	91	61	102
Other benefits (dollars)	196	234	248	231	190



Figure 7. —Discounted payback periods depict the number of years before the benefit-cost ratio exceeds 1.0. This analysis assumes a 30-year planning period and 7-percent discount rate.

slightly longer at the 10 percent discount rate (11 to 18 years), and shorter at most locations with a 4-percent discount rate (9 to 13 years).

Early payback at public housing sites can be attributed to several factors. Trees are projected to add leaf area at a relatively rapid rate due to low initial mortality and fast growth compared to trees at other locations. These trees are relatively inexpensive to plant and establish due to participation by residents and volunteers. Thus, the payback period is shortened because upfront costs, which are heavily discounted compared to costs incurred in the future, are low.

Conclusions

Are trees worth it? Do their benefits exceed their costs? If so, by how much? Our findings suggest that energy savings, air-pollution mitigation, avoided runoff, and other benefits associated with trees in Chicago can outweigh planting and maintenance costs. Given the assumptions of this analysis (30 years, 7-percent discount rate, 95,000 trees planted), the projected NPV of the simulated tree planting is $38 million or $402 per planted tree. A benefit-cost ratio of 2.83 indicates that the value of projected benefits is nearly three times the value of projected costs.

In what locations do trees provide the greatest net benefits? Benefit-cost ratios are projected to be positive for plantings at park, yard, street, highway, and public housing locations at discount rates ranging from 4 to 10 percent. Assuming a 7-percent discount rate, BCRs are largest for trees in residential yard and public housing (3.5) sites. The following traits are associated with trees in these locations: relatively inexpensive to establish, low mortality rates, vigorous growth, and large energy saving. Because of their prominence in the landscape and existence of public programs for their management, street and park trees frequently receive more attention than yard trees. By capitalizing on the many opportunities for yard-tree planting in Chicago, residents can gain additional environmental, economic, social, and aesthetic benefits. Residents on whose property such trees are located receive direct benefits (e.g., lower energy bills, increased property value), yet benefits accrue to the community as well. In the aggregate, private trees improve air quality, reduce stormwater runoff, remove atmospheric CO_2, enhance the local landscape, and produce other benefits that extend well beyond the site where they grow.

How many years does it take before trees produce net benefits in Chicago? Payback periods vary with the species planted, planting location, and level of care that trees receive. C-BAT findings suggest that discounted payback periods for trees in Chicago can range from 9 to 18 years. Shorter payback periods are obtained at lower discount rates, while higher rates lengthen the payback periods. These payback periods compare favorably with those for similar plantings in other U.S. cities (McPherson et al. 1993b).

What tree planting and management strategies will increase net benefits derived from Chicago's urban forest? Findings from the C-BAT simulations suggest several strategies to maximize net benefits from investment in Chicago's urba forest. These concepts are not new and many current are being applied in Chicago. Most of the following recon mendations also have application in communities outsic Chicago as well.

1. <u>Select the right tree for each location.</u> Given that plantin and establishment costs represent a large fraction of tot tree expenditures, investing in trees that are well suited t their sites makes economic sense. Matching tree to sit should take advantage of local knowledge of the tolerance of various tree species. Species that have proven to be we adapted should be selected in most cases, though limite testing of new introductions increases species diversity an adds new horticultural knowledge (Richards 1993). Whe selecting a tree an important first question is: will this tre survive the first 5 years after transplanting? A second ques tion is: what are the long-term maintenance requirements o this tree and do they match the level of maintenance likely t be delivered? Fast starters that have short life spans or hig maintenance requirements are unlikely to maximize net ben efits in the long term. A third question is: what functiona benefits does a tree produce and will this species provid them? For example, if summer shade and winter sunlight ar desired benefits, then a "solar friendly" species should b given high priority (McPherson 1994: Chapter 7, this report)

2. <u>Weigh the desirability of controlling initial planting cost with the need to provide growing environments suitable fc healthy, long-lived trees.</u> Because the costs of initial inves ments in a project are high, ways to cut up-front costs shoul be considered. Some strategies include the use of traine volunteers, smaller tree sizes, and follow-up care to increas survival rates. When unamended growing conditions ar likely to be favorable, such as yard or garden settings, it ma be cost-effective to use smaller, inexpensive stock that re duces planting costs. However, in highly urbanized setting money may be well spent creating growing environmen to improve the long-term performance of trees. Freque replacement of small trees in restricted growing space m be less economical than investing initially in environmen conducive to the culture of long-lived, vigorous shade tree

3. <u>Plan for long-term tree care.</u> Benefits from trees increa as they grow, especially if systematic pruning and maint nance result in a healthy tree population (Miller and Sylves 1981). The costs of providing regular tree care are sm compared to the value of benefits forgone when maturi trees become unhealthy and die (Abbott et al. 1991). E ciently delivered tree care can more than pay for itself improving health, increasing growth, and extending longev A long-term tree care plan should include frequent visits each tree during the first 10 years after planting to develo sound branching structure and correct other problems, a less frequent but regular pruning, inspection, and treatm as needed. Mature trees in Chicago provide substar benefits today. Maintenance that extends the life of th trees will pay dividends in the short term, just as rou maintenance of transplants will pay dividends in the futu

Clearly, a healthy urban forest can produce long-term ben that all Chicagoans can share. This study has develo initial estimates of the value of some of these benefits, as well as the costs. To improve the health and increase the productivity of Chicago's urban forest will require increased support from agencies and local residents. Information from this chapter could be part of a public education program aimed at making more residents aware of the value their trees add to the environment in which they live.

Acknowledgments

I wish to thank Paul Sacamano, Steve Wensman, Scott Prichard, and Lisa Blakeslee for their assistance with data collection and C-BAT modeling. Information on tree-planting and care programs in Chicago was provided by Geri Weinstein and Robert Megquier (Chicago Park District), Larry Hall (Hendricksen The Care of Trees), Steve Bylina (Bureau of Forestry), Vince Pagone (Chicago Gateway Green Committee), Rick Wanner (Illinois Department of Transportation), and Suzanne Malec Hoerr (Openlands). The author thanks George Ware (Morton Arboretum), Robert Miller (University of Wisconsin-Stevens Point), and John Dwyer (USDA Forest Service) for helpful reviews, but he alone is responsible for the contents of the article.

Literature Cited

Abbott, R. E.; Luley, C.; Buchanan, E.; Miller, K.; Joehlin, K. 1991. **The importance of large tree maintenance in mitigating global climate change.** Res. Rep. Amherst, NH: National Arborist Association, Urbana, IL: International Society of Arboriculture. 7 p.

Akbari, H.; Davis, S.; Dorsano, S.; Huang, J.; Winnett, S. 1992. **Cooling our communities: a guidebook on tree planting and light-colored surfacing.** Washington, DC: U. S. Environmental Protection Agency. 217 p.

Anderson, L. M.; Cordell, H. K. 1988. **Influence of trees on residential property values in Athens, Georgia (U.S.A.): a survey based on actual sales prices.** Landscape and Urban Planning. 15: 153-164.

Aston, A. R. 1979. **Rainfall interception by eight small trees.** Journal of Hydrology. 42: 383-396.

California Energy Commission. 1992. **1992 electricity report, air quality.** Sacramento, CA: California Energy Commission.

Chernick, P. L.; Caverhill, E. J. 1991. **The valuation of environmental externalities in energy conservation planning.** In: Energy efficiency and the environment: forging the link. Washington, DC: American Council for an Energy-Efficient Economy: 215-228.

Davidson, C. I.; Wu, Y. 1988. **Dry deposition of particles and vapors.** In: Acidic precipitation. Volume 3: Sources, deposition, and canopy interactions. New York: Springer Verlag: 103-216.

Dunne, T.; Leopold, L. B. 1978. **Water in environmental planning.** San Francisco, CA: W. H. Freeman and Company.

Dwyer, J. F.; McPherson, E. G.; Schroeder, H.; Rowntree, R. 1992. **Assessing the benefits and costs of the urban forest.** Journal of Arboriculture. 18(5): 227-234.

Fleming, L. E. 1988. **Growth estimates of street trees in central New Jersey.** New Brunswick, NJ: Rutgers, The University of New Jersey. M. S. thesis.

Frelich, L.E. 1992. **Predicting dimensional relationships for Twin City shade trees.** St. Paul, MN: University of Minnesota, Department of Forest Resources. 33 p.

Graves, P.; Murdoch, J.; Thayer, M.; Waldman, D. 1987. **The robustness of hedonic price estimation: urban air quality.** Land Economics. 64: 220-233.

Hamilton, E. L.; Rowe, P. B. 1949. **Rainfall interception by chaparral in California.** Res. Rep. Sacramento, CA: California Forestry and Range Experiment Station; California Division of Forestry. 43 p.

Heisler, G. 1986. **Energy savings with trees.** Journal of Arboriculture. 12(5): 113-125.

Huang, J.; Akbari, H.; Taha, H.; Rosenfield, A. 1987. **The potential of vegetation in reducing summer cooling loads in residential buildings.** Journal of Climate and Applied Meteorology. 26: 1103-1106.

Lormand, J. R. 1988. **The effects of urban vegetation on stormwater runoff in an arid environment.** Tucson, AZ: University of Arizona. M.S. thesis.

McPherson, E. G. 1991. **Economic modeling for large-scale tree plantings.** In: Energy efficiency and the environment: forging the link. Washington, DC: American Council for an Energy-Efficient Economy: 349-369.

McPherson, E. G. 1992. **Accounting for benefits and costs of urban greenspace.** Landscape and Urban Planning. 22: 41-51.

McPherson, E. G. 1993. **Evaluating the cost effectiveness of shade trees for demand-side management.** Electricity Journal. 6 (9): 57-65.

McPherson, E. G. 1994. **Energy-saving potential of trees in Chicago.** In: McPherson, E. G.; Nowak, D. J.; Rowntree, R. A. eds. Chicago's urban forest ecosystem: results of the Chicago Urban Forest Climate Project. Gen. Tech. Rep. NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.

McPherson, E. G.; Nowak, D. J. 1993. **Value of urban greenspace for air quality improvement: Lincoln Park, Chicago**. Arborist News. 2 (6): 30-32.

McPherson, E. G.; Nowak, D.; Sacamano, P.; Prichard, S.; Makra, E. 1993a. **Chicago's evolving urban forest.** Gen. Tech. Rep. NE-169. Radnor, PA: U. S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 55 p.

McPherson, E.G.; Sacamano, P.; Wensman, S. 1993b. **Modeling benefits and costs of community tree plantings.** Res. Rep. Davis, CA: U.S.D.A. Forest Service, Western Center for Urban Forest Research.

Miller, R. H. 1988. **Urban forestry: planning and managing urban greenspaces.** Englewood Cliffs, NJ: Prentice Hall. 404 p.

Miller, R. H.; Miller, R. W. 1991. **Planting survival of selected street tree taxa.** Journal of Arboriculture. 17 (7): 185-191.

Miller, R. H.; Sylvester, W. A. 1981. **An economic evaluation of the pruning cycle.** Journal of Arboriculture. 7 (4): 109-111.

Morales, D. J.; Micha, F. R.; Weber, R. L. 1983. **Two methods of valuating trees on residential sites.** Journal of Arboriculture. 9(1): 21-24.

Neely, D. N., ed. 1988. **Valuation of landscape trees, shrubs, and other plants.** 7th ed. Urbana, IL: International Society of Arboriculture.

Neely, D. N., ed. 1992. **Guide for plant appraisal.** 8th ed. Urbana, IL: International Society of Arboriculture.

Nowak, D. J. 1993. **Atmospheric carbon reduction by urban trees.** Journal of Environmental Management. 17: 269-275.

Nowak, D. J. 1994a. **Urban forest structure: the state of Chicago's urban forest.** In: McPherson, E. G.; Nowak, D. J.; Rowntree, R. A. eds. Chicago's urban forest ecosystem: results of the Chicago Urban Forest Climate Project. Gen. Tech. Rep. NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.

Nowak, D. J.; McBride, J.; Beatty, R. 1990. **Newly planted street tree growth and mortality.** Journal of Arboriculture. 16(5): 124-129.

Nowak, D. J. 1994b. **Air pollution removal by Chicago's urban forest.** In: McPherson, E. G.; Nowak, D. J.; Rowntree, R. A. eds. Chicago's urban forest ecosystem: results of the Chicago Urban Forest Climate Project. Gen. Tech. Rep. NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.

Nowak, D. J. 1994c. **Atmospheric carbon dioxide reduction by Chicago's urban forest.** In: McPherson, E. G.; Nowak, D. J.; Rowntree, R. A. eds. Chicago's urban forest ecosystem: results of the Chicago Urban Forest Climate Project. Gen. Tech. Rep. NE-186. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.

Nowak, D. J.; McBride, J.; Beatty. R. 1990. **Newly planted street tree growth and mortality.** Journal of Arboriculture. 16(5): 124-129.

Payne, B. 1973. **The twenty-nine tree home improvement plan.** Natural History. 82: 411-413.

Randall, A. 1981. **Resource economics: an economic approach to natural resource and enviromental policy.** Columbus, OH: Grid Publishing.

Richards, N. A. 1979. **Modeling survival and consequent replacement needs in a street tree population.** Journal of Arboriculture. 5(11): 251-255.

Richards, N. A. 1993. **Reasonable guidelines for street tree diversity.** Journal of Arboriculture. 19(6): 344-349.

Rowntree, R. A.; Nowak, D. J. 1991. **Quantifying the role of urban forests in removing atmospheric carbon dioxide.** Journal of Arboriculture. 17(10): 269-275.

Sampson, R. N.; Moll, G.; Kielbaso, J. 1992. **Increasing tree numbers and canopy cover in urban and community forests.** Forests and global change, Volume 1: American forests. Washington, DC: 51-72.

Sanders, R. A. 1986. **Urban vegetation impacts on the hydrology of Dayton, Ohio.** Urban Ecology. 9: 361-376.

Wenger, K. F., 1984. **Forestry handbook.** New York: John Wiley and Sons.

Chapter 9

Sustaining Chicago's Urban Forest: Policy Opportunities and Continuing Research

E. Gregory McPherson, Research Forester, USDA Forest Service, Northeastern Forest Experiment Station, Davis, CA
David J. Nowak, Research Forester, USDA Forest Service, Northeastern Forest Experiment Station, Chicago, IL
Rowan A. Rowntree, Program Leader, USDA Forest Service, Northeastern Forest Experiment Station, Berkeley, CA

Abstract

Chicago's trees are a community resource that provide a myriad of benefits. Obtaining and sustaining higher levels of net benefits from Chicago's urban forest will require more active participation by residents, businesses, utilities, and governments. Opportunities for policies and programs that forge new links between city residents and city trees are outlined. They address issues such as economic development, environmental planning, public housing, energy conservation, and management of the region's air, water, and land resources.

Although this report marks completion of the 3-year Chicago Urban Forest Climate Project, scientists will continue to study many aspects of Chicago's urban environment. Ongoing research that measures and models the effects of trees on urban climate, air quality, and carbon flux is summarized. A book that will document results of this research is planned for publication in 1996.

Introduction

Research findings presented in this report describe relations between the structure of Chicago's urban forest and environmental and ecological processes that influence hydroclimate, carbon flux, energy use, and air quality. The value that Chicagoans' place on tree-related services is estimated by accounting for annual benefits and costs associated with their planting and long-term care. Strategies are presented that can maximize return on investment.

Chicago's trees are a community resource that provide a myriad of benefits. Obtaining and sustaining higher levels of net benefits from Chicago's urban forest will require more active participation by residents, businesses, utilities, and governments. Whether they know it or not, each of these entities has a vested interest in Chicago's urban forest and stands to gain from the increased benefits it can produce. Policies and programs that could expand the current role of these participants in the planning and management of Chicago's future urban forest are described in the following section.

Policy and Program Opportunities

Green Infrastructure and Development

The 1909 Plan of Chicago envisioned a continuous greenbelt of forest preserves, parks, and boulevards around the city. As this "green infrastructure" developed, it added value to nearby properties, provided accessible recreational opportunities, improved local environments, guided growth, and contributed to Chicago's unique character as a "City in a Garden." Today, Chicagoans enjoy many of the benefits that this greenspace provides. As Chicago evolves into the 21st century, the green infrastructure can continue to play a prominent role. Urban forest planning and management can address issues such as job training, conservation education, neighborhood revitalization, mitigation of heat islands, energy conservation, stormwater management and water quality, biological diversity, wildlife habitat, and outdoor recreation.

A comprehensive set of urban forest planning principles could position greenspace once again as a value-adding magnet for economic development. Through planning, greenspaces created as a part of development can be linked and connected to Chicago's historic network of greenbelts and the region's system of greenways. The design of Chicago's new green infrastructure can integrate values that residents demand of greenspace with the most recent advances in urban forest science. In this way, Chicagoans can redefine the greenspace legacy they have inherited to fit the social, economic, and environmental needs of current and future generations.

Partnerships for Tree Planting and Care at Public Housing Sites

CUFCP research results suggest great potential net benefits from tree planting and care at public housing sites. Relatively large energy savings could accrue to persons in low-income areas who now spend larger than average percentages of their income to heat and cool their homes. Because residents of public housing incur a disproportionate health risk due to exposure to air pollution, tree plantings designed to improve air quality could provide substantial health benefits. Also, local residents who participate in the planting and care of trees can strengthen bonds with both neighbors and nature. Seasonal job training in arboriculture and full-time employment opportunities could result from a substantial commitment to the restoration of urban forests in areas with the greatest need for increased tree cover. Finally, business opportunities for local entrepreneurs might be increased in a more serene and attractive retail environment associated with a healthy urban forest.

Potential partners for shade tree programs in public housing sites include the Chicago Housing Authority, Chamber of Commerce, Openlands, Commonwealth Edison, People's Gas, Center for Neighborhood Technology, and other local, state, and federal organizations that manage public housing, energy, water, and air resources.

Urban Forest Stewardship Program

Chicago's street and park trees account for more than one-third of the city's tree cover. The health, welfare, and productivity of these public trees is important to the health, welfare, and productivity of all city residents. The responsibility for stewardship of street and park trees rests with Chicago's Bureau of Forestry and the Chicago Park District. To increase and sustain benefits from public trees, these organizations require adequate funding for tree care operations. Other partners can assist with an urban forest stewardship effort. For example, urban greenspace influences the quantity and quality of stormwater runoff. Thus, there are opportunities for water resource agencies to expand their role from management of local restoration sites to stewardship of the urban-forest canopy. Stewardship programs supported by organizations responsible for managing water, air, and energy resources could provide financial assistance for professional care of existing trees and funds to develop and distribute educational materials for use by residents and design professionals.

Yard-Tree Planting Program

Electric utilities are beginning to factor the external costs of supplying power into their resource planning process. External costs are costs for reclaiming land, cleaning air, and mitigating other impacts of power production that are not fully reflected in the price of electricity. As generating stations come due for replacement, more utilities are evaluating the potential of shade trees to cool urban heat islands and reduce the demand for air conditioning. Utilities such as Potomac Electric Power Company, Tucson Electric Power, and the Sacramento Municipal Utility District have initiated shade-tree programs because the value of energy saved exceeds the cost of generating new electricity. Each of these programs is a joint effort between the utility and a local nonprofit tree group. The utility provides funding to the group, which implements the yard-tree planting and care program. Urban foresters are employed and trained to ensure that trees are selected and planted where they will provide the greatest energy savings. To save money and promote interactions at the neighborhood level, each planting usually involves residents in the same block or neighborhood. Workshops and educational materials are used to train residents in proper planting and tree-care practices.

Initial economic analyses described by McPherson (Chapter 8, this report) suggest that the present value of benefits produced by yard trees in Chicago can be 3 1/2 times their cost. Trees provide benefits other than energy savings that should interest utilities, such as removal of air pollutants and atmospheric carbon dioxide (Chapters 5 and 6, this report). Such economic incentives can provide new opportunities for local utilities to take a more active role in the planting and care of Chicago's urban forest.

In Chicago and surrounding communities steps have been taken to make the most of funds available for urban forestry. Partnerships like Gateway Green bring together municipal foresters, representatives of highway departments and non-profit tree groups, and professional arborists to create and share resources in new ways. Volunteer-based groups like TreeKeepers work with local residents to ensure that trees receive the care they need to survive after planting. The Chicago Bureau of Forestry has invested in a training program and now employs more than 100 certified arborists, each more knowledgeable than ever about tree care. The Chicago Park District is systematically inventorying trees and developing urban-forest management plans for its historic parks. However, the continued support of all Chicagoans is needed to forge new links between city residents and city trees. A public education program that informs residents about the benefits of a healthy and productive urban forest is one way to strengthen this connection.

Continuing Research

The CUFCP has created an extensive database on urban forest structure and function. Although completion of the 3-year CUFCP is marked by this report, scientists will continue to study many aspects of Chicago's urban environment. A book that will document results of CUFCP work is planned for publication in 1996. Also, methods and tools developed as part of the CUFCP are being improved and disseminated to address urban-forest planning and management issues in other U.S. cities. A brief description of on-going research in Chicago follows.

Modeling the Effect of Urban Trees on Ozone Concentrations

This cooperative research with the Lake Michigan Air Directors Consortium is investigating the effect of increasing or decreasing the amount of urban trees in Cook and DuPage Counties on concentrations of ozone in the Chicago area. This research will incorporate data on emissions of volatile organic compounds by trees, as well as information on ozone deposition and modifications in air temperature due to trees.

Emissions of Volatile Organic Compounds by Vegetation

This research is estimating the amount of isoprene, monoterpenes, and other volatile organic compounds emitted by vegetation in the Chicago area in 1991 and comparing these emissions with anthropogenic emissions in the same area. Results will be used to help quantify the overall effect of urban trees on ozone and test the applicability of the U.S. Environmental Protection Agency's Biogenic Emission Inventory System in two heavily urbanized counties. Many organizations use the Biogenic Emission Inventory System to estimate emissions of non-methane hydrocarbons as part of state implementation plans.

Measuring and Modeling the Effect of Urban Trees on Microclimate

Research continues to analyze microclimatic data collected at 39 sites to better understand tree influences on climate as a function of area-wide tree and building attributes, nearby tree and building characteristics, and general weather conditions. Validated mathematical models will predict how different building and tree configurations affect air temperature and wind speed in Chicago. Input for the models will consist of hourly weather data from an airport and estimates of characteristics of tree and building structure. The models will be applied to evaluate further how trees influence energy use in houses, air quality, and human comfort outdoors.

Modeling the Effect of Urban Trees on Local Scale Hydroclimate

This study continues to investigate relations between observed fluxes, in particular latent heat flux (energy going into evaporation) and sensible heat flux (energy going into warming the air) with tree-cover density. A geographic information system, which has been developed, will provide a basis for interpreting the representativeness of flux measurements and for objectively determining model input for surface parameters. Numerical boundary layer models will be used to predict the effects of different tree-planting scenarios on local scale energy and water exchanges.

Landscape Carbon Budgets and Planning Guidelines

This study quantifies landscape-related carbon storage and annual carbon fluxes for two residential blocks in Chicago. Landscape planting and management guidelines based on increased rates of carbon removal due to direct sequestration by trees and reduction of indirect emissions associated with energy savings for residential heating and cooling will be presented.

Use of Airborne Videography to Describe Urban Forest Cover in Oak Park, Illinois

Computer image processing technologies provide new tools for assessing urban forest structure and health. This study compares data on land cover from two types of airborne videography in terms of accuracy, cost, and compatibility with geographic information systems. Information on forest cover obtained from black and white and color infrared photographs also are being compared. Potential uses and limitations associated with each type of imagery will be outlined.

Appendix A

Supplemental Tables for Chapter 2

Table 1. —Average shading coefficients (percentage of sunlight intercepted by foliated tree canopies) used in regression model for leaf-surface area of individual urban trees (derived from McPherson 1984)

Common name	Shading coefficient
American elm	0.87
Amur maple	0.91
Ash (average)	0.83
Beech	0.88
Birch	0.82
Catalpa	0.76
Cottonwood	0.85
Crabapple	0.85
Elm (average)	0.86
Ginkgo	0.81
Golden-rain tree	0.81
Green ash	0.83
Hackberry	0.88
Hawthorn	0.84
Honeylocust	0.67
Horsechestnut	0.88
Kentucky coffeetree	0.86
Linden	0.88
Maple (average)	0.86
Norway maple	0.88
Oak (average)	0.79
Pear	0.80
Pin oak	0.78
Poplar (average)	0.78
Red maple	0.83
Red oak	0.81
Russian olive	0.87
Serviceberry	0.77
Shagbark hickory	0.77
Siberian elm	0.85
Silver maple	0.83
Sugar maple	0.84
Sycamore	0.86
Tuliptree	0.90
Walnut/hickory	0.84
White oak	0.75

Table 2. —Scientific names of tree species or genera

Common name	Scientific name	Common name	Scientific name
Ailanthus	*Ailanthus altissima*	Magnolia	*Magnolia spp.*
Alder	*Alnus spp.*	Maple (other)[c]	*Acer spp.*
American elm	*Ulmus americana*	Mountain ash	*Sorbus spp.*
Amur maple	*Acer ginnala*	Mulberry	*Morus spp.*
Apple	*Malus pumila*	Norway maple	*Acer platanoides*
Arborvitae	*Thuja occidentalis*	Norway spruce	*Picea abies*
Ash (other)[a]	*Fraxinus spp.*	Oak (other)[d]	*Quercus spp.*
Austrian pine	*Pinus nigra*	Other[e]	
Basswood	*Tilia americana*	Pear	*Pyrus spp.*
Beech	*Fagus grandifolia*	Pin oak	*Quercus palustris*
Black locust	*Robinia pseudoacacia*	Poplar (other)[f]	*Populus spp.*
Blue spruce	*Picea pungens*	*Prunus* spp.[g]	*Prunus spp.* (including *Amygdalus persica*)
Boxelder	*Acer negundo*	Redbud	*Cercis canadensis*
Buckthorn	*Rhamnus spp.*	Red maple	*Acer rubrum*
Bur oak	*Quercus macrocarpa*	Red/black oak	*Quercus rubra/Q. velutin*
Catalpa	*Catalpa speciosa*	Red pine	*Pinus resinosa*
Chinese elm	*Ulmus parvifolia*	Red/black spruce	*Picea rubens/P. mariana*
Cottonwood	*Populus deltoides*	River birch	*Betula nigra*
Crabapple	*Malus spp.*	Russian olive	*Elaeagnus angustifolia*
Cypress/cedar	*Cupressocyparis spp./ Chamaecyparus spp.*	Sassafras	*Sassafras albidum*
Dogwood	*Cornus spp.*	Scotch pine	*Pinus sylvestris*
Elm (other)[b]	*Ulmus spp.*	Serviceberry	*Amelanchier spp.*
Euonymus	*Euonymus spp.*	Shagbark hickory	*Carya ovata*
Fir	*Abies spp.*	Siberian elm	*Ulmus pumila*
Ginkgo	*Ginkgo biloba*	Silver maple	*Acer saccharinum*
Green/white ash	*Fraxinus pennsylvanica/ F. americana*	Slippery elm	*Ulmus rubra*
Golden-rain tree	*Koelreuteria paniculata*	Smoketree	*Cotinus spp.*
Hackberry	*Celtis occidentalis*	Spruce (other)[h]	*Picea spp.*
Hawthorn	*Crataegus spp.*	Sugar maple	*Acer saccharum*
Hemlock	*Tsuga canadensis*	Sumac	*Rhus spp.*
Hickory	*Carya spp.*	Swamp white oak	*Quercus bicolor*
Honeylocust	*Gleditsia triacanthos*	Sycamore	*Platanus spp.*
Honeysuckle	*Lonicera spp.*	Tuliptree	*Liriodendron tulipifera*
Horsechestnut	*Aesculus spp.*	Viburnum	*Viburnum spp.*
Ironwood	*Ostrya virginiana*	Walnut	*Juglans spp.*
Jack pine	*Pinus banksiana*	White birch	*Betula papyrifera*
Juniper	*Juniperus spp.*	White oak	*Quercus alba*
Kentucky coffeetree	*Gymnocladus dioica*	White pine	*Pinus strobus*
Larch	*Larix spp.*	White poplar	*Populus alba*
Lilac	*Syringa spp.*	White spruce	*Picea glauca*
Linden	*Tilia spp.* (exclusive of *T. americana)*	Willow	*Salix spp.*
Lombardi poplar	*Populus nigra italica*	Yew	*Taxus spp.*

[a] Exclusive of *Fraxinus pennsylvanica* and *F. americana.*
[b] Exclusive of *Ulmus americana, U. parvifolia, U. pumila,* and *U. rubra.*
[c] Exclusive of *Acer ginnala, A. negundo, A. platanoides, A. rubrum, A. saccharum,* and *A. saccharinum.*
[d] Exclusive of *Quercus macrocarpa, Q. rubra, Q, velutina, Q. bicolor,* and *Q. alba.*
[e] Includes 12 minor individual species (sample size = 1) and unknown species that are not included in other species-identification categories.
[f] Exclusive of *Populus deltoides, P. alba,* and *P. nigra italica.*
[g] Cherries, plums, peaches.
[h] Exclusive of *Picea abies, P. rubens, P. mariana,* and *P. glauca.*

Table 3. —Tree composition in Chicago based on number and percentage of trees, and species dominance based on percentage of total leaf-surface area

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Cottonwood	535,900	303,100	13.0	1	15.8	1
Green/white ash	495,500	132,100	12.0	2	12.9	2
American elm	297,100	167,200	7.2	3	4.3	6
Prunus spp.	268,200	103,100	6.5	4	2.4	11
Hawthorn	259,500	105,500	6.3	5	1.9	17
Buckthorn	232,100	101,100	5.6	6	0.9	27
Honeylocust	189,000	43,800	4.6	7	3.4	8
Boxelder	178,900	86,700	4.3	8	2.0	15
Mulberry	166,600	49,600	4.0	9	2.3	13
Silver maple	124,700	26,800	3.0	10	7.2	3
Norway maple	122,600	30,900	3.0	11	6.7	5
Yew	112,000	87,700	2.7	12	1.6	20
Ash (other)	107,500	58,100	2.6	13	1.5	21
Ailanthus	89,200	29,900	2.2	14	4.2	7
Crabapple	77,700	28,500	1.9	15	1.9	18
Elm (other)	64,900	49,000	1.6	16	1.0	23
Hackberry	62,100	33,200	1.5	17	2.3	12
Chinese elm	60,000	30,000	1.5	18	0.9	26
Blue spruce	58,900	25,200	1.4	19	1.6	19
White oak	49,600	29,700	1.2	20	7.0	4
Swamp white oak	47,500	34,100	1.2	21	2.3	14
Siberian elm	45,000	27,500	1.1	22	0.7	29
Walnut	41,600	34,700	1.0	23	1.3	22
Honeysuckle	38,700	25,300	0.9	24	0.5	32
Hickory	30,100	10,300	0.7	25	0.3	33
Norway spruce	29,200	17,900	0.7	26	0.7	28
Red/black oak	29,000	26,000	0.7	27	2.5	9
Basswood	26,800	13,600	0.6	28	1.9	16
Arborvitae	25,300	12,200	0.6	29	0.1	44
Shagbark hickory	20,700	14,500	0.5	30	0.1	43
Linden	18,600	8,900	0.5	31	2.5	10
Lilac	17,800	8,900	0.4	32	0.1	42
Sugar maple	17,700	9,600	0.4	33	0.9	25
Pear	14,800	10,500	0.4	34	0.2	40
White pine	14,300	8,200	0.3	35	0.5	31
Other	13,900	7,700	0.3	36	0.0	50
Juniper	13,100	10,200	0.3	37	0.0	47
Catalpa	11,600	8,200	0.3	38	0.3	36
White spruce	11,000	7,900	0.3	39	0.3	35
Austrian pine	10,600	7,600	0.3	40	0.0	46

Table 3.—continued

Species	Tree population				Species domina
	Number	SE	Percent	Rank	Percent
White birch	9,600	9,600	0.2	41	0.5
Golden-rain tree	8,700	8,700	0.2	42	0.2
Poplar (other)	8,700	8,700	0.2	43	0.2
Red maple	8,700	8,700	0.2	43	0.0
Horsechestnut	8,200	6,200	0.2	45	0.2
Willow	7,800	7,800	0.2	46	0.1
Cypress /cedar	6,700	6,700	0.2	47	0.3
Bur oak	6,500	6,500	0.2	48	1.0
Black locust	5,200	5,200	0.1	49	0.2
Dogwood	5,200	3,600	0.1	49	0.0
Euonymus	5,200	5,200	0.1	49	0.0
Sumac	4,500	4,500	0.1	52	0.0
Apple	3,800	3,800	0.1	53	0.0
Spruce (other)	2,600	2,600	0.1	54	0.0
Viburnum	2,600	2,600	0.1	54	0.0
Red pine	2,000	2,000	0.0	56	0.0
Fir	1,500	1,500	0.0	57	0.0
White poplar	1,300	1,300	0.0	58	0.0

Table 4. —Tree composition in suburban Cook County based on number and percentage of trees, and species dominance based on percentage of total leaf-surface area

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Buckthorn	4,601,600	1,430,800	14.5	1	2.9	12
Green/white ash	3,181,900	745,300	10.0	2	9.6	3
Prunus spp.	2,619,300	660,100	8.2	3	4.0	9
American elm	2,126,400	741,700	6.7	4	9.8	2
Boxelder	1,757,800	447,200	5.5	5	4.6	6
Hawthorn	1,715,600	440,100	5.4	6	3.6	10
Alder	1,337,200	1,130,400	4.2	7	0.5	33
Silver maple	1,220,200	287,900	3.8	8	10.9	1
Red/black oak	1,044,100	328,200	3.3	9	5.2	4
Poplar (other)	841,400	527,800	2.6	10	1.3	21
Black locust	831,000	618,200	2.6	11	0.4	38
Slippery elm	732,900	582,800	2.3	12	1.2	23
Cottonwood	715,700	352,600	2.3	13	3.0	11
Sugar maple	590,400	507,600	1.9	14	1.4	20
White oak	540,100	236,200	1.7	15	4.5	7
Crabapple	490,800	100,300	1.5	16	1.8	15
Honeylocust	430,400	81,200	1.4	17	1.7	16
Mulberry	414,500	132,200	1.3	18	1.2	22
Bur oak	408,000	211,400	1.3	19	1.6	18
Norway maple	407,900	110,700	1.3	20	4.3	8
Basswood	395,300	302,400	1.2	21	0.6	31
Juniper	366,700	135,700	1.2	22	0.2	50
Arborvitae	335,200	148,800	1.1	23	0.3	41
Shagbark hickory	323,200	245,700	1.0	24	0.8	26
Blue spruce	321,100	85,500	1.0	25	0.8	27
Willow	317,400	99,800	1.0	26	5.0	5
Ash (other)	290,600	113,100	0.9	27	0.2	48
Hickory	281,200	139,300	0.9	28	0.3	42
Other	271,000	120,600	0.9	29	1.5	19
Elm (other)	262,400	119,600	0.8	30	0.5	34
Siberian elm	216,600	76,100	0.7	31	1.6	17
Apple	146,200	59,800	0.5	32	0.5	35
Maple (other)	140,400	118,700	0.4	33	0.2	47
Norway spruce	138,500	42,400	0.4	34	2.7	13
Lilac	137,300	57,500	0.4	35	0.1	52
Dogwood	127,500	69,100	0.4	36	0.1	60
River birch	124,300	91,900	0.4	37	0.4	40
Swamp white oak	123,100	55,100	0.4	38	2.5	14
Scotch pine	109,700	42,600	0.3	39	0.4	37
Red maple	106,700	67,600	0.3	40	0.6	32

Table 4. —continued

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Linden	99,300	44,200	0.3	41	0.7	29
White birch	92,400	28,200	0.3	42	0.4	36
Yew	90,200	42,200	0.3	43	0.1	58
Pin oak	84,100	34,000	0.3	44	0.9	25
Red pine	76,300	34,800	0.2	45	0.9	24
Pear	64,200	32,300	0.2	46	0.2	44
Ironwood	63,300	48,500	0.2	47	0.2	49
White spruce	62,500	27,500	0.2	48	0.1	57
Hackberry	56,400	30,000	0.2	49	0.8	28
Sycamore	54,300	40,300	0.2	50	0.1	55
Redbud	52,700	31,100	0.2	51	0.2	46
Honeysuckle	48,500	29,900	0.2	52	0.1	61
Magnolia	47,900	18,600	0.2	53	0.1	51
Amur maple	40,400	26,500	0.1	54	0.1	54
Sassafras	35,200	28,300	0.1	55	0.1	53
Walnut	32,500	17,300	0.1	56	0.4	39
Austrian pine	29,900	14,900	0.1	57	0.1	56
Catalpa	27,100	14,100	0.1	58	0.6	30
Spruce (other)	21,800	15,400	0.1	59	0.0	64
Russian olive	19,700	13,000	0.1	60	0.1	59
Smoketree	17,300	11,100	0.1	61	0.0	69
Larch	16,400	10,400	0.1	62	0.0	67
White poplar	14,800	10,400	0.0	63	0.0	62
White pine	14,500	10,800	0.0	64	0.2	45
Fir	13,600	10,500	0.0	65	0.0	63
Lombardi poplar	11,600	11,600	0.0	66	0.0	72
Cypress/cedar	9,000	9,000	0.0	67	0.0	68
Kentucky coffeetree	9,000	9,000	0.0	67	0.0	74
Oak (other)	9,000	9,000	0.0	67	0.0	83
Sumac	9,000	9,000	0.0	67	0.0	70
Vibumum	9,000	9,000	0.0	67	0.0	71
Ginkgo	7,400	5,200	0.0	72	0.0	73
Tuliptree	7,400	5,200	0.0	72	0.0	66
Euonymus	6,600	6,600	0.0	74	0.0	65
Serviceberry	5,700	5,700	0.0	75	0.0	75
Horsechestnut	5,500	5,500	0.0	76	0.3	43

ition in DuPage County based on number and percentage of trees, and species dominance based on -surface area

Tree population				Species dominance	
Number	SE	Percent	Rank	Percent	Rank
1,819,400	1,754,000	12.2	1	2.3	15
1,630,900	454,500	10.9	2	6.2	3
1,619,400	572,600	10.9	3	3.7	8
1,253,100	333,100	8.4	4	4.3	7
950,200	381,400	6.4	5	5.2	5
658,600	442,500	4.4	6	3.4	10
650,900	175,000	4.4	7	1.2	22
520,700	295,800	3.5	8	2.6	13
458,200	168,300	3.1	9	4.5	6
299,300	88,300	2.0	10	2.5	14
299,100	131,100	2.0	11	1.9	16
295,700	92,900	2.0	12	1.9	17
286,800	47,900	1.9	13	9.4	2
275,700	109,700	1.9	14	5.7	4
243,500	144,400	1.6	15	1.3	20
236,900	157,300	1.6	16	0.9	25
234,300	169,800	1.6	17	0.2	39
218,200	66,900	1.5	18	17.3	1
211,200	28,900	1.4	19	1.6	19
190,100	121,100	1.3	20	3.4	9
162,800	63,500	1.1	21	0.3	37
161,700	31,100	1.1	22	3.1	11
136,300	86,500	0.9	23	0.1	59
133,700	28,900	0.9	24	0.9	27
112,200	41,600	0.8	25	2.8	12
108,500	58,800	0.7	26	0.5	31
108,200	79,200	0.7	27	0.7	30
107,800	47,300	0.7	28	0.4	32
102,200	59,100	0.7	29	0.1	57
98,800	54,500	0.7	30	1.7	18
97,700	32,400	0.7	31	0.7	29
74,400	22,300	0.5	32	0.8	28
71,400	56,000	0.5	33	0.1	50
71,300	29,200	0.5	34	1.2	23
59,300	19,600	0.4	35	0.2	38
56,200	16,100	0.4	36	0.4	33
49,400	29,900	0.3	37	0.2	42
48,300	16,500	0.3	38	0.1	60
48,000	16,400	0.3	39	0.9	26
46,000	24,900	0.3	40	0.2	45

Table 5. —continued

Species	Tree population				Species domin[illegible]
	Number	SE	Percent	Rank	Percent
Scotch pine	45,200	15,200	0.3	41	0.1
Red maple	41,200	17,000	0.3	42	1.2
Linden	40,200	17,900	0.3	43	0.3
White birch	40,200	16,300	0.3	43	0.2
Pear	39,300	13,000	0.3	45	0.1
White spruce	39,100	19,900	0.3	46	0.1
Hickory	36,900	21,200	0.2	47	0.1
Yew	35,600	17,200	0.2	48	0.0
Poplar (other)	35,600	16,700	0.2	48	0.9
Viburnum	34,000	18,700	0.2	50	0.0
Dogwood	33,000	11,400	0.2	51	0.1
Red spruce	31,000	29,200	0.2	52	0.1
Amur maple	26,700	14,500	0.2	53	0.1
Redbud	23,300	7,100	0.2	54	0.1
River birch	21,100	7,800	0.1	55	0.3
Russian olive	19,900	16,600	0.1	56	0.2
Lilac	18,500	8,100	0.1	57	0.0
Fir	16,000	8,900	0.1	58	0.0
Euonymus	14,300	11,400	0.1	59	0.0
Maple (other)	12,600	6,800	0.1	60	0.1
Ash (other)	11,800	8,300	0.1	61	0.0
Tuliptree	10,300	9,700	0.1	62	0.0
Hemlock	10,100	6,200	0.1	63	0.0
Horsechestnut	9,100	5,900	0.1	64	0.2
Catalpa	7,400	4,700	0.0	65	0.1
Oak (other)	5,800	4,800	0.0	66	0.0
White poplar	5,100	3,700	0.0	67	0.2
Mountain ash	5,000	3,500	0.0	68	0.0
Kentucky coffeetree	4,400	3,400	0.0	69	0.1
Sycamore	3,500	2,100	0.0	70	0.3
Alder	3,500	3,500	0.0	70	0.0
Beech	3,400	2,900	0.0	72	0.0
Serviceberry	2,700	2,700	0.0	73	0.0
Spruce (other)	1,200	1,200	0.0	74	0.0
Swamp white oak	1,100	1,100	0.0	75	0.0
Ginkgo	900	900	0.0	76	0.0
Smoketree	500	500	0.0	77	0.0
Ailanthus	500	500	0.0	77	0.0

Table 6. —Tree composition in study area based on number and percentage of trees, and species dominance based on percentage of total leaf-surface area

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Buckthorn	6,453,100	1,544,400	12.7	1	2.9	11
Green/white ash	4,627,500	847,600	9.1	2	8.7	2
Prunus spp.	4,140,600	746,500	8.1	3	3.9	9
Boxelder	3,567,600	643,500	7.0	4	4.8	5
American elm	2,881,700	778,700	5.7	5	7.6	4
Hawthorn	2,626,000	485,300	5.2	6	2.7	13
Willow	2,144,600	1,756,800	4.2	7	3.6	10
Cottonwood	1,910,200	641,900	3.8	8	4.6	6
Silver maple	1,631,600	293,100	3.2	9	10.0	1
Red/black oak	1,372,200	354,400	2.7	10	3.9	8
Alder	1,340,700	1,130,400	2.6	11	0.3	41
Black locust	1,073,000	637,900	2.1	12	0.5	35
Poplar (other)	885,600	528,200	1.7	13	1.0	25
Mulberry	880,300	166,500	1.7	14	1.7	17
Shagbark hickory	864,600	384,800	1.7	15	1.2	22
Slippery elm	841,100	588,200	1.7	16	0.9	28
White oak	807,800	247,300	1.6	17	8.5	3
Crabapple	779,700	108,200	1.5	18	1.8	15
Honeylocust	753,100	96,700	1.5	19	1.7	18
Norway maple	692,300	119,000	1.4	20	4.2	7
Bur oak	690,200	238,300	1.4	21	2.7	12
Sugar maple	682,500	508,200	1.3	22	1.2	23
Blue spruce	675,800	128,700	1.3	23	1.2	24
Basswood	665,600	335,400	1.3	24	1.0	26
Arborvitae	523,300	162,200	1.0	25	0.3	45
Elm (other)	435,800	142,000	0.9	26	0.6	34
Juniper	428,200	137,100	0.8	27	0.1	58
Ash (other)	409,900	127,500	0.8	28	0.3	44
Other	387,100	134,500	0.8	29	0.9	27
Hickory	348,300	141,300	0.7	30	0.2	48
Siberian elm	332,800	86,100	0.7	31	1.4	20
Norway spruce	265,400	56,300	0.5	32	1.9	14
Walnut	264,100	127,100	0.5	33	1.4	19
Yew	237,800	98,800	0.5	34	0.3	47
Jack pine	234,300	169,800	0.5	35	0.1	65
Apple	206,300	62,000	0.4	36	0.4	39
Pin oak	196,300	53,700	0.4	37	1.4	21
Hackberry	189,900	71,700	0.4	38	0.8	30
Honeysuckle	186,100	67,100	0.4	39	0.6	33
Lilac	173,700	58,700	0.3	40	0.1	59
Swamp white oak	171,700	64,800	0.3	41	1.8	16

Table 6. —continued

Species	Tree population Number	SE	Percent	Rank	Species dominance Percent	Rank
Dogwood	165,700	70,100	0.3	42	0.1	64
Linden	158,100	48,500	0.3	43	0.8	29
Red maple	156,500	70,300	0.3	44	0.7	31
Scotch pine	154,900	45,300	0.3	45	0.3	43
Maple (other)	152,900	118,800	0.3	46	0.1	55
Sumac	149,900	87,100	0.3	47	0.0	72
Austrian pine	148,300	50,200	0.3	48	0.2	49
River birch	145,400	92,200	0.3	49	0.3	42
White birch	142,200	33,900	0.3	50	0.4	40
Red pine	124,300	42,800	0.2	51	0.6	32
Pear	118,200	36,300	0.2	52	0.2	50
White spruce	112,500	34,900	0.2	53	0.1	56
Chinese elm	109,400	42,400	0.2	54	0.2	51
Magnolia	107,200	27,000	0.2	55	0.2	53
Ailanthus	89,800	29,900	0.2	56	0.5	36
White pine	76,800	21,300	0.2	57	0.5	37
Redbud	76,000	31,900	0.1	58	0.2	54
Amur maple	67,100	30,200	0.1	59	0.1	61
Ironwood	63,300	48,500	0.1	60	0.1	60
Sycamore	57,800	40,300	0.1	61	0.2	52
Catalpa	46,100	17,000	0.1	62	0.4	38
Viburnum	45,600	21,000	0.1	63	0.0	76
Russian olive	39,600	21,100	0.1	64	0.1	57
Sassafras	35,200	28,300	0.1	65	0.1	63
Fir	31,000	13,900	0.1	65	0.0	69
Red spruce	31,000	29,200	0.1	65	0.0	67
Euonymus	26,000	14,100	0.1	68	0.0	71
Spruce (other)	25,600	15,700	0.1	69	0.0	73
Horsechestnut	22,700	10,100	0.0	70	0.3	46
White poplar	21,300	11,100	0.0	71	0.1	62
Smoketree	17,800	11,100	0.0	72	0.0	78
Tuliptree	17,700	11,000	0.0	73	0.0	74
Larch	16,400	10,400	0.0	74	0.0	79
Cypress/cedar	15,800	11,300	0.0	75	0.0	66
Oak (other)	14,800	10,200	0.0	76	0.0	81
Kentucky coffeetree	13,500	9,700	0.0	77	0.0	68
Lombardi poplar	11,600	11,600	0.0	78	0.0	84
Hemlock	10,100	6,200	0.0	79	0.0	77
Golden raintree	8,700	8,700	0.0	80	0.0	70
Serviceberry	8,400	6,300	0.0	81	0.0	83
Ginkgo	8,300	5,300	0.0	82	0.0	80
Mountain ash	5,000	3,500	0.0	83	0.0	75
Beech	3,400	2,900	0.0	84	0.0	82

Table 7. —Tree composition on institutional lands dominated by buildings in Chicago, DuPage County and entire study area (no trees were sampled for this land use in suburban Cook County) based on number and percentage of trees, and species dominance based on total leaf-surface area in each sector

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
CHICAGO						
Green/white ash	45,600	45,600	62.5	1	36.8	2
Honeylocust	18,200	18,200	25.0	2	24.5	3
Hawthorn	9,100	9,100	12.5	3	38.6	1
DUPAGE COUNTY						
White oak	14,300	14,300	25.0	1	60.0	1
Cottonwood	14,300	14,300	25.0	1	35.4	2
Boxelder	14,300	14,300	25.0	1	4.5	3
Other	14,300	14,300	25.0	1	0.0	4
STUDY AREA						
Green/white ash	45,600	45,600	35.0	1	8.5	4
Honeylocust	18,200	18,200	14.0	2	5.6	5
White oak	14,300	14,300	11.0	3	46.3	1
Cottonwood	14,300	14,300	11.0	3	27.3	2
Boxelder	14,300	14,300	11.0	3	3.5	6
Other	14,300	14,300	11.0	3	0.0	7
Hawthorn	9,100	9,100	7.0	7	8.9	3

Table 8. —Tree composition on transportational lands in Chicago, DuPage County and entire study area (no trees were sampled on transportational lands in suburban Cook County) based on number and percentage of trees, and species dominance based on total leaf-surface area in each sector

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
CHICAGO						
Yew	86,700	86,700	38.5	1	25.2	2
Green/white ash	86,700	86,700	38.5	1	61.7	1
Chinese elm	26,000	26,000	11.5	3	5.5	3
Honeylocust	17,300	11,800	7.7	4	2.1	5
Silver maple	8,700	8,700	3.8	5	5.5	4
DUPAGE COUNTY						
Sumac	13,900	13,900	50.0	1	1.1	2
White oak	6,900	6,900	25.0	2	98.1	1
Buckthorn	6,900	6,900	25.0	2	0.8	3
STUDY AREA						
Yew	86,700	86,700	34.2	1	17.1	3
Green/white ash	86,700	86,700	34.2	1	41.9	1
Chinese elm	26,000	26,000	10.3	3	3.8	4
Honeylocust	17,300	11,800	6.8	4	1.4	6
Sumac	13,900	13,900	5.5	5	0.4	7
Silver maple	8,700	8,700	3.4	6	3.7	5
Buckthorn	6,900	6,900	2.7	7	0.2	8
White oak	6,900	6,900	2.7	8	31.4	2

Table 9. —Tree species composition on agricultural lands in DuPage County (no trees were sampled on agricultural lands in other sectors of the study area) based on number and percentage of trees, and species dominance based on total leaf-surface area

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Prunus spp.	138,200	138,200	31.3	1	11.5	3
Mulberry	110,600	75,400	25.0	2	33.7	2
Other	55,300	55,300	12.5	3	2.9	6
Hackberry	55,300	55,300	12.5	3	7.4	4
Chinese elm	27,600	27,600	6.3	5	5.2	5
Boxelder	27,600	27,600	6.3	5	2.6	7
Silver maple	27,600	27,600	6.3	5	36.8	1

n on multifamily residential lands in Chicago, suburban Cook County, DuPage County, and entire
r and percentage of trees, and species dominance based on percent of total leaf-surface area in

	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
	68,700	68,700	34.5	1	23.3	3
	34,400	34,400	17.2	2	34.9	1
	34,400	34,400	17.2	2	7.7	5
	20,600	20,600	10.3	4	8.5	4
	20,600	20,600	10.3	4	25.0	2
	20,600	20,600	10.3	4	0.7	6
XOK COUNTY						
	64,500	33,400	27.8	1	20.5	2
	51,600	51,600	22.2	2	10.4	5
	25,800	25,800	11.1	3	11.5	4
	12,900	12,900	5.6	4	2.7	8
	12,900	12,900	5.6	4	25.4	1
	12,900	12,900	5.6	4	2.2	9
	12,900	12,900	5.6	4	14.3	3
	12,900	12,900	5.6	4	6.0	7
	12,900	12,900	5.6	4	6.4	6
	12,900	12,900	5.6	4	0.6	10
\TY						
	29,600	24,600	19.4	1	8.6	3
	24,600	11,200	16.1	2	33.4	1
	14,800	14,800	9.7	3	7.6	4
	9,900	9,900	6.5	4	4.3	6
	9,900	6,600	6.5	4	25.8	2
	9,900	9,900	6.5	4	1.2	10
	9,900	6,600	6.5	4	2.2	8
	4,900	4,900	3.2	8	0.4	16
	4,900	4,900	3.2	8	4.0	7
	4,900	4,900	3.2	8	1.1	13
	4,900	4,900	3.2	8	1.3	9
	4,900	4,900	3.2	8	0.6	15
	4,900	4,900	3.2	8	1.1	12
	4,900	4,900	3.2	8	6.7	5
	4,900	4,900	3.2	8	1.1	11
	4,900	4,900	3.2	8	0.6	14
	125,300	86,100	21.4	1	14.0	3
	95,000	40,500	16.3	2	12.1	4
	58,200	26,800	10.0	3	19.8	1
	44,200	35,000	7.6	4	8.6	6
	42,500	27,800	7.3	5	2.8	9
	38,500	24,800	6.6	6	9.9	5
	34,400	34,400	5.9	7	14.8	2
	25,800	25,800	4.4	8	4.2	8
	14,800	14,800	2.5	9	1.6	11
	12,900	12,900	2.2	10	5.3	7
	12,900	12,900	2.2	10	2.2	10
	12,900	12,900	2.2	10	0.2	19
	12,900	12,900	2.2	10	0.8	13
	9,900	9,900	1.7	14	0.3	16
	9,900	6,600	1.7	14	0.5	15
	4,900	4,900	0.8	16	0.2	18
	4,900	4,900	0.8	16	0.1	20
	4,900	4,900	0.8	16	0.1	22
	4,900	4,900	0.8	16	1.4	12
	4,900	4,900	0.8	16	0.1	21
	4,900	4,900	0.8	16	0.2	17
	4,900	4,900	0.8	16	0.8	14

Table 11. —Tree composition on commercial/industrial lands in Chicago, suburban Cook County, DuPage County, and enti[illegible] study area based on number and percentage of trees, and species dominance based on percent of total leaf-surface area i[illegible] each sector

Species	Tree population				Species domin[illegible]
	Number	SE	Percent	Rank	Percent
CHICAGO					
Cottonwood	16,700	16,700	50.0	1	84.1
Ailanthus	16,700	16,700	50.0	1	15.9
SUBURBAN COOK COUNTY					
Green/white ash	634,900	549,200	62.2	1	77.3
Poplar (other)	109,500	109,500	10.7	2	0.4
Boxelder	109,500	109,500	10.7	2	11.7
Other	109,500	109,500	10.7	2	8.1
Prunus spp.	57,600	57,600	5.6	5	2.5
DUPAGE COUNTY					
Russian olive	16,300	16,300	20.0	1	20.2
Siberian elm	16,300	16,300	20.0	1	30.4
Norway maple	16,300	16,300	20.0	1	41.0
Green/white ash	16,300	16,300	20.0	1	5.6
Magnolia	16,300	16,300	20.0	1	2.7
STUDY AREA					
Green/white ash	651,200	549,400	57.3	1	47.9
Boxelder	109,500	109,500	9.6	2	6.9
Poplar (other)	109,500	109,500	9.6	2	0.2
Other	109,500	109,500	9.6	2	4.8
Prunus spp.	57,600	57,600	5.1	5	1.5
Ailanthus	16,700	16,700	1.5	6	0.7
Cottonwood	16,700	16,700	1.5	6	3.8
Russian olive	16,300	16,300	1.4	8	7.3
Siberian elm	16,300	16,300	1.4	8	11.0
Norway maple	16,300	16,300	1.4	8	14.8
Magnolia	16,300	16,300	1.4	8	1.0

osition on vacant lands in Chicago, suburban Cook County, DuPage County, and entire study area
es in number and percentage of trees, and species dominance based on percent of total leaf-surface area

	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
)						
	178,300	96,800	36.1	1	68.3	1
	52,000	52,000	10.5	2	1.3	5
	47,700	47,700	9.7	3	7.6	3
	41,600	34,700	8.4	4	12.9	2
	39,000	34,500	7.9	5	1.1	6
	21,700	21,700	4.4	6	1.0	8
	17,300	13,300	3.5	7	0.5	14
	17,300	13,300	3.5	7	0.8	10
	17,300	13,300	3.5	7	0.6	13
	13,000	9,300	2.6	10	0.7	11
	13,000	13,000	2.6	10	0.5	15
	8,700	8,700	1.8	12	1.9	4
	8,700	5,800	1.8	12	1.0	7
	8,700	8,700	1.8	12	0.2	16
	4,900	4,900	1.0	15	0.9	9
	4,300	4,300	0.9	16	0.6	12
3AN COOK COUNTY						
	670,400	514,700	17.4	1	23.3	1
	606,600	606,600	15.7	2	1.7	11
	399,100	334,500	10.3	3	20.4	2
	367,100	317,600	9.5	4	3.5	7
	335,200	208,600	8.7	5	3.3	8
	271,400	155,400	7.0	6	12.6	4
	239,400	208,200	6.2	7	7.1	5
	207,500	90,000	5.4	8	2.2	9
	191,500	191,500	5.0	9	5.7	6
	143,700	87,900	3.7	10	16.0	3
	127,700	96,500	3.3	11	1.7	10
	95,800	69,800	2.5	12	0.8	13
	79,800	64,900	2.1	13	0.9	12
	63,800	63,800	1.7	14	0.5	14
	31,900	21,900	0.8	15	0.2	15
	16,000	16,000	0.4	16	0.0	16
	16,000	16,000	0.4	16	0.0	17
E COUNTY						
	1,767,900	1,753,900	27.4	1	5.6	10
	956,00	366,700	14.8	2	19.3	1
	602,400	377,300	9.3	3	10.0	2
	602,400	377,300	9.3	4	8.5	3
	406,00	392,100	6.3	5	6.7	7
	406,00	291,000	6.3	5	5.8	8
	340,450	188,300	5.3	7	4.0	11
	157,100	107,100	2.4	8	5.7	9
	157,100	130,300	2.4	8	6.8	6
	144,100	144,100	2.2	10	1.3	14
	131,000	117,700	2.0	11	7.0	4
	117,900	91,500	1.8	12	6.8	5
	117,900	117,900	1.8	12	3.8	12
	104,800	60,200	1.6	14	0.8	18
	91,700	78,700	1.4	15	1.8	13

Table 12. —continued

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
Elm (other)	78,600	56,900	1.2	16	0.6	21
Honeysuckle	65,500	53,100	1.0	17	0.7	20
Sumac	39,300	39,300	0.6	18	0.1	24
Austrian pine	39,300	39,300	0.6	18	1.1	16
Pin oak	26,200	26,200	0.4	20	1.3	15
Mulberry	13,100	13,100	0.2	24	0.7	19
Linden	13,100	13,100	0.2	24	0.9	17
STUDY AREA						
Willow	1,911,500	1,756,100	17.7	1	8.2	3
Boxelder	1,227,300	398,200	11.4	2	14.3	2
Cottonwood	983,300	524,500	9.1	3	20.3	1
Green/white ash	954,900	431,400	8.8	4	6.4	5
Buckthorn	827,200	388,100	7.7	5	5.2	7
Black locust	750,600	623,400	7.0	6	1.2	16
Prunus spp.	707,600	369,300	6.6	7	3.2	12
Poplar (other)	679,100	514,800	6.3	8	7.9	4
Shagbark hickory	406,000	291,000	3.8	9	3.1	13
American elm	392,100	240,100	3.6	10	6.2	6
Red/black oak	252,900	127,800	2.3	11	3.3	11
Silver maple	209.000	192,000	1.9	12	2.1	14
Ash (other)	179,700	109,600	1.7	13	0.7	18
Walnut	159,400	122,900	1.5	14	3.9	8
Basswood	157,100	130,300	1.5	15	3.5	10
Elm (other)	126,200	74,200	1.2	16	1.4	15
Bur oak	117,900	91,500	1.1	17	3.6	9
Hawthorn	117,800	61,600	1.1	18	0.5	22
Slippery elm	91,700	78,700	0.8	19	1.0	17
Dogwood	79,800	64,900	0.7	20	0.3	25
Pin oak	58,100	34,200	0.5	23	0.7	19
Austrian pine	39,300	39,300	0.4	26	0.6	20

ition on residential lands in Chicago, suburban Cook County, DuPage County, and entire study area
in number and percentage of trees, and species dominance based on percent of total leaf-surface area

	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
	116,100	43,600	9.2	1	11.8	2
	112,000	34,400	8.9	2	2.8	12
	108,400	29,800	8.6	3	4.6	7
	96,800	22,800	7.7	4	12.7	1
	78,000	18,400	6.2	5	8.0	5
	76,700	25,700	6.1	6	1.6	15
	58,900	25,200	4.7	7	3.2	10
	55,200	20,900	4.4	8	8.4	4
	45,200	23,900	3.6	9	1.5	17
	42,300	33,900	3.4	10	3.6	9
	38,700	25,300	3.1	11	1.0	22
	34,800	21,300	2.8	12	2.7	13
	33,800	15,000	2.7	13	0.9	23
	29,200	17,900	2.3	14	1.5	16
	27,300	14,400	2.2	15	0.4	29
	25,400	12,900	2.0	16	0.3	34
	25,300	12,200	2.0	17	0.2	35
	18,400	11,500	1.5	18	1.1	19
	17,800	8,900	1.4	19	0.3	33
	14,800	10,500	1.2	20	0.4	31
	14,100	11,600	1.1	22	8.5	3
	12,500	8,900	1.0	24	1.5	18
	10,800	7,800	0.9	27	4.5	8
	10,800	7,800	0.9	27	7.4	6
	9,600	9,600	0.8	31	1.0	20
	8,700	8,700	0.7	33	3.0	11
	6,500	6,500	0.5	38	2.0	14
3AN COOK COUNTY						
	603,300	124,800	9.0	1	18.1	1
	474,500	117,700	7.1	2	9.4	2
	423,600	93,600	6.3	3	3.3	10
	394,900	118,700	5.9	4	0.7	25
	357,800	70,900	5.3	5	3.2	11
	357,700	135,400	5.3	6	0.3	40
	347,300	127,200	5.2	7	2.2	15
	326,200	148,500	4.9	8	0.7	27
	299,200	84,000	4.5	9	1.5	17
	295,500	73,000	4.4	10	5.8	4
	285,800	115,900	4.3	11	6.6	3
	239,200	51,900	3.6	12	2.8	13
	169,600	71,100	2.5	13	3.3	9
	149,100	55,600	2.2	14	2.2	14
	146,200	59,800	2.2	15	1.1	21
	129,400	41,400	1.9	16	4.9	6
	114,300	114,300	1.7	17	4.1	8
	111,500	51,400	1.7	18	0.1	48
	106,700	67,600	1.6	19	1.2	20
	101,400	31,000	1.5	20	5.6	5
	65,600	31,100	1.0	24	1.4	18
	46,000	19,100	0.7	31	3.1	12
	29,300	22,200	0.4	38	1.6	16
	23,600	20,500	0.4	40	4.7	7
	18,100	10,800	0.3	44	1.3	19

Table 13. —continued

Species	Tree population				Species domina
	Number	SE	Percent	Rank	Percent
DUPAGE COUNTY					
Buckthorn	655,600	398,800	14.5	1	3.0
Blue spruce	266,200	89,600	5.9	2	3.3
Silver maple	246,000	36,900	5.4	3	16.3
Green/white ash	242,300	37,400	5.3	4	4.7
Prunus spp.	207,500	43,100	4.6	5	2.8
Crabapple	162,000	23,200	3.6	6	2.2
Arborvitae	142,700	62,400	3.2	7	0.4
Norway maple	133,000	25,500	2.9	8	4.1
Red/black oak	130,600	75,400	2.9	9	1.9
White oak	128,900	58,300	2.8	10	12.8
Mulberry	118,900	37,400	2.6	11	1.1
Hawthorn	115,300	40,000	2.5	12	0.7
American elm	108,100	33,400	2.4	13	3.8
Bur oak	105,000	43,200	2.3	14	5.8
Shagbark hickory	103,400	52,400	2.3	15	2.2
Honeylocust	101,200	22,000	2.2	16	1.3
Boxelder	95,200	23,800	2.1	17	1.5
Black locust	92,800	63,200	2.0	18	1.3
Norway spruce	92,800	32,000	2.0	19	1.3
Pin oak	82,200	32,100	1.8	20	4.8
Siberian elm	51,200	23,900	1.1	23	1.5
Willow	47,800	12,500	1.1	25	2.6
Red maple	41,200	17,000	0.9	28	2.3
White pine	38,200	13,100	0.8	32	1.6
Poplar (other)	31,800	16,200	0.7	37	1.6
Cottonwood	30,400	13,100	0.7	40	1.5
STUDY AREA					
Buckthorn	1,050,400	416,100	8.4	1	1.4
Silver maple	927,400	131,400	7.4	2	16.3
Green/white ash	832,900	131,000	6.7	3	8.1
Prunus spp.	642,000	86,900	5.1	4	2.9
Blue spruce	624,300	125,400	5.0	5	2.3
Crabapple	619,400	97,600	5.0	6	2.7
Mulberry	578,200	137,000	4.6	7	1.9
Norway maple	525,300	80,600	4.2	8	6.1
Arborvitae	494,300	161,600	4.0	9	0.5
Honeylocust	448,800	63,800	3.6	10	2.5
American elm	439,000	123,000	3.5	11	5.1
Juniper	419,100	136,800	3.4	12	0.2
Boxelder	271,600	62,200	2.2	13	1.8
White oak	254,000	128,600	2.0	14	7.3
Norway spruce	251,400	55,300	2.0	15	3.3
Siberian elm	231,200	75,300	1.8	16	2.4
Apple	206,300	62,000	1.7	17	0.8
Hawthorn	169,300	45,600	1.4	18	0.4
Red/black oak	161,700	78,700	1.3	19	1.1
Yew	151,200	47,300	1.2	20	0.2
Willow	149,200	33,400	1.2	21	4.0
Red maple	147,900	69,700	1.2	22	1.4
Bur oak	121,300	44,800	1.0	26	2.5
Pin oak	107,200	36,000	0.9	32	1.7
Swamp white oak	67,000	39,600	0.5	40	3.0
Other	59,000	19,900	0.5	42	1.8
Cottonwood	44,500	17,500	0.4	50	1.5

Table 14. —Tree composition on institutional lands dominated by vegetation in Chicago, suburban Cook County, DuPage County, and entire study area based on top 20 species in number and percentage of trees, and species dominance based on percent of total leaf-surface area in each sector

	Tree population				Species dominance	
Species	Number	SE	Percent	Rank	Percent	Rank
CHICAGO						
Cottonwood	292,300	284,500	15.8	1	9.2	5
American elm	230,300	164,000	12.5	2	11.9	1
Hawthorn	230,300	104,100	12.5	2	4.8	9
Buckthorn	214,700	100,200	11.6	4	2.8	11
Green/white ash	195,400	67,700	10.6	5	9.6	4
Prunus spp.	191,400	99,900	10.4	6	5.5	8
Boxelder	82,800	50,800	4.5	7	2.5	12
Hackberry	62,100	33,200	3.4	8	8.0	7
White oak	38,800	28,700	2.1	9	11.6	2
Silver maple	33,600	16,900	1.8	10	10.0	3
Red/black oak	28,500	26,000	1.5	11	8.6	6
Siberian elm	25,900	25,900	1.4	12	1.1	16
Crabapple	23,300	12,700	1.3	13	0.9	18
Shagbark hickory	20,700	14,500	1.1	14	0.5	24
Ash (other)	20,700	15,000	1.1	14	0.2	26
Hickory	20,700	8,600	1.1	14	0.7	21
Honeylocust	19,400	10,500	1.1	17	0.8	19
Basswood	18,100	10,500	1.0	18	1.5	15
Mulberry	15,500	9,500	0.8	19	2.8	10
Other	12,900	7,600	0.7	20	0.1	31
Linden	7,800	4,400	0.4	22	1.0	17
Norway maple	5,200	3,600	0.3	24	1.6	14
Sugar maple	5,200	3,600	0.3	24	0.7	20
Swamp white oak	5,200	3,600	0.3	24	1.8	13
SUBURBAN COOK COUNTY						
Buckthorn	3,999,200	1,423,000	20.0	1	5.3	7
Prunus spp.	1,836,800	571,400	9.2	2	4.9	8
Green/white ash	1,737,200	443,300	8.7	3	9.6	3
Hawthorn	1,655,700	439,400	8.3	4	7.2	4
American elm	1,601,200	702,400	8.0	5	13.7	1
Alder	1,330,100	1,130,400	6.7	6	1.1	20
Boxelder	1,176,300	397,600	5.9	7	6.0	5
Red/black oak	904,800	319,600	4.5	8	10.0	2
Slippery elm	732,900	582,800	3.7	9	2.5	14
Sugar maple	524,800	506,600	2.6	10	1.7	16
Silver maple	425,300	175,100	2.1	11	4.5	9
Bur oak	398,100	211,200	2.0	12	2.6	13
Basswood	380,000	302,300	1.9	13	1.0	21
White oak	361,900	196,600	1.8	14	5.4	6
Cottonwood	316,700	111,500	1.6	15	4.4	10
Shagbark hickory	316,700	245,600	1.6	15	1.7	17
Hickory	271,400	138,900	1.4	17	0.6	25
Elm (other)	262,400	119,600	1.3	18	1.1	19
Black locust	190,000	117,100	1.0	19	0.3	33
Ash (other)	162,900	59,000	0.8	20	0.2	36
Norway maple	99,500	82,200	0.5	24	2.9	12
Willow	72,400	35,500	0.4	27	3.4	11
Pin oak	27,100	20,100	0.1	36	1.7	15
Red pine	27,100	27,100	0.1	36	1.6	18

Table 14. —continued

Species	Tree population				Species dominance	
	Number	SE	Percent	Rank	Percent	Rank
DUPAGE COUNTY						
Prunus spp.	566,900	233,500	17.9	1	8.1	4
Boxelder	532,900	265,600	16.8	2	9.8	2
Hawthorn	430,900	159,400	13.6	3	2.9	11
Buckthorn	349,600	162,500	11.1	4	3.1	10
Jack pine	226,800	169,700	7.2	5	0.8	15
American elm	219,200	115,600	6.9	6	5.7	8
Cottonwood	207,900	204,100	6.6	7	4.1	8
Sumac	83,200	75,900	2.6	8	0.1	23
Green/white ash	79,400	36,900	2.5	9	3.3	9
White oak	68,000	28,700	2.2	10	34.1	1
Basswood	60,500	60,500	1.9	11	0.6	16
Mulberry	56,700	23,300	1.8	12	5.6	7
Bur oak	52,900	42,200	1.7	13	6.1	5
Walnut	26,500	17,100	0.8	14	8.4	3
Sugar maple	26,500	12,200	0.8	14	0.9	14
Crabapple	24,600	13,000	0.8	16	0.5	17
Honeylocust	22,700	15,900	0.7	17	0.4	18
Arborvitae	15,100	10,600	0.5	18	0.2	19
Scotch pine	12,700	9,600	0.4	19	0.1	28
Viburnum	11,300	11,300	0.4	20	0.0	31
Shagbark hickory	11,300	8,400	0.4	20	2.2	12
Norway maple	7,600	5,300	0.2	25	1.7	13
Siberian elm	3,800	3,800	0.1	29	0.2	20
STUDY AREA						
Buckthorn	4,563,500	1,435,700	18.3	1	4.7	9
Prunus spp.	2,595,100	625,300	10.4	2	5.6	7
Hawthorn	2,316,800	478,900	9.3	3	6.2	6
American elm	2,050,600	730,500	8.2	4	12.0	1
Green/white ash	2,012,000	450,000	8.1	5	8.4	3
Boxelder	1,791,900	480,900	7.2	6	6.4	5
Alder	1,330,100	1,130,400	5.3	7	0.8	23
Red/black oak	944,600	320,800	3.8	8	8.0	4
Cottonwood	816,900	367,400	3.3	9	4.8	8
Slippery elm	740,500	582,900	3.0	10	1.8	14
Sugar maple	556,400	506,800	2.2	11	1.5	18
White oak	468,800	200,700	1.9	12	11.4	2
Silver maple	458,900	175,900	1.8	13	4.2	10
Basswood	458,600	308,400	1.8	14	0.9	21
Bur oak	451,000	215,400	1.8	15	3.0	11
Shagbark hickory	348,700	246,200	1.4	16	1.7	16
Hickory	292,100	139,200	1.2	17	0.5	29
Elm (other)	272,700	120,100	1.1	18	0.8	22
Jack pine	226,800	169,700	0.9	19	0.1	40
Black locust	195,200	117,300	0.8	20	0.3	31
Mulberry	126,500	41,900	0.5	24	1.6	17
Norway maple	112,300	82,400	0.4	26	2.6	12
Willow	83,900	36,500	0.3	32	2.5	1[illegible]
Walnut	35,500	19,400	0.1	40	1.7	1[illegible]
Pin oak	30,900	20,500	0.1	41	1.3	1[illegible]
Red pine	27,100	27,100	0.1	43	1.1	2[illegible]

Table 15. —Distribution of tree diameters in Chicago, suburban Cook County, DuPage County, and entire study area, by land use

Land use	0-7 cm		8-15 cm		16-30 cm		31-46 cm		47-61 cm		62-76 cm		77+ cm	
	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE
CHICAGO														
Agriculture	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	50.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	62.5	23.6	25.0	28.3	0.0	0.0	0.0	0.0	0.0	0.0	12.5	4.7
Institutional (veg.)	55.2	9.7	24.8	3.3	12.6	3.2	3.6	1.1	2.0	0.9	1.1	0.5	0.7	0.4
Multiresidential	55.2	12.4	17.2	7.2	0.0	0.0	17.2	7.2	0.0	0.0	0.0	0.0	10.3	12.8
Residential	22.8	3.0	20.0	2.7	26.8	2.8	15.5	2.1	7.9	1.8	4.4	1.1	2.6	1.2
Transportation	7.7	8.9	0.0	0.0	80.8	19.7	7.7	7.5	0.0	0.0	0.0	0.0	3.8	4.4
Vacant	51.8	9.2	22.0	3.6	10.2	3.1	12.4	3.9	1.8	0.9	0.9	0.9	1.0	1.2
Overall	41.3	4.6	22.2	1.8	19.9	2.1	9.1	1.1	3.5	0.7	1.9	0.4	2.1	0.8
SUBURBAN COOK COUNTY														
Agriculture	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	75.1	13.5	24.9	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (veg.)	64.1	3.2	20.2	1.6	11.0	1.6	2.8	0.6	1.4	0.3	0.3	0.1	0.3	0.1
Multiresidential	27.8	11.5	22.2	10.9	44.4	10.4	5.6	5.3	0.0	0.0	0.0	0.0	0.0	0.0
Residential	28.2	2.8	24.9	1.8	22.5	2.2	14.2	1.7	5.7	0.8	2.7	0.7	1.8	0.5
Transportation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vacant	80.2	4.7	10.7	2.1	5.8	2.1	2.5	1.4	0.4	0.4	0.0	0.0	0.4	0.4
Overall	58.5	2.2	20.2	1.2	12.7	1.2	5.1	0.6	2.2	0.3	0.7	0.2	0.6	0.2
DUPAGE COUNTY														
Agriculture	75.0	9.1	25.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	40.0	22.8	0.0	0.0	40.0	22.8	20.0	18.6	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	25.0	17.1	25.0	17.1	0.0	0.0	25.0	26.1	25.0	26.1	0.0	0.0
Institutional (veg.)	52.2	3.7	26.2	1.6	15.0	3.4	2.9	0.8	2.0	0.7	1.6	0.6	0.1	0.1
Multiresidential	22.6	9.4	41.9	11.1	35.5	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Residential	34.6	5.3	24.3	1.8	22.1	2.9	10.0	1.3	5.1	1.0	2.6	0.5	1.2	0.4
Transportation	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0
Vacant	69.5	11.3	18.5	6.8	10.2	4.6	1.2	0.7	0.6	0.3	0.0	0.0	0.0	0.0
Overall	54.5	5.2	22.2	3.0	15.0	2.3	4.3	0.5	2.4	0.4	1.3	0.2	0.4	0.1
STUDY AREA														
Agriculture	75.0	4.3	25.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	71.8	8.7	23.9	7.9	2.9	3.6	1.4	2.9	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	46.0	6.2	25.0	7.0	0.0	0.0	11.0	5.5	11.0	5.5	7.0	1.0
Institutional (veg.)	61.9	2.6	21.3	1.2	11.6	1.4	2.9	0.5	1.6	0.3	0.5	0.1	0.3	0.1
Multiresidential	35.8	7.3	25.7	5.5	26.9	4.0	8.1	3.9	0.0	0.0	0.0	0.0	3.5	6.1
Residential	30.0	2.2	24.2	1.2	22.8	1.5	12.8	1.1	5.7	0.6	2.8	0.5	1.7	0.4
Transportation	15.1	2.9	0.0	0.0	71.9	6.4	6.8	2.4	0.0	0.0	2.7	0.0	3.4	1.4
Vacant	72.5	4.9	15.9	2.7	8.6	2.0	2.2	0.9	0.6	0.3	0.0	0.1	0.2	0.3
Overall	56.0	2.1	20.9	1.2	13.9	1.0	5.2	0.4	2.3	0.2	1.0	0.1	0.7	0.1

[a] Percentage of land-use population in sector

Table 16. —Distribution of tree condition in Chicago, suburban Cook County, DuPage County, and entire study area, by land use

Land use	Excellent		Good		Moderate		Poor		Dying		Dead	
	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE
CHICAGO												
Agriculture	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	25.0	9.4	62.5	14.2	12.5	4.7	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (veg.)	2.1	0.9	43.3	6.4	32.8	4.0	10.7	2.5	2.1	0.5	9.0	1.4
Multiresidential	27.6	6.2	44.8	6.4	27.6	10.4	0.0	0.0	0.0	0.0	0.0	0.0
Residential	18.4	2.9	52.9	4.3	23.0	3.9	5.4	1.3	0.0	0.0	0.3	0.2
Transportation	0.0	0.0	88.5	11.3	3.8	4.4	7.7	7.5	0.0	0.0	0.0	0.0
Vacant	8.8	5.3	50.7	10.8	20.3	7.3	8.8	3.0	3.5	0.9	7.9	6.3
Overall	9.4	1.2	50.5	3.5	25.9	2.4	7.9	1.3	1.4	0.2	5.0	1.0
SUBURBAN COOK COUNTY												
Agriculture	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	14.2	15.5	64.3	11.6	21.4	3.9	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (veg.)	4.6	1.0	52.9	3.4	19.7	1.7	6.7	1.1	3.4	0.7	12.7	1.8
Multiresidential	11.1	10.7	88.9	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Residential	23.4	3.3	56.9	3.6	15.5	2.6	3.5	0.8	0.2	0.2	0.5	0.3
Transportation	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vacant	8.3	3.3	66.5	5.6	12.0	4.1	1.7	0.7	0.4	0.4	11.2	2.6
Overall	9.4	1.1	56.0	2.4	17.8	1.3	5.2	0.7	2.2	0.5	9.4	1.2
DUPAGE COUNTY												
Agriculture	12.5	13.7	68.8	6.9	18.8	6.9	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	40.0	22.8	60.0	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	0.0	0.0	50.0	19.8	0.0	0.0	25.0	26.1	0.0	0.0	25.0	17.1
Institutional (veg.)	10.5	2.8	36.7	3.8	19.5	2.1	14.5	2.7	4.3	1.6	14.5	1.8
Multiresidential	38.7	13.0	45.2	12.4	12.9	6.7	3.2	2.9	0.0	0.0	0.0	0.0
Residential	23.4	3.1	51.6	4.2	15.2	2.3	5.0	1.1	1.5	0.6	3.3	1.3
Transportation	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vacant	10.0	3.0	61.0	9.6	13.4	5.1	7.5	3.6	2.4	1.2	5.7	2.7
Overall	14.6	1.8	53.1	4.4	15.3	2.4	8.0	1.7	2.4	0.6	6.6	1.3
STUDY AREA												
Agriculture	12.5	6.5	68.8	3.2	18.8	3.2	0.0	0.0	0.0	0.0	0.0	0.0
Commercial/indust.	15.6	9.7	65.1	7.7	19.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0
Institutional (bldg.)	14.0	2.0	57.0	5.1	7.0	1.0	11.0	5.5	0.0	0.0	11.0	3.6
Institutional (veg.)	5.2	0.9	50.1	2.5	20.6	1.3	8.0	0.9	3.4	0.6	12.6	1.3
Multiresidential	23.9	5.3	62.4	5.3	12.8	5.1	0.8	0.5	0.0	0.0	0.0	0.0
Residential	22.9	2.1	54.6	2.4	16.2	1.7	4.2	0.6	0.7	0.2	1.5	0.4
Transportation	0.0	0.0	89.7	3.7	3.4	1.4	6.8	2.4	0.0	0.0	0.0	0.0
Vacant	9.3	2.2	62.5	4.7	13.2	3.0	5.5	1.4	1.8	0.5	7.7	1.8
Overall	10.9	0.9	54.7	2.0	17.7	1.1	6.2	0.7	2.2	0.3	8.3	0.8

[a] Percentage of land-use population in sector

Table 17. —Distribution of ground-surface materials in Chicago, suburban Cook County, DuPage County, and entire study area, by land use

Surface type	Chicago		Cook County		DuPage County		Study Area	
	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE	Percent[a]	SE
INSTITUTIONAL (vegetation)								
Grass (maintained)	46.6	5.8	32.1	4.7	41.8	6.1	35.9	3.4
Herbaceous	11.9	3.5	15.8	2.8	12.0	2.9	14.5	2.0
Shrub	3.7	1.5	15.4	2.9	14.4	3.5	13.7	2.1
Duff	6.1	2.8	10.9	2.7	3.9	1.8	8.9	1.9
Soil	10.5	3.4	7.7	2.0	3.3	1.4	7.1	1.4
Grass (unmaintained)	0.4	0.4	6.3	1.9	12.2	3.7	6.8	1.5
Tar	14.6	3.9	1.4	0.7	5.8	2.4	4.0	0.8
Water	1.5	1.3	4.0	1.8	4.2	2.5	3.7	1.3
Rock	0.6	0.6	2.3	1.4	1.7	0.7	2.0	1.0
Building	0.5	0.4	1.3	1.1	0.4	0.4	1.0	0.8
Other structure	1.7	0.8	1.0	0.5	0.1	0.1	0.9	0.3
Cement	1.4	0.6	0.8	0.5	0.0	0.0	0.7	0.3
Other impervious	0.0	0.0	0.9	0.4	0.2	0.2	0.6	0.3
Wood	0.5	0.3	0.1	0.1	0.0	0.0	0.2	0.1
All surfaces	100.0		100.0		100.0		100.0	
AGRICULTURAL								
Herbaceous	0.0	0.0	60.6	12.5	76.3	9.6	67.8	8.0
Soil	100	0.0	37.8	11.7	2.7	1.6	21.4	6.2
Grass (unmaintained)	0.0	0.0	1.1	1.1	10.7	6.8	5.7	3.3
Grass (maintained)	0.0	0.0	0.6	0.6	7.3	5.2	3.8	2.5
Tar	0.0	0.0	0.0	0.0	2.0	2.0	0.9	0.9
Rock	0.0	0.0	0.0	0.0	0.6	0.6	0.3	0.3
Duff	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.2
Shrub	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Building	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cement	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other impervious	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other structure	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Water	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wood	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All surfaces	100.0		100.0		100.0		100.0	
INSTITUTIONAL (building)								
Grass (maintained)	17.3	8.0	59.7	13.7	40.2	24.4	46.5	9.6
Tar	51.6	14.8	15.2	8.1	3.0	3.0	20.4	5.7
Building	20.6	13.6	19.4	13.0	16.0	16.0	19.0	8.7
Grass (unmaintained)	0.0	0.0	0.0	0.0	20.0	20.0	4.2	4.2
Cement	4.8	2.7	2.6	1.3	0.6	0.6	2.6	1.0
Herbaceous	0.0	0.0	0.0	0.0	10.0	10.0	2.1	2.1
Rock	3.1	3.1	1.0	1.0	2.0	2.0	1.7	1.0
Soil	0.6	0.6	0.3	0.2	6.0	6.0	1.6	1.3
Other structure	0.9	0.6	1.7	1.2	0.2	0.2	1.2	0.7
Duff	0.0	0.0	0.0	0.0	2.0	2.0	0.4	0.4
Shrub	0.5	0.5	0.1	0.1	0.0	0.0	0.2	0.1
Other impervious	0.6	0.6	0.0	0.0	0.0	0.0	0.1	0.1
Water	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wood	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All surfaces	100.0		100.0		100.0		100.0	

Table 17. —continued

Surface type	Chicago Percent[a]	Chicago SE	Cook County Percent[a]	Cook County SE	DuPage County Percent[a]	DuPage County SE	Study Area Percent[a]	Study Area SE
COMMERCIAL/INDUSTRIAL								
Tar	35.1	8.9	27.6	8.8	35.3	9.9	30.8	5.8
Grass (maintained)	1.0	0.7	22.7	7.7	14.7	5.8	15.8	4.6
Building	11.5	6.0	12.1	6.2	23.7	9.9	13.7	4.2
Other impervious	21.0	8.1	5.6	5.6	0.0	0.0	8.7	3.9
Rock	9.6	5.0	5.3	3.2	0.6	0.3	5.7	2.3
Cement	7.9	2.7	3.9	1.5	7.1	3.4	5.4	1.2
Other structure	2.6	1.2	6.8	5.1	0.5	0.4	4.7	3.0
Soil	1.7	1.2	2.9	2.8	15.7	10.4	4.6	2.3
Water	0.7	0.7	5.6	5.6	0.0	0.0	3.4	3.2
Herbaceous	4.4	2.4	3.1	2.8	0.8	0.8	3.1	1.7
Shrub	0.0	0.0	4.6	2.8	1.5	0.5	2.9	1.6
Grass (unmaintained)	3.8	2.7	0.0	0.0	0.0	0.0	1.0	0.7
Wood	0.7	0.7	0.0	0.0	0.0	0.0	0.2	0.2
Duff	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0
All surfaces	100.0		100.0		100.0		100.0	
MULTIRESIDENTIAL								
Building	42.0	14.2	15.6	10.8	26.1	10.6	30.1	8.0
Grass (maintained)	19.3	9.3	29.3	8.9	39.7	9.5	26.4	5.7
Tar	6.7	6.7	44.9	10.7	16.1	8.4	21.5	5.1
Cement	15.1	7.1	3.1	1.8	2.4	0.7	8.7	3.5
Shrub	7.9	4.2	3.1	1.3	4.2	1.6	5.6	2.1
Other impervious	4.9	4.9	0.0	0.0	0.0	0.0	2.3	2.3
Soil	1.4	1.4	2.9	1.3	0.4	0.3	1.7	0.8
Duff	2.4	2.1	0.2	0.2	1.1	0.9	1.4	1.0
Water	0.0	0.0	0.0	0.0	7.7	4.3	1.4	0.8
Rock	0.0	0.0	0.3	0.3	1.2	0.5	0.3	0.1
Herbaceous	0.3	0.3	0.0	0.0	0.8	0.6	0.3	0.2
Other structure	0.0	0.0	0.6	0.4	0.4	0.2	0.3	0.1
Grass (unmaintained)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wood	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All surfaces	100.0		100.0		100.0		100.0	
TRANSPORTATION								
Tar	42.7	12.1	23.5	12.3	37.2	10.1	31.4	7.9
Grass (maintained)	12.4	6.6	28.5	14.6	14.4	5.8	21.5	8.3
Cement	15.3	7.8	15.1	9.8	12.2	8.1	14.8	6.1
Rock	20.0	9.0	11.0	7.4	1.4	0.6	12.7	5.0
Grass (unmaintained)	3.6	3.6	11.1	8.2	22.8	8.7	10.1	4.8
Soil	0.9	0.7	10.3	7.3	0.4	0.4	6.0	4.0
Herbaceous	2.3	1.9	0.0	0.0	5.6	3.8	1.4	0.[illegible]
Other structure	1.9	1.6	0.5	0.5	0.2	0.2	0.9	0.[illegible]
Shrub	0.3	0.3	0.0	0.0	3.8	2.8	0.6	0.[illegible]
Other impervious	0.6	0.4	0.0	0.0	2.0	1.6	0.5	0.[illegible]
Water	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.[illegible]
Building	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.[illegible]
Duff	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.[illegible]
Wood	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.[illegible]
All surfaces	100.0		100.0		100.0		100.0	

Table 17. —continued

Surface type	Chicago Percent[a]	Chicago SE	Cook County Percent[a]	Cook County SE	DuPage County Percent[a]	DuPage County SE	Study Area Percent[a]	Study Area SE
VACANT								
Herbaceous	4.9	3.3	41.0	8.0	25.7	6.1	32.4	4.9
Grass (unmaintained)	32.8	11.4	25.0	6.5	31.7	10.3	28.1	5.3
Shrub	8.2	5.4	14.7	3.9	20.9	5.3	16.4	2.9
Grass (maintained)	13.6	8.3	9.7	6.4	3.9	2.7	8.0	3.7
Soil	14.8	6.7	5.7	3.1	8.3	5.6	7.5	2.7
Duff	8.6	6.9	0.6	0.5	4.3	2.3	2.7	1.1
Water	0.0	0.0	1.6	1.1	1.7	1.4	1.5	0.8
Rock	4.1	3.6	1.6	1.1	0.5	0.5	1.4	0.7
Tar	3.6	3.6	0.0	0.0	3.0	2.7	1.4	1.0
Cement	8.3	4.1	0.0	0.0	0.0	0.0	0.7	0.4
Wood	0.9	0.6	0.0	0.0	0.0	0.0	0.1	0.1
Other structure	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Other impervious	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Building	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All surfaces	100.0		100.0		100.0		100.0	
RESIDENTIAL								
Grass (maintained)	29.0	1.4	42.0	2.1	52.3	1.7	42.4	1.3
Building	21.6	0.7	14.4	0.8	10.4	0.5	14.6	0.5
Tar	11.3	0.7	14.2	1.5	12.4	1.0	13.2	0.9
Cement	17.0	0.7	10.3	1.0	6.1	0.7	10.4	0.6
Other structure	7.9	0.5	5.3	0.5	4.4	0.5	5.5	0.3
Shrub	2.4	0.3	4.9	0.4	6.2	0.9	4.8	0.3
Soil	5.7	0.7	2.7	0.6	1.7	0.2	3.0	0.3
Herbaceous	2.3	0.3	2.4	0.5	2.5	0.4	2.4	0.3
Rock	1.2	0.2	2.2	0.4	1.9	0.3	1.9	0.2
Other impervious	0.7	0.2	0.8	0.3	0.5	7.1	0.7	1.9
Duff	0.4	0.2	0.3	0.1	0.9	0.2	0.5	0.1
Water	0.0	0.0	0.4	0.3	0.4	0.3	0.3	0.2
Grass (unmaintained)	0.5	0.3	0.2	0.1	0.3	0.3	0.2	0.1
Wood	0.1	0.1	0.2	0.1	0.1	0.0	0.2	0.0
All surfaces	100.0		100.0		100.0		100.0	

[a] Percentage of land-use population in sector.

Appendix B

Trees for Energy-Efficient Landscapes in Chicago

Trees for energy-efficient landscapes in the Chicago area .

Tree species		Solar friendly	Form	Growth rate	Longevity
Small (< 20 feet)					
Dogwood, Corneliancherry	*Cornus mas*	NA	R	S	I
Filbert, European	*Corylus avellana*	NA	S	M	I
Hawthorn	*Crataegus spp.*				
Cockspur	*C. crus-galli*	Y	L	M	I
Dotted	*C. punctata*	Y	L	M	L
Downy	*C. mollis*	N	L	M	L
Lavelle	*C. x lavallei*	N	R	M	I
Vaughn	*C. 'Vaughn'*	NA	L	M	I
Washington	*C. phaenopyrum*	N	V	M	I
Winter King	*C. viridis 'Winter King'*	N	L	M	I
Lilac, Japanese Tree	*Syringa reticulata*	Y	R	S	I
Maple, Amur	*Acer ginnala*	Varies	R	M	I
Redbud	*Cercis canadensis*	Y	B	M	I
Smoketree, Common	*Cotinus coggygria*	Y	S	M	I
Willow, French Pussy	*Salix caprea*	NA	S	R	S
Crabapples	*Malus spp.*	Varies	Varies	M	I
Medium (20-40 feet)					
Alder	*Alnus spp.*				
European Black	*A. glutinosa*	N	O	R	I
White	*A. incana*	NA	O	R	I
Catalpa	*Catalpa spp.*				
Chinese	*C. ovata*	NA	R	M	L
Northern or Western	*C. speciosa*	NA	O	R	I
Southern	*C. bignonioides*	NA	R	M	I
Corktree, Amur	*Phellodendron amurense*	Y	R	M	L
Elm, Lacebark	*Ulmus parviflora*	N	R	M	I
Linden, Littleleaf	*Tilia cordata*	Varies	P	M	I
Maple	*Acer spp.*				
Hedge	*A. campestre*	Varies	B	M	I
Miyabe	*A. miyabei*	NA	R	M	L
Tartarian	*A. tataricum*	NA	R	M	L
Osage-orange	*Maclura pomifera*	NA	R	M	L
Pagodatree, Japanese	*Sophora japonica*	Y	R	M	L
Poplar, Quaking Aspen	*Populus tremuloides*	Y	O	M	I
Yellowwood	*Cladrastis lutea*	Y	R	M	I
Large (>40 feet)					
Ash	*Fraxinus spp.*				
Green	*F. pennsylvanica*	Y	O	R	L
White	*F. americana*	Y	O	M	L
Birch	*Betula nigra*	N	O	R	I
Coffeetree, Kentucky	*Gymnocladus dioica*	Y	R	M	L
Elm	*Ulmus spp.*				
English	*U. carpinifolia*	N	P	R	L
Regal	*U. 'regal'*	NA	P	M	L
Ginkgo	*Ginkgo biloba*	Y	O	M	L
Hackberry, Common	*Celtis occidentalis*	Y	V	R	L
Honeylocust, Thornless	*Gleditsia triacanthos v. inermis*	Y	R	R	I
Horsechestnut, Common	*Aesculus hippocastanum*	N	R	M	L
Larch	*Larix spp.*				
European	*L. decidua*	Y	P	R	L
Japanese	*L. kaempferi*	NA	P	R	L
Linden	*Tilia spp.*				
American (Basswood)	*T. americana*	N	O	M	L
Bigleaf	*T. platyphyllos*	N	O	M	I

Trees for energy-efficient landscapes in the Chicago area (continued).

Tree species		Solar friendly	Form	Growth rate	Longevity
Large (>40 feet)					
Maple	*Acer spp.*				
Balck	*A. nigrum*	Y	O	M	L
Norway	*A. platanoides*	Y	R	M	L
Oak	*Quercus spp.*				
Bur	*Q. macrocarpa*	N	B	M	L
English	*Q. robur*	N	R	M	L
Pin or Swamp	*Q. palustris*	N	P	R	L
Red	*Q. rubra*	N	R	M	L
Sawtooth	*Q. acutissima*	NA	P	M	L
Shingle	*Q. imbricaria*	NA	P	M	L
Southern Red	*Q. flacata*	NA	O	M	L
Swamp White	*Q. bicolor*	NA	R	M	L
White	*Q. alba*	N	R	M	L
Willow	*Q. phellos*	N	P	R	L
Persimmon, Common	*Diospyros virginiana*	Y	O	M	L
Redwood, Dawn	*Metasequoia glyptostroboides*	Y	P	R	L
Sourgum (Black Tupelo)	*Nyssa sylvatica*	Y	P	M	L
Sycamore	*Platanus occidentalis*	N	O	R	L
Medium Evergreens (<40 feet)					
Arbovitae	*Thuja spp.*				
Oriental	*T. orientalis*	N	P	S	I
White Cedar	*T. occidentalis*	N	P	M	I
Juniper	*Juniperus spp.*				
Chinese	*J. chinensis*	N	P	M	I
Eastern Redcedar	*J. virginiana*	N	P	M	L
Rocky Mountain	*J. scopulorum*	N	P	M	I
Large Evergreens (>40 feet)					
Pine	*Pinus spp.*				
Austrian or Black	*P. nigra*	N	P	M	I
Red	*P. resinosa*	N	P	M	I
White	*P. strobus*	N	P	M	L
Spruce, Colorado	*Picea pungens*	N	P	M	L

Legend

Solar friendly	Form		Growth rate	Longevity
Y=Yes	R=Rounded	L=Layered	S=Slow (<10"/year)	S=Short (<25 years)
N=No	P=Pyramidal	W=Weeping	M=Moderate (10-20"/year)	I=Intermediate (25-50 yea
NA=Data not available	V=Vase shaped	O=Oval	R=Rapid (>20"/year)	L=Long (>50 years)
Varies=with cultivar	B=Broad	S=Shrubby		

Appendix C

Standard Reports for Brick Base Case Buildings

Chicago, Illinois **Tree Shade Only**

1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Source Energy Use (kBtu/ sq ft)		Tree Height and Distance from Building					% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	**East Tree**	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Total Heating Use	82.50	82.88	82.99	83.06	82.96		-0.46	-0.59	-0.68	-0.56
Total Cooling Use	9.29	9.04	8.82	8.47	8.66		2.68	5.03	8.88	6.75
Total Energy Use	91.79	91.92	91.81	91.53	91.63		-0.14	-0.02	0.29	0.18
Peak Cool (kW)	4.49	4.49	4.49	4.49	4.49		0.01	0.01	0.02	0.02
South Tree						**South Tree**				
Total Heating Use	82.50	82.99	83.22	83.70	83.23		-0.59	-0.86	-1.45	-0.88
Total Cooling Use	9.29	9.25	9.24	9.01	9.24		0.47	0.51	3.06	0.49
Total Energy Use	91.79	92.24	92.46	92.71	92.48		-0.48	-0.72	-1	-0.75
Peak Cool (kW)	4.49	4.49	4.49	4.49	4.49		0	0	0	0
West Tree						**West Tree**				
Total Heating Use	82.50	82.62	82.66	82.78	82.67		-0.14	-0.19	-0.34	-0.2
Total Cooling Use	9.29	9.10	8.93	8.57	8.81		2.05	3.84	7.75	5.21
Total Energy Use	91.79	91.72	91.60	91.35	91.47		0.08	0.21	0.48	0.35
Peak Cool (kW)	4.49	4.38	4.29	4.02	4.21		2.47	4.45	10.4	6.17

Annual Energy Use		Tree Height and Distance from Building					$ Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away		12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (kBtu)	170101	170878	171107	171256	171051	**East Tree**	-4	-5	-6	-5
Cooling (kWh)	1928	1876	1831	1757	1798		6	12	21	16
South Tree						Total	2	7	15	11
Heating (kBtu)	170101	171106	171569	172574	171605	**South Tree**	-5	-7	-12	-8
Cooling (kWh)	1928	1919	1918	1869	1919		1	1	7	1
West Tree						Total	-4	-6	-5	-7
Heating (kBtu)	170101	170341	170430	170676	170439	**West Tree**	-1	-2	-3	-2
Cooling (kWh)	1928	1889	1854	1779	1828		5	9	18	12
						Total	4	7	15	10

Annual Hours of Use		Tree Height and Distance from Building					% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	**East Tree**	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (hrs)	4310	4331	4348	4355	4349		-0.49	-0.88	-1.04	-0.9
Cooling (hrs)	987	971	951	927	941		1.62	3.65	6.08	4.66
South Tree						**South Tree**				
Heating (hrs)	4310	4335	4356	4394	4360		-0.58	-1.07	-1.95	-1.16
Cooling (hrs)	987	986	985	974	985		0.1	0.2	1.32	0.2
West Tree						**West Tree**				
Heating (hrs)	4310	4317	4321	4330	4323		-0.16	-0.26	-0.46	-0.3
Cooling (hrs)	987	984	980	979	980		0.3	0.71	0.81	0.71

Annual Heating and Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



24-ft tall, 12-ft away; 36-ft tall, 22-ft away; 50-ft tall, 22-ft away; 50-ft tall, 34-ft away

1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)



Annual Heating and Cooling Savings From Base Case
Due to Shade from A Large Deciduous Tree - 22 ft Away
40
30
20
10
0
-10
-20
$/yr
East
South
West
Heating
Cooling
Total Savings
1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)



Annual Percentage Cooling Savings From Base Case
Due to Shade from One Deciduous Tree
15
10
5
0
% kWh Savings
East
South
West
24-ft tall, 12-ft away
36-ft tall, 22-ft away
50-ft tall, 22-ft away
50-ft tall, 34-ft away
1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)



Percentage Peak Cooling Savings From Base Case
Due to Shade from One Deciduous Tree
15
10
5
0
% kW Savings
East
South
West
24-ft tall, 12-ft away
36-ft tall, 22-ft away
50-ft tall, 22-ft away
50-ft tall, 34-ft away
1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)

Chicago, Illinois **Energy Analysis**

1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

Annual Energy Use	Unshaded Base Case	East	Shade South	West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	170.10	171.11	171.57	170.43	170.10	162.49			
$	850.50	855.55	857.85	852.15	850.50	812.45			
MBtu diff / tree		-1.01	-1.47	-0.33	0.00	2.54	1.53	1.07	2.21
$ diff / tree		-5.05	-7.35	-1.65	0.00	12.68	7.63	5.33	11.03
% diff / tree		-0.60	-0.90	-0.20	0.00	1.49	0.89	0.59	1.29
Cool (kWh)	1928	1831	1918	1854	1789	1909			
$	231.37	219.74	230.19	222.49	214.65	229.02			
kWh diff / tree		97	10	74	46	7	150.00	63.00	127.00
$ diff / tree		11.63	1.18	8.88	5.57	0.78	17.98	7.53	15.23
% diff / tree		5.03	0.51	3.84	2.41	0.34	7.78	3.26	6.59
Total (MBtu)	195.06	195.11	196.47	194.64	193.64	187.01			
$	1081.87	1075.29	1088.04	1074.64	1065.15	1041.47			
MBtu diff / tree		-0.05	-1.41	0.42	0.47	2.68	3.10	1.74	3.57
$ diff / tree		6.58	-6.17	7.23	5.57	13.47	25.62	12.87	26.27
% diff / tree		-0.03	-0.72	0.22	0.24	1.38	1.59	0.90	1.84
Peak Cool (kW	4.49	4.49	4.49	4.29	4.24	4.41			
Avoided $	292.00	292.00	292.00	279.00	276.00	287.00			
Kw diff / tree		0.00	0.00	0.20	0.08	0.03	0.11	0.11	0.31
Avoided $ diff / tree		0.00	0.00	13.00	5.33	1.67	7.00	7.00	20.00
% diff / tree		0.01	0.00	4.45	1.83	0.60	2.44	2.43	6.88



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)
1 tree 22-ft from wall

Chicago, Illinois Energy Analysis

1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)
Deciduous tree 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

Annual Energy Use	Unshaded Base Case	East	Shade South	West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	170.10	171.11	171.57	170.43	170.10	162.49			
$	850.50	855.55	857.85	852.15	850.50	812.45			
MBtu diff / tree		-1.01	-1.47	-0.33	0.00	2.54	1.53	1.07	2.21
$ diff / tree		-5.05	-7.35	-1.65	0.00	12.68	7.63	5.33	11.03
% diff / tree		-0.60	-0.90	-0.20	0.00	1.49	0.89	0.59	1.29
Cool (kWh)	1928	1831	1918	1854	1789	1909			
$	231.37	219.74	230.19	222.49	214.65	229.02			
kWh diff / tree		97	10	74	46	7	150.00	63.00	127.00
$ diff / tree		11.63	1.18	8.88	5.57	0.78	17.98	7.53	15.23
% diff / tree		5.03	0.51	3.84	2.41	0.34	7.78	3.26	6.59
Total (MBtu)	195.06	195.11	196.47	194.64	193.64	187.01			
$	1081.87	1075.29	1088.04	1074.64	1065.15	1041.47			
MBtu diff / tree		-0.05	-1.41	0.42	0.47	2.68	3.10	1.74	3.57
$ diff / tree		6.58	-6.17	7.23	5.57	13.47	25.62	12.87	26.27
% diff / tree		-0.03	-0.72	0.22	0.24	1.38	1.59	0.90	1.84
Peak Cool (kW	4.49	4.49	4.49	4.29	4.24	4.41			
Avoided $	292.00	292.00	292.00	279.00	276.00	287.00			
Kw diff / tree		0.00	0.00	0.20	0.08	0.03	0.11	0.11	0.31
Avoided $ diff / tree		0.00	0.00	13.00	5.33	1.67	7.00	7.00	20.00
% diff / tree		0.01	0.00	4.45	1.83	0.60	2.44	2.43	6.88

Annual Savings from Base Case - 1 Deciduous Tree

Due to Shade, ET Cooling, and Reduced Wind Speed from 36-ft Tall and 24-ft Wide Tree



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing East)
1 tree 22-ft from wall

Annual Heating and Cooling Savings From Base Case

Due to Shade from A Large Deciduous Tree - 22 ft Away



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing North)

Annual Percentage Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing North)

Percentage Peak Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing North)

Chicago, Illinois **Energy Analysis**

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing North)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Annual Energy Use	Unshaded Base Case	Shade East	Shade South	Shade West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	173.36	174.49	174.60	173.55	173.36	165.70			
$	866.80	872.45	873.00	867.75	866.80	828.50			
MBtu diff / tree		-1.13	-1.24	-0.19	0.00	2.55	1.42	1.31	2.36
$ diff / tree		-5.65	-6.20	-0.95	0.00	12.77	7.12	6.57	11.82
% diff / tree		-0.70	-0.70	-0.10	0.00	1.47	0.77	0.77	1.37
Cool (kWh)	1795	1690	1787	1759	1661	1776			
$	215.45	202.76	214.47	211.04	199.28	213.08			
kWh diff / tree		106	8	37	45	7	158.00	60.00	89.00
$ diff / tree		12.69	0.98	4.41	5.39	0.79	18.87	7.16	10.59
% diff / tree		5.89	0.46	2.05	2.50	0.37	8.76	3.32	4.92
Total (MBtu)	197.06	197.15	198.26	196.89	195.68	188.97			
$	1082.25	1075.21	1087.47	1078.79	1066.08	1041.58			
MBtu diff / tree		-0.09	-1.20	0.17	0.46	2.70	3.07	1.96	3.33
$ diff / tree		7.04	-5.22	3.46	5.39	13.56	25.99	13.73	22.41
% diff / tree		-0.05	-0.61	0.09	0.23	1.37	1.55	0.99	1.69
Peak Cool (kW	4.20	4.19	4.20	4.09	3.95	4.11			
Avoided $	273.00	273.00	273.00	266.00	257.00	267.00			
Kw diff / tree		0.00	0.00	0.11	0.08	0.03	0.11	0.11	0.22
Avoided $ diff / tree		0.00	0.00	7.00	5.33	2.00	7.33	7.33	14.33
% diff / tree		0.02	0.00	2.60	1.96	0.64	2.62	2.60	5.20

Annual Savings from Base Case - 1 Deciduous Tree

Due to Shade, ET Cooling, and Reduced Wind Speed from 36-ft Tall and 24-ft Wide Tree



1 Story, Brick Construction - 2,125 sq ft Residence (Front Facing North)
1 tree 22-ft from wall

Chicago, Illinois **Tree Shade Only**

2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Source Energy Use (kBtu/ sq ft)		Tree Height and Distance from Building					% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	**East Tree**	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Total Heating Use	108.55	108.86	108.98	109.12	109.02		-0.28	-0.4	-0.53	-0.44
Total Cooling Use	10.71	10.58	10.45	10.12	10.31		1.19	2.46	5.51	3.75
Total Energy Use	119.26	119.44	119.42	119.24	119.33		-0.15	-0.14	0.02	-0.06
Peak Cool (kW)	10.09	10.09	10.09	10.09	10.09		0	0.01	0.01	0.01
South Tree						**South Tree**				
Total Heating Use	108.55	109.01	109.29	109.96	109.34		-0.42	-0.68	-1.3	-0.73
Total Cooling Use	10.71	10.68	10.68	10.43	10.67		0.28	0.31	2.64	0.37
Total Energy Use	119.26	119.69	119.97	120.39	120.01		-0.36	-0.6	-0.95	-0.63
Peak Cool (kW)	10.09	10.09	10.09	10.09	10.09		0	0	0	0
West Tree						**West Tree**				
Total Heating Use	108.55	108.64	108.69	108.82	108.71		-0.08	-0.13	-0.25	-0.15
Total Cooling Use	10.71	10.56	10.38	9.85	10.19		1.42	3.08	7.99	4.88
Total Energy Use	119.26	119.19	119.07	118.68	118.89		0.05	0.15	0.49	0.31
Peak Cool (kW)	10.10	9.95	9.80	9.12	9.63		1.54	3.04	9.75	4.66

Annual Energy Use		Tree Height and Distance from Building					$ Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away		12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (kBtu)	375511	376573	377002	377485	377153	**East Tree**	-5	-7	-10	-8
Cooling (kWh)	3725	3681	3634	3520	3586		5	11	25	17
South Tree						Total	0	4	15	9
Heating (kBtu)	375511	377104	378083	380400	378252	**South Tree**	-8	-13	-24	-14
Cooling (kWh)	3725	3715	3714	3627	3712		1	1	12	2
West Tree						Total	-7	-12	-12	-12
Heating (kBtu)	375511	375812	376014	376465	376059	**West Tree**	-2	-3	-5	-3
Cooling (kWh)	3725	3673	3611	3428	3544		6	14	36	22
						Total	4	11	31	19

Annual Hours of Use		Tree Height and Distance from Building					% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	**East Tree**	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (hrs)	4419	4433	4442	4449	4442		-0.32	-0.52	-0.68	-0.52
Cooling (hrs)	765	762	749	733	739		0.39	2.09	4.18	3.4
South Tree						**South Tree**				
Heating (hrs)	4419	4439	4456	4493	4458		-0.45	-0.84	-1.67	-0.88
Cooling (hrs)	765	765	765	756	764		0	0	1.18	0.13
West Tree						**West Tree**				
Heating (hrs)	4419	4424	4428	4437	4427		-0.11	-0.2	-0.41	-0.18
Cooling (hrs)	765	765	765	757	763		0	0	1.05	0.26

Annual Heating and Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)

Annual Heating and Cooling Savings From Base Case
Due to Shade from A Large Deciduous Tree - 22 ft Away



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)

Annual Percentage Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)

Percentage Peak Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)

Chicago, Illinois **Energy Analysis**

2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

Annual Energy Use	Unshaded Base Case	East	Shade South	West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	375.51	377.00	378.08	376.01	375.52	360.28			
$	1877.55	1885.00	1890.40	1880.05	1877.60	1801.40			
MBtu diff / tree		-1.49	-2.57	-0.50	0.00	5.08	3.59	2.51	4.58
$ diff / tree		-7.45	-12.85	-2.50	-0.02	25.38	17.91	12.51	22.86
% diff / tree		-0.40	-0.70	-0.10	0.00	1.35	0.95	0.65	1.25
Cool (kWh)	3725	3634	3714	3611	3438	3690			
$	447.06	436.04	445.65	433.29	412.56	442.82			
kWh diff / tree		92	12	115	96	12	200.00	120.00	223.00
$ diff / tree		11.02	1.41	13.77	11.50	1.41	23.93	14.32	26.68
% diff / tree		2.46	0.32	3.08	2.57	0.32	5.35	3.20	5.97
Total (MBtu)	253.42	253.78	254.93	253.03	251.67	243.85			
$	2324.61	2321.04	2336.05	2313.34	2290.16	2244.22			
MBtu diff / tree		-0.36	-1.51	0.39	0.58	3.19	3.41	2.26	4.16
$ diff / tree		3.57	-11.44	11.27	11.48	26.80	41.85	26.84	49.55
% diff / tree		-0.14	-0.60	0.15	0.23	1.26	1.35	0.89	1.64
Peak Cool (kW	10.09	10.09	10.09	9.80	9.54	9.93			
Avoided $	656.00	656.00	656.00	637.00	620.00	645.00			
Kw diff / tree		0.00	0.00	0.30	0.19	0.06	0.24	0.24	0.54
Avoided $ diff / tree		0.00	0.00	19.00	12.00	3.67	15.67	15.67	34.67
% diff / tree		0.01	0.00	2.93	1.83	0.55	2.39	2.38	5.31



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing East)
1 tree 22-ft from wall

Chicago, Illinois **Tree Shade Only**

2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Source Energy Use (kBtu/ sq ft) — Tree Height and Distance from Building; % Saved from Base Case

	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away		Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
East Tree						**East Tree**				
Total Heating Use	111.32	111.62	111.75	111.90	111.79		-0.27	-0.38	-0.52	-0.42
Total Cooling Use	10.58	10.47	10.34	10.05	10.21		1.02	2.27	5.03	3.48
Total Energy Use	121.91	122.10	122.09	121.95	122.01		-0.16	-0.15	-0.04	-0.08
Peak Cool (kW)	10.60	10.60	10.60	10.60	10.60		0	0.01	0.01	0.01
South Tree						**South Tree**				
Total Heating Use	111.32	111.61	111.79	112.22	111.82		-0.26	-0.42	-0.8	-0.45
Total Cooling Use	10.58	10.56	10.56	10.42	10.56		0.23	0.25	1.54	0.25
Total Energy Use	121.91	122.17	122.35	122.64	122.38		-0.22	-0.36	-0.6	-0.39
Peak Cool (kW)	10.60	10.60	10.60	10.60	10.60		0	0	0	0
West Tree						**West Tree**				
Total Heating Use	111.32	111.45	111.53	111.72	111.55		-0.11	-0.18	-0.36	-0.2
Total Cooling Use	10.58	10.36	10.12	9.44	9.86		2.06	4.36	10.83	6.8
Total Energy Use	121.91	121.81	121.65	121.16	121.41		0.08	0.21	0.61	0.41
Peak Cool (kW)	10.60	10.41	10.21	9.30	9.99		1.81	3.71	12.22	5.77

Annual Energy Use — Tree Height and Distance from Building

	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
East Tree					
Heating (kBtu)	385113	386152	386584	387106	386740
Cooling (kWh)	3682	3644	3598	3496	3553
South Tree					
Heating (kBtu)	385113	386116	386728	388208	386832
Cooling (kWh)	3682	3673	3672	3625	3673
West Tree					
Heating (kBtu)	385113	385544	385820	386491	385882
Cooling (kWh)	3682	3606	3521	3283	3431

$ Saved from Base Case

	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
East Tree	-5	-7	-10	-8
	5	10	22	15
Total	0	3	12	7
South Tree	-5	-8	-15	-9
	1	1	7	1
Total	-4	-7	-8	-8
West Tree	-2	-4	-7	-4
	9	19	48	30
Total	7	15	41	26

Annual Hours of Use — Tree Height and Distance from Building; % Saved from Base Case

	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away		Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
East Tree						**East Tree**				
Heating (hrs)	4538	4551	4560	4573	4562		-0.29	-0.48	-0.77	-0.53
Cooling (hrs)	745	738	736	721	728		0.94	1.21	3.22	2.28
South Tree						**South Tree**				
Heating (hrs)	4538	4549	4559	4580	4563		-0.24	-0.46	-0.93	-0.55
Cooling (hrs)	745	744	744	740	744		0.13	0.13	0.67	0.13
West Tree						**West Tree**				
Heating (hrs)	4538	4542	4544	4561	4548		-0.09	-0.13	-0.51	-0.22
Cooling (hrs)	745	743	742	734	740		0.27	0.4	1.48	0.67

Annual Heating and Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)

Annual Heating and Cooling Savings From Base Case

Due to Shade from A Large Deciduous Tree - 22 ft Away



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)

Annual Percentage Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)

Percentage Peak Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)

Chicago, Illinois

Energy Analysis

2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat Gas	($/therm)	0 5
Electricity	($/kWh)	0 12
Avoided Peak Electricity	($/Avoid kW)	65

Annual Energy Use	Unshaded Base Case	East	Shade South	West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	385.11	386.58	386.73	385 82	385.12	369 73			
$	1925.55	1932.90	1933.65	1929.10	1925 60	1848 65			
MBtu diff / tree		-1.47	-1.62	-0.71	0 00	5 13	3 66	3 51	4 42
$ diff / tree		-7.35	-8.10	-3.55	-0.02	25 63	18 26	17 51	22.08
% diff / tree		-0 40	-0.40	-0.20	0 00	1 33	0 90	0 90	1 13
Cool (kWh)	3682	3598	3672	3521	3400	3647			
$	441.79	431.77	440.69	422.55	407 95	437 61			
kWh diff / tree		84	9	160	94	12	190 00	115 00	266 00
$ diff / tree		10.02	1.10	19.24	11.28	1.39	22 69	13 77	31.91
% diff / tree		2.27	0.25	4.36	2 55	0 32	5 14	3 12	7 22
Total (MBtu)	259.05	259.45	259.99	258.51	257 33	249 39			
$	2367.34	2364.67	2374.34	2351.65	2333 55	2286 26			
MBtu diff / tree		-0.40	-0.94	0.54	0 57	3 22	3 39	2 85	4 33
$ diff / tree		2.67	-7.00	15.69	11 26	27 03	40.98	31 29	53 98
% diff / tree		-0.15	-0.36	0.21	0 22	1 24	1 31	1 10	1 87
Peak Cool (kW	10.60	10.60	10.60	10.21	10 05	10.43			
Avoided $	689.00	689.00	689.00	663 00	653 00	678 00			
Kw diff / tree		0.00	0 00	0.39	0.19	0 06	0 24	0 24	0 63
Avoided $ diff / tree		0.00	0.00	26.00	12.00	3.67	15 67	15 67	41 67
% diff / tree		0.01	0.00	3.71	1 74	0 53	2 28	2 27	5 98

Annual Savings from Base Case - 1 Deciduous Tree

Due to Shade, ET Cooling, and Reduced Wind Speed from 36-ft Tall and 24-ft Wide Tree



2 Story, Brick Construction - 3,562 sq ft Residence (Front Facing South)
1 tree 22-ft from wall

Chicago, Illinois **Tree Shade Only**

3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Source Energy Use (kBtu/ sq ft)		Tree Height and Distance from Building				% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)	Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Total Heating Use	121.35	121.69	121.85	122.08	121.95	-0.28	-0.41	-0.6	-0.49
Total Cooling Use	11.80	11.69	11.55	11.18	11.37	0.92	2.14	5.29	3.64
Total Energy Use	133.16	133.39	133.40	133.26	133.32	-0.17	-0.19	-0.08	-0.12
Peak Cool (kW)	16.15	16.15	16.15	16.15	16.15	0	0	0	0
South Tree									
Total Heating Use	121.35	121.61	121.77	122.29	121.83	-0.21	-0.34	-0.77	-0.39
Total Cooling Use	11.80	11.79	11.79	11.67	11.79	0.12	0.13	1.14	0.12
Total Energy Use	133.16	133.39	133.56	133.96	133.62	-0.18	-0.3	-0.6	-0.35
Peak Cool (kW)	16.15	16.15	16.15	16.15	16.15	0	0	0	0
West Tree									
Total Heating Use	121.35	121.40	121.44	121.54	121.46	-0.04	-0.07	-0.16	-0.08
Total Cooling Use	11.80	11.74	11.66	11.39	11.57	0.48	1.18	3.52	1.99
Total Energy Use	133.16	133.14	133.10	132.93	133.02	0.01	0.04	0.17	0.1
Peak Cool (kW)	16.15	16.06	15.97	15.44	15.86	0.55	1.12	4.39	1.76

Annual Energy Use		Tree Height and Distance from Building					$ Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away		12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (kBtu)	715653	717658	718598	719945	719151	**East Tree**	-10	-15	-21	-17
Cooling (kWh)	6970	6906	6822	6602	6717		8	18	44	30
South Tree						Total	-2	3	23	13
Heating (kBtu)	715653	717130	718102	721180	718467	**South Tree**	-7	-12	-28	-14
Cooling (kWh)	6970	6962	6961	6891	6962		1	1	10	1
West Tree						Total	-6	-11	-18	-13
Heating (kBtu)	715653	715913	716141	716769	716259	**West Tree**	-1	-2	-6	-3
Cooling (kWh)	6970	6937	6889	6725	6832		4	10	29	17
						Total	3	8	23	14

Annual Hours of Use		Tree Height and Distance from Building				% Saved from Base Case			
		Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)	Small (24 ft)	Med. (36 ft)	Large (50 ft)	Large (50 ft)
East Tree	Base Case	12 ft Away	22 ft Away	22 ft Away	34 ft Away	12 ft Away	22 ft Away	22 ft Away	34 ft Away
Heating (hrs)	4500	4508	4521	4535	4526	-0.18	-0.47	-0.78	-0.58
Cooling (hrs)	972	964	952	935	943	0.82	2.06	3.81	2.98
South Tree									
Heating (hrs)	4500	4506	4514	4548	4517	-0.13	-0.31	-1.07	-0.38
Cooling (hrs)	972	972	972	964	971	0	0	0.82	0.1
West Tree									
Heating (hrs)	4500	4500	4504	4512	4506	0	-0.09	-0.27	-0.13
Cooling (hrs)	972	972	971	967	971	0	0.1	0.51	0.1

Annual Heating and Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)

Annual Heating and Cooling Savings From Base Case
Due to Shade from A Large Deciduous Tree - 22 ft Away



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)

Annual Percentage Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)

Percentage Peak Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)

Chicago, Illinois **Energy Analysis**

3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

Annual Energy Use	Unshaded Base Case	East	Shade South	West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	715.65	718.60	718.10	716.14	715.67	684.56			
$	3578.25	3593.00	3590.50	3580.70	3578.35	3422.80			
MBtu diff / tree		-2.95	-2.45	-0.49	-0.01	10.36	7.40	7.90	9.86
$ diff / tree		-14.75	-12.25	-2.45	-0.03	51.82	37.04	39.54	49.34
% diff / tree		-0.40	-0.30	-0.10	0.00	1.45	1.05	1.15	1.35
Cool (kWh)	6970	6822	6961	6889	6456	6873			
$	836.46	818.60	835.36	826.62	774.77	824.76			
kWh diff / tree		149	9	82	171	32	352.00	212.00	285.00
$ diff / tree		17.86	1.10	9.84	20.56	3.90	42.32	25.56	34.30
% diff / tree		2.14	0.13	1.18	2.46	0.47	5.06	3.06	4.10
Total (MBtu)	282.96	283.48	283.81	282.84	281.11	271.40			
$	4414.71	4411.60	4425.86	4407.32	4353.12	4247.56			
MBtu diff / tree		-0.52	-0.85	0.12	0.62	3.85	3.95	3.62	4.59
$ diff / tree		3.11	-11.15	7.39	20.53	55.72	79.36	65.10	83.64
% diff / tree		-0.18	-0.30	0.04	0.22	1.36	1.40	1.28	1.62
Peak Cool (kW	16.15	16.15	16.15	15.97	15.16	15.82			
Avoided $	1049.00	1049.00	1049.00	1038.00	986.00	1028.00			
Kw diff / tree		0.00	0.00	0.18	0.33	0.11	0.44	0.44	0.62
Avoided $ diff / tree		0.00	0.00	11.00	21.00	7.00	28.00	28.00	39.00
% diff / tree		0.00	0.00	1.12	2.03	0.68	2.71	2.71	3.83

Annual Savings from Base Case - 1 Deciduous Tree

Due to Shade, ET Cooling, and Reduced Wind Speed from 36-ft Tall and 24-ft Wide Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing East)
1 tree 22-ft from wall

Chicago, Illinois **Tree Shade Only**

3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Source Energy Use (kBtu/ sq ft)	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away	% Saved from Base Case: Small (24 ft) 12 ft Away	Med (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
		Tree Height and Distance from Building							
East Tree									
Total Heating Use	120.68	121.01	121.16	121.38	121.25	-0.27	-0.4	-0.58	-0.47
Total Cooling Use	12.19	12.08	11.94	11.59	11.78	0.84	1.99	4.87	3.34
Total Energy Use	132.87	133.10	133.11	132.97	133.03	-0.17	-0.18	-0.08	-0.12
Peak Cool (kW)	16.69	16.69	16.69	16.69	16.69	0	0	0	0
South Tree									
Total Heating Use	120.68	120.94	121.11	121.65	121.18	-0.21	-0.36	-0.8	-0.41
Total Cooling Use	12.19	12.16	12.16	12.03	12.16	0.19	0.22	1.28	0.18
Total Energy Use	132.87	133.11	133.27	133.68	133.34	-0.18	-0.3	-0.61	-0.35
Peak Cool (kW)	16.69	16.69	16.69	16.69	16.69	0	0	0	0
West Tree									
Total Heating Use	120.68	120.75	120.80	120.95	120.83	-0.05	-0.1	-0.22	-0.12
Total Cooling Use	12.19	12.09	11.98	11.60	11.84	0.77	1.69	4.79	2.85
Total Energy Use	132.87	132.84	132.78	132.55	132.67	0.02	0.07	0.24	0.15
Peak Cool (kW)	16.69	16.57	16.44	15.72	16.30	0.72	1.48	5.81	2.34

Annual Energy Use	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away		$ Saved from Base Case: Small (24 ft) 12 ft Away	Med (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
		Tree Height and Distance from Building								
East Tree										
Heating (kBtu)	711700	713623	714521	715797	715051	**East Tree**	-10	-14	-20	-17
Cooling (kWh)	7199	7138	7055	6848	6959		7	17	42	29
						Total	-3	3	22	12
South Tree										
Heating (kBtu)	711700	713229	714235	717403	714607	**South Tree**	-8	-13	-29	-15
Cooling (kWh)	7199	7185	7183	7106	7186		2	2	11	2
						Total	-6	-11	-18	-13
West Tree										
Heating (kBtu)	711700	712062	712382	713258	712542	**West Tree**	-2	-3	-8	-4
Cooling (kWh)	7199	7143	7077	6854	6994		7	15	41	25
						Total	5	12	33	21

Annual Hours of Use	Base Case	Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away	% Saved from Base Case: Small (24 ft) 12 ft Away	Med. (36 ft) 22 ft Away	Large (50 ft) 22 ft Away	Large (50 ft) 34 ft Away
		Tree Height and Distance from Building							
East Tree									
Heating (hrs)	4470	4483	4492	4504	4497	-0.29	-0.49	-0.76	-0.6
Cooling (hrs)	977	968	956	943	949	0.92	2.15	3.48	2.87
South Tree									
Heating (hrs)	4470	4479	4483	4519	4487	-0.2	-0.29	-1.1	-0.38
Cooling (hrs)	977	975	973	964	974	0.2	0.41	1.33	0.31
West Tree									
Heating (hrs)	4470	4479	4479	4488	4482	-0.2	-0.2	-0.4	-0.27
Cooling (hrs)	977	974	973	968	972	0.31	0.41	0.92	0.51

Annual Heating and Cooling Savings From Base Case
Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)

Annual Heating and Cooling Savings From Base Case

Due to Shade from A Large Deciduous Tree - 22 ft Away



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)

Annual Percentage Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)

Percentage Peak Cooling Savings From Base Case

Due to Shade from One Deciduous Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)

Chicago, Illinois

Energy Analysis

3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)
Deciduous tree, 36-ft tall and 24-ft crown spread, 22-ft away from building

Nat. Gas	($/therm)	0.5
Electricity	($/kWh)	0.12
Avoided Peak Electricity	($/Avoid kW)	65

Annual Energy Use	Unshaded Base Case	Shade East	Shade South	Shade West	ET Cooling	Reduced Wind	East Shade + ET + Wind	South Shade + ET + Wind	West Shade + ET + Win
Heat (MBtu)	711.70	714.52	714.23	712.38	711.71	680.68			
$	3558.50	3572.60	3571.15	3561.90	3558.55	3403.40			
MBtu diff / tree		-2.82	-2.53	-0.68	0.00	10.34	7.52	7.81	9.66
$ diff / tree		-14.10	-12.65	-3.40	-0.02	51.70	37.58	39.03	48.28
% diff / tree		-0.40	-0.40	-0.10	0.00	1.45	1.05	1.05	1.35
Cool (kWh)	7199	7055	7183	7077	6696	7111			
$	863.85	846.63	861.92	849.25	803.53	853.34			
kWh diff / tree		143	16	122	168	29	340.00	213.00	319.00
$ diff / tree		17.22	1.93	14.60	20.11	3.50	40.83	25.54	38.21
% diff / tree		1.99	0.22	1.69	2.33	0.41	4.73	2.96	4.42
Total (MBtu)	282.35	282.85	283.21	282.16	280.55	270.86			
$	4422.35	4419.23	4433.07	4411.15	4362.08	4256.74			
MBtu diff / tree		-0.50	-0.86	0.19	0.60	3.83	3.93	3.57	4.62
$ diff / tree		3.12	-10.72	11.20	20.09	55.20	78.41	64.57	86.49
% diff / tree		-0.18	-0.31	0.07	0.21	1.36	1.39	1.27	1.64
Peak Cool (kW	16.69	16.69	16.69	16.44	15.71	16.36			
Avoided $	1085.00	1085.00	1085.00	1069.00	1021.00	1064.00			
Kw diff / tree		0.00	0.00	0.25	0.33	0.11	0.44	0.44	0.60
Avoided $ diff / tree		0.00	0.00	16.00	21.33	7.00	28.33	28.33	44.33
% diff / tree		0.00	0.00	1.48	1.96	0.66	2.62	2.62	4.10

Annual Savings from Base Case - 1 Deciduous Tree

Due to Shade, ET Cooling, and Reduced Wind Speed from 36-ft Tall and 24-ft Wide Tree



3 Story, Brick Construction - 6,048 sq ft Residence (Front Facing South)
1 tree 22-ft from wall

Appendix D

Standard Reports for Wood-Framed Base Case Buildings

Chicago, Illinois

Tree Shade Only

1 Story - Wood Frame Residence (1,500 sq ft)

Nat. Gas ($/therm): 0.5
Electricity ($/kWh): 0.12

Space Conditioning Source Energy Use (kBtu/ sq ft)

	Base Case	1 Tree	2 Tree	3 Tree
Year 5				
Total Heating Use	89.59	89.79	89.83	89.92
Total Cooling Use	20.07	19.68	19.41	19.23
Total Energy Use	109.66	109.47	109.24	109.15
Peak Cool (kW)	7.43	7.03	6.63	6.63
Year 10				
Total Heating Use	89.59	89.85	89.96	90.11
Total Cooling Use	20.07	19.27	18.60	18.06
Total Energy Use	109.66	109.12	108.55	108.17
Peak Cool (kW)	7.43	6.60	5.83	5.83
Year 15				
Total Heating Use	89.59	89.91	90.03	90.29
Total Cooling Use	20.07	18.88	18.02	17.10
Total Energy Use	109.66	108.79	108.05	107.39
Peak Cool (kW)	7.43	6.33	5.43	5.43
Year 20				
Total Heating Use	89.59	89.92	90.09	90.32
Total Cooling Use	20.07	18.80	17.91	16.93
Total Energy Use	109.66	108.72	108.00	107.25
Peak Cool (kW)	7.43	6.28	5.37	5.37

% Saved from Base Case

	1 Tree	2 Tree	3 Tree
Year 5			
	-0.23	-0.28	-0.37
	1.95	3.32	4.17
	0.17	0.38	0.46
	5.38	10.76	10.76
Year 10			
	-0.29	-0.41	-0.59
	4	7.35	10.04
	0.49	1.01	1.36
	11.13	21.55	21.55
Year 15			
	-0.36	-0.5	-0.78
	5.95	10.23	14.79
	0.8	1.46	2.07
	14.74	26.93	26.93
Year 20			
	-0.37	-0.56	-0.82
	6.33	10.78	15.66
	0.85	1.51	2.19
	15.42	27.74	27.75

Annual Energy Use

	Base Case	1 Tree	2 Tree	3 Tree
Year 5				
Heating (kBtu)	129735	130031	130093	130214
Cooling (kWh)	2941	2883	2843	2818
Year 10				
Heating (kBtu)	129735	130115	130271	130498
Cooling (kWh)	2941	2823	2724	2645
Year 15				
Heating (kBtu)	129735	130200	130384	130752
Cooling (kWh)	2941	2766	2640	2506
Year 20				
Heating (kBtu)	129735	130218	130466	130803
Cooling (kWh)	2941	2754	2624	2480

1991 $ Saved from Base Case

	1 Tree	2 Tree	3 Tree
Year 5	-1	-2	-2
	7	12	15
Total	6	10	13
Year 10	-2	-3	-4
	14	26	35
Total	12	23	31
Year 15	-2	-3	-5
	21	36	52
Total	19	33	47
Year 20	-2	-4	-5
	22	38	55
Total	20	34	50

Heating and Air Conditioning Hours of Use

	Base Case	1 Tree	2 Tree	3 Tree
Year 5				
Heating (hrs)	4081	4090	4090	4090
Cooling (hrs)	1240	1232	1232	1214
Year 10				
Heating (hrs)	4081	4099	4099	4099
Cooling (hrs)	1240	1232	1232	1214
Year 15				
Heating (hrs)	4081	4099	4115	4115
Cooling (hrs)	1240	1232	1232	1206
Year 20				
Heating (hrs)	4081	4099	4115	4115
Cooling (hrs)	1240	1232	1232	1206

% Saved from Base Case

	1 Tree	2 Tree	3 Tree
Year 5			
	-0.21	-0.21	-0.21
	0.69	0.69	2.1
Year 10			
	-0.42	-0.42	-0.42
	0.69	0.69	2.1
Year 15			
	-0.42	-0.83	-0.83
	0.69	0.69	2.79
Year 20			
	-0.42	-0.83	-0.83
	0.69	0.69	2.79


Annual Dollar Savings From Base Case
$/yr
60
50
40
30
20
10
0
1 Tree
2 Trees
Yr. 5 (13 ft)
Yr. 10 (19 ft)
1,500 sf, 1 story wood frame home in Chicago


Annual Space Conditioning Energy
kBtu/sf
120
100
80
60
40
20
0
Base Case
1 Tree
Heating


Annual Cooling Savings from Base Case
% kWh Savings
60
50
40
30
20
10
0
1 Tree
2 Trees
Yr. 5 (13 ft)
Yr. 10 (19 ft)


Peak Cooling Savings from Base Case
% kW Savings
30
25
20
15
10
5
0
1 Tree
2 Trees
Yr. 5 (13 ft)
Yr. 10 (19 ft)

Chicago, Illinois
1 Story - Wood Frame
Year 20 - 25 ft trees

Energy Analysis
1500 sq ft

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12
Avoided Peak Electricity	($/Avoid kW):	65

Annual Energy Use	Unshaded Base Case	1 Tree	Shade 2 Trees	3 Trees	ET Cooling	Reduced Wind	3 Tree+ET + Wind	Avg. Savings Tree/Yr.
Heat (MBtu)	129.74	130.22	130.47	130.80	129.81	124.91		
$	648.70	651.10	652.35	654.00	649.05	624.55		
MBtu diff		-0.48	-0.73	-1.06	-0.07	4.83	3.70	1.23
$ diff		-2.40	-3.65	-5.30	-0.35	24.15	18.50	6.17
% diff		-0.40	-0.60	-0.80	-0.10	3.70	2.80	0.93
Cool (kWh)	2941	2754	2624	2480	2770	2922		
$	352.87	330.53	314.82	297.62	332.36	350.62		
kWh diff		186	317	460	171	19	650	216.67
$ diff		22.34	38.05	55.25	20.51	2.25	78.01	26.00
% diff		6.33	10.78	15.66	5.81	0.64	22.11	7.37
Total (MBtu)	164.49	163.08	162.00	160.88	162.82	159.30		
$	1001.57	981.63	967.17	951.62	981.41	975.17		
MBtu diff		1.41	2.49	3.61	1.67	5.19	10.47	3.49
$ diff		19.94	34.40	49.95	20.16	26.40	96.51	32.17
% diff		0.86	1.51	2.20	1.02	3.16	6.37	2.12
Peak Cool (kW	7.43	6.28	5.37	5.37	7.19	7.38		
Avoided $	483.00	408.00	349.00	349.00	467.00	480.00		
Kw diff		1.15	2.06	2.06	0.24	0.05	2.35	0.78
Avoided $ diff		75.00	134.00	134.00	16.00	3.00	153.00	51.00
% diff		15.42	27.74	27.75	3.26	0.67	31.68	10.56

Annual Dollar Savings From Base Case - 3 Trees (25 ft tall)

Due to Shade, ET Cooling, and Reduced Wind Speed



1,500 sf, 1 story wood frame home

Average Annual Dollar Savings From Base Case - 1 Tree (25 ft tall)

Due to Shade, ET Cooling, and Reduced Wind Speed



1,500 sf, 1 story wood frame home


Annual Dollar Savings From Base Case
60
50
40
30
20
10
0
-10
$/yr
Shade 1 - Tree
Shade - 2 Trees
Shade - 3 Trees
ET Cooling
Reduced Wind
Heating
Cooling
1,500 sf, 1 story wood frame home in Chicago


Annual Dollar Savings From Base Case
60
50
40
30
20
10
0
-10
$/yr
Shade - 3 Trees
ET Cooling
Reduced Wind
Heating
Cooling
Total


Percentage Cooling (kWh) Savings From Base Case
20
15
10
5
0
% kWh
Shade 1 - Tree
Shade - 2 Trees
Shade - 3 Trees
ET Cooling
Reduced Wind


Percentage Peak Cooling (kW) Savings From Base Case
30
25
20
15
10
5
0
% kW
Shade 1 - Tree
Shade - 2 Trees
Shade - 3 Trees
ET Cooling
Reduced Wind

Chicago, Illinois — Tree Shade Only

2 Story - Wood Frame Residence (1,761 sq ft)

Nat. Gas	($/therm):	0.5
Electricity	($/kWh):	0.12

Space Conditioning Source Energy Use (kBtu/ sq ft)

Year 5	Base Case	1 Tree	2 Tree	3 Tree
Total Heating Use	42.24	42.37	42.39	42.44
Total Cooling Use	10.80	10.66	10.57	10.53
Total Energy Use	53.05	53.03	52.96	52.97
Peak Cool (kW)	5.10	4.93	4.78	4.78
Year 10				
Total Heating Use	42.24	42.44	42.52	42.64
Total Cooling Use	10.80	10.43	10.13	9.94
Total Energy Use	53.05	52.86	52.64	52.57
Peak Cool (kW)	5.10	4.61	4.20	4.20
Year 15				
Total Heating Use	42.24	42.51	42.63	42.83
Total Cooling Use	10.80	10.14	9.67	9.28
Total Energy Use	53.05	52.65	52.30	52.11
Peak Cool (kW)	5.10	4.29	3.75	3.75
Year 20				
Total Heating Use	42.24	42.52	42.63	42.87
Total Cooling Use	10.80	10.07	9.67	9.17
Total Energy Use	53.05	52.59	52.30	52.04
Peak Cool (kW)	5.10	4.23	3.75	3.69

% Saved from Base Case

Year 5	1 Tree	2 Tree	3 Tree
	-0.29	-0.36	-0.46
	1.29	2.19	2.56
	0.03	0.16	0.15
	3.27	6.36	6.36
Year 10			
	-0.46	-0.64	-0.93
	3.5	6.28	8.04
	0.35	0.77	0.89
	9.52	17.6	17.6
Year 15			
	-0.62	-0.91	-1.39
	6.15	10.49	14.13
	0.76	1.42	1.77
	15.87	26.45	26.46
Year 20			
	-0.65	-0.91	-1.48
	6.8	10.49	15.09
	0.87	1.42	1.9
	16.98	26.45	27.66

Annual Energy Use

Year 5	Base Case	1 Tree	2 Tree	3 Tree
Heating (kBtu)	71538	71746	71793	71871
Cooling (kWh)	1858	1834	1817	1811
Year 10				
Heating (kBtu)	71538	71867	71999	72206
Cooling (kWh)	1858	1793	1741	1709
Year 15				
Heating (kBtu)	71538	71982	72187	72535
Cooling (kWh)	1858	1744	1663	1596
Year 20				
Heating (kBtu)	71538	72004	72187	72596
Cooling (kWh)	1858	1732	1663	1578

1991 $ Saved from Base Case

	1 Tree	2 Tree	3 Tree
Year 5	-1	-1	-2
	3	5	6
Total	2	4	4
Year 10	-2	-2	-3
	8	14	18
Total	6	12	15
Year 15	-2	-3	-5
	14	23	32
Total	12	20	27
Year 20	-2	-3	-5
	15	23	34
Total	13	20	29

Heating and Air Conditioning Hours of Use

Year 5	Base Case	1 Tree	2 Tree	3 Tree
Heating (hrs)	3281	3289	3289	3289
Cooling (hrs)	1188	1179	1179	1179
Year 10				
Heating (hrs)	3281	3298	3306	3306
Cooling (hrs)	1188	1179	1179	1170
Year 15				
Heating (hrs)	3281	3306	3315	3323
Cooling (hrs)	1188	1179	1171	1153
Year 20				
Heating (hrs)	3281	3306	3315	3323
Cooling (hrs)	1188	1171	1171	1127

% Saved from Base Case

Year 5	1 Tree	2 Tree	3 Tree
	-0.26	-0.26	-0.26
	0.76	0.76	0.76
Year 10			
	-0.52	-0.78	-0.78
	0.76	0.76	1.5
Year 15			
	-0.78	-1.05	-1.3
	0.76	1.48	2.95
Year 20			
	-0.78	-1.05	-1.3
	1.48	1.48	5.18



1,761 sf, 2 story wood frame home in Chicago









1,761 sf, 2 story wood frame home in Chicago







Chicago, Illinois | **Energy Analysis** | Nat. Gas ($/therm): 0.5
2 Story - Wood Frame | 1761 sq ft | Electricity ($/kWh): 0.12
Year 20 - 25 ft trees | | Avoided Peak Electricity ($/Avoid kW): 65

Annual Energy Use	Unshaded Base Case	Shade 1 Tree	2 Trees	3 Trees	ET Cooling	Reduced Wind	3 Tree+ET + Wind	Avg. Savings Tree/Yr.
Heat (MBtu)	71.54	72.00	72.19	72.60	71.59	68.65		
$	357.70	360.00	360.95	363.00	357.95	343.25		
MBtu diff		-0.46	-0.65	-1.06	-0.05	2.89	1.78	0.59
$ diff		-2.30	-3.25	-5.30	-0.25	14.45	8.90	2.97
% diff		-0.60	-0.90	-1.50	-0.10	4.00	2.40	0.80
Cool (kWh)	1858	1732	1663	1578	1743	1845		
$	222.98	207.80	199.58	189.32	209.10	221.34		
kWh diff		126	195	280	116	14	410	136.67
$ diff		15.18	23.40	33.66	13.88	1.64	49.18	16.39
% diff		6.81	10.50	15.09	6.22	0.73	22.05	7.35
Total (MBtu)	93.42	92.61	92.10	91.65	92.29	90.28		
$	580.68	567.80	560.53	552.32	567.05	564.59		
MBtu diff		0.81	1.32	1.77	1.13	3.14	6.04	2.01
$ diff		12.88	20.15	28.36	13.63	16.09	58.08	19.36
% diff		0.87	1.41	1.90	1.21	3.36	6.47	2.16
Peak Cool (kW	5.10	4.23	3.75	3.69	4.94	5.07		
Avoided $	331.00	275.00	244.00	240.00	321.00	330.00		
Kw diff		0.87	1.35	1.41	0.16	0.03	1.60	0.53
Avoided $ diff		56.00	87.00	91.00	10.00	1.00	102.00	34.00
% diff		16.98	26.45	27.66	3.04	0.52	31.23	10.41

Annual Dollar Savings From Base Case - 3 Trees (25 ft. tall)

Due to Shade, ET Cooling, and Reduced Wind Speed



1,761 sf, 2 story wood frame home

Average Annual Dollar Savings From Base Case - 1 Tree (25 ft. tall)

Due to Shade, ET Cooling, and Reduced Wind Speed



1,761sf, 2 story wood frame home

Appendix E

Initial Analysis of the Cost-Effectiveness of Shade Trees in Chicago

ECONOMIC ANALYSIS OF SHADE TREE PROGRAM IN CHICAGO, ILLINOIS

2 Story Wood Frame Building (West-facing)	Avoided kWh:	$0.015	Adjustments:
1 household, 3 occupants	Avoided kW:	$89.00	Tree Mortality per Year
1,761 sq ft floor area	Cost / tree:	$50.00	Years 1-2 : 5%
Cooling: 1,858 kWh/yr ($223), Peak: 5.1 kW	Trees Planted:	10,000	Years 3-20: 1%
Heating: 71.5 MBtu/yr ($358)	Discount Rate:	11%	AC Present: 50%
	Inflation Rate:	4.5%	

Adjusted Savings Per Planted Tree			Adjusted Nominal Savings (All Trees)		
kWh/tree	kw/tree	Yr	kWh Saving Total $	kW Savings Total $	kWh+kW Total $
0	0.00	1	$78	$2,529	$2,607
2	0.01	2	$294	$9,551	$9,846
4	0.02	3	$649	$21,058	$21,707
7	0.04	4	$1,125	$36,529	$37,655
11	0.06	5	$1,709	$55,461	$57,170
15	0.08	6	$2,381	$77,275	$79,656
20	0.11	7	$3,122	$101,333	$104,455
25	0.14	8	$3,911	$126,957	$130,868
30	0.16	9	$4,727	$153,441	$158,168
35	0.19	10	$5,548	$180,077	$185,625
41	0.22	11	$6,352	$206,165	$212,516
45	0.25	12	$7,118	$231,033	$238,151
50	0.27	13	$7,827	$254,053	$261,880
54	0.30	14	$8,462	$274,657	$283,119
57	0.31	15	$9,007	$292,344	$301,351
60	0.33	16	$9,449	$306,699	$316,147
62	0.34	17	$9,778	$317,393	$327,171
64	0.35	18	$9,988	$324,197	$334,185
64	0.35	19	$10,074	$326,981	$337,055
64	0.35	20	$10,035	$325,717	$335,751
712	3.90		$111,632	$3,623,452	$3,735,084

SUMMARY OF ECONOMIC ANALYSIS

	PV of Benefits	PV of Costs
Fixed:	na	$500,000
Variable:	na	na
Capacity:	$919,267	na
Energy:	$28,321	na
TOTAL:	$947,588	$500,000

Net Present Value: $447,588
(Benefits -Costs)

Benefit to Cost Ratio: 1.90
(Benefits / Costs)

Estimated Savings (All Trees):
- Average Peak Capacity: 1,948 kW-yr
- Average Energy: 356,084 kWh / yr

Estimated Savings (Per Tree Planted):
- Average Peak Capacity: 0.19 kW-yr
- Average Energy: 35.61 kWh / yr

Assumptions:
1) 20 year analysis from 1993 - 2012
2) 10,000 trees planted in 1993, 1 per residence, at $50/tree, which includes costs of the tree, stakes and other planting materials, program administration, overhead, and 3 year follow-up for tree care and public education (assumes residents plant trees). Costs of Shade Tree Program to SMUD have dropped from $49/ tree in 1990-91 to $35/tree in 1993-94 (Rich Sequest).
3) Assume typical tree planted to shade the west wall is 3-ft wide and tall when planted and reaches 25-ft wide and tall by year 20.
4) Assume annual savings of 170 kWh and 0.93 kW for the 20-year old tree based on previously cited energy simulations.
5) Assume annual energy savings pattern is linked to tree growth, for years 1-20 follows an "S" shaped growth curve.
6) Assume the ratio of savings due to direct shade and indirect effects remains constant over time (as modeled for year 20).
7) Assume adjustment to both energy and capacity savings based on tree mortality at 5% per year during the first 2 years of establishment and 1% per year for the remaining 18 years (25% mortality over 20 years).
8) Assume adjustment to both energy and capacity savings for air conditioning saturation of 50% (half of the homes where tree is planted do not have space cooling device).
9) Assume nominal discount rate of 11%, avoided energy and capacity costs of $.015/kWh and $89/kW-yr, and a 4.5% inflation rate (from Gary Rehof, Least-Cost Planning Dept., Commonwealth Edison).

ECONOMIC ANALYSIS OF SHADE TREE PROGRAM IN CHICAGO, ILLINOIS

2 Story Brick Building (South-facing)	Avoided kWh:	$0.015	Adjustments:
2 households, 6 occupants	Avoided kW:	$89.00	Tree Mortality per Year
3,562 sq ft floor area	Cost / tree:	$50.00	Years 1-2 : 5%
Cooling: 3,682 kWh/yr ($442), Peak: 10.6 kW	Trees Planted:	10,000	Years 3-20: 1%
Heating: 385 MBtu/yr ($1,925)	Discount Rate:	11%	AC Present: 50%
	Inflation Rate:	4.5%	

Adjusted Savings Per Planted Tree kWh/tree	kw/tree	Yr	Adjusted Nominal Savings (All Trees) kWh Saving Total $	kW Savings Total $	kWh+kW Total $
1	0.00	1	$122	$1,740	$1,862
3	0.01	2	$460	$6,573	$7,034
6	0.02	3	$1,015	$14,491	$15,506
11	0.03	4	$1,761	$25,138	$26,899
17	0.04	5	$2,674	$38,167	$40,841
24	0.06	6	$3,725	$53,179	$56,904
31	0.07	7	$4,885	$69,735	$74,620
39	0.09	8	$6,120	$87,368	$93,488
47	0.11	9	$7,397	$105,594	$112,991
55	0.13	10	$8,681	$123,924	$132,605
63	0.15	11	$9,938	$141,877	$151,815
71	0.17	12	$11,137	$158,990	$170,127
78	0.19	13	$12,247	$174,833	$187,079
84	0.20	14	$13,240	$189,011	$202,251
90	0.22	15	$14,093	$201,183	$215,276
94	0.23	16	$14,785	$211,061	$225,846
98	0.23	17	$15,300	$218,421	$233,721
100	0.24	18	$15,628	$223,104	$238,732
101	0.24	19	$15,762	$225,019	$240,782
100	0.24	20	$15,701	$224,149	$239,851
1,114	2.68		$174,672	$2,493,558	$2,668,230

SUMMARY OF ECONOMIC ANALYSIS

	PV of Benefits	PV of Costs
Fixed:	na	$500,000
Variable:	na	na
Capacity:	$632,614	na
Energy:	$44,314	na
TOTAL:	$676,928	$500,000

Net Present Value: $176,928
(Benefits -Costs)

Benefit to Cost Ratio: 1.35
(Benefits / Costs)

Estimated Savings (All Trees):
Average Peak Capacity: 1,341 kW-yr
Average Energy: 557,166 kWh / yr

Estimated Savings (Per Tree Planted):
Average Peak Capacity: 0.13 kW-yr
Average Energy: 55.72 kWh / yr

Assumptions:
1) 20 year analysis from 1993 - 2012
2) 10,000 trees planted in 1993, 1 per residence, at $50/tree, which includes costs of the tree, stakes and other planting materials, program administration, overhead, and 3 year follow-up for tree care and public education (assumes residents plant trees). Costs of Shade Tree Program to SMUD have dropped from $49/ tree in 1990-91 to $35/tree in 1993-94 (Rich Sequest).
3) Assume typical tree planted to shade the west wall is 3-ft wide and tall when planted and reaches 24-ft wide and 36-ft tall by year 20.
4) Assume annual savings of 266 kWh and 0.64 kW for the 20-year old tree based on previously cited energy simulations.
5) Assume annual energy savings pattern is linked to tree growth, for years 1-20 follows an "S" shaped growth curve.
6) Assume the ratio of savings due to direct shade and indirect effects remains constant over time (as modeled for year 20).
7) Assume adjustment to both energy and capacity savings based on tree mortality at 5% per year during the first 2 years of establishment and 1% per year for the remaining 18 years (25% mortality over 20 years).
8) Assume adjustment to both energy and capacity savings for air conditioning saturation of 50% (half of the homes where tree is planted do not have space cooling device).
9) Assume nominal discount rate of 11%, avoided energy and capacity costs of $.015/kWh and $89/kW-yr, and a 4.5% inflation rate (from Gary Rehof, Least-Cost Planning Dept., Commonwealth Edison).