

References

- Anonymous. 1970. **Recommendations for an international standard for a mapping method in bird census work.** In: Svensson, S., ed. Bird census work and environmental monitoring. Bull. Ecol. Res. Comm. 9. Stockholm: Swedish National Scientific Research Council; 49-52.
- Barbour, Michael G. 1988. **California upland forests and woodlands.** In: Barbour, Michael G.; Billings, W. D., eds. North American terrestrial vegetation. New York: Cambridge University Press; 131-164.
- Barbour, Michael G.; Berg, Neil H.; Kittel, George F.; Kunz, Michael E. 1991. **Snowpack and the distribution of a major vegetation ecotone in the Sierra Nevada of California.** Journal of Biogeography 18: 141-149.
- Barbour, M. G.; Pavlik, B. M.; Antos, J. A. 1990. **Seedling growth and survival of red and white fir in a Sierra Nevada ecotone.** American Journal of Botany 77: 927-938.
- Barbour, Michael G.; Woodward, Roy A. 1985. **The Shasta red fir forest of California.** Canadian Journal of Forest Research 15: 570-576.
- Belbin, L.; McDonald, C. 1993. **Comparing three classification strategies for use in ecology.** Journal of Vegetation Science 4: 341-348.
- Berg, Neil H. 1990. **Experimental forests and ranges: Field research facilities of the Pacific Southwest Research Station.** Gen. Tech. Rep, PSW-GTR-119. Berkeley, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 67 p.
- Bull, Evelyn L. 1986. **Resource partitioning among woodpeckers in northeastern Oregon.** Moscow, ID: University of Idaho; 109 p. Ph.D. dissertation.
- Bull, Evelyn L.; Parks, Catherine G.; Torgersen, Torolf R. 1997. **Trees and logs important to wildlife in the interior Columbia River Basin.** Gen. Tech. Rep. PNW-GTR-391. Portland, OR: Pacific Northwest Research Station, Forest Service, U.S. Department of Agriculture; 55 p.
- Carey, Andrew B. 1991. **The biology of arboreal rodents in Douglas-fir forests.** Gen. Tech. Rep. PNW-GTR-276. Portland, OR: Pacific Northwest Research Station, Forest Service, U.S. Department of Agriculture; 46 p.
- Carey, Andrew B.; Horton, Scott P.; Biswell, Brian L. 1992. **Northern spotted owls: Influence of prey base and landscape character.** Ecological Monographs 62: 223-250.
- Cline, Steven P.; Berg, Alan B.; Wright, Harold, M. 1980. **Snag characteristics and dynamics in Douglas-fir forests, western Oregon.** Journal of Wildlife Management 44: 773-786.
- Coley, P. D.; Bryant J. P.; Chapin, F. S., III. 1985. **Resource availability and plant antiherbivore defense.** Science 230: 895-899.
- Davis, Frank W.; Stoms, David M. 1996. **Sierran vegetation: A gap analysis.** In: Sierra Nevada Ecosystem Project: Final report to Congress, Volume II. Wildland Resources Center Report No. 37, University of California, Davis, CA; 671-690.
- Drumm, Mary K. 1996. **Fire history in the mixed conifer series of the Kings River Adaptive Management Area, Sierra National Forest.** Arcata, CA: Humboldt State University; 30 p. M.S. thesis.
- Dufrêne, Michael; Legendre, Pierre. 1997. **Species assemblages and indicator species: the need for a flexible asymmetrical approach.** Ecological Monographs 67: 345-366.
- FEMAT (Forest Ecosystem Management Assessment Team). 1993. **Forest ecosystem management: an ecological, economic, and social assessment.** Washington DC: U.S. Government Printing Office.
- Ferrell, George T. 1996. **The influence of insect pests and pathogens on Sierra forests.** In: Sierra Nevada Ecosystem Project: Final report to Congress, vol. II. University of California, Centers for Water and Wildlands Resources, Davis, California; 1177-1192.
- Fiegenger, Rob. 2002. **A fire history of mixed conifer at the Teakettle Experimental Forest.** Unpublished draft supplied by author.
- Filip, G. M.; Goheen, D. J. 1982. **Tree mortality caused by root pathogen complexes in Deschutes National Forest, Oregon.** Plant Disease 66: 240-243.
- Fites, Jo Ann. 1993. **Ecological guide to mixed conifer plant associations.** USDA Forest Service, Pacific Southwest Region publication.
- Garrison, G. A. 1949. **Uses and modifications for the "moosehorn" crown closure estimator.** Journal of Forestry 47: 733-735.
- Gilbert, O. L. 1977. **Lichen conservation in Britain.** In: Seaward, M. R. D., ed. Lichen ecology. London: Academic Press; 415-436.
- Goheen, D. J.; Hansen, E. M. 1993. **Effects of pathogens and bark beetles on forests.** In: Schowalter, T. D., Filip, G. M., eds. Beetle-pathogen interactions in conifer forests. San Diego: Academic Press; 175-198.
- Graber, David M. 1996. **Status of terrestrial vertebrates.** In: Sierra Nevada Ecosystem Project: Final report to Congress, Volume II. Wildland Resources Center Report No. 37, University of California, Davis, CA; 709-734.

- Gray, Andrew; Spies, Tom. 1995. **Water content measurement in decayed wood and forest soils using time domain reflectometry.** Canadian Journal of Forest Research 25(3): 376-385.
- Hansen, E. M.; Lewis, K. J., editors. 1997. **Compendium of conifer diseases.** St. Paul, MN: American Phytopathological Society.
- Hargis, C. D.; McCullough, D. R. 1984. **Winter diet and habitat selection of marten in Yosemite National Park.** Journal of Wildlife Management 48: 140-146.
- Harmon, M. E.; Sexton, J. 1995. **Water-balance of conifer logs in early stages of decomposition.** Plant and Soil 172: 141-152.
- Harrington, T. C.; Worrall, J. J.; Rizzo, D. M. 1989. **Compatibility among host-specialized isolates of *Heterobasidion annosum* from Western North America.** Phytopathology 79: 290-296.
- Hawksworth, F. G.; Weins, D. 1996. **Dwarf mistletoes: biology, pathology, and systematics.** Agric. Handb. 709. Washington, DC: USDA Forest Service.
- Hayward, G. D.; Rosentreter, R. 1994. **Lichens as nesting material for northern flying squirrels in the northern Rocky Mountains.** Journal of Mammalogy 75: 663-673.
- Keeler-Wolf, Todd. 1990. **Ecological surveys of Forest Service Research Natural Areas in California.** Gen. Tech. Rep. PSW-GTR-125. Berkeley, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 177 p.
- Kuchler, A. W. 1977. **The map of the natural vegetation.** In: Barbour, M. G.; Major, J., eds. Terrestrial vegetation of California. New York: Wiley & Sons; 909-938.
- Laymon, Stephen A. 1988. **Ecology of the spotted owl in the central Sierra Nevada, California.** University of California, Berkeley. Ph.D. dissertation.
- Lundquist, J. E. 1995. **Pest interactions and canopy gaps in ponderosa pine stands in the Black Hills, South Dakota, USA.** Forest Ecology and Management 74: 37-48.
- Ma, Siyan; North, Malcolm; Chen, Jiquan; Jurgensen, Martin; Oakley, Brian. 2002a. **Temporal and spatial variability of air and soil temperature in a Sierra Nevada old-growth mixed conifer forest.** Unpublished draft supplied by author.
- Ma, Siyan; Chen, Jiquan; North, Malcolm; Erickson, Heather; Bresse, Mary; LeMoines, James. 2002b. **Short-term effects of experimental burning and thinning on soil respiration in an old-growth, mixed-conifer forest.** Unpublished draft supplied by author.
- Maloney, Patricia E. 2000. **The role of human and natural disturbances in mixed-conifer forests of the Lake Tahoe Basin and Sierra San Pedro Martir, Baja.** University of California, Davis. Ph.D. dissertation.
- Maser, Chris; Cline, Stephen; Cromack, Kermit, Jr.; Trappe, Jim; Hansen, Eric. 1988. **What we know about large trees that fall to the forest floor.** In: From the forest to the sea: A story of fallen trees. Gen. Tech. Rep. PNW-GTR-229. Portland, OR: Pacific Northwest Research Station, Forest Service, U.S. Department of Agriculture; 25-45.
- Maser, Zane; Maser, Chris; Trappe, Jim. 1985. **Food habits of the northern flying squirrel (*Glaucomys sabrinus*) in Oregon.** Canadian Journal of Zoology 63: 1084-1088.
- Mattson, W. J. 1980. **Herbivory in relation to plant nitrogen content.** Annual Review of Ecology and Systematics 11: 119-161.
- Mattson, W. J.; Haack, R. A. 1987. **The role of drought in outbreaks of plant-eating insects.** BioScience 37: 110-118.
- McCune, B; Mefford, M. J. 1999. **PC-ORD. Multivariate analysis of ecological data, version 4.** Gleneden Beach, OR: MjM Software Design; 237 p.
- McKeever, S. 1960. **Food of the northern flying squirrel in northeastern California.** Journal of Mammalogy 41: 270-271.
- McKelvey, Kevin S; Busse, Matt K. 1996. **Twentieth-century fire patterns on forest service lands.** In: Sierra Nevada Ecosystem Project, Volume II. U.C. Davis, Wildland Resources Center Report No. 37; 1119-1138
- Moldenke, Andrew R. 1994. **Arthropods.** In: Weaver, R. W., ed. Methods of soil analysis: Part 2 microbiological and biochemical properties. Soil Science Society of America Book Series, volume 5, Madison, WI; 517-542.
- North, Malcolm. 2002. **Seasonality and abundance of truffles from oak woodlands to red fir forests.** Gen. Tech. Rep. PSW-GTR-183. Berkeley, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture.
- North, Malcolm P.; Oakley, Brian, B. 2003. **Pattern, scale and plot replication in heterogeneous forests.** Unpublished draft supplied by author.
- Oakley, Brian, B.; North, Malcolm P; Franklin, Jerry F. [In press]. **The effects of fire on soil nitrogen associated with patches of the actinorhizal shrub *Ceanothus cordulatus*.** Plant and Soil.
- Otrosina, W. J.; Chase, T. E.; Cobb, F. W. 1992. **Allozyme differentiation of intersterility groups of *Heterobasidion annosum* isolated from conifers in the western United States.** Phytopathology 82: 540-545.

- Paine, T. D.; Baker, F. A. 1993. **Abiotic and biotic predisposition**. In: Schowalter, T. D.; Filip, G. M., eds. Beetle-pathogen interactions in conifer forests. San Diego: Academic Press; 61-80.
- Paine, T. D.; Raffa, K. F.; Harrington, T.C. 1997. **Interactions among Scolytid bark beetles, their associated fungi, and live host conifers**. Annual Review of Entomology 42: 179-206.
- Parmeter, J. R.; Scharf, R. F. 1963. **Dwarf mistletoe on red fir and white fir in California**. Journal of Forestry 61: 371-374.
- Pausas, Juli G.; Austin, Mike P. 2001. **Patterns of plant species richness in relation to different environments: An appraisal**. Journal of Vegetation Science 12: 153-166.
- Pavlik, Bruce M.; Barbour, Michael, G. 1991. **Seasonal patterns of growth, water potential, and gas exchange of red and white fir saplings across a montane ecotone**. American Midland Naturalist 126: 14-29.
- Potter, Donald A. 1998. **Forested communities of the upper montane in the central and southern Sierra Nevada**. Gen. Tech. Rep. PSW-GTR-169. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 319 p.
- Powell, R. A. 1993. **The fisher life history, ecology, and behavior**. Minneapolis, MN: University of Minnesota Press.
- Purcell, Kathryn L.; Turner, Jennifer G.; Drynan, Douglas A. 1992. **Old-growth coniferous red fir forest transition**. Journal of Field Ornithology 63: 64-65.
- Raffa, K. F.; Phillips, T. W.; Salom, S. M. 1993. **Strategies and mechanisms of host colonization by bark beetles**. In: Schowalter, T. D.; Filip, G. M., eds. Beetle-pathogen interactions in conifer forests. San Diego: Academic Press; 103-128.
- Raphael, Martin G.; Morrison, Michael L. 1987. **Decay and dynamics of snags in the Sierra Nevada, California**. Forest Science 33: 774-783.
- Raven, Peter, H.; Axelrod, Daniel, L. 1978. **Origin and relationships of the California flora**. Sacramento, CA: California Native Plant Society Publication; 134 p.
- Renhorn, K. E.; Esseen, P. A.; Palmqvist, K.; Sundberg, B. 1997. **Growth and vitality of epiphytic lichens 1. Responses to microclimate along a forest edge-interior gradient**. Oecologia 109: 1-9.
- Rizzo, David M.; Slaughter, Gary, W. 2000. **Root disease and canopy gaps in developed areas of Yosemite Valley, California**. Forest Ecology and Management 146: 159-167.
- Royce, Edward B.; Barbour, Michael G. 2001a. **Mediterranean climate effects. I. Conifer water use across a Sierra Nevada ecotone**. American Journal of Botany 88(5): 911-918.
- Royce, Edward B.; Barbour, Michael G. 2001b. **Mediterranean climate effects. II. Conifer growth phenology across a Sierra Nevada ecotone**. American Journal of Botany 88(5): 919-932.
- Rundel, P. W.; Parson, D. J.; Gordon, D. T. 1988. **Montane and subalpine vegetation of the Sierra Nevada and Cascade Ranges**. In: Barbour, M. G.; Major, J., eds. Terrestrial vegetation of California. Sacramento, CA: California Native Plant Society; 559-600.
- Schowalter, T. D.; Hargrove, W. W.; Crossley, D. A., Jr. 1986. **Herbivory in forested ecosystems**. Annual Review of Entomology 31: 177-196.
- Schowalter, T. D.; Lightfoot, D. C.; Whitford, W. G. 1999. **Diversity of arthropod responses to host-plant water stress in a desert ecosystem in southern New Mexico**. American Midland Naturalist 142: 281-290.
- Schowalter, Tim D. 2000. **Insect ecology: An ecosystem approach**. San Diego: Academic Press; 483 p.
- SNEP. 1996. **Sierra Nevada Ecosystem Project: Final report to Congress**. Wildland Resources Center Report No. 37. University of California, Davis, CA.
- Stenlid, J.; Redfern, D. B. 1998. **Spread within the tree and stand**. In: Woodward, S.; Stenlid, J.; Karjalainen, R.; Huttermann, A., eds. *Heterobasidion annosum*: Biology, ecology, impact and control. Oxon, U.K.: CAB International; 125-142.
- USDA. 2001. **Sierra Nevada forest plan amendment environmental impact statement**. Volumes I-VI. Pacific Southwest Region, Forest Service, U.S. Department of Agriculture.
- Van Groenewoud, H. 1992. **The robustness of correspondence, detrended correspondence and TWINSpan analysis**. Journal of Vegetation Science 3: 239-246.
- Verner, Jared; McKelvey, Kevin, S.; Noon, Barry, R.; Gutierrez, R. J.; Gould, Gordon, I. Jr.; Beck, Thomas, W. 1992. **The California spotted owl: A technical assessment of its current status**. Gen. Tech. Rep. PSW-GTR-133. Berkeley, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 285 p.
- Verner, Jared; Milne, Kathleen, A. 1990. **Analyst and observer variability in density estimates from spot mapping**. Condor 92: 313-325.
- Wang, Y.; Amundson, R.; Trumbore, S. 1999. **The impact of land use change on C turnover in soils**. Global Biogeochemical Cycles 13: 47-57.
- Waring, R. H.; Cromack, K. Jr.; Matson, P. A.; Boone, R. D.; Stafford, S. G. 1987. **Responses to pathogen-induced disturbance: Decomposition, nutrient availability, and tree vigor**. Journal of Forestry 60: 21-227.

- Waring, Richard H. 1987. **Characteristics of trees predisposed to die.** *Bioscience* 37: 569-574.
- Wells-Gosling, N. 1985. **Flying squirrels gliders in the dark.** Washington, DC: Smithsonian Institution Press.
- Worrall, J. J.; Harrington, T. C. 1988. **Etiology of canopy gaps in spruce-fir forests at Crawford Notch, New Hampshire.** *Canadian Journal of Forest Research* 18: 1463-1469.
- Zarnowitz, Jill; Manuwal, David. 1985. **The effects of forest management on cavity-nesting birds in northwestern Washington.** *Journal of Wildlife Management* 49: 255-263.