

MONITORING BIRD POPULATIONS USING MIST NETS

C. John Ralph and Erica H. Dunn, Editors



Studies in Avian Biology No. 29

A PUBLICATION OF THE COOPER ORNITHOLOGICAL SOCIETY

Cover illustration: the life cycle of a Western Tanager (*Piranga ludoviciana*) shown through capture and banding. Original by Keith Hanson, redrawn by Gary Bloomfield.

STUDIES IN AVIAN BIOLOGY

Edited by

John T. Rotenberry
Department of Biology
University of California
Riverside, CA 92521

Studies in Avian Biology is a series of works too long for *The Condor*, published at irregular intervals by the Cooper Ornithological Society. Manuscripts for consideration should be submitted to the editor. Style and format should follow those of previous issues.

Price \$23.00 including postage and handling. All orders cash in advance; make checks payable to Cooper Ornithological Society. Send orders to Cooper Ornithological Society, c/o Western Foundation of Vertebrate Zoology, 439 Calle San Pablo, Camarillo, CA 93010.

ISBN: 0-943610-61-3

Library of Congress Control Number: 2004111015
Printed at Cadmus Professional Communications, Ephrata, Pennsylvania 17522
Issued: 8 December 2004

Copyright © by the Cooper Ornithological Society 2004

CONTENTS

LIST OF AUTHORS	v–vi
PREFACE	vii
INTRODUCTION	
Use of mist nets as a tool for bird population monitoring	
..... Erica H. Dunn and C. John Ralph	1
BREEDING SEASON EVALUATIONS	
Effects of mist-netting frequency on capture rates at Monitoring Avian Productivity and Survivorship (MAPS) stations	
..... Kenneth M. Burton and David F. DeSante	7
Monitoring productivity with multiple mist-net stations	
..... C. John Ralph, Kimberly Hollinger, and Sherri L. Miller	12
Influence of mist-netting intensity on demographic investigations of avian populations	
..... Grant Ballard, Geoffrey R. Geupel, and Nadav Nur	21
Methodological considerations of the Monitoring Avian Productivity and Survivorship (MAPS) Program	
..... David F. DeSante, James F. Saracco, Danielle R. O’Grady, Kenneth M. Burton, and Brett L. Walker	28
Current practices in the British Trust for Ornithology Constant Effort Sites scheme and comparisons of temporal changes in mist-net captures with changes in spot-mapping counts at the extensive scale	
..... Will J. Peach, Stephen R. Baillie, and Stephen T. Buckland	46
Relationship of juveniles captured in constant-effort netting with local abundance	
..... Chris R. du Feu and John M. McMeeking	57
Estimates of adult survival, capture probability, and recapture probability: evaluating and validating constant-effort mist netting	
..... Nadav Nur, Geoffrey R. Geupel, and Grant Ballard	63
Estimating adult survival rates from between-year recaptures in the British Trust for Ornithology Constant Effort Sites scheme	
..... Will J. Peach and Stephen R. Baillie	71
EVALUATION OF MIST NETTING OUTSIDE THE BREEDING SEASON	
A European example of standardized mist netting in population studies of birds	
..... Andreas Kaiser and Peter Berthold	75
Determining productivity indices from age composition of migrants captured for banding: problems and possible solutions	
..... David J. T. Hussell	82

An investigation of productivity indices derived from banding of fall migrants	Erica H. Dunn, David J. T. Hussell, and Raymond J. Adams	92
Optimizing the allocation of count days in a migration monitoring program	Len Thomas, Geoffrey R. Geupel, Nadav Nur, and Grant Ballard	97
Use of mist nets for monitoring landbird autumn population trends, and comparison with other methods	Peter Berthold	112
A comparison of three count methods for monitoring songbird abundance during spring migration: capture, census, and estimated totals	Erica H. Dunn, David J. T. Hussell, Charles M. Francis, and Jon D. McCracken	116
A comparison of constant-effort mist netting results at a coastal and inland New England site during migration	Christopher C. Rimmer, Steven D. Faccio, Trevor L. Lloyd-Evans, and John M. Hagan, III	123
Mist netting trans-Gulf migrants at coastal stopover sites: the influence of spatial and temporal variability on capture data	Theodore R. Simons, Frank R. Moore, and Sidney A. Gauthreaux	135
Bird population studies in Puerto Rico using mist nets: general patterns and comparisons with point counts	John Faaborg, Wayne J. Arendt, and Katie M. Dugger	144
Coping with mist-net capture-rate bias: canopy height and several extrinsic factors	Elizabeth P. Mallory, Nicholas Brokaw, and Steven C. Hess	151
Use of mist nets for study of neotropical bird communities	Andrew A. Whitman	161
GENERAL CONSIDERATIONS		
Some consequences of using counts of birds banded as indices to populations	John R. Sauer and William A. Link	168
On the use of capture–recapture models in mist-net studies	William L. Kendall, John R. Sauer, James D. Nichols, Roger Pradel, and James E. Hines	173
Effectiveness of informal banding training at three western Canadian banding stations	Brenda C. Dale	182
RECOMMENDATIONS		
Recommendations for the use of mist nets for inventory and monitoring of bird populations	C. John Ralph, Erica H. Dunn, Will J. Peach, and Colleen M. Handel	187
LITERATURE CITED		197