

Appendix D

Bibliography, Glossary & Acronyms

Bibliography

- Adams, P. W., and Froehlich, H. A. 1981. Compaction of Forest Soils, PNW-217, Pacific Northwest Extension Publication.
- Air Sciences Incorporated. 2003. (Computer Program). Smoke Impacts Spreadsheet (SIS). Version 12.15.2003. Portland, OR.
- Albini, Frank. A. 1976. Estimated wildfire behavior and effects. General Technical report. INT-30. Ogden, UT, USDA Forest Service, Intermountain Forest and Range Experiment Station. 73 pp.
- Alexander, E.B. and R. Poff. 1985. Soil Disturbance and Compaction in Wildland Management. In Earth Resources Monograph 8. USDA Forest Service, Pacific Southwest Region, Watershed Staff.
- Allen, A. 1983. Habitat Suitability Model: Fisher, USDI Fish and Wildlife Service, Washington, DC. 9 pp.
- Anderson, D. E., S. DeStefano, J. I. Goldstein, K. Titus, D. C. Crocker-Bedford, J. J. Keane, R. E. Anthony, and R. N. Rosefield. 2004. The status of Northern Goshawks in the western United States. Technical Review 04-1. The Wildlife Society, Bethesda, MD.
- Anderson, R. C. 1992. Hydrogeology of the Swan River Oxbow Preserve Area, Lake County, Montana. M.S. Thesis, University of Montana.
- Apfelbaum, S.I. and C.E. Sams. 1987. Ecology and control of reed canary grass. *Natural Areas Journal* 7(2): 69-74.
- Archer, E.K., B.B. Roper, R.C. Henderson, N. Bouwes, S.C. Mellison, and J.L. Kerchner. 2004. Testing Common Stream Sampling Methods for Broad-Scale, Long-term Monitoring. USDA Forest Service, Rocky Mountain Research Station. General Technical Report – RMRS-GTR-122. 15 pages.
- Arno, S.F. 1980. Forest fire history of the northern Rockies. *Journal of Forestry* 39:726-728.
- Arno, Stephen F., Helena Y. Smith, and Michael A. Krebs. 1997. Old Growth Ponderosa Pine and Western Larch Stand Structures: Influences of Pre-1900 Fires and Fire Exclusion. USDA Forest Service, Intermountain Research Station, Research Paper INT-RP-495.
- Ayres, H. B. 1898. Annual Reports of the Department of the Interior for the Fiscal year Ended June 30, 1990. 711 pp.
- Atwood, D., and N. Charlesworth. 1987. Status report for *Silene spaldingii*. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. Not paged.
- Lesica, P. 1988. Germination requirements and seedling biology of Spalding's Catchfly (*Silene spaldingii*). Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise, ID. 2 p.

- Banci, V. 1994. Wolverine. Pp. 99-127 In: Ruggiero, L. F., K. B. Aubry, S. W. Buskirk, L. J. Lyon, and W. J. Zielinski, eds. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. GTR RM-254, USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO.
- Barrett, S. W. 1997a. Historical fire regimes on the Beaverhead-Deerlodge National Forest, Montana. Unpublished data on file at USDA Forest Service, Beaverhead-Deerlodge National Forest, Wise River Ranger District, Wise River, Montana, USA.
- Barrett, S. W. 1997b. Fire history of Glacier National Park: Hudson Bay drainage. Unpublished data on file at USDI Glacier National Park, Research Division, West Glacier Montana, USA.
- Beier, P. and J. E. Drennan. 1997. Forest structure and prey abundance in foraging areas of northern goshawks. *Ecological Applications*, 7(2). Pp. 564-571.
- Benjamin, J. R., J. B. Dunham, and M. R. Dare. 2007. Invasion by Nonnative Brook Trout in Panther Creek, Idaho: Roles of Local habitat Quality, Biotic Resistance, and Connectivity to Source Habitats. *Transactions of the American Fisheries Society* 136:875-888.
- Borchers, J. G. and D. A. Perry. 1990. Effects of Prescribed Fire on Soil Organisms. In *Natural and Prescribed Fire in Pacific Northwest Forest*. Walstead, John B. editor. Oregon State University Press. 317 p.
- Brant, K. 1991. Ashley Creek Water Use Conflict: Urban vs. Agriculture vs. Conservation. Stanford University. Unpublished report. Approximately 30 pages.
- Brais, S. and C Camire. 1997. Soil compaction induced by careful logging in the claybelt region of northwestern Quebec (Canada). *Can J. Soil Sci.* 78:197-205
- Bull, E.L. and A.K. Blumton. 1999. Effect of fuels reduction on American martens and their prey. LaGrande, OR, USDA Forest Service, Pacific Northwest Research Station.
- Bulmer, C.E. 1998. Forest Soil Rehabilitation in British Columbia: A Problem Analysis. Published by British Columbia Ministry of Forests Research Program. 712 Yates Street, Victoria, BC V8W 1E7
- Burt, W. 1980. *A Field Guide to the Mammals*. Houghton Muffin Company, Boston, MA. 289 pp.
- Carlson, J. C. 1990. Results of Harlequin Duck Surveys in 1990 on the Flathead National Forest, Montana. Unpublished Report. Montana Natural Heritage Program. 21 pp.
- Caton, E. 1996. Effects of fire and salvage logging on the cavity-nesting bird community in northwestern Montana. Ph.D. dissertation. University of Montana, Missoula, MT. Pp. 12-14, 23-24, 107-111.
- Chambers, P. 1987. Light and nutrients in the control of aquatic plant community structure. II. In situ observations. *Journal of Ecology* 75:621-628.
- Clough, L. T. 2002. Nesting habitat selection and productivity of northern goshawks in west-central Montana. MS Thesis. University of Montana, Missoula, MT. USA. 87 pp.
- Cohen, Jack D. 1995. Structure Ignition Assessment Model (SIAM). USDA Forest Service General Technical Report PSW-GTR-158, Pp. 85-92.
- Cohen, Jack D. 2000a. What is the Wildland Fire Threat to Homes? Presented at the Thompson Memorial Lecture, April 10, 2000, School of Forestry, Northern Arizona University, Flagstaff, A 13 pp.

- Cohen, Jack D. 2000b. Examination of the Home Destruction in Los Alamos Associated with the Cerro Grande Fire July 10, 2000. 6 pp.
- Collins, J. 2003. Soil Monitoring Report for the Moose Fire Salvage and Reforestation Project. Montana Department of Natural Resources and Conservation.
- Craig, T. L. and Steven W. Howes. 2007. Assessing Quality in Volcanic Ash Soils. In: Page-Dumrose, Deborah; Miller, Richard; Mital, Jim; McDaniel, Paul; Miller, Dan tech. eds. Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration. 9-10 November 2005; Coeur d'Alene, ID. Proceedings RMRS-P-44; Forest Collins, CO; USDA Forest Service, Rocky Mountain Research Station.
- Cullen, S. J., C Montagne, and H. Ferguson. 1991. Timber Harvest Trafficking and Soil Compaction in Western Montana. *Soil Sci. Soc. Am. J.*, Vol. 55:1416-1421.
- Currim, F. 1996. Sensitive Species; Boreal Toad (*Bufo boreas boreas*). Unpublished Report: A compilation of literature citing completed on December 12, 1996, for the Interior Columbia Basin Ecosystem Management Project. 5 pp.
- DeBano, L. F., D. G. Neary and P. F. Ffolliott. 1999. *Fires Effects on Ecosystems*. John Wiley and Sons, New York.
- Daley-Laursen, Steven B. 2007. Volcanic Ash-cap Forest Soils of the Inland Northwest Properties and Implications for Management and Restoration. In: Page-Dumroese, Deborah; Miller, Richard; Mital, Jim; McDaniel, Paul; Miller, Dan, tech eds. Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration. November 9-10, 2005; Coeur d'Alene, ID. Proceedings RMRS-O-RR; Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station.
- Daw, S. K. and S. DeStefano. 2001. Forest characteristics of northern goshawk next stands and post fledging areas in Oregon. *Journal of Wildlife Management*. 65(1):2000.
- Dick, R. P., D. D. Myrold and E. A. Kerle. 1988. Microbial Biomass and Soil Enzyme Activities in Compacted and Rehabilitated Skid Trail Soils. *Soil Science Society of America Journal* 52:512-516 (1988).
- Dobkin, David S., et al. 1995. Springtime movements, roost use, and foraging activity of Townsend's big-eared bat (*Plecotus townsendii*) in central Oregon. *Great Basin Naturalist* 55(4):315-321.
- Dunham, J. B., S. B. Adams, R. E Schroeter, and D. C. Novinger. 2002. Alien invasions in aquatic ecosystems: Toward an understanding of brook trout invasions and potential impacts on inland cutthroat trout in western North America. *Reviews in Fish Biology and Fisheries* 12:373-391.
- Ellis, Bonnie K., Craft James A., and Stanford Jack A. of Flathead Lake Biological Station. April 1999. Determination of Nutrient and Carbon Loading in the Swan River, Montana. Submitted to Montana Department of Environmental Quality Planning, Prevention and Assistance Division. 32 pp.
- Finch, D. 1991. Population ecology, habitat requirements, and conservation of neotropical migratory birds. General Technical Report RM-205. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station.
- Fire Effects Information System. [Online] 2002. Prescribed fire and fire effects research work unit, Rocky Mountain Research Station (producer). www.fs.fed.us/database/feis

- Fisher and Bradley. 1987. Fire Ecology of western Montana forest habitat types. USDA Forest Service, Intermountain Forest and Range Research Station, General Technical Report, INT-223.
- Flathead Basin Commission. 2007. Ashley Creek Restoration Project. Kalispell, MT. Unpublished report. 8 pp.
- Freedman, J.D. and J.R. Habeck. 1985. Fire, Logging and White-tailed Deer Interrelationships in the Swan Valley, Northwestern Montana. In: Lotan J.E.; Brown, J.K., comps. Fire Effects on Wildlife Habitat. Gen. Tech. Rep. INT-186. USDA Forest Service, Intermountain Research Station, Ogden, UT. Pp. 23-35.
- Froehlich, H. A. and D. H. McNabb. 1983. Minimizing Soil Compaction in Pacific Northwest Soils. A Paper Presented at 6th North American Forest Soils Conference on Forest Soils and Treatment Impacts.
- Froehlich, H.A. and D.H. McNabb. 1983. Minimizing Soil Compaction in Pacific Northwest Forests. Presented at Sixth North American Forest Soils Conference on Forest Soils and Treatment Impacts.
- Gallant, A., A. J. Hansen, J. S. Councilman, D. K. Monte, and D. W. Betz. 2003. Vegetation dynamics under fire exclusion and logging in a Rocky Mountain watershed. Ecological Applications 13:385-403.
- Gamon, J. 1991. Report on the status in Washington of *Silene spaldingii* Wats. Prepared for: Washington State Department of Natural Resources. Unpublished report prepared by the Washington Natural Heritage Program on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 53 pp.
- Gardner, B. 2000. Baseline Conditions for Bull Trout (*Salvelinus confluentus*). Swan River Drainage, including disjunct populations of Holland Lake and Lindbergh Lake. Flathead National Forest. Unpublished report. 76 pages.
- Gardner, B. 2006. Sheppard Creek Westslope Cutthroat Trout Restoration Project. Annual Report. Flathead National Forest, Whitefish, Montana. Unpublished report. 5 pages.
- Gardner, E. 2000. The Role of Forest Fires and the Frequency of Large Woody Debris in Western Montana Streams. Paper presented at 2000 Annual Meeting of American Fisheries Society, Great Falls, Montana. Printed Abstract. Page 18.
- Garland, J.J. 1997. Designated Skid Trails Minimize Soil Compaction. The Woodland Workbook, Logging. Oregon State University Extension Service.
- Garrison, M.T. and Moore, J.A. 1998. Nutrient Management: A summary and review. Intermountain Forest Tree Nutrition Cooperative Supplemental Report 98-5. Moscow, Idaho.
- Genter, D. L. and K. A. Jurist. 1995. Bats of Montana. Montana Natural Heritage Program, Helena, MT. 8 pp.
- Goldman, S. J., K. Jackson and T. A. Bursztynsky. 1986. Erosion and Sediment Control Handbook. McGraw Hill Publishers.
- Gonsior, M. J. 1983. Forest Soil Compaction: Where Next? A literature Review and Assessment. Unpublished report from Intermountain Forest and Range Experiment Station, Bozeman MT.

- Graham, R. T., R. L. Rodriguez, K. M. Paulin, R. L. Player, A. O. Heap, and R. Williams. 1999. The Northern Goshawk in Utah: habitat assessment and management recommendations. USDA Forest Service General Technical Report RMRS-GTR-22. USDA Forest Service, Dixie National Forest, Cedar City, UT.
- Graumlich, L. J. 1987. Precipitation variation in the Pacific Northwest (1675–1975) as reconstructed from tree rings. *Annals of the Association of American Geographers*, Vol. 77, 19–29.
- Green, P., J. Joy, D. Sirucek, W. Hann, A. Zack, and B. Naumann. 1992. Old-growth Forest Types of the Northern Region. R-1 SES 4/92; USDA Forest Service, Northern Region, Missoula, MT.
- Habeck, J.R. and R.W. Mutch 1973. Fire-dependent forests in the Northern Rocky Mountains. *Quaternary Research* 3: 408–424.
- Hamer, D., and S. Herrero. 1981. Wildfire's influence on grizzly bear feeding ecology in Banff National Park, Alberta. *Int. Conf. Bear Res. and Manage.* 7:179-186.
- Hamer, D., and S. Herrero. 1985. Grizzly bear food and habitat in the Front Ranges of Banff National Park, Alberta. Ph.D. Thesis, Univ. Calgary, Alberta. 247 pp.
- Han, H. S.; D. Page-Dumroese, S. K. Han, J. Tirocke. 2006. Effects of slash, machine passes, and soil moisture on penetration resistance in cut-to-length harvesting. *International Journal of Forest Engineering* 17(2):11-24.
- Han, S. K. 2006. Impacts on Soils from Cut-to-Length and Whole-Tree Harvesting. Unpublished Masters Thesis. College of Natural Resources, University of Idaho.
- Harvey A.E., R.T. Graham, G.I. McDonald and M.J. Larsen. 1999. Fire/Decay: Managing Codependent Forest Processes Across the Landscape. In *Proceedings from The Joint Fire Science Conference and Workshop, Boise, Idaho, June 15-17, 1999. Volume II.* Published by the University of Idaho and the Association of Wildland Fire.
- Harvey, A. E., M. J. Geist, G. I. McDonald, M. F. Jurgenson, P. H. Cochran, D. Zabowski and R. T. Meurisse. 1994. Biotic and Abiotic Processes in Eastside Ecosystems: The Effects of Management on Soil Properties, Processes and Productivity. USDA Forest Service Pacific Northwest Research Station. General Technical Report PNW-GTR-323.
- Hayward, G. D. and R. E. Escano. 1989. Goshawk nest-site characteristics in western Montana and northern Idaho. *Cponder* 91:476-479.
- Heidel, B. 1979. Endangered and threatened plants in the Northern Idaho BLM District. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 100 pp.
- Heidel, B. 2001. Plant Species of Concern. Montana Natural Heritage Program, Helena. 38 pp.
- Heidel, B. 1980. *Silene spaldingii*. Unpublished report. U.S. Fish and Wildlife Service, Portland, OR. 13 pp.
- Heidel, B. 1995. Preliminary status report for *Silene spaldingii* (Spalding's catchfly), a candidate threatened species. Unpublished report (draft) submitted to accompany Montana comments on the 1993 Federal Register Notice of Review for plants. Montana Natural Heritage Program, Helena. 10 pp. plus appendices.

- Hejl, Sallie J. and Mary McFadzen. 2000. Maintaining fire-associated bird species across forest landscapes in the Northern Rockies – final report. (INT-99543-RJVA). USDA Forest Service, Rocky Mountain Research Station, Forest Sciences Laboratory. 20 pp.
- Hessberg, P. F. and J. K. Agee. 2003. An environmental narrative of inland northwest United State Forest. *Forest Ecology and Management* 178:23-59.
- Hillis, M. and B. Kennedy. 2002. In prep: Draft – USFS Region One Wolverine Natal Den Assessment. National Fire Plan Cohesive Strategy Team.
- Hillis, J. Michael and Dave Lockman. In preparation. An assessment of fish habitat in Region One. USDA Forest Service, Northern Rockies Region, Missoula, MT 59812. 8 pp.
- Holt, D. W. and D. M. Becker. 1990. Identification of Montana's Owls. Montana Department of Fish, Wildlife, and Parks.
- Hutto, R. L. 1995. Distribution and habitat relationships. USFS Northern Region songbird monitoring program, second report. University of Montana, Missoula, MT.
- Isle, D. W. 1997. Rediscovery of water howellia for California. *Fremontia* 25(3):29-32
- Jones, J. L. 1991. Habitat use of fisher in northcentral Idaho. Masters Thesis, University of Idaho, Moscow, ID. 146 pp.
- Jurgenson, M. F., A. E. Harvey and M. J. Larsen. 1981. Effects of Prescribed Fire on Soil Nitrogen Levels in Cutover Douglas-fir/Western Larch Forest. USDA Forest Service. Intermountain Forest and Range Experiment Station. Research Paper INT-275.
- Jurgenson, M. F., M. J. Larsen and A. E. Harvey. 1977. Effects of Timber Harvesting on Soil Biology. Proceedings Annual Meeting of Society of American Foresters.
- Kagan, J. 1989. Draft species management guide for *Silene spaldingii*. Unpublished report to the Oregon Department of Agriculture, Wallowa Whitman National Forest. 13 pp
- Karl, T. R. and A. J. Koscielny 1982. Drought in the United States: 1895-1981. *Journal of Climatology* 2:313-329.
- Keegan, C.E., R.L. Campbell, and K. Gebert. 2001. Manufacturing in Montana. *Montana Business Quarterly* 39(1):34-36.
- Keegan, C.E., S.R. Shook, K. Gerbert, and F.G. Wagner. 2001. Montana's Forest Products Industry. *Montana Business Quarterly* 39(1):32-33.
- Keegan, C.E., K. Gebert, A.L. Chase, T.A. Morgan, S.E. Bodmer, and D.D. VanHooser. 2001. "Montana's Forest Products Industry: A Descriptive Analysis, 1969-2000." Bureau of Business and Economics Research, The University of Montana, Missoula, MT. In press.
- Kennedy, P.L., J. M. Ward, G. A. Rinker, and J. A. Gessaman. 1994. Post-fledging areas in Northern Goshawk home ranges. *Studies in Avian Biology* 16:75-82.
- Kenward, R. E., V. Marcstrom, and M. Karlbom. 1993. Post-nestling behavior in Goshawks, *Accipiter gentiles*: I. The causes of dispersal. *Animal Behavior* 46:365-370.
- Kowalski, Skip. 2006. Frequency of northern goshawk presence in the Northern Region. Unpublished report on file in USDA Forest Service, Region One, Missoula, MT.
<http://www.fs.fed.us/biology/wildecology/goshawk.html>.

- Kuennen, L., G. Edson, and T. Tolle. 1979. Soil Compaction due to Timber Harvest Activities. Northern Region.
- Kunkel, K.E. 1997. Predation by wolves and other large carnivores in Northwestern Montana and Southeastern British Columbia. PhD. Dissertation. Univ. of Montana, Missoula. 272 pp.
- Lavery, L. Williams, J. 2000. Protecting people and sustaining resources in fire-adapted ecosystems—a cohesive strategy. Forest Service Response to GAO Report GAO/RCED, 99–65. USDA Forest Service, Washington, DC
- LCAS. 2000. Canada Lynx Conservation Assessment and Strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.
- Lesica, P. 1990. Habitat requirements, germination behavior and seed bank dynamics of *Howellia aquatilis* in the Swan Valley, Montana. Report submitted to the Flathead National Forest, Kalispell. 44 pp.
- Lesica, P. 1991. Monitoring *Howellia aquatilis* and *Phalaris arundinacea* at Swan River Oxbow Preserve. Unpublished report to The Nature Conservancy, Helena, Montana. 7 pp.
- Lesica, P. 1992. Autecology of the endangered plant *Howellia aquatilis*; Implications for management and reserve design. *Ecological Applications* 2(4):411-421.
- Lesica, P. 1992. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1992 progress report. Unpublished report. The Nature Conservancy, Montana Field Office, Helena, Montana. 9 pp. plus charts.
- Lesica, P. 1992. Monitoring *Silene spaldingii* on Wild Horse Island: 1992 progress report. Unpublished report. The Nature Conservancy, Montana Field Office, Helena, Montana. 8 pp. plus charts.
- Lesica, P. 1993. Loss of fitness resulting from pollinator exclusion in *Silene spaldingii* (Caryophyllaceae). *Madrono*, (40)4: 193-201.
- Lesica, P. 1994. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1993 progress report prepared for the Montana Nature Conservancy, Helena..
- Lesica, P. 1995. The effects of fire on *Silene spaldingii* at the Dancing Prairie Preserve. Unpublished Progress Report to the Montana Field Office of The Nature Conservancy, Helena, Montana and the U.S. Forest Service, Intermountain Research Station. 17 pp.
- Lesica, P. 1997. Demography of the endangered plant, *Silene spaldingii* (Caryophyllaceae) in northwest Montana. *Madrono*, 44(4): 347-358.
- Lesica, P. 1997. Spread of *Phalaris arundinacea* adversely impacts the endangered plant *Howellia aquatilis*. *Great Basin Naturalist* 57(4): 366-368.
- Lesica, P. 1999. Conservation Biology Research. Missoula, Montana. Personal communication, December 22.
- Lesica, P. 1988. A preliminary study of the pollination biology of Spalding's catchfly in the Tobacco Valley, Lincoln County, Montana. Unpublished report. The Nature Conservancy, Montana/Wyoming Field Office, Helena, MT. 3 pp.

- Lesica, P. 1988. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1988 progress report. Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 4 pp.
- Lesica, P. 1988. Monitoring *Silene spaldingii* on Wild Horse Island: 1988 progress report. Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 3 p.
- Lesica, P. 1991. Inbreeding depression and the importance of pollinators to the threatened plant, *Silene spaldingii* (Caryophyllaceae). Prepared for: The Nature Conservancy, Montana Field Office, Helena. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 15 p.
- Lesica, P. 1999. Effects of fire on the demography of the endangered, geophytic herb *Silene spaldingii* (Caryophyllaceae). *Amer. J. Bot.* 86(7):996-1002.
- Lesica, P. and B. Heidel. 1996. Pollination biology of *Silene spaldingii*. Unpublished Report to the Montana Field Office of The Nature Conservancy, Montana Natural Heritage Program, Helena, 16 pp.
- Lesica, P., R.F. Leary, F.W. Allendorf, and D.E. Bilderback. 1988. Lack of genetic diversity within and among populations of an endangered plant, *Howellia aquatilis*. *Conservation Biology* 2:275-282
- Lichthardt, J. 1997. Revised report on the Conservation Status of *Silene spaldingii* in Idaho. Report prepared for the Idaho Department of Fish and Game, Boise, Idaho. U.S. Fish and Wildlife Service Purchase Order No. 14420-5-0395. 25 pp.
- Lorain, C. C. 1991. Report on the conservation status of *Silene spaldingii* in Idaho. Idaho Natural Heritage Program, Idaho Department of Fish and Game, Boise.
- Lull, H. W. 1959. Soil Compaction of Forest and Range Lands. USDA Forest Service.
- Mace, R.D., and J.S. Waller. 1997. Denning ecology of grizzly bears in the Swan Mountains, Montana. In: Final report: grizzly bear ecology in the Swan Mountains, Montana, pp.36-41.
- Mantas, M. 1998. Historical vs. current conditions of upland forest surrounding *Howellia aquatilis* habitats in the Swan Valley, Montana. Unpublished report. 7 pp.
- Mantas, M. 2000. Botanist, Flathead National Forest. Personal observations, unpublished reports, and databases for *Howellia aquatilis*. On file at the Flathead National Forest Supervisors Office, Kalispell, MT.
- Martinson, Albin and Bill Basko. 1998. Soil Survey of Flathead National Forest Area, Montana.
- Maxwell, Bryce A. 2000. Management of Montana's Amphibians: A review of Factors that may present a Risk to Population Viability and Accounts on the identification, Distribution, Taxonomy, Habitat use, Natural History, and the Status and Conservation of Individual Species. Report to Region One, USDA Forest Service, Missoula, MT. Pp. 85-90.
- McCallum, D. A., P. Morgan, J. Verner, G. D. Hayward. 1994. Conservation assessment for the Flammulated Owl in the United States. In: Forest Owl conservation assessment: Flammulated, Boreal, and Great Gray Owls in the United States (G.D. Hayward, ed.). USDA Forest Service General Technical Report. In Press.

- McCarten, Niall, Jones and Stokes Associates, Roxanne Bittman. 1998. Water chemistry, nutrient cycling, productivity and environmental factors affecting plant community structure in *Howellia aquatilis* ponds. Unpublished report from Forum on Research and Management of *Howellia aquatilis*. Turnball National Wildlife Refuge, Cheney, Washington, March 1998.
- McClelland, B.R., and P. T. McClelland. 1999. Pileated woodpecker nest and roost trees in Montana: links with old growth and forest "health". *Wildlife Society Bulletin*. 27(3): 846-857.
- McClelland, B. R. and J. A. Schmidt. 1995. Old-growth western larch forests: management implications for cavity nesting birds. In *Proceedings of the symposium on ecology and management of Larix forests: A look ahead*. Whitefish, MT. October 5-9, 1992. USDA Forest Service, Intermountain Research Station, Ogden, UT. General Technical Report INT-319.
- McCune, B. 1982. Noteworthy collection, Montana: *Howellia aquatilis*. *Madrono* 29: 123-124.
- McDaniel, P. A. and M. A. Wilson. 2007. Physical and Chemical Characteristics of Ash-Influenced Soils of Inland Northwest Forests. In: Page-Dumroese, Deborah; Miller, Richard; Mital, Jim; McDaniel, Paul; Miller, Dan, tech. eds. 2007. *Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration*. November 9-10, 2005; Coeur d'Alene, ID. *Proceedings RMRS-P-44*; Fort Collins, CO. USDA Forest Service, Rocky Mountain Research Station.
- McGrath, M. T., S. DeStefano, R. A. Riggs, L. L. Irwin, and G. J. Roloff. 2003. Spatially explicit influences on Northern Goshawk nesting habitat in the interior Pacific Northwest. *Wildlife Monographs* 154:1-63.
- McIver, J. D. and L. Starr. 2000. *Environmental Effects of Postfire Logging: Literature Review and Annotated Bibliography*. USDA Forest Service. Pacific Northwest Research Station. General Technical Report PNW-GTR-486
- McNabb, D. H., A. D. Startsev and H. Nguyen. 2001. Soil Wetness and Traffic Level Effects on Bulk Density and Air-filled Porosity of Compacted Boreal Forest Soils. *Soil Science Society of America Journal*. 65:1238-1247 (2001).
- Meko, David, et al. 1993. Spatial patterns of tree-growth anomalies in the United States and southeastern Canada. *J. Climate* 6, 1773-1786.
- Mincemoyer, S. 2005. Range-wide status assessment of *Howellia aquatilis* (water howellia) – revised December 2005. Report to the USDI Fish and Wildlife Service, Montana. Montana Natural Heritage Program, Helena, MT. 21 pp. + appendices.
- Montana Bull Trout Scientific Group. 1995. Flathead River Drainage Bull Trout Status Report (including Flathead lake, the Northern and Middle Forks of the Flathead River and the Stillwater and Whitefish Rivers). Montana Bull Trout Restoration Team, Helena, MT.
- Montana Bull Trout Scientific Group. 1996. Swan River Drainage Bull Trout Status Report (including Swan Lake). Montana Bull Trout Restoration Team, Helena, Montana.
- Montana Department of Fish, Wildlife, and Parks. 1999. Memorandum of Understanding and Conservation Agreement for Westslope Cutthroat Trout (*Oncorhynchus clarki lewisi*) in Montana. Helena, Montana. 27 pages.
- Montana Department of Fish, Wildlife, and Parks. 2006. On-line Hunt Planner. <http://fwp.mt.gov/hunting/planahunt/>.

- Montana Department of Natural Resources & Conservation. 2006. Montana Forestry Best Management Practices & Monitoring. 2006 Forestry BMP Audit Report. Forestry Division, Missoula, MT. 66 pages.
- Montana Department of Natural Resources and Conservation. 2006. Three Creeks Timber Sale Project Final Environmental Impact Statement. Swan River State Forest, Kalispell, MT. Page II-38.
- Montana Natural Heritage Program. 1986. Report on the conservation status of *Grindelia howellia*, a candidate threatened species. Prepared by Steve Shelly (10/31/1986). Helena, Montana. 130 pp.
- Montana Natural Heritage Program. 1991. Update to the report on the conservation status of *Grindelia howellia*, a candidate threatened species. Prepared by Diane S. Pavak (01/31/1991), Helena, MT. 66 pp.
- Montana Natural Heritage Program. 2004. Montana Rare Plant Field Guide. Web page <http://nhp.nris.state.mt.us/plants/>. Helena, Montana.
- Montana Natural Heritage Program. 2006. Plant Species of Concern. MTNHP, Helena. 48 pp.
- Noste, R. C. and Nonan V. Noste. 1983. Evaluating Prescribed Fires. Paper submitted at the Wilderness Fire Symposium, Missoula, MT
- NWCG. 2001. Smoke Management Guide for Prescribed and Wildland Fire. NWCG Publication PMS-420-2. National Wildfire Coordinating Group. 226 pp.
- Page-Dumroese, D., M. Jurgensen, W. Elliot, T. Rice, J. Nesser, T. Collins and R. Meurisse. 2000. Soil Quality Standards and Guidelines for Forest Sustainability in Northwestern North America. *Forest Ecology and Management* 138 (2000) 445-462.
- Page-Dumroese. 1993. Susceptibility of Volcanic Ash – Influenced Soil in Northern Idaho to Mechanical compaction. USDA Forest Service Intermountain Research Station, Research paper INT-409.
- Patla, S. M. 1997. Nesting ecology and habitat of the Northern Goshawk in undisturbed and timber harvest areas on the Targhee National Forest, Greater Yellowstone Ecosystem. MS Thesis, Idaho State University, Pocatello, ID.
- Perry, D. A., J. G. Borchers and S. L. Borchers. 1990. Species Migration and Ecosystem Stability During Climate Change; The Belowground Connection. *Conservation Biology*. Vol. 4, No. 3, September 1990.
- Peterson, D. L. M. C. Johnson, J. K. Agee, T. B. Jain, D. McKenzie, E. E. Reinhardt. 2005. Forest structure and fire hazard in dry forests in the Western United States. General Technical Report PNW-GTR-628. Portland, OR. USDA Forest Service, Pacific Northwest Research Station. 30 pp.
- Porter, Aswea D., Colleen C. St. Clair, and Andrew de Vries. 2005. Fine-scale selection by marten during winter in a young deciduous forest. *Can. J. For. Res.* 35: 901-909.
- Powell, H. D. 2000. The influence of prey density on post-fire habitat use of black-backed woodpeckers. MS Thesis, University of Montana, Missoula, MT. 97 pp.

- Powell, R. A. and W. J. Zielinski. 1994. Fisher, In: The Scientific Basis for Conserving Forest Carnivores: American Martin, Fisher, Lynx, and Wolverine in the Western United States. USDA Forest Service, General Technical Report RM-254. Fort Collins, CO.
- Powers, R. F., D. A. Scott, F. G. Sanchez, R. A. Voldseth, D. Page-Dumroese, J. D. Elioff and D. M. Stone. 2005. The North American Long-term Soil Productivity Experiment: Findings From the First Decade of Research. *Forest Ecology and Management* 220 (2005) 31-50.
- Prescott, C. E. and R. Laiho. 2002. The Nutritional Significance of Coarse Woody Debris in Three Rocky Mountain Coniferous Forests. USDA Forest Service General Technical Report PSW-GTR-181.
- Quigley, T. M. and S. J. Arbelbide., tech. eds. 1997. An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins: Volume III. USDA, Forest Service, Pacific Northwest Research Station. Portland, Oregon. Gen. Tech. Rep. PNW-GTR-405. Pp. 1258-1265.
- Quigley, Thomas M., Richard W. Haynes, Russell T. Graham (Tech eds.). 1996. Integrated scientific assessment for ecosystem management in the interior Columbia basin and portions of the Klamath and Great Basins. [Gen. Tech. Rep. PNW-GTR-382]. (Quigley, Thomas M., ed. Interior Columbia Basin Ecosystem Management Project: scientific assessment). USDA Forest Service, Pacific Northwest Research Station. Portland, OR. 303 pp.
- Reichel, J. D. and S. G. Beckstrom. 1993. Northern bog lemming survey: 1992. Montana Natural Heritage Program. Helena, MT. 64 pp.
- Reinhardt, E. D., R. E. Keane, J. K. Brown, and L. Gangi. 2004. (Computer Program). Forest Order Fire Effects Model: FOFEM 5.0. Version 5.21. Missoula, MT.
- Reynolds, R.T., R.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the Northern Goshawk in the southwestern United States. USDA Forest Service, Rocky Mountain Research Station. General Technical Report RM-217. Fort Collins, CO. 90 pp.
- Rice, D.J. 1990. An application of restoration ecology to the management of an endangered plant *Howellia aquatilis*. M.S. Thesis, Washington State University, Pullman. 85 pp.
- Reiman, B., D. Lee, and J. McIntyre. 1993. Consideration of Extinct Rates for Salmonids. Fish Habitat Relationships Technical Bulletin, No. 14. USDA Forest Service, Intermountain Research Station. Boise, ID. 12 pages.
- Roe, L.S. and J.S. Shelly. 1992. Update to the status review of *Howellia aquatilis*: Field surveys, monitoring studies and transplant experiments, U.S.D.A. Forest Service, Flathead National Forest. Montana Natural Heritage Program, Helena. 51 pp.
- Ruggerio, L. F., B. Ketih, S. W. Buskirk, W. Steven, L. J. Lyon, and W. J. Zielinski. 1994. The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States. General Technical Report RM-254. Fort Collins, CO. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. 184 pp.
- Samson, F. B. 2005 (amended March 6, 2006). A Conservation Assessment of the Northern Goshawk, Black-backed Woodpecker, Flammulated Owl, and Pileated Woodpecker in the Northern Region, USDA Forest Service. Unpublished report on file.

- Sand-Jensen, K., and T.V. Madsen. 1991. Minimum light requirements of submerged freshwater macrophytes in laboratory growth experiments. *Journal of Ecology* 79:479-764.
- Schassberger, L. A. 1988. Report on the conservation status of *Silene spaldingii*, a candidate threatened species. Unpublished Report to the Montana Field Office of The Nature Conservancy, Montana Natural Heritage Program, Helena. 67 pp.
- Schassberger, L.A., and J.S. Shelly. 1990. Update to the status review of *Howellia aquatilis*: Field surveys, monitoring studies and transplant experiments, U.S.D.A. Forest Service, Flathead National Forest. Montana Natural Heritage Program, Helena. 57 pp.
- Scott, Joe H.; Reinhardt, Elizabeth D. 2001. Assessing crown fire potential by linking models of surface and crown fire behavior Res. Pap. RMRS-RP-29. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 59 p...
- Shapley, M. and P. Lesica. 1997. *Howellia aquatilis* (water howellia) ponds of the Swan Valley; conceptual hydrologic models and ecological implications. Unpublished report to the U.S. Fish and Wildlife Service. Montana Natural Heritage Program and Conservation Biology Research. Helena. 44 pp.
- Shelly, J.S. 1989. Addendum to the status review of *Howellia aquatilis*, USDA Forest Service - Region 1, Flathead National Forest. Montana Natural Heritage Program, Helena. 18 pp.
- Shelly, J.S. 1988. Status review of *Howellia aquatilis*: Region 1, Flathead National Forest. Montana Natural Heritage Program, Helena. 120 pp.
- Shelly, J.S. 1994. Personal Communication. October. Missoula, MT: U.S. Department of Agriculture, Forest Service, Region 1.
- Shelly, J.S. and R. Moseley. 1988. Report on the conservation status of *Howellia aquatilis*, a candidate threatened species. Unpublished report to the U.S. Fish and Wildlife Service, Denver, Colorado. Montana Natural Heritage Program, Helena. 166 pp.
- Siddall, J. L., and K. L. Chambers. 1978. Status report for *Silene spaldingii*. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. not paged.
- Sime, Carolyn A., V. Asher, L. Bradley, K. Laudon, M. Ross, J. Trapp, M. Atkinson, L. Handegard, and J. Steuber. 2007. Montana gray wolf conservation and management 2006 annual report. Montana Fish, Wildlife & Parks. Helena, Montana. 96 pp.
- Smoke Monitoring Unit. 2006. Homepage of Montana/Idaho State Airshed Group (Online). Available: <http://www.smokemu.org>.
- Squires, J. R. and R. T. Reynolds. 1997. Northern Goshawk. No. 298. In: *Birds of North American*. The Academy of Natural Sciences, Philadelphia, PA, and the American Ornithologist's Union, Washington, DC.
- Squires, J. R. and P. L. Kennedy. 2006. Northern goshawk ecology: an assessment of current knowledge and information needs for conservation management. *Studies in Avian Biology* 31:8-62.
- Startsev, A. D. and D. H. McNabb. 2001. Skidder Traffic Effects on Water Retention, Pore Size Distribution, and van Genuchten Parameters of Boreal Forest Soils. *Soil Science Society of America Journal* 65(224-231) 2001.

- Sugden, B. D. 1993. Mount Creek Watershed Analysis. Plum Creek Timber Company, Flathead Unit, Kalispell, MT. Unpublished report. 43 pages.
- Swan Ecosystem Center. 2004. Upper Swan Valley Landscape Assessment. Condon, MT.
- Swan Valley Grizzly Bear Monitoring Report. 2006. Technical Monitoring Team. 7pp.
- US Geological Survey. 2004. A study to estimate the grizzly bear population size in the Northern Continental Divide ecosystem. USDI Geological Survey, Northern Rocky Mountain Science Center, Bozeman, Montana. Found on the Internet at:
http://nrmsc.usgs.gov/news/NCDE_overview.pdf. 2 pp.
- USDA Forest Service and USDI Bureau of Land Management. 1996. Integrated Scientific Assessment for Ecosystem Management in the Interior Columbia Basin, and portions of the Klamath and Great Basins. Pacific Northwest Research Station. General Technical Report PNW-GTR-382. Pages 68-74.
- USDA Forest Service. 1985. Flathead National Forest Land and Resource Management Plan. Kalispell, MT.
- USDA Forest Service. 1989. Caring for your Natural Community. USDA Forest Service, Northern Region. Missoula, MT.
- USDA Forest Service. 1992. Land and Resource Management Plan Annual Monitoring Report for 1991.
- USDA Forest Service. 1995. Haskill Mountain Environmental Assessment. Flathead National Forest, Swan Lake Ranger District, Bigfork, MT.
- USDA Forest Service. 1997. Conservation Strategy for *Howellia aquatilis*. Appendix VV to Flathead Forest Plan. On file at the Flathead National Forest Supervisor's Office. Kalispell, MT. 24 pp.
- USDA Forest Service. 1998. Historical vs. current conditions of upland forest surrounding *Howellia aquatilis* habitats in the Swan Valley, Montana. Unpublished report prepared by Maria Mantas. 7 pp.
- USDA Forest Service. 1999. Ecology and Conservation of Lynx in the United States. General Technical Report RMRS-GTR-30WWW. Forest Service, Rocky Mountain Research Station. Fort Collins, CO. 474 pp.
- USDA Forest Service. 1999. Flathead National Forest Plan Amendment 21, Final Environmental Impact Statement: Management Direction Related to Old Growth Forests. Flathead National Forest, Kalispell, MT. 176 pp.
- USDA Forest Service. 2001. Distribution, life history, and recovery objectives for region one terrestrial wildlife species. USDA Forest Service, Northern Region. Missoula, MT. July, 2001. 24 pp.
- USDA Forest Service. 2001. Flathead National Forest Land and Resource Management Plan (2001 version, includes all amendments).
- USDA Forest Service. 2001. Flathead National Forest Noxious and Invasive Weed Control Decision Notice and Finding of No Significant Impact (May 2001). Flathead National Forest. Kalispell, MT. 10 pp.
- USDA Forest Service. 2001. Flathead National Forest Noxious and Invasive Weed Control Environmental Assessment (March 2001). Flathead National Forest. Kalispell, MT. 171 pp.

- USDA Forest Service. 2002. Grizzly bear distribution outside of recovery zones. USDA Forest Service, Northern Region. Missoula, MT.
- USDA Forest Service. 2002. Moose Post-Fire Project, Final Environmental Impact Statement, Volume 1. Flathead National Forest, Glacier View Ranger District. Pages 3-232 to 3-233.
- USDA Forest Service. 2002. Island Unit Fuels Reduction Project Environmental Assessment. Flathead National Forest, Swan Lake Ranger District, Bigfork, MT.
- USDA Forest Service. 2002. Island Unit Grazing Allotments Environmental Assessment. Flathead National Forest, Swan Lake Ranger District.
- USDA Forest Service. 2003. Evaluating Risk to Native Plant Communities from Selected Exotic Plant Species. Maria Mantas and Cohesive Strategy Team. The Nature Conservancy of Montana and USDA Forest Service, Region 1 (Northern Region).
- USDA Forest Service. 2003. Meadow Smith SEIS. Flathead National Forest, Kalispell, MT.
- USDA Forest Service. 2004. Sensitive Plant Field Guide, Sixth Edition. Flathead National Forest. 144 pp. (unpublished).
- USDA Forest Service. 2006. Interagency Grizzly Bear Committee Summer Meeting Notes. June 6-7, 2006. <http://www.fs.fed.us/r1/wildlife/igbc/>
- USDA Forest Service. 2006. Montana Forest and Insect and Disease Conditions and Program Highlights 2005. Forest Service, Northern Region, Forest Health Protection Report 06-1. http://www.fs.fed.us/r1-r4/spf/fhp/conditions/Report_No_06-01_2005MT_ConditionsReport.pdf
- USDA Forest Service. 2007. The Northern Region Soil Quality Monitoring Protocol, Northern Region. USDA Forest Service, Missoula, MT.
- USDA Forest Service. 2007. Northern Rockies Lynx Management Direction Record of Decision. National Forests in Montana and parts of Idaho, Wyoming, and Utah.
- USDA Natural Resources Conservation Service. 1998. Soil Survey of Flathead National Forest Area, Montana.
- USDA Natural Resources Conservation Service. 1999. Soil Taxonomy, A Basic System of Soil Classification for Making and Interpreting Soil Surveys. Agricultural Handbook Number 436.
- USDI Army Corps of Engineers. 1987. Wetlands Delineation Manual; final report. Prepared for the Department of the Army. Vicksburg, MS. 100 pp.
- USDI Bureau of Reclamation. 1994. Montana Bald Eagle Management Plan. Bureau of Reclamation, Billings, MT.
- USDI Fish and Wildlife Service. 2005. Threatened, endangered, and candidate species for the Flathead National Forest (6/14/2005). Ecological Services, Montana Field Office 100 N. Park Suite 320, Helena, MT 59601. Web page: http://montanafieldoffice.fws.gov/Endangered_Species/Listed_Species/Forests.html
- USDI Fish and Wildlife Service, Nez Perce Tribe, National Park Service, and USDA Wildlife Services. 2006. Rocky Mountain Wolf Recovery 2005 Annual Report. C.A. Sime and E.E. Bangs, eds. USFWS, Ecological Services, Helena MT. 130 pp.

- USDI Fish and Wildlife Service. 1986. Recovery Plan for the Pacific Bald Eagle. USFWS, Portland, Oregon. 160 pp.
- USDI Fish and Wildlife Service. 1987. Northern Rocky Mountain Wolf Recovery Plan. USFWS, Denver, CO. 119 pp.
- USDI Fish and Wildlife Service. 1993. Grizzly Bear Recovery Plan. USFWS, Denver, CO. 181 pp.
- USDI Fish and Wildlife Service. 1996. Draft Water Howellia (*Howellia aquatilis*) Recovery Plan. Prepared by J.S. Shelly and John Gamon. 51pp.
- USDI Fish and Wildlife Service. 1997. Amended and restated conservation agreement among Plum Creek Timber Company, L.P. and Montana Department of Natural Resources and Conservation and USDA Forest Service, Flathead National Forest and USDI Fish and Wildlife Service. Agreement dated June 6, 1997. 13 pp + attachments A through I.
- USDI Fish and Wildlife Service. 1998. Endangered and threatened wildlife and plants: finding for 12-month petition to list the northern goshawk west of the 100th Meridian. Vol. 63, No. 124:35183-35184.
- USDI Fish and Wildlife Service. 1998. Biological opinion for the effects to bull trout from continued implementation of land and resource management plans as amended by the Interim Strategy for Managing Fish-producing Watersheds in Eastern Oregon and Washington, Idaho, Western Montana, and portions of Nevada (INFISH) and the Interim Strategy for Managing Anadromous Fish-producing Watersheds in Eastern Oregon and Washington, Idaho and portions of California (PACFISH), Appendix 2. USDI Fish and Wildlife Service, Regions 1 and 6. 122 pp. plus appendices.
- USDI Fish and Wildlife Service. 2005. Threatened, endangered, and candidate species for the Flathead National Forest (06/14/2005). Ecological Services, Montana Field Office, 100 N. Park, Suite 320, Helena, MT 59601.
http://montanafieldoffice.fws.gov/Endangered_Species/Listed_Species/Forests.html
- USDI Fish and Wildlife Service. 2006. Federal Register. Advanced notice of proposed rulemaking. Designating the Northern Rocky Mountain Population of Gray Wolf as a Distinct Population Segment; Removing the Northern Rocky Mountain Distinct Population Segment of Gray Wolf From the Federal List of Endangered and Threatened Wildlife. Vol. 71, No. 26. February 8, 2006. Pp. 6634-6660.
- USDI Fish and Wildlife Service. 2001. Endangered and Threatened Wildlife And Plants; Final Rule to list *Silene spaldingii* (Spalding's Catchfly) as Threatened. 50 CFR Part 17. Federal Register 66(196):51598-51606. October 10, 2001.
- Vinkey, R. S. 2003. An evaluation of fisher (*Martes pennanti*) introductions in Montana. Masters Thesis. University of Montana, Missoula, MT. 97 pp.
- Yurkonis, Kethryn A., et al. 2005. Invasion impacts diversity through altered community dynamics. *Journal of ecology* 2005 93, 1053-1061.
- Warren, N. W. 1990. Old-growth Habitats and Associated Wildlife Species in the Northern Rocky Mountains. USDA Forest Service, Northern Region Wildlife Habitat Relationships Program, R1-90-42.
- Westerling, A. L., and H. G. Hidalgo, D. R. Cayan, T. W. Swetnam. 2006. Warming and earlier spring increases western US Forest wildfire activity. *Scienceexpress*. <http://www.scienceexpress.org>.

- Williams, J. D. 1993. Winter Logging and Erosion in a Ponderosa Pine Forest in Northeastern Oregon. *Western Journal of Applied Forestry*. 8(1), 1993.
- Williamson, J. R. and W. A. Nielsen. 2000. The Influence of Forest Site on Rate and Extent of Soil Compaction and Profile Disturbance of Skid Trails During Ground Based Harvesting. *Canadian Journal of Forest Research* 30:1196-1205 (2000).
- Wisdom, Michael J., Richard S. Holthausen, Barbara C. Wales, Christina D. Hargis, Victoria A. Saab, Danny C. Lee, Wendell J. Hann, Terrell D. Rich, Mary M. Rowland, Wally J. Murphy, Michelle R. Eames. [Online] 2000. Source habitats for terrestrial vertebrates of focus in the Interior Columbia Basin: broad-scale trends and management implications (Vol. 1 Overview). General Technical Report PNW-GTR-485. USDA Forest Service, Pacific Northwest Research Station, Portland, OR. http://www.fs.fed.us/pnw/pubs/gtr_485.pdf
- Zager, P., C. Jonkel, and J. Habeck. 1983. Logging and wildfire influence on grizzly bear habitat in Northwestern Montana. *Int. Conf. Bear Res. and Manage.* 5:126-134.

Glossary

Action Alternative - An alternative that proposes some management action, as contrasted to the No Action Alternative.

Administrative Appeal - A request to a higher authority for review of a decision related to an Environmental Impact Statement, Environmental Analysis, or Categorical Exclusion.

Affected Environment - The biological and physical environment that will or may be changed by actions proposed and the relationship of people to that environment.

Age or Size Class - A distinct group of trees, or portion of growing stock recognized on the basis of age (or size).

Airshed - Basic geographic units in which air quality is managed.

Alternative - A combination of management prescriptions applied in specific amounts and locations to achieve a desired management emphasis. One of the several policies, plans or projects, proposed for decision-making.

Bank Cover - Living streamside vegetation overhanging the water for up to one meter above the water surface.

Bear Management Area (BMA) – Areas delineated to include important habitat components and to implement standards and guidelines pertaining to grizzly bears. These areas have also been used for evaluating habitat for other wildlife species including big game and old growth indicator species.

Bear Management Subunit – An area approximately the size of an average female home range (about 50 mi²), generally from ridge top to valley bottom, and including all seasonal habitats.

Best Management Practices (BMPs) - Methods, measures or practices to prevent or reduce water pollution, including but not limited to, structural and non-structural controls, operation and maintenance procedures, other requirements, and scheduling and distribution of activities. Usually BMPs are applied as a system of practices rather than a single practice. BMPs are selected on the basis of site-specific conditions that reflect natural background conditions and political, social, economic, and technical feasibility.

Biological Assessment (BA) - A document prepared by a federal agency for the purpose of identifying any endangered species or threatened species, which is likely to be affected by an agency action. This document facilitates compliance with the Endangered Species Act. The federal agency, in consultation with the Secretary of Interior, must insure that any action authorized, funded, or carried out by a federal agency is not likely to jeopardize the continued existence of any endangered or threatened species, or result in the destruction or adverse modification of its habitat.

Biological Evaluation (BE)- A document prepared by the Forest Service to review programs or activities to determine how an action might affect any threatened, endangered, proposed, or sensitive species. This document often focuses only on sensitive species if the Threatened, Endangered, and Proposed Species will be covered in a Biological Assessment.

Biomass (Fuels) - Live and dead accumulations of organic material.

Blowdown (Windthrow) - Uprooting by the wind. Also refers to a tree or trees so uprooted.

Board Foot - A unit of measurement represented by a board one foot square and one inch thick.

Browse - Twigs, leaves, and young shoots of trees and shrubs on which animal feed; in particular, those shrubs which are utilized by big game animals for food.

Buffer – A land area designated to block or absorb unwanted effects to the area beyond the buffer and to preserve other qualities along or adjacent to roads, trails, watercourses, and recreation sites.

Burn Severity– A relative measure of the degree of change in a watershed that related to the intensity of the fire on soil hydrological function. Burn severity is delineated on topographic maps of polygons. Classes of burn severity are high, moderate, low, and unburned.

Canopy - The forest cover of branches and foliage formed by tree crowns.

Canopy Cover or Crown Closure - The percentage of ground surface that is shaded by the live foliage of plants as seen from above. Used to describe how open or dense a stand of trees is.

Capability - The potential of an area of land and/or water to produce resources, supply goods and services, and allow resource uses under a specified set of management practices and at a given level of management intensity. Capability depends upon current conditions and site conditions such as climate, slope, landform, soils, and geology; as well as the application of management practices, such as silviculture or protection from fires, insects, and disease.

Cavity - A hollow in a tree that is used by birds or mammals for nesting, denning, roosting, etc.

Closed Canopy - The description given to a stand when the crowns of the main level of trees forming the canopy are touching and intermingled so that light cannot reach the forest floor directly.

Coarse Woody Debris - Any piece(s) of dead woody material, e.g., dead boles, limbs, and large root masses on the ground or in streams.

Cohort – An Age class of trees that is distinctively different from other age classes in a particular forest stand.

Commerical Thinning - A silviculture treatment that “thins” out an overstocked stand by removing trees, which are large enough to be sold as products such as poles or fence posts. It is carried out to improve the health and growth rate of the remaining crop trees.

Composition (Species) - The mix of different species that make up a plant or animal community, and their relative abundance.

Condition Class – A function of the degree of departure from historical fire regimes resulting in alterations of key ecosystem components, such as species composition, structural stage, stand age, and canopy closure. Categorized by three classes as follows: Condition Class 1 – Fire regimes are within or near an historical range; Condition Class 2 – Fire regimes have been moderately altered from their historical range; Condition Class 3 – Fire regimes have been significantly altered from their historical range.

Consultation - A process required by Section 7 of the Endangered Species Act whereby Federal agencies proposing activities in a listed species habitat confer with the U.S. Fish and Wildlife Service about the impacts of the activity on the species. Consultation may be informal, and thus advisory, or formal, and thus binding.

Corridor - A band of vegetation, usually older forest, which serves to connect distinct patches on the landscape. By providing connectivity, corridors permit the movement of plant and animal species between what would otherwise be isolated patches.

Council on Environmental Quality (CEQ) - An advisory council to the President established by the National Environmental Policy Act of 1969. It reviews Federal programs for their effect on the environment, conducts environmental studies, and advises the President on environmental matters.

Cover/Forage Ratio - The ratio of tree cover (usually conifer types) to foraging areas (natural openings, clearcuts, etc.).

Cover Type - The present vegetation composition of an area, described by the dominant plant species.

Crown - The part of a tree or other woody plant bearing live branches and foliage.

Crown Closure (see Canopy Cover)

Crown Fire - A fire that advances from top-to-top of trees or shrubs more or less independently of the surface fire. Sometimes, crown fires are classed as either running or dependent, to distinguish the degree of independence from the surface fire.

Cultural Resources - The physical remains of human activity (artifacts, ruins, burial mounds, petroglyphs, etc.) and conceptual content or context (as a setting for legendary, historic, or prehistoric events; as a sacred area of native peoples, etc.) of an area of prehistoric or historic occupation.

Cumulative Effect- The impact on the environment, which results from the incremental impact of the action when added to other actions. Cumulative impacts can also result from individually minor but collectively significant actions taking place over a period of time.

Defensible Fuel Profile Zone (DFPZ) – A 100 to 500 foot wide strip adjacent to private lands where forest fuels (both live and dead) are reduced

Defensible Space - That area between a structure and an oncoming wildfire where the vegetation has been modified to reduce the wildfire threat and to provide an opportunity for firefighters to effectively and safely defend the structure.

Density (Stand) - The number of trees growing in a given area, usually expressed in terms of trees per acre.

Diameter Best Height (dbh) - The diameter of a tree measured four and one-half feet above the ground.

Direct Effect - Effects on the environment that occur at the same time and place as the initial cause or action.

Dispersal - The movement of organisms away from the place of birth or from centers of population density.

Disturbance (Ecosystem) - Refers to events that alter the structure, composition, or function of terrestrial or aquatic habitats. Natural disturbances include, among others, drought, floods, wind, fires, wildlife grazing, and insects and pathogens. Human-caused disturbances include actions such as timber harvest, livestock grazing, roads, and the introduction of exotic species.

Disturbance Regime - Natural pattern of periodic disturbances, such as fire or flooding.

Diversity - The distribution and abundance of different plant and animal communities and species.

Duff - The partially decayed organic matter on the forest floor.

Early Seral/Structural Stage - A stage of development of an ecosystem from a disturbed, relatively unvegetated state to a plant community that is up to 30 years old. Stand structure is seedling and sapling sized.

Ecosystem - A functional unit consisting of all the living organisms (plants, animals, and microbes) in a given area, and all the non-living physical and chemical factors of their environment, linked together through nutrient cycling and energy flow. An ecosystem can be of any size--a log, pond, field, forest, or the earth's biosphere--but it always functions as a whole unit. Ecosystems are commonly described according to the major type of vegetation, for example, forest ecosystem, old-growth ecosystem, or range ecosystem.

Endangered Species - Any species, plant, or animal that is in danger of extinction throughout all or a significant portion of its range. In accordance with the 1973 Endangered Species Act, the Secretary of the Interior identifies endangered species.

Endemic - A species whose natural occurrence is confined to a certain region and whose distribution is relatively limited (vertebrate biology). A population that is at equilibrium or low density (invertebrate biology or pathology).

Escape Route – A means to access a safety zone.

Facultative wetland - Largely in wet soils, 67 to 99 percent of the time

Fire Exclusion - The disruption of a characteristic pattern of fire intensity and occurrence (primarily through fire suppression).

Fire Event (Fire Occurrence, Fire Incidence) - A single fire or series of fires within an area at a particular time.

Fire Frequency – A general term referring to the recurrence of fire in a given area over time.

Fire Hazard - The potential fire behavior for a fuel type, regardless of the fuel type's weather-influenced fuel moisture content or its resistance to fire line construction. Assessment is based on physical fuel characteristics, such as fuel arrangement, fuel load, condition of herbaceous vegetation, and presence of elevated fuels.

Fire Intensity – Based on temperature, flame length, rate of spread, heat of combustion, and total amount and size of fuel consumed. Accounts for convective heat rising into the atmosphere and fire effects to the overstory.

Fire Intolerant (or “intolerant”) - Species of plants that do not grow well or die from the effects of fire. Generally these species are shade-tolerant as well.

Fire Management Zone (FMZ) – A geographic area delineated by the “appropriate management response” to a wildland fire. Defined by fuels, topography, values at risk, threats to private property, wilderness boundaries, etc.

Fire Regimes - The ecological effects of frequency, intensity, extent, season, and synergistic interactions with other disturbances, such as insects and disease, classified into generalized levels of fire severity.

Fire Return Interval (Fire Interval) - The number of years between successive fire events in a given area.

Fire Risk - The probability or chance of fire starting determined by the presence and activities of causative agents.

Fire Rotation – The length of time necessary for an area equal in size to the study area to burn.

Fire Severity – A relative measure of the post-fire appearance of vegetation (residual fuels/mortality) as it related to the intensity of the fire and its consumptive effects on vegetation.

Fire Suppression (Fire Control) - All of the work and activities connected with fire extinguishing operations, beginning with discovery and continuing until the fire is completely extinguished.

Fire Tolerant (or “tolerant”) - Species of plants that can withstand certain frequency and intensity of fire. Generally these species are shade-intolerant as well.

Firefighter Safety - A work environment where foreseeable risks have been minimized through the mitigation of known hazards associated with wildfire suppression.

Fish Habitat - The place where a population of fish species lives and its surroundings; includes the provision of life requirements such food and cover.

Fish Passage - Clear access for migrating fish through a potential barrier.

Fishery - The total population of fish in a stream or body of water and the physical, chemical, and biological factors affecting that population.

Forage - All browse and non-woody plants available to livestock or wildlife for feed.

Forb – Any herbaceous (herb-like) plant other than grass or grass-like plants that has little or no wood on it. For example, wildflowers are forbs.

Forest Development Road (FDR) - A road wholly or partly within or adjacent to and serving the National Forest System and which is necessary for the protection, administration, and use of the National Forest System and the use and development of its resources.

Forest Health - (also called forested landscape or forestland) is defined as: the conditions under which the integrity of the soil and ecological processes are sustained resulting in systems that maintain their diversity, resiliency, and productivity with associated sustainable human resource issues.

Forest Plan- The Flathead National Forest Land and Resource Management Plan.. A Forest Plan is a document prepared under the National Forest Management Act by each national forest that generally describes how the resources in the forest will be managed for a 10 to 15 year period.

Forest Structure - The mix and distribution of tree sizes, layers, and ages in a forest. Some stands are mostly one size (single-story), some are two-story, and some are a mix of trees of different ages and sizes (multi-story).

Forest Type relates to the tree species (and to generalized understory plant) composition.

Fuels - Includes living plants, dead, woody vegetative materials; and other vegetative materials capable of burning.

Fuel Loading - The oven dry weight of fuels in a given area, usually expressed in tons per acre. Fuel loadings may be referenced to fuel size or time-lag categories; and may include surface fuels or total fuels.

Fuel Management - Manipulation or reduction of flammable matter for the purpose of reducing the intensity or rate of spread of a fire, while preserving and enhancing environmental quality.

Fuels Reduction Zone - Areas in which continuous high hazard fuels are broken up. They are designed to increase firefighter safety and reduce resistance to fire control efforts. FRZs may be of any size or shape. They may have a higher number of snags, down logs, and canopy closure than other fuels treatment zones. They are recognized as being a significant portion of a complete fuels management programs. .

Fuel Treatment - The rearrangement or disposal of natural or activity fuels.

Geographic Information System (GIS) - Computer software that provides database and spatial analytic capabilities.

Goal – A concise statement that describes a desired condition to be achieved. It is normally expressed in broad, general terms and is timeless in that it has no specific date that it is to be completed. Goal statements form the principal basis upon which objectives are developed.

Guideline - An indication or outline of policy or conduct dealing with the basic management of the Forest. Forest-wide management standards and guidelines apply to all areas of the Forest regardless of the other management prescriptions applied.

Habitat Type - An aggregation of all land areas potentially capable of producing similar plant communities at climax.

Hazard - A real or potential condition that may result in an undesired event, the cause of risk. Hazard can apply to the probability of tree mortality or damage by an insect or disease and also represents material or fuel that will ignite and burn.

Hiding Cover - Vegetation used by an animal for hiding. The amount and quality of vegetation needed depends on the animal's size, mobility, and reluctance to venture into relatively open areas. For an elk, hiding cover conceals 90 percent of a standing adult elk from the view of a human at a distance equal to or less than 200 feet. Hiding cover allows elk to use areas for bedding, foraging, thermal relief, wallowing, or other functions, but it does not necessarily provide security during the hunting season.

Historic Range of Variability (HRV) - Conditions which be expected to occur under natural disturbance and succession regimes.

Home Range - An area, from which intruders may or may not be excluded, to which an individual restricts most of its usual activities.

Indirect Effects - Secondary effects which occur in locations other than the initial action or significantly later in time.

Initial Attack - An aggressive suppression action consistent with firefighter and public safety and values to be protected.

Instream Cover - Anything in the water that provides protection to fish from predators (including turbulence, debris, logs, and rocks).

Intensity - Energy release rates; these are physical descriptors of the fire, not its ecological effects. Generally referred to as High, Moderate, or Low intensity.

Interdisciplinary Team (ID Team) - A group of individuals with different training assembled to solve a problem or perform a task. The team is assembled out of recognition that no one scientific discipline is sufficiently broad to adequately solve the problem. Through interaction, participants bring different points of view to bear on the problem.

Intermittent Stream - A stream which flows only at certain times of the year when it receives water from springs or from some surface source such as melting snow.

Invasive Plant – All State and County listed “noxious weeds” are considered invasive plants. Also, other exotic species (not listed by State or Counties as noxious weeds) that can successfully out compete and displace native plant communities.

Inventoried Roadless Area - An area identified and classified as roadless. These areas were identified during the second Roadless Area Review and Evaluation (RARE II).

Issue - See Public Issue.

Ladder Fuels - Fuels which provide vertical continuity between the surface fuels and crown fuels in a forest stand, thus contributing to the ease of torching and crowning.

Land and Resource Management Plan (Forest Plan) - A strategic integrated resource plan based on the principles of enhanced public involvement, consideration of all resource values, and resource sustainability.

Landscape - The landforms of a region in the aggregate; the land surface and its associated habitats at scales of many acres to many square miles; a spatially heterogeneous area.

Landtype - An inventory map unit with relatively uniform potential for a defined set of land uses. Properties of soils landform, natural vegetation, and bedrock are commonly components of landtype delineation used to evaluate potentials and limitations for land use.

Large Woody Debris – Large logs and stumps in streams and on land that provide habitat for aquatic and terrestrial organisms and affects stream function.

Late Seral/Structural Stage - A stage of development of an ecosystem from approximately 80 to 120 years old. Forested stands are generally 12 to 16 inches average dbh.

Lethal Fire/Lethal Fire Regime - Fire that consumes the entire vegetative community (grasses, shrubs, trees. Also see Stand Replacement Fire.

Linkage (Habitat) - Linkage zones are combinations of landscape structural factors that allow wildlife to move through, and live within, areas influenced by human actions. A linear habitat patch through which a species must travel to reach habitat more suitable for reproduction and other life-sustaining needs.

Low Severity Ground Fire - A fire with low intensity that primarily scorches tree boles, allowing fire tolerant species to survive.

Management Area (MA) - An aggregation of capability areas that have common management direction and may be dispersed over the Forest. Consists of a grouping of capability areas selected through evaluation procedures and used to locate decisions and resolve issues and concerns.

Management Indicator Species (MIS) - Species identified in a planning process that are used to monitor the effects of planned management activities on viable populations of wildlife and fish including those that are socially or economically important.

Mature Timber - Individual trees or stands of trees that in general are at their maximum rate in terms of the physiological processes expressed as height, diameter, and volume growth.

MBF and MMBF - Thousand board feet and million board feet, respectively.

Mean Fire Return Interval (Mean Fire Interval) – The average of all fire intervals in a given area over a given time period.

Mesic - Moderately moist.

Mid-Seral/Structural Stage - A stage of development of an ecosystem from approximately 30 to 80 years old. Forested stands are generally 5 to 12 inches average dbh. Stand structure is pole- and small sawlog-sized trees.

Mixed-Severity Fire/Mixed Severity Fire Regime - Mixed-severity fire regime areas can experience the full range of fire severities during either a single event or consecutive events. In other words, in a single fire event both low severity (killing few trees) and high severity (killing all trees) in patches of variable sizes. This tends to create complex fine-grained spatial patterns of vegetation conditions across a landscape.

Moist Sites (Elk) – An important characteristic of elk habitat consisting of wet meadows, ponds, seeps, and springs, and typically located in more remote, upper-drainage perched sites.

Monitoring and Evaluation- The periodic evaluation on a sample basis of Forest Plan management practices to determine how well objectives have been met and how closely management standards have been applied.

Montane - Of, growing in, or inhabiting mountain areas.

National Environmental Policy Act (NEPA) - An act which encourages productive and enjoyable harmony between man and his environment; promotes efforts to prevent or eliminate damage to the environment and biosphere and stimulate the health and welfare of man; enriches the understanding of the ecological systems and natural resources important to the Nation; and establishes a Council on Environmental Quality.

National Forest Management Act (NFMA) - A law passed in 1976 as amendments to the Forest and Rangeland Renewable Resources Planning Act that requires the preparation of Regional and Forest plans and the preparation of regulations to guide that development.

National Forest System (NFS) - All national forest lands reserved or withdrawn from the public domain of the United States, all national forests lands acquired through purchase, exchange, donation, or other means, the national grasslands and land utilization projects administered under Title III.

National Wilderness Preservation System - All lands covered by the Wilderness Act and subsequent wilderness designations, irrespective of the department or agency having jurisdiction.

Native Species - Species that are indigenous to a region, as opposed to introduced or exotic species.

Native (Natural) Succession and Disturbance Regimes - The historic patterns (frequency and extent) of fire, insects, wind, landslides and other natural processes in an area.

Natural Regeneration - Renewal of a tree crop by natural seeding, sprouting, suckering, or layering.

No Action Alternative - The management direction, activities, outputs, and effects most likely to exist in the future if the current plan would continue unchanged.

Non-Lethal Fire/Non-Lethal Fire Regime – Fire that primarily consumes surface fuels causing little mortality to overstory trees. See also Low Severity Fire.

Noxious and Invasive Weed EA (NIWC)

Noxious Weed - Any exotic plant species established or that may be introduced in the area which may render land unfit for agriculture, forestry, livestock, wildlife, or other beneficial uses.

Old Growth Habitat - A community of forest vegetation which has reached a late stage of plant succession characterized by a diverse stand structure and composition along with a significant showing of decadence. The stand structure will typically have multi-storied crown heights and variable crown densities. There is a variety of tree sizes and ages ranging from small groups of seedlings and saplings to trees of large diameters exhibiting a wide range of defect and breakage both live and dead, standing and down. The time it takes for a forest stand to develop into old growth condition depends on many local variables such as forest type, habitat type, and climate. Natural chance

events involving forces of nature such as weather, insect, disease, fire, and the actions of man also affects the rate of development of old-growth stand conditions.

Open Road – A road with no restrictions on motorized vehicle use.

Overmature Timber - Individual trees or stands of trees that in general are past their maximum rate in terms of the physiological processes expressed as height, diameter, and volume growth.

Overstory - The portion of the trees that form the uppermost canopy layer in a forest of more than one story.

Perennial Streams - Streams that flow continuously throughout most years and whose upper surface generally stands lower than the water table in the region adjoining the stream.

Phloem – The layer of cells under the bark and outside of the cambium layer responsibility for transporting food created by the leaves.

Pole - A tree between a sapling and small timber size at least five inches in diameter at breast height but smaller than 8" dbh.

Pool - A portion of the stream with reduced current velocity, often with water deeper than the surrounding areas, and which is usable by fish for resting and cover.

Population - A group of coexisting (conspecific) individuals that interbreed if they are sexually reproductive.

Potential Habitat (Wildlife) - Habitat that is likely to be occupied by a wildlife species or group of species, currently or in the near future.

Potential Vegetation Group (PVG) - Groupings of habitat groups on the basis of similarity of general moisture or temperature environment.

Pre-Commercial Thinning - The selective felling, deadening, or removal of trees in a young stand primarily to accelerate diameter increment on the remaining stems, maintain a specific stocking or stand density range, and improve the vigor and quality of the trees that remain.

Preferred Alternative - The agency's preferred alternative is the alternative that the agency believes would best fulfill its statutory mission and responsibilities, giving consideration to economic, environmental, technical and other factors, and which meets the purpose and need of the NEPA document.

Prescribed Burning- The controlled use of fire to reduce or eliminate the unincorporated organic matter of the forest floor, or low, undesirable vegetation. A written, approved prescribed fire plan must exist, and NEPA requirements must be met, prior to ignition.

Proposed Action - The proposed action or proposal exists at that stage in the development of an action when an agency subject to the Act (NEPA) has a goal and is actively preparing to make a decision on one or more alternative means of accomplishing that goal and the effects can be meaningfully evaluated.

Public Involvement - A process designed to broaden the information base upon which agency decisions are made by informing the public about Forest Service activities, plans, and decisions, and participation in the planning processes which lead to final decision making.

Public Issue - A subject or question of widespread public interest identified through public participation relating to management of National Forest System lands.

Ranger District— Administrative subdivision of the Forest supervised by a District Ranger.

Reach - A length of stream channel, lake, or inlet exhibiting, on average, uniform hydraulic properties and morphology.

Rearing Habitat - In the case of juvenile westslope cutthroat trout, this is primarily the pool environment in streams.

Recovery Plan - A plan that details actions or conditions necessary to promote species recovery, that is, improvement in the status of species listed under the Endangered Species Act to the point at which listing is no longer appropriate. Plans are required for virtually all listed species.

Reforestation - The renewal of forest cover by seeding, planting, and natural means.

Regeneration - The renewal of a forest, whether by natural or artificial means. This term may also refer to a tree crop itself.

Rehabilitation (Road) - The act of maintaining a road and improving drainage features, usually to meet Best Management Practices standards.

Release - Freeing a tree or group of trees from more immediate competition by cutting or otherwise eliminating growth that is overtopping or closely surrounding them.

Resident Fish - Non-migratory fish species.

Resilient, Resiliency - The ability of a system to respond to disturbances. Resiliency is one of the properties that enable the system to persist in many different states or successional stages.

Responsible Official - The Forest Service employee who has the authority to select and/or carry out a specific planning action.

Restore, Restoration - The re-creation of a natural or self-sustaining, resilient community or ecosystem, or a movement in that direction.

Restricted Road - A road on which motorized vehicle use is restricted during the entire non-denning period. The road requires physical obstruction and motorized vehicle use in the non-denning period is legally restricted by order.

Riparian Areas - Areas with distinctive resource values and characteristics that are comprised of an aquatic ecosystem and adjacent upland areas that have direct relationships with the aquatic system. This is considered the horizontal distance of approximately 100 feet from the normal high water line of a stream channel, or from the shoreline of a standing body of water.

Riparian Ecosystem - A transition between the aquatic ecosystem and the adjacent upland terrestrial ecosystem. It is identified by soil characteristics and by distinctive vegetative communities that require free or unbounded water.

Riparian Habitat Conservation Area (RHCA) - Portions of watersheds where riparian-dependent resources receive primary emphasis and management activities are subject to specific standards and guidelines. RHCA's were established as INFISH guidelines.

Riparian Land Type - Integrated map units of the types of riparian habitats based on topography, substrate materials (i.e. clays or boulders), and associated vegetation.

Riparian Wildlife Habitat - Vegetation growing close to a watercourse, lake, swamp, or spring that is generally critical for wildlife cover, fish food organisms, stream nutrients and large organic debris, and for streambank stability.

Risk - The probability of a hazard and/or the consequences of that hazard (hazards are undesirable events).

Road Density – Number of miles in a given area.

Road Management - The combination of both traffic management and maintenance management operations. Traffic management is the continuous process of analyzing, controlling, and regulating uses to accomplish National Forest objectives. Maintenance management is the perpetuation of the transportation facility to serve intended management objectives.

Roadless Area – A National Forest area which (1) is larger than 5,000 acres, or if smaller than 5,000 acres, contiguous to a designated wilderness or primitive area; (2) contains no roads; and (3) has been inventoried by the Forest System for possible inclusion in the Wilderness Preservation System.

Salvage – Harvest of trees that are dead, dying, or deteriorating due to fire, wind, insect or other damage, or disease.

Sapling - A young tree that is larger than a seedling but smaller than a pole, typically 5 to 25 feet tall.

Scoping Process - An early and open process for determining the scope of issues to be addressed and for identifying the significant issues related to the proposed action. Identifying the significant environmental issues deserving of study and deemphasizing insignificant issues, narrowing the scope of the environmental impact statement accordingly (CEQ regulations, 40 CFR 1501.7).

Security - The protection inherent in any situation that allows a wildlife species to remain in a defined area despite an increase in stress or disturbance, such as that associated with hunting season. The components of security include vegetation, topography, the size of the blocks of vegetation, road density, distance from roads, intensity of the disturbance, and seasonal timing.

Sediment - Solid material, both mineral and organic, that is in suspension, being transported, or has been moved from its site of origin by air, water, gravity, or ice.

Seedling - A young tree that has just germinated but has not yet reached sapling size, typically 1 to 5 feet tall.

Seedling/Sapling - A size category for forest stands in which trees less 5 inches in diameter are the predominant vegetation.

Sensitive Species - Those wildlife and plant species identified by the Regional Forester for which population viability is a concern because of significant current or predicted downward trends in (a) population numbers or density, or (b) habitat capability that would reduce a species' existing distribution.

Seral - A biotic community that is developmental; a transitory stage in an ecologic succession.

Seral Stage (also called successional or structural stage) refers to vegetation structural development; and describes the mix and distribution of tree species, sizes, canopy layers, ages, and general conditions in a forest.

Seral/Structural Stage - A stage of development of an ecosystem from a disturbed, relatively unvegetated state to a complex, mature plant community.

Severity - Refers to the ecological effects of fires, usually on the dominant organisms of the ecosystem, for example a stand dominated by lodgepole pine.

Shad Intolerant - Species of plants that do not grow well or die from the effects of too much shade. Generally these are fire-tolerant species.

Shade Tolerant - Species of plants that can develop and grow in the shade of other plants. Generally these are fire-intolerant species.

Silviculture - The theory and practice of controlling the establishment, composition, growth, and quality of forest stands in order to achieve the objectives of management.

Silviculture Diagnosis - The process of compiling, summarizing, analyzing, and recording of stand data.

Silvicultural Prescription - A written document that describes management activities needed to implement silvicultural treatment or treatment sequence. The prescription documents the results of the analysis during the diagnosis phase.

Silvicultural Systems - A management process whereby forests are tended, harvested, and replaced, resulting in a forest of distinctive form. It includes all cultural management practices performed during the life of the stand, such as regeneration cutting, thinning, and use of genetically improved tree seeds and seedlings to achieve multiple resource benefits.

Site Preparation - A general term for a variety of activities that remove competing vegetation, slash, and other debris that may inhibit the reforestation effort.

Site Productivity - Production capability of a specific area of land.

Slash - The residue left on the ground after felling and other silvicultural operations and/or accumulating there as a result of storms, fire, or poisoning trees.

Snag - A standing dead tree usually greater than five feet in height and six inches in diameter at breast height.

Soil Productivity - The capacity of a soil to produce a specific crop such as fiber and forage, under defined levels of management. It is generally dependent on available soil moisture and nutrients and length of growing season.

Spatial – Of, relating to, involving, or having the nature of space.

Spawning Gravel - Small gravels (1/4" - 1.0" diameter) in streams grouped in areas of about one square foot or larger with good water circulation through them.

Spawning Habitat - Areas of substrate that provide well-oxygenated and suitable sized gravels for fish spawning.

Species - A group of actually or potentially interbreeding populations that are reproductively isolated from all other kinds of organisms.

Specified Road - See Forest Development Road, above.

Stagnation - A condition where plant growth is markedly reduced or even arrested through, e.g., competition, state of the soil, or disease.

Stand - A community of trees or other vegetative growth occupying a specific area and sufficiently uniform in composition (species), age, spatial arrangement, and conditions as to be distinguishable from the other growth on adjoining lands, so forming a silvicultural or management entity.

Stand Maintenance Fire (Non-Lethal) - Fire that emphasizes the survival of the living overstory vegetation.

Stand Replacement Fire- Fire that emphasizes the destruction of the living overstory vegetation. See also Lethal fire.

Stand Replacement Fire Regime - Stand-replacement fire regimes typically occur on lands that experience predominantly lethal fires, with less than 10 percent of the forested canopy cover remaining after the fire.

Stand-Replacing Disturbance - An agent such as fire, blowdown, insect or disease epidemic, or timber harvest, that kills or removes enough trees to result in an early-seral/structural stage condition.

Standards and Guidelines - An indication or outline of policy or conduct dealing with the basic management of the Forest. Forest-wide management standards and guidelines apply to all areas of the Forest regardless of the other management prescriptions applied.

Stocking - A measure of timber stand density as it relates to the optimum or desired density to achieve a given management objective.

Streamside Management Zone (SMZ) - An area adjacent to the bank of a stream or body of open water where extra precaution is necessary to carry out forest practices in order to protect bank edges and water quality.

Structure - The various horizontal and vertical physical elements of the forest, including tree size, canopy composition, quantity and quality of deadwood, ephemeral herbaceous species, density of wildlife trees, fungi, age structure, forest height, etc.

Subspecies - Subpopulations or races within a species that are distinguishable by morphological characteristics and, sometimes, by physiological or behavioral characteristics.

Substrate - Mineral and/or organic material that forms the stream bed (stream bottom).

Summer Range - Land used by wildlife species (specifically big game and/or grizzly bear) during the summer months.

Succession - A predictable process of changes in structure and composition of plant and animal communities over time. Conditions of the prior plant community or successional stage create conditions that are favorable for the establishment of the next stage. The different stages in succession are often referred to as "seral stages."

Sustainability is defined as: the capacity of forests, ranging from stands to eco-regions, to maintain their health, productivity, diversity, and overall integrity, in the long run, in the context of human activity and use.

System Road - See Forest Development Road, above.

Temporary Road - A road constructed to facilitate forest management activities but is reclaimed soon after the activity is completed.

Territory - Any area defended by one or more individuals against intrusion by others of the same or different species.

Thermal Cover- Cover used by animals to ameliorate the chilling effects of winter weather or the heating effects of summer weather. For elk, a stand of coniferous trees 40 feet or taller with an average crown closure of 70 percent or more. Shading and windbreaking.

Threatened Species - Any species, plant or animal, which is likely to become an endangered species within the foreseeable future throughout all, or a significant portion, of its range. In accordance with the 1973 Endangered Species Act, the Secretary of the Interior identifies endangered species.

Tiering - Refers to the elimination of repetitive discussions of the same issue by incorporating by reference the general discussion in an environmental impact statement of broader scope. For example, a project environmental assessment could be tiered to the Forest Plan EIS.

Travel Habitat - Habitat used by a wildlife species for daily or periodic movements between areas of higher-quality habitat. For example, for a lynx this would be the forested cover used while traveling between areas used for denning and that used for hunting.

Underburning - A fire that consumes surface fuels but not trees and large shrubs. See also Low Severity Fire and Stand Maintenance Fire.

Understory - The trees and other woody species which grow under a more or less continuous cover of branches and foliage formed collectively by the upper portion of adjacent trees and other woody growth.

Ungulate - A mammal with hooves.

Vegetative Screening - Vegetation (trees, shrubs, etc.) that ameliorates the visual effect of management activities adjacent to viewing areas (i.e. main roads).

Vegetative Succession - A phase in the gradual supplanting of one community of plants by another.

Viability - A viable animal or plant species is defined as consisting of self-sustaining populations that are well distributed throughout the species' range. Self-sustaining populations are those that are sufficiently large, and have sufficient genetic diversity to display the array of life history strategies and forms that will provide for their persistence and adaptability in the planning area over time.

Visual Resource - The composite of basic terrain, geologic features, water features, vegetative patterns, and land use effects that typify a land unit and influence the visual appeal the unit may have for visitors.

Water Quality- The physical, chemical, and biological properties of water.

Water Yield - The runoff from a watershed, including groundwater outflow.

Watershed - The land area drained by a river system.

WEPP – Water Erosion Prediction Project. A computer simulation that predicts soil erosion.

Wetland - Areas that under normal circumstances have hydrophytic vegetation, hydric soils, and wetland hydrology.

Wilderness - Federal land retaining its primeval character and influence without permanent improvements or human habitation as defined under the 1964 Wilderness Act. It is protected and managed so as to preserve its natural conditions which (1) generally appear to have been affected primarily by forces of nature with the imprint of man's activity substantially unnoticeable; (2) has outstanding opportunities for solitude or a primitive and confined type of recreation; (3) has at least 5000 acres or is of sufficient size to make practical its preservation, enjoyment, and use in an unimpaired condition, and (4) may contain features of scientific, educational, scenic, or historical value as well as ecologic and geologic interest.

Wildfire - An unwanted wildland fire that requires a suppression response.

Wildland Fire - A non-structure fire, other than prescribed fire, that occurs in the wildland. Any fire originating from an unplanned ignition.

Wildland Urban Interface (WUI) - That line, area, or zone where structures and other human development meet or intermingles with undeveloped wildland or vegetative fuels.

Wind Dominated Fire - The power of the wind is greater than the power of the fire in influencing its behavior.

Windfirm - A tree (live or dead) or species of tree that is relatively resistant to being blown over by the wind.

Windthrow - A tree or stand of trees that have been blown over by the wind.

Winter Range - The areas available to and used by big game during the winter season. Must contain forage or browse to feed big game. Winter range areas tend to have a relatively low amount of snow cover which enables the animals to reach the forage.

Acronyms

| | |
|-------------|---|
| BA | Biological Assessment |
| BE | Biological Evaluation |
| BMA | Bear Management Area |
| BMPs | Best Management Practices |
| CAA | Clean Air Act |
| CEQ | Council on Environmental Quality |
| CFR | Code of Federal Regulations |
| DBH | diameter breast height |
| DEQ | Montana Department of Health and Environmental Quality |
| DFPZ | Defensible Fuel Profile Zone |
| DNRC | Montana Department of Natural Resources and Conservation |
| EA | Environmental Analysis |
| EAWS | Ecosystem Analysis at the Watershed Scale |
| EIS | Environmental Impact Statement |
| ERC | Energy Release Component |
| ESA | Endangered Species Act |
| FDR | Forest Development Road |
| FMZ | Fire Management Zone |
| FRZ | Fuels Reduction Zone |
| FSH | Forest Service Handbook |
| FSM | Forest Service Manual |
| GIS | Geographic Information System |
| HRV | Historic Range of Variability |
| IDT | Interdisciplinary Team |
| KV | Knutson-Vandenberg |
| LRMP | Land and Resource Management Plan (Forest Plan) |

| | |
|-------------------|---|
| MA | Management Area |
| MAFI | Mean Annual Fire Interval |
| MBF | thousand board feet |
| MDFW&P | Montana Department of Fish, Wildlife & Parks |
| MIS | Management Indicator Species |
| MMBF | million board feet |
| MNHP | Montana Natural Heritage Program |
| MOU | Memorandum of Understanding |
| NAAQS | National Ambient Air Quality Standards |
| NEPA | National Environmental Policy Act |
| NFMA | National Forest Management Act |
| NFS | National Forest System |
| NIFMID | National Interagency Fire management Integrated Database |
| NIWC | Noxious and Invasive Weed EA |
| OHV | Off-Highway Vehicle |
| PCTC | Plum Creek Timber Company, LLP |
| PM | Particulate Matter |
| PVG | Potential Vegetation Group |
| RHCA | Riparian Habitat Conservation Area |
| RMO | Road Management Objectives |
| SHPO | Montana State Historic Preservation Office |
| SIP | State Implementation Plan |
| SMZ | Streamside Management Zone |
| SOPA | Schedule of Proposed Activities |
| SVGBCA | Swan Valley Grizzly Bear Conservation Agreement |
| TES | Threatened and Endangered Species |
| TMDL | Total Maximum Daily Load |

| | |
|-------------|--|
| USDA | United States Department of Agriculture |
| USDI | United States Department of Interior |
| WEPP | Water Erosion Prediction Project |
| WRA | Weed Risk Assessment |
| WUI | Wildland Urban Interface |

Individuals and Agencies Consulted_____

Individuals Consulted

See Cooney McKay Project File Sections B and C for individuals contacted.

Agencies Consulted

- US Fish and Wildlife Service
- Montana Department of Natural Resources and Conservation
- Lake County
- Missoula County
- Montana Department of State Lands
- Montana Department of Fish, Wildlife and Parks