

Appendix D

Bibliography, Glossary & Acronyms

Bibliography

- Adams**, M. B. 1999. Acidic deposition and sustainable forest management in the central Appalachians, USA. *Forest Ecology and Management* 122:17-28.
- Agee**, J. K. and C. N. Skinner. 2005. Basic Principles of Forest Fuel Reduction Treatments. *Forest Ecology and Management*, 211 (2005). Pp. 83-96.
- Air Sciences Incorporated**. 2003. (Computer Program). Smoke Impacts Spreadsheet (SIS). Version 12.15.2003. Portland, OR.
- Albini**, Frank. A. 1976. Estimated wildfire behavior and effects. General Technical Report INT-30. Ogden, UT. USDA Forest Service, Intermountain Forest and Range Experiment Station. 73 pp.
- Alexander**, E. B. and R. Poff. 1985. Soil Disturbance and Compaction in Wildland Management. *In* Earth Resources Monograph 8. USDA Forest Service, Pacific Southwest Region, Watershed Staff.
- Alexander**, M. E., B. J. Stocks, B. M. Wotton, M. D. Flannigan, J. B. Todd, B. W. Butler, and R. A. Lanoville. 1998. The International Crown Fire Modeling Experiment: An Overview and Progress Report, *In* Preprint Volume Second Symposium on Fire and Forest Meteorology, 20-23. Amer. Meteor. Soc., Boston, MA.
- Alexander**, R. R. 1975. Partial Cutting in Old-growth Lodgepole Pine. USDA Forest Service, Rocky Mountain Forest & Range Experiment Station, Fort Collins, CO. Res. Pap. RM-136. 17 pp.
- Allen**, A. 1983. Habitat Suitability Model: Fisher. USDI Fish and Wildlife Service, Washington, DC. 9 pp.
- Amman**, G. D., M. D. McGregor, D. B. Cahill and W. H. Klein, 1977. Guidelines for Reducing Losses of Lodgepole Pine to the Mountain Pine Beetle in Unmanaged Stands in the Rocky Mountains. USDA Forest Service, Gen. Tech. Rep. INT-36, Intermountain Forest and Range Experiment Station, Ogden, UT.
- Anderson**, Hal E. 1982. Aids to Determining Fuel Models for Estimating Fire Behavior. General Technical Report INT-122. 26 pp.
- Apfelbaum**, S. I. and C. E. Sams. 1987. Ecology and control of reed canary grass. *Natural Areas Journal* 7(2):69-74.
- Archer**, E. K., B. B. Roper, R. C. Henderson, N. Bouwes, S. C. Mellison, and J. L. Kerchner. 2004. Testing Common Stream Sampling Methods for Broad-Scale, Long-term Monitoring. USDA

- Forest Service, Rocky Mountain Research Station. General Technical Report – RMRS-GTR-122. 15 pp.
- Arno**, S. F., D. G. Simmerman, and R. E. Keane. 1985. Forest Succession on Four Habitat Types in Western Montana. General Technical Report INT-177. USDA Forest Service, Intermountain Forest and Range Experiment Station. Ogden, UT. 74 pp.
- Arno**, S. F., H. Y. Smith and M. A. Krebs. 1997. Old Growth Ponderosa Pine and Western Larch Stand Structures: Influences of Pre-1900 Fires and Fire Exclusion. Res. Pap. INT-RP-495. Ogden, UT: USDA Forest Service, Intermountain Research Station. 20 pp.
- Arno**, S. F., J. H. Scott, and M. G. Hartwell. 1995. Age Class Structure of Old Ponderosa Pine/Douglas-Fir Stands and Its Relationship to Fire History. Research Paper INT-RP-481. USDA Forest Service Intermountain Research Station. Ogden, UT. 25 pp.
- Arno**, Stephen F. 1980. Forest Fire History in the Northern Rockies. *Journal of Forestry* 39:726-728.
- Arno**, Stephen F. and Kathy M. Sneck. 1977. A Method for Determining Fire History in Coniferous Forests of the Mountain West.
- Ayers**, H. B., 1898. Annual Reports of the Department of the Interior for the Fiscal Year Ended June 30, 1890. Pp. 74-80.
- Baker**, T. G., G. M. Will, and G. R. Oliver. 1989. Nutrient Release from Silvicultural Slash: Leaching and Decomposition of *Pinus radiata* Needles. *Forest Ecology and Management* 27: 53- 60.
- Banci**, V. 1994. Wolverine. Pp. 99-127 *In*: Ruggiero, L. F., K. B. Aubry, S. W. Buskirk, L. J. Lyon, and W. J. Zielinski, eds. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. GTR RM-254, USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO.
- Banish**, N. P., J. T. Peterson, and R. F. Thurow. 2008. Physical, Biotic, and Sampling Influences on Diel Habitat Use by Stream.
- Barber**, B. L., and D. H. Van Lear. 1984. Weight loss and nutrient dynamics in decomposing woody Loblolly pine logging slash. *Soil Sci. Soc. Am. J.* 48:906-910.
- Barnes**, B. V., D. R. Zak, S. R. Denton, and S. H. Spurr. 1998. *Forest Ecology*, Fourth Edition. John Wiley & Sons, New York. 774 pp.
- Barrett**, S. W. 1995. Fire regimes database for interior Columbia River Basin. Unpublished report on file, Intermountain Research Station, Intermountain Fire Sciences Lab, Missoula, MT.
- Barrett**, S. W. 1997. Fire history of Glacier National Park: Hudson Bay Drainage. Unpublished data on file at USDI Glacier National Park, Research Division, West Glacier Montana, USA.
- Barrett**, S. W. 1998. Riparian Fire History and Fire Regimes Upper Swan Valley, Flathead National Forest. 1998 Upper Swan Valley Fire History Assessment Number One. Unpublished Report.

- Barrett**, S. W. 2002. Fire History and Fire Regimes Upper Swan Valley, Flathead National Forest. 2002 Upper Swan Valley Fire History Assessment Number Two. Unpublished Report.
- Barrett**, S. W. and S. F. Arno. 1982. Indian Fires as an Ecological Influence in the Northern Rockies. *Journal of Forestry*, October 1982. Pp. 647-650.
- Barrett**, S. W. 1981. Indian Fires in the Pre-Settlement Forests of Western Montana. Proceedings of the Fire History Workshop, University of Arizona, Tucson, Oct. 20-24, 1980.
- Barrett**, Stephen W. 1998. 1998 Upper Swan Valley Fire History Assessment #1. 28 pp.
- Barrett**, Stephen W. 2002. Fire History and Fire Regimes Upper Swan Valley, MT.
- Barrett**, Stephen W., Stephen F. Arno, and Carl H. Key. 1991. Fire regimes of western larch – lodgepole pine forests in Glacier National Park.
- Barrett**, Steven. 1997. Fire History of Glacier National Park: Hudson Bay Drainage. Final Report USDI National Park Service Contract CX 1430-5-0001.
- Bauer**, S. B. and S. C. Ralph. 2001. Strengthening the Use of Aquatic Habitat Indicators in Clean Water Act Programs. *Fisheries* 26:14.
- Beatty**, J. S., G. M. Filip, and R. L. Mathiason. 1997. Larch Dwarf Mistletoe. Forest Insect and Disease Leaflet 169. USDA Forest Service.
- Beier**, P. and J. E. Drennan. 1997. Forest structure and prey abundance in foraging areas of northern goshawks. *Ecological Applications*, 7(2). Pp. 564.
- Berglund**, D., R. Bush, and R. Lundberg, 2008. Region One Vegetation Council Existing Forested Vegetation Classification System and Application to Inventory and Mapping. Report 08-02 Ver. 4.0. USDA Forest Service, Region One, Forest and Range Management, Missoula, MT.
- Berryman**, A. A., 1986. Forest insects principles and practice of population management. Plenum Press, New York. 279 pp.
- Betancourt**, Julio L., Thomas W. Swetnam, Craig D. Allen, and M. Savage. 2003. Fire in the West: It's no simple story. *High County News*, Vol. 35, N. 13.
- Black**, S.H. 2005. Logging to Control Insects: The Science and Myths Behind Managing Forest Insect "Pests." A Synthesis of Independently Reviewed Research. The Xerces Society for Invertebrate Conservation, Portland, OR.
- Blanchette**, R. A. 1995. Degradation of the lignocellulose complex in wood. *Can. J. Bot.* 73 (Suppl. 1):S999-S1010.
- Borchers**, J. G. and D. A. Perry. 1990. Effects of Prescribed Fire on Soil Organisms. In *Natural and Prescribed Fire in Pacific Northwest Forest*. Walstead, John B. editor. Oregon State University Press. 317 pp.
- Brais**, S. and C. Camire. 1997. Soil compaction induced by careful logging in the claybelt region of northwestern Quebec (Canada). *Can J. Soil Sci.* 78:197-205.

- Brown**, J. K. 2000. Introduction to Fire Regimes. Gen. Tech. Rep. RMRS-GTR-42-Vol.2. USDA Forest Service. Pp. 1-7.
- Brown**, J. K., E. D. Reinhardt, K. A. Kramer. 2003. Coarse Woody Debris: Managing Benefits and Fire Hazard in the Recovering Forest. Gen. Tech. Rep. RMRS-GTR-105. USDA Forest Service Rocky Mountain Research Station. Ogden, UT. 16 pp.
- Brown**, James K. 1974. Handbook for Inventorying Downed Woody Material. USDA Forest Service General Technical Report INT-16. Intermountain Forest and Range Experiment Station, Ogden, UT.
- Brown**, James K. and Thomas See. 1981. Downed woody fuel and biomass in the Northern Rocky Mountains. Gen. Tech. Rep. INT-117. Ogden, UT. USDA, Forest Service, Intermountain Forest and Range Experiment Station. 48 pp.
- Bull**, E. L, T. R. Torgersen, A. K. Blumton, C. M. McKenzie, D. S. Wyland. 1995. Treatment of old-structure stand and the effect on birds, ants, and large woody debris: a case study. Gen. Tech Rep. PNW-GTR-353. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. 12 pp.
- Bull**, E. L. and A. K. Blumton. 1999. Effect of fuels reduction on American martens and their prey. LaGrande, OR, USDA Forest Service, Pacific Northwest Research Station.
- Bull**, Evelyn L. 2002. The Value of Coarse Woody Debris to Vertebrates in the Pacific Northwest. In: Proceedings of the second internal symposium on fire economics, planning and policy: a global view. GTR Report PSW-GTR-208, Albany, CA. USDA Forest Service Pacific Southwest Research Station.
- Bull**, Evelyn L., Abe A. Clark, and Jay F. Sheperd. 2005. Short Term Effects of Fuel Reduction on Pileated Woodpeckers in Northwestern Oregon – A Pilot Study. USDA Forest Service, Pacific Northwest Research Station, Research Paper PNW-RP-564. 24 pp.
- Bull**, Evelyn L., C. G. Parks, and T. R. Torgersen. 1997. Trees and Logs Important to Wildlife in the Interior Columbia River Basin. Gen. Tech. Rep. PNW-GTR-391. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 55 pp.
- Bulmer**, C. E. 1998. Forest Soil Rehabilitation in British Columbia: A Problem Analysis. Published by British Columbia Ministry of Forests Research Program. 712 Yates Street, Victoria, BC V8W 1E7.
- Burns**, R. M. and B. H. Honkala. 1990. Silvics of North America, Volume 1: Conifers. USDA Forest Service, Agriculture Handbook 654. Washington, DC.
- Bush**, R. and A. Leach, 2004. Detailed Estimates of Old Growth and Large Snags on the Flathead National Forest. USDA Forest Service, Region One, Forest and Range Management, Missoula, MT.
- Bush**, R., D. Berglund, A. Leach, R. Lundberg, A. Zack. 2007. Estimates of old growth for the Northern Region and National Forests. USDA Forest Service, Region One, Forest and Range Management, Missoula, MT.

- Certini, G.** 2005. Effects of fire on properties of forest soils; a review. *Oecologia* 143(2005).
- Choromanska, U.** and T. H. DeLuca. 2002. Microbial activity and nitrogen mineralization in forest mineral soils following heating: evaluation of post-fire effects. *Soil Biology and Biochemistry* 34: 263-271.
- Clough, L. T.** 2002. Nesting habitat selection and productivity of northern goshawks in west-central Montana. MS Thesis. University of Montana, Missoula, MT USA. 87 pp.
- Cohen, Jack D.** 1995. Structure Ignition Assessment Model (SIAM). USDA Forest Service General Technical Report PSW-GTR-158. Pp. 85-92.
- Cohen, Jack D.** 1999. Reducing the Wildland Fire Threat to Homes: Where and How Much?
- Cohen, Jack D.** 2000a. What is the Wildland Fire Threat to Homes? Presented at the Thompson Memorial Lecture, April 10, 2000, School of Forestry, Northern Arizona University, Flagstaff, AZ. 13 pp.
- Cohen, Jack D.** 2000b. Examination of the Home Destruction in Los Alamos Associated with the Cerro Grande Fire July 10, 2000. 6 pp.
- Covington, W. W.** 1981. Changes in the forest floor organic matter and nutrient content following clear cutting in northern hardwoods. *Ecology* 62: 41-48.
- Craig, T. L.** and Steven W. Howes. 2007. Assessing Quality in Volcanic Ash Soils. *In: Page-Dumrose, Deborah; Richard Miller; Jim Mital; Paul McDaniel; Dan Miller; Tech. Eds. Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration.* 9-10 November 2005; Coeur d'Alene, ID. Proceedings RMRS-P-44; Forest Collins, CO; USDA Forest Service, Rocky Mountain Research Station.
- Cullen, S. J., C. Montagne, and H. Ferguson.** 1991. Timber Harvest Trafficking and Soil Compaction in Western Montana. *Soil Sci. Soc. Am. J., Vol. 55:1416-1421.*
- Currim, F.** 1996. Sensitive Species; Boreal Toad (*Bufo boreas boreas*). Unpublished Report: A compilation of literature citing completed on December 12, 1996, for the Interior Columbia Basin Ecosystem Management Project. 5 pp.
- Czaplewski, R. L.** 2004. Application of Forest Inventory and Analysis (FIA) Data to Estimate the Amount of Old Growth and Snag Density in the Northern Region of the National Forest System. USDA Forest Service, Research and Development, Rocky Mountain Research Station, Fort Collins, CO.
- Dahms, W. G.** 1971. Fifty-Five Year Old Lodgepole Pine Responds to Thinning. USDA Forest Service, Research Note. PNW-141. Portland, OR. 12 pp.
- Daley-Laursen, Steven B.** 2007. Volcanic Ash-Cap Forest Soils of the Inland Northwest Properties and Implications for Management and Restoration. *In: Page-Dumrose, Deborah; Miller, Richard; Mital, Jim; McDaniel, Paul; Miller, Dan, Tech Eds. Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration.* November 9-10, 2005, Coeur d'Alene, ID. Proceedings RMRS-O-RR; Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station.

- DeBano**, L. F. 1991. The effect of fire on soil properties. In: Proceedings—Management and Productivity of Western Montane Forest Soils. Harvey, A. and L. Neuenschwander, compilers. Gen. Tech. Rep. INT-280. USDA, Forest Service, Intermountain Research Station. Pp. 151-155.
- DeBano**, L. F., D. G. Neary and P. F. Ffolliott. 1999. Fires Effects on Ecosystems. John Wiley and Sons, New York.
- DellaSalla**, Dominick A., David M. Olson, Sara E. Barth, Sandra L. Crane, and Steve A. Primm. 1995. Forest health: moving beyond rhetoric to restore healthy landscapes in the inland Northwest.
- DeLuca**, T. and G. H. Aplet. 2008. Charcoal and carbon storage in forest soils of the Rocky Mountain West. *Fron. Ecol. Environ.* 6:18-24.
- Dix**, M. E. 2006. The Effectiveness of Vegetation Management Practices for Mitigating the Impacts of Insects on Forest Ecosystems: A Science Synthesis. Executive Summary. USDA Forest Service, Vegetation Management and Protection Research.
- Dobkin**, David S., et al. 1995. Springtime movements, roost use, and foraging activity of Townsend's big-eared bat (*Plecotus townsendii*) in central Oregon. *Great Basin Naturalist* 55(4):315-321.
- Dukes**, Jeffery. 2002. Species Composition and Diversity Affect Grassland Susceptibility and Response to Invasion *Ecological Applications*, 12(2). 602 pp.
- Dunham**, J. B., S. B. Adams, R. E. Schroeter, and D. C. Novinger. 2002. Alien invasions in aquatic ecosystems: Toward an understanding of brook trout invasions and potential impacts on inland cutthroat trout in western North America. *Reviews in Fish Biology and Fisheries* 12:373-391.
- Edmonds**, R. L. 1987. Decomposition rates and nutrient dynamics in small-diameter woody litter in four forest ecosystems in Washington, USA. *Can. J. For. Res.* 17: pp. 499-509.
- Ellis**, B. K., J. A. Craft, and J. A. Stanford. 1999. Influences of Forest Harvest on Water Quality in Goat Creek, Swan River Basin, Montana. Flathead Lake Biological Station, the University of Montana, Polson, Montana. Open File Report #152-99. 38 pages.
- Ellis**, Bonnie K., James A. Craft., and Jack A. Stanford. 1999. Determination of Nutrient and Carbon Loading in the Swan River, Montana. Submitted to Montana Department of Environmental Quality Planning, Prevention and Assistance Division. Flathead Lake Biological Station. 32 pp.
- Environmental Protection Agency**. 1987. Nonpoint Source Controls and Water Quality Standards.
- ERI** (Ecological Restoration Institute), 2008. Managing Coarse Woody Debris in Fire-Adapted Southwest Forests. Northern Arizona University, Flagstaff AZ.
- Everest**, F. H., R. L. Beschta, J. C. Scrivener, K. V. Koski, J. R. Sedell and C. J. Cederholm. 1987. Fine Sediment and Salmonid Production: a Paradox. *IN* Streamside Management: Forestry and Fishery Interactions, E. O. Salo and T. W. Cundy, technical editors. University of Washington, Seattle. Page 98-142.

- Feller**, M. C. 2003. Coarse woody debris in the old-growth forests of British Columbia. Published in the NRC Research Press Web site at <http://er.nrc.ca/> on 4 September 2003.
- Fettig**, C. J., K. D. Klepzig, R. F. Billings, A. S. Munson, T. E. Nebeker, J. F. Negrón, and J. T. Nowak. 2007. The Effectiveness of Vegetation Management Practices for Prevention and Control of Bark Beetle Infestations in coniferous forests of the Western and Southern United States.
- Fiedler**, C. E., 2004. Restoring Vigor and Reducing Hazard in an Old Growth Western Larch Stand (Montana). *Ecological Restoration*, 22:2.
- Fiedler**, C. E., P. Friederici, M. Petruncio. 2007. Monitoring old growth in frequent-fire landscapes. *Ecology and Society* 12(2):22.
- Filip**, G. M., J. J. Colbert, C. A. Parks, and K. W. Seidel. 1989. Effects of Thinning on Volume Growth of Western Larch Infected with Dwarf Mistletoe in Northeastern Oregon. *Western Journal of Applied Forestry*, 4(4). Pp. 143-145.
- Finch**, D. 1991. Population ecology, habitat requirements, and conservation of neotropical migratory birds. General Technical Report RM-205. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station.
- Finch**, D. 1991. Population ecology, habitat requirements, and conservation of neotropical migratory birds. General Technical Report RM-205. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and Range Experimental Station.
- Fire Effects Information System**. [Online} 2002. Prescribed fire and fire effects research work unit, Rocky Mountain Research Station (producer). www.fs.fed.us/database/feis.
- Fischer**, William C. and Anne F. Bradley. 1987. Fire Ecology of Western Montana Forest Habitat Types. USDA Forest Service, Intermountain Research Station, General Technical Report INT-223. 9 pp.
- Flatten**, B. 2003. Determining appropriate winter logging conditions for protection of the soil resource. Okanogan and Wenatchee NF, Dec. draft.
- Forest Health Monitoring Program (FHMP)**. 2005. Aerial Survey Geographic Information System Handbook, Sketchmaps to Digital Geographic Information. USDA Forest Service and State and Private Forestry Forest Health and Protection.
- Forest Health Protection and State Forestry Organizations**. 2004. *In: Forest Insect and Disease Identification and Management Handbook*.
- Franklin**, J. F., and J. K. Agee. 2003. Forging a science-based national forest fire policy. *Issues in Science and Technology* 20:59–66.
- Franklin**, J. F., D. B. Lindenmayer, J. A. MacMahon, A. McKee, J. Magnusson, D. A. Perry, R. Waide, and D. R. Foster. 2000. Threads of continuity ecosystem disturbances, biological legacies, and ecosystem recovery. *Conservation Biology in Practice* 1:8–16.

- Franklin, J. F., K. Cromack, Jr., W. Denison, A. McKee, C. Maser, J. Sedell, F. Swanson, and G. Juday.** 1981. Ecological characteristics of old-growth Douglas-fir forests. USDA Forest Service Gen. Tech. Rep. PNW-118.
- Fredenberg, W., P. DeHaan, and W. Ardren.** 2007. Genetic Analysis and Photo Documentation of Hybridization between Bull Trout and Brook Trout in the Swan River Basin, Montana. Creston Fish and Wildlife Center, Kalispell, MT. Unpublished report, Swan Valley Bull Trout Working Group.
- Freedman, J. D.** 1983. The historical relationship between fire and plant succession within the Swan Valley white-tailed deer winter range, western Montana. Ph.D. Dissertation. University of Montana, Missoula, MT.
- Freedman, J. D. and J. R. Habeck.** 1985. Fire, Logging, and White-tailed Deer Interrelationships in the Swan Valley, Northwestern Montana. *In*: Lotan J. E.; Brown, J. K., comps. Fire Effects on Wildlife Habitat. Gen. Tech. Rep. INT-186. USDA Forest Service, Intermountain Research Station, Ogden, UT. Pp. 23-35.
- Froehlich, H. A., D. W. Miles, and R. W. Robbins.** 1985. Soil bulk density recovery on compacted skid trails in central Idaho. *Soil Sci. Soc. Am. J.* 53: 946-950.
- Gallant, A., A. J. Hansen, J. S. Councilman, D. K. Monte, and D. W. Betz.** 2003. Vegetation dynamics under fire exclusion and logging in a Rocky Mountain watershed. *Ecological Applications* 13:385-403.
- Garland, J. J.** 1997. Designated Skid Trails Minimize Soil Compaction. The Woodland Workbook, Logging. Oregon State University Extension Service.
- Gardner, B., D. Sirucek and J. Jones.** 2007. Fish Habitat Characteristics in Reference Streams of the Flathead National Forest. USDA Forest Service, Bigfork, MT.
- Garland, J. J.** 1997. Designated Skid Trails Minimize Soil Compaction. The Woodland Workbook, Logging. Oregon State University Extension Service.
- Garrison, M. T. and J. A. Moore,.** 1998. Nutrient Management: A summary and review. Intermountain Forest Tree Nutrition Cooperative Supplemental Report 98-5. Moscow, Idaho.
- Garrison-Johnston, M.** 2003. Geologic controls on tree nutrition and forest health in the Inland Northwest. Presented at GSA Annual Meeting, Seattle, WA. 9 pp.
- Garrison-Johnston, M. T., J. A. Moore, and G. J. Niehoff.** 2001. Cooperative Supplemental Report 98: 5.
- Garrison-Johnston, M., J. A. Moore, S. P. Cook, and G. J. Niehoff.** 2003. Douglas-fir beetle infestations are associated with certain rock and stand types in the Inland Northwestern United States. *Environmental Entomology*, 32(6):1364-1369.
- Garrison-Johnston, M., T. M. Shaw, L. R. Johnson, and P. G. Mika.** 2004. Intermountain Forest Tree Nutrition Cooperative, Presentation at the Potassium Meeting, IPNF, Coeur d'Alene, ID, April 23.

- Genter**, D. L. and K. A. Jurist. 1995. Bats of Montana. Montana Natural Heritage Program, Helena, MT. 8 pp.
- Gibson**, K. 2004. Mountain Pine Beetle Management. USDA Forest Service Forest Health Protection and State Forestry Organizations. *In: Forest Insect and Disease Identification and Management Handbook*. Chapter 4.1.
- Gibson**, K.. 2008. Trip Report Bark Beetle Concerns on the Swan Lake Ranger District. MFO-TR-08-13. USDA Forest Service. Missoula, MT.
- Goldman**, S. J., K. Jackson, and T. A. Bursztynsky. 1986. Erosion and Sediment Control Handbook. McGraw Hill Publishers.
- Gonsior**, M. J. 1983. Forest Soil Compaction: Where Next? A Literature Review and Assessment. Unpublished report from Intermountain Forest and Range Experiment Station, Bozeman MT.
- Graham**, R. T, A. E. Harvey, M. F. Jurgensen, T. B. Jain, and J. R. Tonn, D. S. Page-Dumroese. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Res. Pap. INT-RP-477 USDA Forest Service, Intermountain research Station. Ogden, UT 12 pp.
- Graham**, R. T., A. E. Harvey, T. B. Jain, and J. R. Tonn. 1999. The Effects of Thinning and Similar Stand Treatments on Fire Behavior in Western Forests. Gen. Tech. Rep. PNW-GTR-463. USDA Forest Service, PNW Research Station, Portland, OR.
- Graumlich**, L. J. 1987. Precipitation variation in the Pacific Northwest (1675–1975) as reconstructed from tree rings. *Annals of the Association of American Geographers*, Vol. 77, 19–29.
- Green**, P., J. Joy, D. Sirucek, W. Hann, A. Zack, and B. Naumann. 1992. Old-growth Forest Types of the Northern Region. R-1 SES 4/92; USDA Forest Service, Northern Region, Missoula, MT.
- Green**, P., J. Joy, D. Sirucek, W. Hann, A. Zack, and B. Naumann. 2007. Old- Growth Types of the Northern Region. R-1 SES 4/92 (errata corrected 12/07). USDA Forest Service, Northern Region, Missoula, MT.
- Grier**, C. C., K. M. Lee, N. M. Nadkarni, G. O. Klock, and P. J. Edgerton. 1989. Productivity of forest of the United States and its relation to soil and site factors and management practices: A review. PNW-GTR-222. United States Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon.
- Guoyi**, Zou, et al. 2006. Old Growth Forests Can Accumulate Carbon in Soils. *Science* 314:1417.
- Haback**, James R. and Robert W. Mutch. 1973. Fire-Dependent Forests in the Northern Rocky Mountains. *In: Journal of Quaternary Research*, Volume 3, No. 3, October 1973.
- Hagel**, S. K. 2004. Root Disease Management. USDA Forest Service Forest Health Protection and State Forestry Organizations. *In: Forest Insect and Disease Identification and Management Handbook*. Chapter 11.0.
- Hagle**, S. K., K. E. Gibson, and S. Tunnock. 2003. Field Guide to Diseases and Insect Pests of Northern and Central Rocky Mountain Conifers. R1-03-08. USDA Forest Service State and Private Forestry. 197 pp.

- Halpern**, C. B. and T. A. Spies. 1995. Plant species diversity in natural and managed forests of the Pacific Northwest. *Ecological Applications* 5(4):913.
- Han**, H. S., D. Page-Dumroese, S. K. Han, and J. Tirocke. 2006. Effect of slash, machine passes, and soil wetness on soil strength in a cut-to-length harvest. USDA FS Gen. Tech. Rep. PSW-GTR-194. 10 pp.
- Han**, S. K. 2006. Impacts on Soil from Cut-to-Length and Whole-Tree Harvesting. Unpublished Masters Thesis. College of Natural Resources, University of Idaho.
- Harrington**, M. 2004. Benefits of Treating Old-Growth Stands. Research Highlights. Fire, Fuels, and Smoke Science Programs, USDA Forest Service, Rocky Mountain Research Station, Missoula, MT.
- Hart**, M. 1989. Past and Present Vegetative and Wildlife Diversity in Relation to an Existing Reserve Network, A GIS Evaluation of the Seeley-Swan Landscape, Northwestern Montana. Masters Thesis, University of Montana.
- Hart**, M. and P. Lesica. 1994. Accuracy of early Stand Exam Age Estimates in the Swan Valley of Western Montana. Res. Note. INT-422. USDA Forest Service, Intermountain Research Station. 4 pp.
- Hart**, M. M. 1994. Past and Present Vegetative and Wildlife Diversity in Relation to an Existing Reserve Network: A GIS Evaluation of the Seeley-Swan Landscape, Northwestern Montana. M.S. Thesis, Univ. of MT, Missoula, MT. 288 pp.
- Harvey**, A. E., M. J. Larsen, and M. F. Jurgensen. 1981. Rate of woody residue incorporation into Northern Rocky Mountain forest soils. USDA Forest Service, Intermountain Forest and Range Experiment Station, Research Paper INT-282.
- Harvey**, A. E., M. J. Larsen, M. F. Jurgensen and R. T. Graham. 1987. Decaying organic materials and soil quality in the Inland Northwest: A management opportunity. USDA, Forest Service, Intermountain Research Station, General Technical Report INT-225.
- Harvey**, A. E., M. J. Geist, G. I. McDonald, M. F. Jurgenson, P. H. Cochran, D. Zabowski and R. T. Meurisse. 1994. Biotic and Abiotic Processes in Eastside Ecosystems: The Effects of Management on Soil Properties, Processes, and Productivity. USDA Forest Service Pacific Northwest Research Station. General Technical Report PNW-GTR-323.
- Hauer**, F. R., G. C. Poole, J. T. Gangemi, and C. V. Baxter. 1999. Large woody debris in bull trout (*Salvelinus confluentus*) spawning streams of logged and wilderness watersheds in northwest Montana. *Canadian Journal of Fisheries and Aquatic Science* 56:915-924.
- Hawksworth**, F. G. 1977. The 6-Class Dwarf Mistletoe Rating System. USDA Forest Service, Gen. Tech. Rep. RM-48. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. 7p.
- Hayward**, G. D. and R. E. Escano. 1989. Goshawk nest-site characteristics in western Montana and northern Idaho. *Cponder* 91:476-479.

Mid Swan Blowdown Salvage Project Environmental Assessment
Appendix D **Bibliography, Glossary & Acronyms**

- Hejl**, Sallie J. and Mary McFadzen. 2000. Maintaining fire-associated bird species across forest landscapes in the Northern Rockies – final report. (INT-99543-RJVA). USDA Forest Service, Rocky Mountain Research Station, Forest Sciences Laboratory. 20 pp.
- Hejl**, Sallie J., Richard L. Hutto, Charles R. Preston, and Deborah M. Finch. 1995. Effects of Silvicultural Treatments in the Rocky Mountains. *In: Ecology and Management of Neotropical Migratory Birds – A Synthesis and Review of Critical Issues*. Oxford University Press, New York. 6 pp.
- Helms**, J. A. 1998. *The Dictionary of Forestry*. The Society of American Foresters. Bethesda, MD. 210 pp.
- Hessberg**, P. F. and J. K. Agee. 2003. An environmental narrative of inland northwest United States Forests. *Forest Ecology and Management* 178:23-59.
- Hickman**, T. and R. F. Raleigh. 1982. Habitat Suitability Index Models: Cutthroat trout. US Fish and Wildlife Service. FWS/OBS-82/10.5. 38 pp.
- Higgins**, B. 2007. Cooney McKay Environmental Impact Statement, Silvicultural Specialist Report. USDA Forest Service, Flathead National Forest. Kalispell, MT.
- Hillis**, J. Michael and Dave Lockman. In preparation. An assessment of fish habitat in Region One. USDA Forest Service, Northern Rockies Region, Missoula, MT 59812. 8 pp.
- Hillis**, M. and B. Kennedy. 2002. In prep: Draft – USFS Region One Wolverine Natal Den Assessment. National Fire Plan Cohesive Strategy Team.
- Hillis**, Mike, Denise Pengeroth, and Rose Leach. 2003. Potential Changes in Large Diameter Snag Densities, Snag Recruitment Opportunities, and Impacts on Snag-Dependent Species in Region One.
- Holt**, D. W. and D. M. Becker. 1990. Identification of Montana's Owls. Montana Department of Fish, Wildlife, and Parks.
- Howes**, S. W. 2000. Proposed Soil Resource Condition Assessment. Final Draft. Wallowa-Whitman National Forest.
- Hunt**, J. and K. W. Krueger. 1962. Decay Associated with Thinning Wounds in Young – Growth Western Hemlock and Douglas-fir. *Journal of Forestry*. Pp. 336-340.
- Hutto**, R. L. 1995. Distribution and habitat relationships. USDA Forest Service Northern Region songbird monitoring program, second report. University of Montana, Missoula, MT.
- Jackson**, M. B., M. A. Mardsen, and B. A. Ferguson. 2006. Spread and Intensification of Western Larch Dwarf Mistletoe Following Removal of an Infected Overstory and (or) Precommercial Thinning: Twelve-Year Remeasurements. USDA Forest Service, Forest Health and Protection, Report 06-06. Northern Region, Missoula, MT.
- Jones**, J. L. 1991. Habitat use of fisher in north central Idaho. Masters Thesis, University of Idaho, Moscow, ID. 146 pp.

- Jules**, E. S. 1998. Habitat fragmentation and demographic changes for a common plant: trillium in old-growth forest. *Ecology* 79(5):1645-1656.
- Jurgenson**, M. F., A. E. Harvey, and M. J. Larsen. 1981. Effects of Prescribed Fire on Soil Nitrogen Levels in Cutover Douglas-fir/Western Larch Forest. USDA Forest Service. Intermountain Forest and Range Experiment Station. Research Paper INT-275.
- Jurgenson**, M. F., A. E. Harvey, R. T. Graham, D. S. Page-Dumrose, J. R. Tonn, M. J. Larson, and T. B. Jain. 1997. Impacts of timber harvests on soil organic matter, nitrogen, productivity, and health of inland northwest forests. *Forest Science* 43: 234-251.
- Jurgenson**, M. F., M. J. Larsen, and A. E. Harvey. 1977. Effects of Timber Harvesting on Soil Biology. Proceedings Annual Meeting of Society of American Foresters.
- Kalabokidis**, Kostas D. and Philip N. Omi. 1998. Reduction of Fire Hazard through Thinning/Residue Disposal in the Urban Interface. Department of Forest Sciences, Colorado State University, Fort Collins, CO. 7 pp.
- Karl**, T. R. and A. J. Koscielny. 1982. Drought in the United States: 1895-1981. *Journal of Climatology* 2:313-329.
- Keegan**, C. E., K. Gebert, A. L. Chase, T. A. Morgan, S. E. Bodmer, and D. D. VanHooser. 2001. Montana's Forest Products Industry: A Descriptive Analysis, 1969-2000. Bureau of Business and Economics Research, The University of Montana, Missoula, MT. 49 pp.
- Keegan**, C. E., R. L. Campbell, and K. Gebert. 2001. Manufacturing in Montana. *Montana Business Quarterly* 39(1):34-36.
- Keegan**, C. E., S. R. Shook, K. Gerbert, and F. G. Wagner. 2001. Montana's Forest Products Industry. *Montana Business Quarterly* 39(1):32-33.
- Kegley**, S. 2004. Douglas-fir Beetle Management. USDA Forest Service Forest Health Protection and State Forestry Organizations. *In: Forest Insect and Disease Identification and Management Handbook*. Chapter 4.5.
- Kershner**, J. L., B. B. Roper, N. Bouwes, R. Henderson, and E. Archer. 2004. An analysis of stream habitat conditions in reference and managed watersheds on some federal lands within the Columbia River Basin. *North American Journal of Fisheries Management* 24:1363-1375.
- Klock**, G. O. 1975. Impact of five post-fire salvage logging systems on soils and vegetation. *Journal of Soil and Water Conservation* 30(2):78-81.
- Koch**, P. 1996. Lodgepole Pine in North America. Forest Products Society, Madison, WI. 1096 pp.
- Kondolf**, G. M. 1997. Application of the Pebble Count: Notes on Purpose, Method and Variants. *Journal of the American Water Resources Association* 33(1):79-87.
- Koop**, Will. 2007. Pine-Beetle Blight May Bring Fraser Flooding.
- Kuennen**, L., G. Edson, and T. Tolle. 1979. Soil Compaction due to Timber Harvest Activities. Northern Region.

- Kunkel**, K. E. 1997. Predation by wolves and other large carnivores in Northwestern Montana and Southeastern British Columbia. PhD. Dissertation. University of Montana, Missoula. 272 pp.
- Lal**, R. 2005. Forest soils and carbon sequestration. *Forest Ecology and Management* 220 (2005) 242-258.
- Laskowski**, R., B. Berg, M. Johansson, and C. McClaugherty. 1995. Release pattern for potassium from decomposing forest needle and leaf litter. Long-term decomposition in a Scots pine forest. *Ca. J. Bot.* 73:2019-2027.
- Laverty**, L. and J. Williams. 2000. Protecting people and sustaining resources in fire-adapted ecosystems—a cohesive strategy. Forest Service Response to GAO Report GAO/RCED, 99–65. USDA Forest Service, Washington, DC.
- Laverty**, L. and J. Williams. 2000. Protecting people and sustaining resources in fire-adapted ecosystems—a cohesive strategy. Forest Service Response to GAO Report GAO/RCED, 99–65. USDA Forest Service, Washington, DC.
- Leathe**, S. A., S. Bartelt, and L. M. Morris. 1985. Cumulative Effects of Micro-Hydro Development on the Fisheries of the Swan River Drainage, Montana. Volume III: Fish and Habitat Inventory of Tributary Streams. Bonneville Power Administration, Division of Fish and Wildlife. Contract No. DE-A179-82BP36717, Project 82-19.
- Lesica**, P. 1990. Habitat requirements, germination behavior, and seed bank dynamics of *Howellia aquatilis* in the Swan Valley, Montana. Report submitted to the Flathead National Forest, Kalispell. 44 pp.
- Lesica**, P. 1997a. Demography of the endangered plant, *Silene spaldingii* (Caryophyllaceae) in northwest Montana. *Madrono*, 44(4): 347-358.
- Lesica**, P. 1997b. Spread of *Phalaris arundinacea* adversely impacts the endangered plant *Howellia aquatilis*. *Great Basin Naturalist* 57(4): 366-368.
- Lindenmayer**, D. B., and J. F. Franklin. 2002. Conserving forest biodiversity: a comprehensive multiscaled approach. Island Press, Washington, DC.
- Lindenmayer**, D. B. and R. F. Noss. 2006. Salvage Logging, Ecosystem Processes, and Biodiversity Conservation. *Conservation Biology* 20(4):949-958.
- Livingston**, L. 2004. Pine Engraver Management. USDA Forest Service Forest Health Protection and State Forestry Organizations. *In: Forest Insect and Disease Identification and Management Handbook*. Chapter 4.10.
- Long**, D. G. 1998. Mapping Historical Fire Regimes in Northern Rocky Mountain Landscapes. Masters Thesis, University of Idaho.
- Long**, D. G. 1998. Mapping Historical Fire Regimes in Northern Rocky Mountain Landscapes. Masters Thesis, University of Idaho.
- Losensky**, Jack. 1992. Ecological and Historical Role of Fire. Presentation at Smoke Management Training course held at the Northern Training Center, Missoula, MT.

- Lull, H. W. 1959. Soil Compaction of Forest and Range Lands. USDA Forest Service.
- Mace, R. D., and J. S. Waller. 1997. Denning ecology of grizzly bears in the Swan Mountains, Montana. *In*: Final report: grizzly bear ecology in the Swan Mountains, Montana. Pp. 36-41.
- Mann, L. K., D. W. Johnson, D. C. West, D. W. Cole, J. W. Hornbeck, C. W. Martin, H. Riekerk, C. T. Smith, W. T. Swank, L. M. Tritton, and D. H. Van Lear. 1988. Effects of whole-tree and stem-only clearcutting on postharvest hydrologic losses, nutrient capital, and regrowth. *Forest Science* 34:412-428.
- Mantas, M., The Nature Conservancy, and J. S. Shelley, US Forest Service, Unpublished data.
- Maxwell, Bryce A. 2000. Management of Montana's Amphibians: A Review of Factors that may Present a Risk to Population Viability and Accounts on the identification, Distribution, Taxonomy, Habitat use, Natural History, and the Status and Conservation of Individual Species. Report to Region One, USDA Forest Service, Missoula, MT. Pp. 85-90.
- McCallum, D. A., P. Morgan, J. Verner, G. D. Hayward. 1994. Conservation Assessment for the Flammulated Owl in the United States. *In*: Forest Owl Conservation Assessment: Flammulated, Boreal, and Great Gray Owls in the United States (G. D. Hayward, ed.). USDA Forest Service General Technical Report. d
- McClelland, B. R. and J. A. Schmidt. 1995. Old-growth western larch forests: management implications for cavity nesting birds. *In*: Proceedings of the symposium on ecology and management of larch forests: A look ahead. Whitefish, MT. October 5-9, 1992. USDA Forest Service, Intermountain Research Station, Ogden, UT. General Technical Report INT-319.
- McDaniel, P. A. and M. A. Wilson. 2007. Physical and Chemical Characteristics of Ash-Influenced Soils of Inland Northwest Forests. *In*: Page-Dumroese, Deborah; Miller, Richard; Mital, Jim; McDaniel, Paul; Miller, Dan, tech. eds. Volcanic-Ash-Derived Forest Soils of the Inland Northwest: Properties and Implications for Management and Restoration. November 9-10, 2005; Coeur d'Alene, ID. Proceedings RMRS-P-44; Fort Collins, CO. USDA Forest Service, Rocky Mountain Research Station.
- McGrath, M. T., S. DeStefano, R. A. Riggs, L. L. Irwin, and G. J. Roloff. 2003. Spatially explicit influences on Northern Goshawk nesting habitat in the interior Pacific Northwest. *Wildlife Monographs* 154:1-63.
- McIntyre, J. D. and B. E. Rieman. 1995. Westslope Cutthroat Trout. *In*: Conservation Assessment for Inland Cutthroat Trout, M. K. Young, technical editor. Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-256. Pp. 1-15.
- McIver, J. D. and L. Starr. 2000. Environmental Effects of Postfire Logging: Literature Review and Annotated Bibliography. USDA Forest Service. Pacific Northwest Research Station. General Technical Report PNW-GTR-486.
- McNabb, D. H., A. D. Startsev and H. Nguyen. 2001. Soil Wetness and Traffic Level Effects on Bulk Density and Air-filled Porosity of Compacted Boreal Forest Soils. *Soil Science Society of America Journal*. 65:1238-1247 (2001).

- Meko, D. M., E. R. Cook, D. W. Stahle, C. W. Stockton, and M. K. Hughes.** 1993: Spatial patterns of tree-growth anomalies in the United States and southeastern Canada. *J. Climate*, 6, 1773-1786.
- Meko, David, et al.** 1993. Spatial patterns of tree-growth anomalies in the United States and southeastern Canada. *J. Climate* 6, 1773-1786.
- Milner, K. S.** 1992. Site Index and Height Growth Curves for Ponderosa Pine, Western Larch, Lodgepole Pine, and Douglas-fir in Western Montana. *Western Journal of Applied Forestry*. 7(1):9-14.
- Montana Bull Trout Scientific Group.** 1996. Swan River Drainage Bull Trout Status Report (including Swan Lake). Montana Bull Trout Restoration Team, Helena, Montana.
- Montana Department of Environmental Quality.** 2004. Water Quality Protection Plan and TMDLs for the Swan Lake Watershed. Helena, Montana. 126 pp.
- Montana Department of Fish, Wildlife and Parks.** 2004. Elk Hunting and Harvest Report for License Year 2003. Montana Fish, Wildlife and Parks.
- Montana Department of Fish, Wildlife, and Parks.** 2006. On-line Hunt Planner. <http://fwp.mt.gov/hunting/planahunt/>.
- Montana Department of Fish, Wildlife, and Parks.** 2007. On-line Hunt Planner. <http://fwp.mt.gov/hunting/planahunt/>.
- Montana Natural Heritage Program.** 2006. Plant Species of Concern. Montana Natural Heritage Program, Helena. 48 pp.
- Moore, J. A., P. G. Mika, T. M. Shaw, and M. I. Garrison-Johnston.** 2004. Foliar Nutrient Characteristics of Four Conifer Species in the Interior Northwest United States. *West. J. Appl. For.* 19(1):13-24.
- Mundinger, J. G.** 1981. White-tailed Deer Reproductive Biology in the Swan Valley, Montana. *J. Wildl. Manage.* 45:135-139.
- Mundinger, J. G.** 1982. Biology of the White-tailed Deer in the Coniferous Forests of Northwestern Montana. Job. Prog. Rept., Montana Dept. of Fish, Wildlife and Parks, Helena, MT.
- Munson, S.** 2005. Spruce Beetle Management. USDA Forest Service Forest Health Protection and State Forestry Organizations. *In: Forest Insect and Disease Identification and Management Handbook*. Chapter 4.6.
- Neary, D. G., K. C. Ryan, and L. F. DeBano, Eds.** 2005. Wildland fire in ecosystems: effects of fire on soils and water. Gen. Tech. Rep. RMRS-GTR-42, Vol.4. Ogden, UT: USDA, Forest Service, Rocky Mountain Research Station. 250 pp.
- Niehoff, G.** 1985. Technical guide to determine potential soil damage by prescribed burning and wildfire. Unpublished paper available from Soil Scientist (retired), Idaho Panhandle National Forests, Coeur d'Alene, Idaho. 6 pp.

- Niehoff**, G. 2002. Soil NEPA analysis process and source of soil disturbance model coefficients. Unpublished report available from Idaho Panhandle National Forests Supervisors Office, Coeur d'Alene, Idaho.
- Noss**, R. F., J. F. Franklin, W. L. Baker, T. Schoennagel, and P. B. Moyle. 2006. Ecology and management of fire-prone forests of the western United States. Society for Conservation Biology Scientific Panel on Fire in Western U.S. Forests. Society for Conservation Biology, North American section, Arlington, Virginia. Also available from www.conbio.org/sections/namerica/napolicy.cfm.
- Okinarian**, M. 1996. Biological soil amelioration as the basis for sustainable agriculture and forestry. *Biol. Fertil. Soils*. 22: 342-344.
- Oliver**, C. D. and B. C. Larson. 1996. *Forest Stand Dynamics*, Update Edition. John Wiley & Sons, New York. 520 pp.
- Olsen**, D. S., B. B. Roper, J. L. Kershner, R. Henderson and E. Archer. 2005. Sources of Variability in Conducting Pebble Counts: their Potential Influence on the Results of Stream Monitoring Programs. *Journal of the American Water Resources Association*, in press.
- Omi**, P. N. and E. J. Martinson. 2002. Effects of Fuels Treatment on Wildfire Severity. Western Forest Fire Research Center, Colorado State University, Unpublished Report. 40 pp.
- Overton**, C. K., S. P. Wollrab, B. C. Roberts, and M. A. Radko. 1997. R1/R4 (Northern/Intermountain Regions) Fish and Fish Habitat Standard Inventory Procedures Handbook. USDA Forest Service, Intermountain Research Station. 70 pp.
- Page-Dumroese**, D. M. 1993. Susceptibility of volcanic ash-influenced soil in northern Idaho to mechanical compaction. USDA Forest Service Intermountain Research Station, Research Paper INT-409. 6 pp.
- Palviainen**, M., L. Finer, A. Kurka, H. Mannerkoski, S. Piirainen, and M. Starr. 2004. Release of potassium, calcium, iron, and aluminum from Norway spruce, Scots pine, and silver birch logging residues. *Plant and Soil* 259:123-136.
- Patla**, S. M. 1997. Nesting ecology and habitat of the Northern Goshawk in undisturbed and timber harvest areas on the Targhee National Forest, Greater Yellowstone Ecosystem. MS Thesis, Idaho State University, Pocatello, ID.
- Pederson**, L. 2006. Region One Forest Health Hazard Rating System. USDA Forest Service, Region One, Forest and Range Management, Missoula, MT.
- Perry**, D. A., J. G. Borchers, and S. L. Borchers. 1990. Species Migration and Ecosystem Stability during Climate Change; The Belowground Connection. *Conservation Biology*. Vol. 4, No. 3, September 1990.
- Peterson**, D. P., K. D. Fausch, and G. C. White. 2004. Population Ecology of an Invasion: Effects of Brook trout on Native Cutthroat Trout. *Ecological Applications* 14(3): 754-772.
- Pfankuch**, Dale J. Stream Reach Inventory and Channel Stability Evaluation.

Mid Swan Blowdown Salvage Project Environmental Assessment
Appendix D **Bibliography, Glossary & Acronyms**

- Pfister**, R. D., B. L. Kovalchik, S. F. Arno, and R. C. Presby, 1977. Forest Habitat Types of Montana. USDA Forest Service. General Technical Report INT-34. Intermountain Forest and Range Experiment Station, Ogden, UT. 174 pp.
- Philipek**, F. M. 1985. Over-snow logging. Analysis of impacts to lithic scatters. USDA FS PNW Reg., Studies in Cult. Res. Mgmt. No.5. 41 pp.
- Phillips**, J. D., D. A. Marion, and A. V. Turkington. 2008. Pedologic and geomorphic impacts of a tornado blowdown event in a mixed pine-hardwood forest. *Caetena* 75 (3) 278-287.
- Plum Creek Timber Company**. 1997. Goat Creek and Piper Creek Watershed Analysis. Prepared by the Attached Resource Assessment Team, Greg Watson, Team Leader. Missoula, Montana. Unbound report with maps.
- Porter**, Aswea D., Colleen C. St. Clair, and Andrew de Vries. 2005. Fine-scale selection by marten during winter in a young deciduous forest. *Can. J. For. Res.* 35: 901-909.
- Powell**, R. A. and W. J. Zielinski. 1994. Fisher, In: *The Scientific Basis for Conserving Forest Carnivores: American Martin, Fisher, Lynx, and Wolverine in the Western United States*. USDA Forest Service, General Technical Report RM-254. Fort Collins, CO.
- Powers**, R. F., D. A. Scott, F. G. Sanchez, R. A. Voldseth, D. Page-Dumroese, J. D. Elioff and D. M. Stone. 2005. The North American Long-term Soil Productivity Experiment: Findings from the First Decade of Research. *Forest Ecology and Management* 220 (2005) 31-50.
- Prescott**, C. E. and R. Laiho. 2002. The Nutritional Significance of Coarse Woody Debris in Three Rocky Mountain Coniferous Forests. USDA Forest Service General Technical Report PSW-GTR-181.
- Ralph**, S. C., G. C. Poole, L. L. Conquest, and R. J. Naiman. 1994. Stream Channel Morphology and Woody Debris in Logged and Unlogged Basins of Western Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 51:37-51.
- Reeves**, G. H., P. A. Bisson, B. E. Rieman, and L. E. Benda. 2006. Postfire Logging in Riparian Areas. *Conservation Biology* 20(4): 994-1004.
- Reinhardt**, E. D., R. E. Keane, J. K. Brown, and L. Gangi. 2004. (Computer Program). Forest Order Fire Effects Model: FOFEM 5.0. Version 5.21. Missoula, MT.
- Reynolds**, R. T., R. T. Graham, M. H. Reiser, R. L. Bassett, P. L. Kennedy, D. A. Boyce, Jr., G. Goodwin, R. Smith, and E. L. Fisher. 1992. Management recommendations for the Northern Goshawk in the southwestern United States. USDA Forest Service, Rocky Mountain Research Station. General Technical Report RM-217. Fort Collins, CO. 90 pp.
- Rich**, C. F. 1996. Influence of Abiotic and Biotic Factors on Occurrence of Resident Bull Trout in Fragmented Habitats, Western Montana. Master's thesis, Montana State University, Bozeman, Montana. 53 pp.
- Rich**, C. F. Jr., T. E. McMahon, B. E. Rieman, and W. L. Thompson. 2003. Local-Habitat, Watershed, and Biotic Features Associated with Bull Trout Occurrence in Montana Streams. *Transactions of the American Fisheries Society* 132: 1053-1064.

- Rieman**, B. E and G. L. Chandler. 1999. Empirical Evaluation of Temperature Effects on Bull Trout Distribution in the Northwest. Final Report, Contract 12957242-01-0 to US EPA. Boise, Idaho.
- Rieman**, B. E., D. Issak, S. Adams, D. Horan, D. Nagel, C. Luce, and D. Meyers. 2007. Anticipated Climate Warming Effects on Bull Trout Habitats and Populations Across the Interior Columbia River Basin. Transaction of the American Fisheries Society, In press.
- Ritter**, S., F. Samson, J. Carotti, and J. Hillis. 2000. R1 Snag Protocol. Available at USDA. Forest Service Region One, Missoula, MT.
- Roper**, B. B., J. L. Kershner, and R. C. Henderson. 2004. The Value of Using Permanent Sites when Evaluating Stream Attributes at the Reach Scale. Journal of Freshwater Ecology. In press.
- Rosgen**, D. L. 1994. A classification of natural rivers. *Catena* 22: 169-199.
- Rotenberry**, J. T., R. J. Cooper, J. M. Wunderle, and K. G. Smith. 1995. When and how are populations limited? The Roles of Insect Outbreaks, Fire, and Other natural Perturbations. *In: Ecology and Management of Neotropical Birds: a Synthesis and Review of Critical issues.* Edited by T. E. Martin and D. M. Finch. New York, Oxford University Press. Pp. 55-84.
- Ruggerio**, L. F., B. Keith, S. W. Buskirk, W. Steven, L. J. Lyon, and W. J. Zielinski. 1994. The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States. General Technical Report RM-254. Fort Collins, CO. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station. 184 pp.
- Rumbaitis del Rio**, C. M. 2006. Changes in understory composition following catastrophic windthrow and salvage logging in a subalpine forest ecosystem. *Canadian Journal of Forest Research* 36: 2943-2954.
- Ryan**, K. C. and Nonan V. Noste. 1983. Evaluating Prescribed Fires. Paper submitted at the Wilderness Fire Symposium, Missoula Montana. November 15–18, 1983. Ryan and Noste.
- Saab**, Victoria A. and Jonathan Dudley. 1998. Responses of Cavity-Nesting Birds to Stand-Replacement Fire and Salvage Logging in Ponderosa Pine/Douglas-Fir Forests of Southwestern Idaho.
- Sala**, A. and R. Callaway. 2004. Physiological Responses of Old Growth Ponderosa Pine and Western Larch to Restoration Cutting and Burning Treatments. USDA Forest Service RMRS-99563-RJVA. Unpublished Report.
- Samson**, F. B. 2005 (amended March 6, 2006). A Conservation Assessment of the Northern Goshawk, Black-backed Woodpecker, Flammulated Owl, and Pileated Woodpecker in the Northern Region, USDA Forest Service. Unpublished report on file. 136 pp.
- Savage**, J. 2008. The Perils of Profit. *Forest Magazine*, Spring 2008. 7 pp.
- Schmid**, J. M. and R. H. Frye. 1976. Stand ratings for spruce beetles. USDA Forest Service Research Note RM-309. Rocky Mountain Forest and Range Exp. Station., Fort Collins, CO. 4 pp.

- Schmidt**, J. A. and R. L. Barger. 1986. Effects of Wind and Snow on Residual Lodgepole Pine Following Intermediate Cuttings. *In: Management of Small-Stem Stands of Lodgepole Pine Workshop Proceedings*. USDA Forest Service General Technical Report INT-237. Intermountain Research Station, Ogden, UT. Pp. 104-117.
- Schmidt**, W. C., R. C. Shearer, and A. L. Roe. 1976. Ecology and Silviculture of Western Larch Forests, USDA Forest Service Technical Bulletin 1520. 96 pp.
- Schmidt**, W. C, R. C. Shearer, and A. L. Roe, 1976. Ecology and Silviculture of Western Larch Forests, USDA Forest Service Tech. Bull. 1520. 96 pp.
- Schwalm**, C. R. and K. S. Milner. 2002. Stand Responses Following Partial Cutting in Western Montana. *Western Journal of Applied Forestry*, 17(1). Pp. 37-45.
- Schwalm**, C. R. and K. S. Milner. 2002. Stand Responses Following Partial Cutting in Western Montana. *Western Journal of Applied Forestry*, 17(1). Pp 37-45.
- Scott**, Joe H. and Elizabeth D. Reinhardt. 2001. Accessing Crown Fire Potential by Linking Models of Surface and Crown Fire Behavior. USDA Forest Service, Rocky Mountain Research Station, Research Paper RMRS-RP-20. 66 pp.
- Shearer**, R. C. 1971. Silvicultural Systems in Western Larch Forests. *Journal of Forestry*, October 1971. Pp 732-735.
- Shelly**, J. S. 1988. Status review of *Howellia aquatilis*: Region 1, Flathead National Forest. Montana Natural Heritage Program, Helena. 120 pp.
- Sime**, Carolyn A., V. Asher, L. Bradley, K. Laudon, M. Ross, J. Trapp, M. Atkinson, L. Handegard, and J. Steuber. 2007. Montana gray wolf conservation and management 2006 annual report. Montana Fish, Wildlife, & Parks. Helena, Montana. 96 pp.
- Sirucek**, D. A. and V. C. Bachurski. 1995. Riparian Landtype Inventory of the Flathead National Forest. USDA Forest Service, Flathead National Forest. 96 pp.
- Skinner**, C. N., M. W. Ritchie, T. Hamilton, and J. Symons. 2002. Effects of Thinning and Prescribed Fire on Wildlife Severity. 25th Forest Vegetation Management Conference.
- Smith**, D. M., B. C. Larson, M. J. Kelty, and P. M. S. Ashton, 1997. *The Practice of Silviculture: Applied Forest Ecology*, Ninth Edition. John Wiley & Sons, New York. 536 pp.
- Spencer**, Craig N., and F. Richard Hauer. 1990. Effects of Wildfire on Nutrient and Carbon Dynamics of Streams in Glacier National Park and the Flathead National Forest Associated with the Red Bench Fire.
- Squires**, J. R. and P. L. Kennedy. 2006. Northern goshawk ecology: an assessment of current knowledge and information needs for conservation management. *Studies in Avian Biology* 31:8-62.
- Squires**, J. R. and R. T. Reynolds. 1997. Northern Goshawk. No. 298. *In: Birds of North American*. The Academy of Natural Sciences, Philadelphia, PA, and the American Ornithologist's Union, Washington, DC.

- Startsev**, A. D. and D. H. McNabb. 2001. Skidder Traffic Effects on Water Retention, Pore Size Distribution, and van Genuchten Parameters of Boreal Forest Soils. *Soil Science Society of America Journal* 65(224-231) 2001.
- Stuart**, J. D., M. C. Grifantini, and L. Fox. 1993. Early successional pathways following wildfire and subsequent silvicultural treatment in Douglas-fir hardwood forests, NW California. *Forest Science* 39:561-572.
- Sturdivant**, N. 2008. Personal Communication, August 2008.
- Summit Environmental Consultants**. 2000. Oyama Creek Watershed Assessment 1999.
- Swan Ecosystem Center**. 2004. Upper Swan Valley Landscape Assessment. Condon, MT.
- Swan Valley Grizzly Bear Monitoring Report**. 2006. Technical Monitoring Team. 7 pp.
- Thomas**, A. G. and H. M. Dale. 1975. The role of seed reproduction in the dynamics of established populations of *Hieracium floribundum* and a comparison with that of vegetative reproduction. *Canadian Journal of Botany* 53:3022.
- Thomas**, J. W. (Ed). 1979. Wildlife habitats in managed forests – the Blue Mountains of Oregon and Washington. USDA Handbook No. 553.
- Thorpe**, Andrea S, Vince Archer, and Thomas H. DeLuca. 2006. The invasive forb, *Centaurea maculosa*, increases phosphorus availability in Montana grasslands. *Applied Soil Ecology* 32:118–122.
- USDA Forest Service**. 1985. Flathead National Forest Land and Resource Management Plan. Kalispell, MT.
- USDA Forest Service**. 1989. Caring for your Natural Community. USDA Forest Service, Northern Region. Missoula, MT.
- USDA Forest Service**. 1992. Land and Resource Management Plan Annual Monitoring Report for 1991.
- USDA Forest Service**. 1994. Wildlife Landscape Assessment – Swan Valley. Flathead National Forest, Kalispell, MT.
- USDA Forest Service**. 1994. Wildlife Landscape Assessment – Swan Valley. Flathead National Forest, Kalispell, MT.
- USDA Forest Service**. 1995. Inland Native Fish Strategy Environmental Assessment. Decision Notice and Finding of No Significant Impact. Northern, Intermountain and Pacific Northwest Regions. 17 pages plus attachments.
- USDA Forest Service**. 1997. Conservation Strategy for *Howellia aquatilis*. Appendix VV to Flathead Forest Plan. 24 pp.
- USDA Forest Service**. 1998. Historical vs. current conditions of upland forest surrounding *Howellia aquatilis* habitats in the Swan Valley, Montana. Unpublished report prepared by Maria Mantas. 7 pp.

Mid Swan Blowdown Salvage Project Environmental Assessment
Appendix D **Bibliography, Glossary & Acronyms**

- USDA Forest Service.** 1999. Flathead National Forest Plan Amendment 21, Final Environmental Impact Statement: Management Direction Related to Old Growth Forests. Flathead National Forest, Kalispell, MT. 176 pp.
- USDA Forest Service.** 2000. Northern Region Snag Management Protocol. Prepared by the Snag Protocol Team. USDA Forest Service, Northern Region. 34 pp.
- USDA Forest Service.** 2001. Flathead National Forest Land and Resource Management Plan (2001 version, includes all amendments).
- USDA Forest Service.** 2001. Flathead National Forest Noxious and Invasive Weed Control Decision Notice and Finding of No Significant Impact (May 2001). Flathead National Forest. Kalispell, MT. 10 pp.
- USDA Forest Service.** 2001. Flathead National Forest Noxious and Invasive Weed Control Environmental Assessment (March 2001). Flathead National Forest. Kalispell, MT. 171 pp.
- USDA Forest Service.** 2001. Urban Wildland Interface Communities within the Vicinity of Federal Lands that are at High Risk from Wildfire. Federal Register January 04, 2001.
- USDA Forest Service.** 2002. Silvicultural Practices Handbook. FSH 2409.17.
- USDA, Forest Service.** 2003. Influence of Forest Structure on Wildfire Behavior and the Severity of Its Effects, an overview. USDA Forest Service, Washington, DC.
- USDA Forest Service.** 2003. Meadow Smith SEIS. Flathead National Forest, Kalispell, MT.
- USDA Forest Service.** 2004. Crazy Horse III Fire Salvage Project, Environmental Assessment. Flathead National Forest, Swan Lake Ranger District. Page III-65.
- USDA Forest Service.** 2006. Draft Region 1 Aquatic Ecological Unit Inventory Technical Guide for Wadeable Streams. Region One. 144 pages.
- USDA Forest Service.** 2006. Estimates of Old Growth for the Northern Region and National Forests. Region One Vegetation Classification, Mapping, Inventory, and Analysis Report. Rpt. #06.
- USDA Forest Service.** 2006. Interagency Grizzly Bear Committee Summer Meeting Notes. June 6-7, 2006. <http://www.fs.fed.us/r1/wildlife/igbc/>
- USDA Forest Service.** 2006. Montana Forest and Insect and Disease Conditions and Program Highlights 2005. Forest Service, Northern Region, Forest Health Protection Report 06-1. http://www.fs.fed.us/r1-r4/spf/fhp/conditions/Report_No_06-01_2005MT_ConditionsReport.pdf
- USDA Forest Service.** 2007. Black-backed Woodpecker Northern Region Overview, Key Findings and Project Considerations. Version July 13, 2007. Prepared by the Black-backed Woodpecker Working Group. 43 pp.
- USDA Forest Service.** 2007. Integrated Restoration and Protection Strategy in the Northern Region Overview Document. USDA Forest Service, Region One, Missoula, MT.

- USDA Forest Service.** 2007. Northern Rockies Lynx Management Direction Record of Decision. National Forests in Montana and parts of Idaho, Wyoming, and Utah.
- USDA Forest Service.** 2007. The Northern Region Soil Quality Monitoring Protocol, Northern Region. USDA Forest Service, Missoula, MT.
- USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service.** 2000. Canada Lynx Conservation Assessment and Strategy. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.
- USDA Natural Resources Conservation Service.** 1998. Soil Survey of Flathead National Forest Area, Montana.
- USDA Natural Resources Conservation Service.** 1999. Soil Taxonomy, A Basic System of Soil Classification for Making and Interpreting Soil Surveys. Agricultural Handbook Number 436.
- USDI Bureau of Reclamation.** 1994. Montana Bald Eagle Management Plan. Bureau of Reclamation, Billings, MT.
- USDI Fish and Wildlife Service.** 1986. Recovery Plan for the Pacific Bald Eagle. USFWS, Portland, Oregon. 160 pp.
- USDI Fish and Wildlife Service.** 1987. Northern Rocky Mountain Wolf Recovery Plan. USFWS, Denver, CO. 119 pp.
- USDI Fish and Wildlife Service.** 1993. Grizzly Bear Recovery Plan. USFWS, Denver, CO. 181 pp.
- USDI Fish and Wildlife Service.** 1996. Draft Water Howellia (*Howellia aquatilis*) Recovery Plan. Prepared by J. S. Shelly and John Gamon. 51 pp.
- USDI Fish and Wildlife Service.** 1997. Amended and restated conservation agreement among Plum Creek Timber Company, L.P. and Montana Department of Natural Resources and Conservation and USDA Forest Service, Flathead National Forest and USDI Fish and Wildlife Service. Agreement dated June 6, 1997. 13 pp + attachments A through I.
- USDI Fish and Wildlife Service.** 1998. Biological opinion for the effects to bull trout from continued implementation of land and resource management plans as amended by the Interim Strategy for Managing Fish-producing Watersheds in Eastern Oregon and Washington, Idaho, Western Montana, and portions of Nevada (INFISH) and the Interim Strategy for Managing Anadromous Fish-producing Watersheds in Eastern Oregon and Washington, Idaho and portions of California (PACFISH), Appendix 2. USDI Fish and Wildlife Service, Regions One and Six. 122 pp. plus appendices.
- USDI Fish and Wildlife Service.** 1998. Endangered and threatened wildlife and plants: finding for 12-month petition to list the northern goshawk west of the 100th Meridian. Vol. 63, No. 124:35183-35184.
- USDI Fish and Wildlife Service.** 2006. Federal Register. Advanced notice of proposed rulemaking. Designating the Northern Rocky Mountain Population of Gray Wolf as a Distinct Population Segment; Removing the Northern Rocky Mountain Distinct Population Segment of Gray Wolf

Mid Swan Blowdown Salvage Project Environmental Assessment
Appendix D **Bibliography, Glossary & Acronyms**

- From the Federal List of Endangered and Threatened Wildlife. Vol. 71, No. 26. February 8, 2006. Pp. 6634-6660.
- USDI Fish and Wildlife Service**, Nez Perce Tribe, National Park Service, and USDA Wildlife Services. 2006. Rocky Mountain Wolf Recovery 2005 Annual Report. C.A. Sime and E. E. Bangs, Eds. USFWS, Ecological Services, Helena MT. 130 pp.
- Vigil, A.** 2002. Meadow Smith Environmental Impact Statement, Silvicultural Specialist Report. USDA Forest Service, Flathead National Forest. Kalispell, MT.
- Vinkey, R. S.** 2003. An evaluation of fisher (*Martes pennanti*) introductions in Montana. Masters Thesis. University of Montana, Missoula, MT. 97 pp.
- Weaver, T. M.** 2006. Forest-wide Fisheries Monitoring Swan Drainage. Montana Fish, Wildlife, and Parks Special Projects DJ Report No. F-113-R6, SBAS Project No 3120. 56 pp.
- Weaver, T.** and J. Fraley. 1991. Flathead Basin Forest Practices Water Quality and Fisheries Cooperative Program: Fisheries Habitat and Fish Populations. Kalispell, Montana. Page 29.
- Westerling, A. L.**, and H. G. Hidalgo, D. R. Cayan, T. W. Swetnam. 2006. Warming and earlier spring increases western US Forest wildfire activity. Scienceexpress. <http://www.sciencexpress.org>.
- Williamson, J. R.** and W. A. Nielsen. 2000. The Influence of Forest Site on Rate and Extent of Soil Compaction and Profile Disturbance of Skid Trails During Ground Based Harvesting. Canadian Journal of Forest Research 30:1196-1205 (2000).
- Witmer, G. W.**, S. K. Martin, and R. D. Saylor. 1998. Forest carnivore conservation and management in the interior Columbia Basin: issues and environmental correlates: USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-430:1-15.
- World Meteorological Organization.** 2007. WMO Greenhouse Gas Bulletin – The State of Greenhouse Gases in the Atmosphere Using Global Observations through 2006. World Meteorological Organization No.3: 23 November 2007.
- Yurkonis, Kathryn A.**, Scott J. Meiners, and Brent E. Wachholder. 2005. Invasion impacts diversity through altered community dynamics. Journal of Ecology 2005 93, 1053-1061.

Glossary

Action Alternative - An alternative that proposes some management action, as contrasted to the No Action Alternative.

Administrative Appeal - A request to a higher authority for review of a decision related to an Environmental Impact Statement, Environmental Analysis, or Categorical Exclusion.

Affected Environment - The biological and physical environment that will or may be changed by actions proposed and the relationship of people to that environment.

Age or Size Class - A distinct group of trees, or portion of growing stock recognized on the basis of age (or size).

Airshed - Basic geographic units in which air quality is managed.

Alternative - A combination of management prescriptions applied in specific amounts and locations to achieve a desired management emphasis. One of the several policies, plans or projects, proposed for decision-making.

Bank Cover - Living streamside vegetation overhanging the water for up to one meter above the water surface.

Bear Management Area (BMA) – Areas delineated to include important habitat components and to implement standards and guidelines pertaining to grizzly bears. These areas have also been used for evaluating habitat for other wildlife species including big game and old growth indicator species.

Bear Management Subunit – An area approximately the size of an average female home range (about 50 mi²), generally from ridge top to valley bottom, and including all seasonal habitats.

Best Management Practices (BMPs) - Methods, measures or practices to prevent or reduce water pollution, including but not limited to, structural and non-structural controls, operation and maintenance procedures, other requirements, and scheduling and distribution of activities. Usually BMPs are applied as a system of practices rather than a single practice. BMPs are selected on the basis of site-specific conditions that reflect natural background conditions and political, social, economic, and technical feasibility.

Biological Assessment (BA) - A document prepared by a federal agency for the purpose of identifying any endangered species or threatened species, which is likely to be affected by an agency action. This document facilitates compliance with the Endangered Species Act. The federal agency, in consultation with the Secretary of Interior, must insure that any action authorized, funded, or carried out by a federal agency is not likely to jeopardize the continued existence of any endangered or threatened species, or result in the destruction or adverse modification of its habitat.

Biological Evaluation (BE)- A document prepared by the Forest Service to review programs or activities to determine how an action might affect any threatened, endangered, proposed, or sensitive species. This document often focuses only on sensitive species if the Threatened, Endangered, and Proposed Species will be covered in a Biological Assessment.

Biomass (Fuels) - Live and dead accumulations of organic material.

Blowdown (Windthrow) - Uprooting by the wind. Also refers to a tree or trees so uprooted.

Board Foot - A unit of measurement represented by a board one foot square and one inch thick.

Browse - Twigs, leaves, and young shoots of trees and shrubs on which animals feed; in particular, those shrubs which are used by big game animals for food.

Buffer – A land area designated to block or absorb unwanted effects to the area beyond the buffer and to preserve other qualities along or adjacent to roads, trails, watercourses, and recreation sites.

Burn Severity– A relative measure of the degree of change in a watershed that related to the intensity of the fire on soil hydrological function. Burn severity is delineated on topographic maps of polygons. Classes of burn severity are high, moderate, low, and unburned.

Canopy - The forest cover of branches and foliage formed by tree crowns.

Canopy Cover or Crown Closure - The percentage of ground surface that is shaded by the live foliage of plants as seen from above. Used to describe how open or dense a stand of trees is.

Capability - The potential of an area of land and/or water to produce resources, supply goods and services, and allow resource uses under a specified set of management practices and at a given level of management intensity. Capability depends upon current conditions and site conditions such as climate, slope, landform, soils, and geology; as well as the application of management practices, such as silviculture or protection from fires, insects, and disease.

Cavity - A hollow in a tree that is used by birds or mammals for nesting, denning, roosting, etc.

Closed Canopy - The description given to a stand when the crowns of the main level of trees forming the canopy are touching and intermingled so that light cannot reach the forest floor directly.

Coarse Woody Debris (CWD) - Any piece(s) of dead woody material, e.g., dead boles, limbs, and large root masses on the ground or in streams.

Cohort – An age class of trees that is distinctively different from other age classes in a particular forest stand.

Commercial Thinning - A silviculture treatment that “thins” out an overstocked stand by removing trees, which are large enough to be sold as products such as poles or fence posts. It is carried out to improve the health and growth rate of the remaining crop trees.

Composition (Species) - The mix of different species that make up a plant or animal community, and their relative abundance.

Condition Class – A function of the degree of departure from historical fire regimes resulting in alterations of key ecosystem components, such as species composition, structural stage, stand age, and canopy closure. Categorized by three classes as follows: Condition Class 1 – Fire regimes are within or near an historical range; Condition Class 2 – Fire regimes have been moderately altered from their historical range; Condition Class 3 – Fire regimes have been significantly altered from their historical range.

Consultation - A process required by Section 7 of the ESA whereby Federal agencies proposing activities in a listed species habitat confer with the U.S. Fish and Wildlife Service about the impacts of the activity on the species. Consultation may be informal, and thus advisory, or formal, and thus binding.

Corridor - A band of vegetation, usually older forest, which serves to connect distinct patches on the landscape. By providing connectivity, corridors permit the movement of plant and animal species between what would otherwise be isolated patches.

Council on Environmental Quality (CEQ) - An advisory council to the President established by the National Environmental Policy Act of 1969. It reviews Federal programs for their effect on the environment, conducts environmental studies, and advises the President on environmental matters.

Cover/Forage Ratio - The ratio of tree cover (usually conifer types) to foraging areas (natural openings, clearcuts, etc.).

Cover Type - The present vegetation composition of an area, described by the dominant plant species.

Crown - The part of a tree or other woody plant bearing live branches and foliage.

Crown Closure (see Canopy Cover)

Crown Fire - A fire that advances from top-to-top of trees or shrubs more or less independently of the surface fire. Sometimes, crown fires are classed as either running or dependent, to distinguish the degree of independence from the surface fire.

Cultural Resources - The physical remains of human activity (artifacts, ruins, burial mounds, petroglyphs, etc.) and conceptual content or context (as a setting for legendary, historic, or prehistoric events; as a sacred area of native peoples, etc.) of an area of prehistoric or historic occupation.

Cumulative Effect - The impact on the environment, which results from the incremental impact of the action when added to other actions. Cumulative impacts can also result from individually minor but collectively significant actions taking place over a period of time.

Defensible Fuel Profile Zone (DFPZ) – A 100 to 500 foot wide strip adjacent to private lands where forest fuels (both live and dead) are reduced

Defensible Space - That area between a structure and an oncoming wildfire where the vegetation has been modified to reduce the wildfire threat and to provide an opportunity for firefighters to effectively and safely defend the structure.

Density (Stand) - The number of trees growing in a given area, usually expressed in terms of trees per acre.

Diameter Best Height (DBH) - The diameter of a tree measured four and one-half feet above the ground.

Direct Effect - Effects on the environment that occur at the same time and place as the initial cause or action.

Dispersal - The movement of organisms away from the place of birth or from centers of population density.

Disturbance (Ecosystem) - Refers to events that alter the structure, composition, or function of terrestrial or aquatic habitats. Natural disturbances include, among others, drought, floods, wind, fires, wildlife grazing, and insects and pathogens. Human-caused disturbances include actions such as timber harvest, livestock grazing, roads, and the introduction of exotic species.

Disturbance Regime - Natural pattern of periodic disturbances, such as fire or flooding.

Diversity - The distribution and abundance of different plant and animal communities and species.

Duff - The partially decayed organic matter on the forest floor.

Early Seral/Structural Stage - A stage of development of an ecosystem from a disturbed, relatively unvegetated state to a plant community that is up to 30 years old. Stand structure is seedling and sapling sized.

Ecosystem - A functional unit consisting of all the living organisms (plants, animals, and microbes) in a given area, and all the non-living physical and chemical factors of their environment, linked together through nutrient cycling and energy flow. An ecosystem can be of any size--a log, pond, field, forest, or the earth's biosphere--but it always functions as a whole unit. Ecosystems are commonly described according to the major type of vegetation, for example, forest ecosystem, old-growth ecosystem, or range ecosystem.

Endangered Species - Any species, plant, or animal that is in danger of extinction throughout all or a significant portion of its range. In accordance with the 1973 ESA, the Secretary of the Interior identifies endangered species.

Endemic - A species whose natural occurrence is confined to a certain region and whose distribution is relatively limited (vertebrate biology). A population that is at equilibrium or low density (invertebrate biology or pathology).

Escape Route – A means to access a safety zone.

Facultative wetland - Largely in wet soils, 67 to 99 percent of the time.

Fire Exclusion - The disruption of a characteristic pattern of fire intensity and occurrence (primarily through fire suppression).

Fire Event (Fire Occurrence, Fire Incidence) - A single fire or series of fires within an area at a particular time.

Fire Frequency – A general term referring to the recurrence of fire in a given area over time.

Fire Hazard - The potential fire behavior for a fuel type, regardless of the fuel type's weather-influenced fuel moisture content or its resistance to fire line construction. Assessment is based on physical fuel characteristics, such as fuel arrangement, fuel load, condition of herbaceous vegetation, and presence of elevated fuels.

Fire Intensity – Based on temperature, flame length, rate of spread, heat of combustion, and total amount and size of fuel consumed. Accounts for convective heat rising into the atmosphere and fire effects to the overstory.

Fire Intolerant (or “intolerant”) - Species of plants that do not grow well or die from the effects of fire. Generally these species are shade-tolerant as well.

Fire Management Zone (FMZ) – A geographic area delineated by the “appropriate management response” to a wildland fire. Defined by fuels, topography, values at risk, threats to private property, wilderness boundaries, etc.

Fire Regimes - The ecological effects of frequency, intensity, extent, season, and synergistic interactions with other disturbances, such as insects and disease, classified into generalized levels of fire severity.

Fire Return Interval (Fire Interval) - The number of years between successive fire events in a given area.

Fire Risk - The probability or chance of fire starting determined by the presence and activities of causative agents.

Fire Rotation – The length of time necessary for an area equal in size to the study area to burn.

Fire Severity – A relative measure of the post-fire appearance of vegetation (residual fuels/mortality) as it related to the intensity of the fire and its consumptive effects on vegetation.

Fire Suppression (Fire Control) - All of the work and activities connected with fire extinguishing operations, beginning with discovery and continuing until the fire is completely extinguished.

Fire Tolerant (or “tolerant”) - Species of plants that can withstand certain frequency and intensity of fire. Generally these species are shade-intolerant as well.

Firefighter Safety - A work environment where foreseeable risks have been minimized through the mitigation of known hazards associated with wildlife suppression.

Fish Habitat - The place where a population of fish species lives and its surroundings; includes the provision of life requirements such food and cover.

Fish Passage - Clear access for migrating fish through a potential barrier.

Fishery - The total population of fish in a stream or body of water and the physical, chemical, and biological factors affecting that population.

Forage - All browse and non-woody plants available to livestock or wildlife for feed.

Forb – Any herbaceous (herb-like) plant other than grass or grass-like plants that has little or no wood on it. For example, wildflowers are forbs.

Forest Development Road (FDR) - A road wholly or partly within or adjacent to and serving the National Forest System and which is necessary for the protection, administration, and use of the National Forest System and the use and development of its resources.

Forest Health - (also called forested landscape or forestland) is defined as: the conditions under which the integrity of the soil and ecological processes are sustained resulting in systems that maintain their diversity, resiliency, and productivity with associated sustainable human resource issues.

Forest Plan- The Flathead National Forest Land and Resource Management Plan.. A Forest Plan is a document prepared under the National Forest Management Act by each national forest that generally describes how the resources in the forest will be managed for a 10 to 15 year period.

Forest Structure - The mix and distribution of tree sizes, layers, and ages in a forest. Some stands are mostly one size (single-story), some are two-story, and some are a mix of trees of different ages and sizes (multi-story).

Forest Type - Relates to the tree species (and to generalized understory plant) composition.

Fuels - Includes living plants, dead, woody vegetative materials; and other vegetative materials capable of burning.

Fuel Loading - The oven dry weight of fuels in a given area, usually expressed in tons per acre. Fuel loadings may be referenced to fuel size or time-lag categories; and may include surface fuels or total fuels.

Fuel Management - Manipulation or reduction of flammable matter for the purpose of reducing the intensity or rate of spread of a fire, while preserving and enhancing environmental quality.

Fuels Reduction Zone (FRZ) - Areas in which continuous high hazard fuels are broken up. They are designed to increase firefighter safety and reduce resistance to fire control efforts. Fuel Reduction Zones may be of any size or shape. They may have a higher number of snags, down logs, and canopy closure than other fuels treatment zones. They are recognized as being a significant portion of a complete fuels management programs.

Fuel Treatment - The rearrangement or disposal of natural or activity fuels.

Geographic Information System (GIS) - Computer software that provides database and spatial analytic capabilities.

Goal – A concise statement that describes a desired condition to be achieved. It is normally expressed in broad, general terms and is timeless in that it has no specific date that it is to be completed. Goal statements form the principal basis upon which objectives are developed.

Guideline - An indication or outline of policy or conduct dealing with the basic management of the Forest. Forest-wide management standards and guidelines apply to all areas of the Forest regardless of the other management prescriptions applied.

Habitat Type - An aggregation of all land areas potentially capable of producing similar plant communities at climax.

Hazard - A real or potential condition that may result in an undesired event, the cause of risk. Hazard can apply to the probability of tree mortality or damage by an insect or disease and also represents material or fuel that will ignite and burn.

Hiding Cover - Vegetation used by an animal for hiding. The amount and quality of vegetation needed depends on the animal's size, mobility, and reluctance to venture into relatively open areas. For an elk, hiding cover conceals 90 percent of a standing adult elk from the view of a human at a distance equal to or less than 200 feet. Hiding cover allows elk to use areas for bedding, foraging, thermal relief, wallowing, or other functions, but it does not necessarily provide security during the hunting season.

Historic Range of Variability (HRV) - Conditions which be expected to occur under natural disturbance and succession regimes.

Home Range - An area, from which intruders may or may not be excluded, to which an individual restricts most of its usual activities.

Indirect Effects - Secondary effects which occur in locations other than the initial action or significantly later in time.

Initial Attack - An aggressive suppression action consistent with firefighter and public safety and values to be protected.

Instream Cover - Anything in the water that provides protection to fish from predators (including turbulence, debris, logs, and rocks).

Intensity - Energy release rates; these are physical descriptors of the fire, not its ecological effects. Generally referred to as High, Moderate, or Low intensity.

Interdisciplinary Team (ID Team) - A group of individuals with different training assembled to solve a problem or perform a task. The team is assembled out of recognition that no one scientific discipline is sufficiently broad to adequately solve the problem. Through interaction, participants bring different points of view to bear on the problem.

Intermittent Stream - A stream which flows only at certain times of the year when it receives water from springs or from some surface source such as melting snow.

Invasive Plant – All State and county listed “noxious weeds” are considered invasive plants. Also, other exotic species (not listed by State or counties as noxious weeds) that can successfully out compete and displace native plant communities.

Inventoried Roadless Area - An area identified and classified as roadless. These areas were identified during the second Roadless Area Review and Evaluation (RARE II).

Issue - See Public Issue.

Ladder Fuels - Fuels which provide vertical continuity between the surface fuels and crown fuels in a forest stand, thus contributing to the ease of torching and crowning.

Land and Resource Management Plan (Forest Plan) - A strategic integrated resource plan based on the principles of enhanced public involvement, consideration of all resource values, and resource sustainability.

Landscape - The landforms of a region in the aggregate; the land surface and its associated habitats at scales of many acres to many square miles; a spatially heterogeneous area.

Landtype - An inventory map unit with relatively uniform potential for a defined set of land uses. Properties of soils landform, natural vegetation, and bedrock are commonly components of landtype delineation used to evaluate potentials and limitations for land use.

Large Woody Debris – Large logs and stumps in streams and on land that provide habitat for aquatic and terrestrial organisms and affects stream function.

Late Seral/Structural Stage - A stage of development of an ecosystem from approximately 80 to 120 years old. Forested stands are generally 12 to 16 inches average dbh.

Lethal Fire/Lethal Fire Regime - Fire that consumes the entire vegetative community (grasses, shrubs, trees. Also see Stand Replacement Fire.

Linkage (Habitat) - Linkage zones are combinations of landscape structural factors that allow wildlife to move through, and live within, areas influenced by human actions. A linear habitat patch through which a species must travel to reach habitat more suitable for reproduction and other life-sustaining needs.

Low Severity Ground Fire - A fire with low intensity that primarily scorches tree boles, allowing fire tolerant species to survive.

Management Area (MA) - An aggregation of capability areas that have common management direction and may be dispersed over the Forest. Consists of a grouping of capability areas selected through evaluation procedures and used to locate decisions and resolve issues and concerns.

Management Indicator Species (MIS) - Species identified in a planning process that are used to monitor the effects of planned management activities on viable populations of wildlife and fish including those that are socially or economically important.

Mature Timber - Individual trees or stands of trees that in general are at their maximum rate in terms of the physiological processes expressed as height, diameter, and volume growth.

MBF and MMBF - Thousand board feet and million board feet, respectively.

Mean Fire Return Interval (Mean Fire Interval) – The average of all fire intervals in a given area over a given time period.

Mesic - Moderately moist.

Mid-Seral/Structural Stage - A stage of development of an ecosystem from approximately 30 to 80 years old. Forested stands are generally 5 to 12 inches average dbh. Stand structure is pole- and small sawlog-sized trees.

Mixed-Severity Fire/Mixed Severity Fire Regime - Mixed-severity fire regime areas can experience the full range of fire severities during either a single event or consecutive events. In other words, in a single fire event both low severity (killing few trees) and high severity (killing all trees) in patches of variable sizes. This tends to create complex fine-grained spatial patterns of vegetation conditions across a landscape.

Moist Sites (Elk) – An important characteristic of elk habitat consisting of wet meadows, ponds, seeps, and springs, and typically located in more remote, upper-drainage perched sites.

Monitoring and Evaluation- The periodic evaluation on a sample basis of Forest Plan management practices to determine how well objectives have been met and how closely management standards have been applied.

Montane - Of, growing in, or inhabiting mountain areas.

National Environmental Policy Act (NEPA) - An act which encourages productive and enjoyable harmony between man and his environment; promotes efforts to prevent or eliminate damage to the environment and biosphere and stimulate the health and welfare of man; enriches the understanding of the ecological systems and natural resources important to the Nation; and establishes a Council on Environmental Quality.

National Forest Management Act (NFMA) - A law passed in 1976 as amendments to the Forest and Rangeland Renewable Resources Planning Act that requires the preparation of Regional and Forest Plans and the preparation of regulations to guide that development.

National Forest System (NFS) - All national forest lands reserved or withdrawn from the public domain of the United States, all national forests lands acquired through purchase, exchange, donation, or other means, the national grasslands and land utilization projects administered under Title III.

National Wilderness Preservation System - All lands covered by the Wilderness Act and subsequent wilderness designations, irrespective of the department or agency having jurisdiction.

Native Species - Species that are indigenous to a region, as opposed to introduced or exotic species.

Native (Natural) Succession and Disturbance Regimes - The historic patterns (frequency and extent) of fire, insects, wind, landslides, and other natural processes in an area.

Natural Regeneration - Renewal of a tree crop by natural seeding, sprouting, suckering, or layering.

No Action Alternative - The management direction, activities, outputs, and effects most likely to exist in the future if the current plan would continue unchanged.

Non-Lethal Fire/Non-Lethal Fire Regime – Fire that primarily consumes surface fuels causing little mortality to overstory trees. See also Low Severity Fire.

Noxious and Invasive Weed EA (NIWC EA)

Noxious Weed - Any exotic plant species established or that may be introduced in the area which may render land unfit for agriculture, forestry, livestock, wildlife, or other beneficial uses.

Old Growth Habitat - A community of forest vegetation that has reached a late stage of plant succession characterized by a diverse stand structure and composition along with a significant showing of decadence. The stand structure will typically have multi-storied crown heights and variable crown densities. There is a variety of tree sizes and ages ranging from small groups of seedlings and saplings to trees of large diameters exhibiting a wide range of defect and breakage both live and dead, standing and down. The time it takes for a forest stand to develop into old growth condition depends on many local variables such as forest type, habitat type, and climate. Natural chance

events involving forces of nature such as weather, insect, disease, fire, and the actions of man also affects the rate of development of old-growth stand conditions.

Open Road – A road with no restrictions on motorized vehicle use.

Overmature Timber - Individual trees or stands of trees that in general are past their maximum rate in terms of the physiological processes expressed as height, diameter, and volume growth.

Overstory - The portion of the trees that form the uppermost canopy layer in a forest of more than one story.

Perennial Streams - Streams that flow continuously throughout most years and whose upper surface generally stands lower than the water table in the region adjoining the stream.

Phloem – The layer of cells under the bark and outside of the cambium layer responsibility for transporting food created by the leaves.

Pole - A tree between a sapling and small timber size at least 5 inches DBG but smaller than 8 inches DBH.

Pool - A portion of the stream with reduced current velocity, often with water deeper than the surrounding areas, and which is usable by fish for resting and cover.

Population - A group of coexisting (conspecific) individuals that interbreed if they are sexually reproductive.

Potential Habitat (Wildlife) - Habitat that is likely to be occupied by a wildlife species or group of species, currently or in the near future.

Potential Vegetation Group (PVG) - Groupings of habitat groups on the basis of similarity of general moisture or temperature environment.

Pre-Commercial Thinning - The selective felling, deadening, or removal of trees in a young stand primarily to accelerate diameter increment on the remaining stems, maintain a specific stocking or stand density range, and improve the vigor and quality of the trees that remain.

Preferred Alternative - The Agency's preferred alternative is the alternative that the agency believes would best fulfill its statutory mission and responsibilities, giving consideration to economic, environmental, technical and other factors, and which meets the purpose and need of the NEPA document.

Prescribed Burning- The controlled use of fire to reduce or eliminate the unincorporated organic matter of the forest floor, or low, undesirable vegetation. A written, approved prescribed fire plan must exist, and NEPA requirements must be met, prior to ignition.

Proposed Action - The proposed action or proposal exists at that stage in the development of an action when an agency subject to the Act (NEPA) has a goal and is actively preparing to make a decision on one or more alternative means of accomplishing that goal and the effects can be meaningfully evaluated.

Public Involvement - A process designed to broaden the information base upon which agency decisions are made by informing the public about Forest Service activities, plans, and decisions, and participation in the planning processes which lead to final decision making.

Public Issue - A subject or question of widespread public interest identified through public participation relating to management of NFS lands.

Ranger District— Administrative subdivision of the Forest supervised by a District Ranger.

Reach - A length of stream channel, lake, or inlet exhibiting, on average, uniform hydraulic properties and morphology.

Rearing Habitat - In the case of juvenile westslope cutthroat trout, this is primarily the pool environment in streams.

Recovery Plan - A plan that details actions or conditions necessary to promote species recovery, that is, improvement in the status of species listed under the ESA to the point at which listing is no longer appropriate. Plans are required for virtually all listed species.

Reforestation - The renewal of forest cover by seeding, planting, and natural means.

Regeneration - The renewal of a forest, whether by natural or artificial means. This term may also refer to a tree crop itself.

Rehabilitation (Road) - The act of maintaining a road and improving drainage features, usually to meet BMP standards.

Release - Freeing a tree or group of trees from more immediate competition by cutting or otherwise eliminating growth that is overtopping or closely surrounding them.

Resident Fish - Non-migratory fish species.

Resilient, Resiliency - The ability of a system to respond to disturbances. Resiliency is one of the properties that enable the system to persist in many different states or successional stages.

Responsible Official - The Forest Service employee who has the authority to select and/or carry out a specific planning action.

Restore, Restoration - The re-creation of a natural or self-sustaining, resilient community or ecosystem, or a movement in that direction.

Restricted Road - A road on which motorized vehicle use is restricted during the entire non-denning period. The road requires physical obstruction and motorized vehicle use in the non-denning period is legally restricted by order.

Riparian Areas - Areas with distinctive resource values and characteristics that are comprised of an aquatic ecosystem and adjacent upland areas that have direct relationships with the aquatic system. This is considered the horizontal distance of approximately 100 feet from the normal high water line of a stream channel, or from the shoreline of a standing body of water.

Riparian Ecosystem - A transition between the aquatic ecosystem and the adjacent upland terrestrial ecosystem. It is identified by soil characteristics and by distinctive vegetative communities that require free or unbounded water.

Riparian Habitat Conservation Area (RHCA) - Portions of watersheds where riparian-dependent resources receive primary emphasis and management activities are subject to specific standards and guidelines. Riparian Habitat Conservation Areas were established as INFISH guidelines.

Riparian Land Type - Integrated map units of the types of riparian habitats based on topography, substrate materials (i.e., clays or boulders), and associated vegetation.

Riparian Wildlife Habitat - Vegetation growing close to a watercourse, lake, swamp, or spring that is generally critical for wildlife cover, fish food organisms, stream nutrients and large organic debris, and for streambank stability.

Risk - The probability of a hazard and/or the consequences of that hazard (hazards are undesirable events).

Road Density – Number of miles in a given area.

Road Management - The combination of both traffic management and maintenance management operations. Traffic management is the continuous process of analyzing, controlling, and regulating uses to accomplish National Forest objectives. Maintenance management is the perpetuation of the transportation facility to serve intended management objectives.

Roadless Area – A National Forest area which (1) is larger than 5,000 acres, or if smaller than 5,000 acres, contiguous to a designated wilderness or primitive area; (2) contains no roads; and (3) has been inventoried by the Forest Service for possible inclusion in the Wilderness Preservation System.

Salvage – Harvest of trees that are dead, dying, or deteriorating due to fire, wind, insect or other damage, or disease.

Sapling - A young tree that is larger than a seedling but smaller than a pole, typically 5 to 25 feet tall.

Scoping Process - An early and open process for determining the scope of issues to be addressed and for identifying the significant issues related to the proposed action. Identifying the significant environmental issues deserving of study and deemphasizing insignificant issues, narrowing the scope of the environmental impact statement accordingly (CEQ regulations, 40 CFR 1501.7).

Security - The protection inherent in any situation that allows a wildlife species to remain in a defined area despite an increase in stress or disturbance, such as that associated with hunting season. The components of security include vegetation, topography, the size of the blocks of vegetation, road density, distance from roads, intensity of the disturbance, and seasonal timing.

Sediment - Solid material, both mineral and organic, that is in suspension, being transported, or has been moved from its site of origin by air, water, gravity, or ice.

Seedling - A young tree that has just germinated but has not yet reached sapling size, typically 1 to 5 feet tall.

Seedling/Sapling - A size category for forest stands in which trees less 5 inches in diameter are the predominant vegetation.

Sensitive Species - Those wildlife and plant species identified by the Regional Forester for which population viability is a concern because of significant current or predicted downward trends in (a) population numbers or density, or (b) habitat capability that would reduce a species' existing distribution.

Seral - A biotic community that is developmental; a transitory stage in an ecologic succession.

Seral Stage (also called successional or structural stage) refers to vegetation structural development; and describes the mix and distribution of tree species, sizes, canopy layers, ages, and general conditions in a forest.

Seral/Structural Stage - A stage of development of an ecosystem from a disturbed, relatively unvegetated state to a complex, mature plant community.

Severity - Refers to the ecological effects of fires, usually on the dominant organisms of the ecosystem, for example a stand dominated by lodgepole pine.

Shade Intolerant - Species of plants that do not grow well or die from the effects of too much shade. Generally, these are fire-tolerant species.

Shade Tolerant - Species of plants that can develop and grow in the shade of other plants. Generally, these are fire-intolerant species.

Silviculture - The theory and practice of controlling the establishment, composition, growth, and quality of forest stands in order to achieve the objectives of management.

Silviculture Diagnosis - The process of compiling, summarizing, analyzing, and recording of stand data.

Silvicultural Prescription - A written document that describes management activities needed to implement silvicultural treatment or treatment sequence. The prescription documents the results of the analysis during the diagnosis phase.

Silvicultural Systems - A management process whereby forests are tended, harvested, and replaced, resulting in a forest of distinctive form. It includes all cultural management practices performed during the life of the stand, such as regeneration cutting, thinning, and use of genetically improved tree seeds and seedlings to achieve multiple resource benefits.

Site Preparation - A general term for a variety of activities that remove competing vegetation, slash, and other debris that may inhibit the reforestation effort.

Site Productivity - Production capability of a specific area of land.

Slash - The residue left on the ground after felling and other silvicultural operations and/or accumulating there as a result of storms, fire, or poisoning trees.

Snag - A standing dead tree usually greater than 5 feet in height and 6 inches DBH.

Soil Productivity - The capacity of a soil to produce a specific crop such as fiber and forage, under defined levels of management. It is generally dependent on available soil moisture and nutrients and length of growing season.

Spatial – Of, relating to, involving, or having the nature of space.

Spawning Gravel - Small gravels (0.25 - 1.0 inch diameter) in streams grouped in areas of about 1 square foot or larger with good water circulation through them.

Spawning Habitat - Areas of substrate that provide well-oxygenated and suitable sized gravels for fish spawning.

Species - A group of actually or potentially interbreeding populations that are reproductively isolated from all other kinds of organisms.

Specified Road - See Forest Development Road, above.

Stagnation - A condition where plant growth is markedly reduced or even arrested through, e.g., competition, state of the soil, or disease.

Stand - A community of trees or other vegetative growth occupying a specific area and sufficiently uniform in composition (species), age, spatial arrangement, and conditions as to be distinguishable from the other growth on adjoined lands, so forming a silvicultural or management entity.

Stand Maintenance Fire (Non-Lethal) - Fire that emphasizes the survival of the living overstory vegetation.

Stand Replacement Fire- Fire that emphasizes the destruction of the living overstory vegetation. See also Lethal fire.

Stand Replacement Fire Regime - Stand-replacement fire regimes typically occur on lands that experience predominantly lethal fires, with less than 10 percent of the forested canopy cover remaining after the fire.

Stand-Replacing Disturbance - An agent such as fire, blowdown, insect or disease epidemic, or timber harvest that kills or removes enough trees to result in an early-seral/structural stage condition.

Standards and Guidelines - An indication or outline of policy or conduct dealing with the basic management of the Forest. Forest-wide management standards and guidelines apply to all areas of the Forest regardless of the other management prescriptions applied.

Stocking - A measure of timber stand density as it relates to the optimum or desired density to achieve a given management objective.

Streamside Management Zone (SMZ) - An area adjacent to the bank of a stream or body of open water where extra precaution is necessary to carry out forest practices in order to protect bank edges and water quality.

Structure - The various horizontal and vertical physical elements of the forest, including tree size, canopy composition, quantity and quality of deadwood, ephemeral herbaceous species, density of wildlife trees, fungi, age structure, forest height, etc.

Subspecies - Subpopulations or races within a species that are distinguishable by morphological characteristics and, sometimes, by physiological or behavioral characteristics.

Substrate - Mineral and/or organic material that forms the stream bed (stream bottom).

Summer Range - Land used by wildlife species (specifically big game and/or grizzly bear) during the summer months.

Succession - A predictable process of changes in structure and composition of plant and animal communities over time. Conditions of the prior plant community or successional stage create conditions that are favorable for the establishment of the next stage. The different stages in succession are often referred to as "seral stages."

Sustainability is defined as the capacity of forests, ranging from stands to eco-regions, to maintain their health, productivity, diversity, and overall integrity, in the long run, in the context of human activity and use.

System Road - See Forest Development Road, above.

Temporary Road - A road constructed to facilitate forest management activities but is reclaimed soon after the activity is completed.

Territory - Any area defended by one or more individuals against intrusion by others of the same or different species.

Thermal Cover- Cover used by animals to ameliorate the chilling effects of winter weather or the heating effects of summer weather. For elk, a stand of coniferous trees 40 feet or taller with an average crown closure of 70 percent or more.

Threatened Species - Any species, plant or animal, which is likely to become an endangered species within the near future throughout all, or a significant portion, of its range. In accordance with the 1973 ESA, the Secretary of the Interior identifies endangered species.

Tiering - Refers to the elimination of repetitive discussions of the same issue by incorporating by reference the general discussion in an environmental impact statement of broader scope. For example, a project EA could be tiered to the Forest Plan EIS.

Travel Habitat - Habitat used by a wildlife species for daily or periodic movements between areas of higher-quality habitat. For example, for a lynx this would be the forested cover used while traveling between areas used for denning and that used for hunting.

Underburning - A fire that consumes surface fuels but not trees and large shrubs. See also Low Severity Fire and Stand Maintenance Fire.

Understory - The trees and other woody species which grow under a more or less continuous cover of branches and foliage formed collectively by the upper portion of adjacent trees and other woody growth.

Ungulate - A mammal with hooves.

Vegetative Screening - Vegetation (trees, shrubs, etc.) that ameliorates the visual effect of management activities adjacent to viewing areas (i.e. main roads).

Vegetative Succession - A phase in the gradual supplanting of one community of plants by another.

Viability - A viable animal or plant species is defined as consisting of self-sustaining populations that are well distributed throughout the specie's range. Self-sustaining populations are those that are sufficiently large, and have sufficient genetic diversity to display the array of life history strategies and forms that will provide for their persistence and adaptability in the planning area over time.

Visual Resource - The composite of basic terrain, geologic features, water features, vegetative patterns, and land use effects that typify a land unit and influence the visual appeal the unit may have for visitors.

Water Quality- The physical, chemical, and biological properties of water.

Water Yield - The runoff from a watershed, including groundwater outflow.

Watershed - The land area drained by a river system.

Water Erosion Prediction Project (WEPP) – A computer simulation that predicts soil erosion.

Wetland - Areas that under normal circumstances have hydrophytic vegetation, hydric soils, and wetland hydrology.

Wilderness - Federal land retaining its primeval character and influence without permanent improvements or human habitation as defined under the 1964 Wilderness Act. It is protected and managed so as to preserve its natural conditions, which (1) generally appear to have been affected primarily by forces of nature with the imprint of man's activity substantially unnoticeable; (2) has outstanding opportunities for solitude or a primitive and confined type of recreation; (3) has at least 5000 acres or is of sufficient size to make practical its preservation, enjoyment, and use in an unimpaired condition, and (4) may contain features of scientific, educational, scenic, or historical value as well as ecologic and geologic interest.

Wildfire - An unwanted wildland fire that requires a suppression response.

Wildland Fire - A non-structure fire, other than prescribed fire, that occurs in the wildland. Any fire originating from an unplanned ignition.

Wildland Urban Interface (WUI) - That line, area, or zone where structures and other human development meet or intermingles with undeveloped wildland or vegetative fuels.

Wind Dominated Fire - The power of the wind is greater than the power of the fire in influencing its behavior.

Windfirm - A tree (live or dead) or species of tree that is relatively resistant to being blown over by the wind.

Windthrow - A tree or stand of trees that have been blown over by the wind.

Winter Range - The areas available to and used by big game during the winter season. Must contain forage or browse to feed big game. Winter range areas tend to have a relatively low amount of snow cover which enables the animals to reach the forage.

Acronyms

BA	Biological Assessment
BE	Biological Evaluation
BMA	Bear Management Area
BMP	Best Management Practice
BO	Biological Opinion
CAA	Clean Air Act
CDW	Coarse Down Woody
CEQ	Council on Environmental Quality
CFR	Code of Federal Regulations
DBH	diameter breast height
DEQ	Montana Department of Health and Environmental Quality
DFPZ	Defensible Fuel Profile Zone
DNRC	Montana Department of Natural Resources and Conservation
EA	Environmental Analysis
EAWS	Ecosystem Analysis at the Watershed Scale
ECA	Equivalent Clearcut Acre
EIS	Environmental Impact Statement
ERC	Energy Release Component
ESA	Endangered Species Act
FBPS	Fire Behavior Prediction System
FDR	Forest Development Road
FDW	Fine Down Woody
FEIS	Final Environmental Impact Statement
FHP	USDA Forest Health and Protection

FIA	Forest Inventory Assessment
FMZ	Fire Management Zone
FRZ	Fuels Reduction Zone
FSH	Forest Service Handbook
FSM	Forest Service Manual
FSVeg	Field Sampled Vegetation
FVS	Forest Vegetation Simulator
GIS	Geographic Information System
HRV	Historic Range of Variability
ID Team	Interdisciplinary Team
KV	Knutson-Vandenberg
LANDFIRE	Landscape Fire and Resource Management Planning Tools Project
LRMP	Land and Resource Management Plan (Forest Plan)
MA	Management Area
MAFI	Mean Annual Fire Interval
MBF	thousand board feet
MDFW&P	Montana Department of Fish, Wildlife & Parks
MIS	Management Indicator Species
MMBF	million board feet
MNHP	Montana Natural Heritage Program
MOU	Memorandum of Understanding
MWAT	Maximum Weekly Average Temperature
NAAQS	National Ambient Air Quality Standards
NEPA	National Environmental Policy Act
NFDRS	National Fire Danger Rating System
NFMA	National Forest Management Act
NFS	National Forest System

NIFMID	National Interagency Fire Management Integrated Database
NIWC	Noxious and Invasive Weed EA
NRIS	Natural Resource Inventory System
OHV	Off-Highway Vehicle
PCTC	Plum Creek Timber Company, LLP
PM	Particulate Matter
PVG	Potential Vegetation Group
RHCA	Riparian Habitat Conservation Area
RMO	Road Management Objectives
SDMP	Soil Disturbance Monitoring Protocol
SEC	Swan Ecosystem Center
SHPO	Montana State Historic Preservation Office
SIP	State Implementation Plan
SMZ	Streamside Management Zone
SOC	Soil Organic Carbon
SOPA	Schedule of Proposed Activities
SVGBCA	Swan Valley Grizzly Bear Conservation Agreement
TES	Threatened and Endangered Species
TMDL	Total Maximum Daily Load
TSMRS	Timber Stand Management Records System
USDA	United States Department of Agriculture
USDI	United States Department of Interior
USFWS	United States Fish and Wildlife Service (USDI)
VQO	Visual Quality Objective
WEPP	Water Erosion Prediction Project
WRA	Weed Risk Assessment
WUI	Wildland Urban Interface

