

# **APPENDIX C TABLES USED TO SUMMARIZE EXISTING VEGETATION CONDITIONS IN THE PROJECT AREA**



<b>Seral Stages by Geographic Area Within the Interior Management Area and on Black-tailed Prairie Dog Suitable Habitat (BTPD Towns as Early Seral Stage)</b>										
<b>Geographic Area</b>	<b>Late</b>		<b>Late Intermediate</b>		<b>Early Intermediate</b>		<b>Early</b>		<b>Unknown</b>	
	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>
Oglala	4518	24.1%	8909	47.6%	3591	19.2%	1218	6.5%	500	2.7%
FRNE	5737	17.1%	18472	55.2%	7722	23.1%	1284	3.8%	268	0.8%
FRW	10244	21.1%	26098	53.9%	9467	19.5%	1909	3.9%	736	1.5%
FRSE	7352	29.7%	14242	57.5%	2976	12.0%	74	0.3%	104	0.4%
FRSE 3.63	8601	50.6%	7282	42.8%	459	2.7%	641	3.8%	27	0.2%
WN	1872	12.6%	10434	70.4%	1963	13.3%	437	3.0%	107	0.7%
WSE	4007	12.8%	20025	64.0%	4645	14.8%	1887	6.0%	733	2.3%
WSW	45	0.7%	4577	68.4%	1182	17.7%	211	3.2%	681	10.2%
WSW 3.63	1957	4.2%	13135	28.3%	4938	10.6%	25543	55.0%	827	1.8%
FP	13449	21.8%	40084	65.0%	4369	7.1%	2907	4.7%	844	1.4%

<b>Seral Stages by Geographic Area Within the Interior Management Area and on Black-tailed Prairie Dog Unsuitable Habitat – Existing Seral Stage Inventory</b>										
<b>Geographic Area</b>	<b>Late</b>		<b>Late Intermediate</b>		<b>Early Intermediate</b>		<b>Early</b>		<b>Unknown</b>	
	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>
Oglala	1922	17.7%	4610	42.4%	2454	22.6%	23	0.2%	1853	17.1%
FRNE	658	10.1%	2056	31.7%	872	13.4%	3	0.0%	2898	44.7%
FRW	253	17.5%	585	40.5%	386	26.7%	30	2.1%	190	13.2%
FRSE	52	11.3%	188	40.8%	96	20.8%	0	0.0%	125	27.1%
FRSE 3.63	492	77.1%	91	14.3%	3	0.5%	0	0.0%	52	8.2%
WN	293	24.0%	660	54.1%	80	6.6%	21	1.7%	166	13.6%
WSE	180	3.2%	695	12.5%	145	2.6%	16	0.3%	4544	81.4%
WSW	16	0.2%	2214	29.8%	230	3.1%	0	0.0%	4971	66.9%
WSW 3.63	81	1.6%	667	13.4%	249	5.0%	9	0.2%	3978	79.8%
FP	890	21.7%	2356	57.4%	285	6.9%	31	0.8%	539	13.1%

<b>Seral Stages by Geographic Area Within the Boundary Management Area and on Black-tailed Prairie Dog Suitable Habitat (BTPD Towns as Early Seral Stage)</b>										
<b>Seral Stage</b>	<b>Late</b>		<b>Late Intermediate</b>		<b>Early Intermediate</b>		<b>Early</b>		<b>Unknown</b>	
	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>
Oglala	8048	18.30%	23870	54.29%	9489	21.58%	1021	2.32%	1539	3.50%
FRNE	5673	12.52%	23230	51.25%	11972	26.41%	4160	9.18%	288	0.64%
FRW	10466	15.39%	34482	50.71%	17966	26.42%	3110	4.57%	1972	2.90%
FRSE	11428	19.24%	34748	58.50%	12005	20.21%	702	1.18%	511	0.86%
FRSE 3.63	1683	23.45%	4154	57.89%	1107	15.43%	212	2.95%	20	0.28%
WN	6837	13.93%	32468	66.15%	8120	16.54%	938	1.91%	716	1.46%
WSE	5034	9.85%	31396	61.45%	11408	22.33%	1564	3.06%	1694	3.32%
WSW	761	9.03%	4789	56.82%	2043	24.24%	655	7.77%	181	2.15%
WSW 3.63	1464	7.92%	7849	42.44%	2951	15.96%	6006	32.48%	224	1.21%
FP	9032	19.26%	30371	64.75%	4481	9.55%	2311	4.93%	709	1.51%

**Seral Stages by Geographic Area Within the Boundary Management Area and on Black-tailed Prairie Dog Unsuitable Habitat – Existing Seral Stage Inventory**

<b>Seral Stage</b>	<b>Late</b>		<b>Late Intermediate</b>		<b>Early Intermediate</b>		<b>Early</b>		<b>Unknown</b>	
	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>	<b>Acres</b>	<b>%</b>
Oglala	3677	17.6%	9281	44.4%	3855	18.4%	49	0.2%	4056	19.4%
FRNE	639	10.6%	2416	40.2%	1191	19.8%	49	0.8%	1710	28.5%
FRW	175	8.5%	990	48.1%	555	27.0%	68	3.3%	269	13.1%
FRSE	196	9.5%	644	31.2%	273	13.2%	7	0.3%	944	45.7%
FRSE 3.63	222	46.1%	158	32.8%	8	1.7%	0	0.0%	94	19.5%
WN	1328	30.7%	1802	41.7%	596	13.8%	82	1.9%	516	11.9%
WSE	290	4.2%	1174	17.1%	382	5.6%	56	0.8%	4963	72.3%
WSW	59	1.8%	633	18.8%	204	6.1%	20	0.6%	2448	72.8%
WSW 3.63	209	3.5%	1589	26.4%	224	3.7%	32	0.5%	3968	65.9%
FP	806	23.8%	1846	54.4%	270	8.0%	109	3.2%	361	10.6%