

APPENDIX G REFERENCES

Note: Appendix G does not contain references for *Appendix O - Biological Effects Analysis for Black-tailed Prairie Dog Management on the units of the Nebraska National Forest: Buffalo Gap and Fort Pierre National Grasslands, South Dakota and Oglala National Grassland, Nebraska*. References for Appendix O are listed in the back of that document.

- Abele, S.C., V.A. Saab, and E.O. Garton. 2004. Lewis's woodpecker (*Melanerpes lewis*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/lewisswoodpecker.pdf> [Accessed Nov 2004].
- Agnew, W., D.W. Uresk, and R.M. Hansen. 1983. Flora and fauna associated with prairie dog ecosystems. M.S. Thesis. Colorado State Univ., Fort Collins. 47pp.
- Agnew, W., D.W. Uresk, and R.M. Hansen. 1986. Flora and fauna associated with prairie dog colonies and adjacent ungrazed mixed-grass prairie in western South Dakota. *J. of Range Manage.* 39:135-139.
- Agnew, W., D.W. Uresk, and R.M. Hansen. 1988. Arthropod consumption by small mammals on prairie dog colonies and adjacent ungrazed mixed grass prairie in western South Dakota. *In* D.W. Uresk, G.L. Schenbeck, and R. Cefkin, technical editors. Eighth Great Plains wildlife damage control workshop proceedings. General Technical Report RM-154, Rocky Mountain Forest and Range Experiment Station, USDA Forest Service. Fort Collins, CO. Pp. 81-87.
- Allardyce D. and M.A. Sovada. 2003. A review of the ecology, distribution, and status of swift foxes in the United States. *In* M.A. Sovada and L. Carbyn, editors. The swift fox: ecology and conservation of swift fox in a changing world. Canadian Plains Research Center. University of Regina. Regina, Saskatchewan Canada. Pp. 3-18.
- Allendorf, F.W. and N. Ryman. 2002. The role of genetics in population viability analysis. *In* S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 50-85.
- Andelt, W.F.. 2006. Methods and economics of managing prairie dogs. *In* J.L. Hoogland, editor. Conservation of the black-tailed prairie dog: saving North America's western grasslands. Island Press. Washington, D.C. Pp. 129-138.
- Anderson, E., S.C. Forrest, T.W. Clark, and L. Richardson. 1986. Paleobiology, biogeography, and systematics of the black-footed ferret, *Mustela nigripes* (Audubon and Bachman), 1851. *Great Basin Naturalist* 8:11-62.
- Anderson, R.C. 1982. An evolutionary model summarizing the roles of fire, climate, and grazing animals in the origin and maintenance of grasslands: an end paper. *In* J.R. Estes, R.J. Tylr, and Brunken, editors. Grasses and grasslands; systematics and ecology. University of Oklahoma Press. Norman, Oklahoma. Pp. 297-308.
- Anderson, T. (2005). *Oreohelix strigosa cooperi* (Cooper's Rocky Mountain Snail): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/coopersrockymountainsnail.pdf> [March 28, 2007]
- Apa A.D., D.W. Uresk, and R.L. Linder. 1991. Impacts of black-tailed prairie dog rodenticides on nontarget passerines. *Great Basin Naturalist* 51(4):301-309.

- Apps, C.D. 1999. Space-use, diet, demographics, and topographic associations of lynx in the southern Canadian Rocky Mountains: a study. *In* L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, J.R. Squires, editors. Ecology and conservation of lynx in the United States. General Technical Report. Fort Collins, CO. Pp. 315-372.
- Ashton, D.E., and E.M. Dowd. 1991. Fragile legacy; endangered, threatened and rare animals of South Dakota. South Dakota Dept. of Game, Fish, and Parks. Rep. 91-04. 150pp.
- Baker, R.R. 1978. The evolutionary ecology of animal migration. Holmes and Meier, New York, New York, USA.
- Barnes, A.M. 1993. A review of plague and its relevance to prairie dog populations and the black-footed ferret. *In* Proceedings of the Symposium on the Management of Prairie Dog Complexes for the Reintroduction of the Black-footed Ferret. U.S. Fish and Wildlife Service Biological Report 13. Pp. 28-37.
- Beatty, B.L., W.F. Jennings, and R.C. Rawlinson. 2004. *Schoenoplectus hallii* (Gray) S.G. Sm. (Hall's bulrush): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/schoenoplectushallii.pdf> [January 24, 2007].
- Bechard, M.J., and J.K. Schmutz. 1995. Ferruginous hawk (*Buteo regalis*). *In* A. Poole and F. Gill, editors. The birds of North America. Academy of Natural Sciences and American Ornithological Union, Washington, D.C.
- Beecham, J.J. Jr., C.P. Collins, and T.D. Reynolds. 2007. Rocky Mountain bighorn sheep (*Ovis canadensis*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/rockymountainbighornsheep.pdf> [September 13, 2007].
- Beissinger, S.R. and D.R. McCullough, editors. 2002. Population viability analysis. University of Chicago Press. Chicago, Illinois.
- Belak, J. R. 2001. Modeling the effects of habitat quality on black-tailed prairie dog habitat occupancy using spatially correlated data. M.S. Thesis, Colorado State University. Fort Collins, Colorado
- Bellrose, F.C. 1976. Ducks, geese, and swans of North America. Stackpole Books. Harrisburg, PA. 544pp.
- Biggins, D.E. 2000. Predation on black-footed ferrets (*Mustela nigripes*) and Siberian polecats (*M. evermannii*): conservation and evolutionary implications. Ph.D dissertation. Colorado State University. Fort Collins, CO.
- Biggins, D.E. 2005. The symposium in context. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 3-5.
- Biggins, D.E., B.J. Miller, L.R. Hanebury, B. Oakleaf, A.H. Farmer, R. Crete, and A. Dood. 1993. A technique for evaluating black-footed ferret habitat. *In* J.L. Oldemeyer, D.E. Biggins, and B.J. Miller, editors. Proceedings of the symposium on the management of prairie dog complexes for the reintroduction of the black-footed ferret. U.S. Fish and Wildlife Service Biological Rep. No. 13. Pp. 73-38.
- Biggins, D.E., B.J. Miller, T.W. Clark, and R.P. Reading. 1997. Management of an endangered species: the black-footed ferret. *In* G.K. Meffe and C.R. Carroll, editors. Principles of conservation biology. Pp. 420-436.

- Biggins, D.E., J.L. Godbey, T.M. Livieri, M.R. Matchett, and B.D. Bibles. 2006. Post-release movements and survival of adult and young black-footed ferrets. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 189-198.
- Bolen, E.G. and W.L. Robinson. 2003. Wildlife ecology and management. Prentice-Hall. Upper Saddle River, New Jersey.
- Boyce, M.S. 1992. Population viability analysis. Annual Review of Ecology and Systematics 23: 481-506.
- Boyce, M.S. 1997. Population viability analysis: adaptive management for threatened and endangered species. In M.S. Boyce and A. Haney, editors. Ecosystem management. Yale University Press. New Haven, Connecticut. Pp. 226-236.
- Boyce, M.S. 2001. Population viability analysis: development, interpretation, and application. In T.M. Shenk and A.B. franklin, editors. Modelling in natural resource management. Island Press. Washington, DC. Pp 123-136.
- Boyce, M.S., B.M. Blanchard, R.R. Knight, and C. Servheen. 2001. Population viability for grizzly bears. International Association for Bear Research and Management Monograph Series Number 1.
- Boyce, M.S., E.M. Kirsch, and C. Servheen. 2002. Bet-hedging applications for conservation. Journal of Biosciences 27:385-392.
- Breck, S.W., D.E. Biggins, T.M. Livieri, M.R. Matchett, and V. Kopcso. 2005. Does predator management enhance survival of reintroduced black-footed ferrets? In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 203-209.
- Brussard, P.F., and M.E. Gilpin. 1989. Demographic and genetic problems of small populations. In U.S. Seal, E.T. Thorne, M.A. Bogan, and S.H. Anderson, editors. Conservation biology and the black-footed ferret. Yale University Press. New Haven, Connecticut. Pp. 37-48.
- Carlson, D.C., and E.M. White. 1987. Effects of prairie dogs on mound soils. Soil Sci. Soc. Am. J. 51:389-393.
- Caughley, G. 1994. Directions in conservation biology. Journal of Animal Ecology 63:215-244.
- Caughley, G. and A.R.E. Sinclair. 1994. Wildlife ecology and management. Blackwell Scientific Publications, Cambridge, Massachusetts.
- Central Nebraska Public Power and Irrigation District. 2004. Bald eagles in Nebraska [Online]. Available: <http://www.cnppid.com/Ragle-viewing.htm> [Accessed Dec 2, 2004].
- CFR. 2007. Code of Federal Regulation. GPO Access, Washington, D.C. Available: <http://www.gpoaccess.gov/cfr/index.html> [March, 2007].
- Chamber of Commerce, Seligman, AZ. 2006. Effects of the reintroduction of the black-footed ferret in Seligman. Letter to Black-footed Ferret Recovery Implementation Team Executive Committee. December 19, 2006. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- Cincotta, R.P., D.W. Uresk., and R.M. Hanson. 1989. Plant compositional change in a colony of black-tailed prairie dogs in South Dakota. Paper presented at the Ninth Great Plains Wildlife Damage Control Workshop. Fort Collins, Colorado.
- Clark, R.J. 1975. A field study of the short-eared owl, *Asio flammeus* (Pontoppidan), in North America. Wildl. Monogr. 47. 67pp.

- Clark T.W. 1970. Revegetation patterns on white-tailed prairie dog burrow mounds. Wyoming Range Management Issue 280:8-12.
- Clark, T.W. 1986. Technical introduction. In S.L. Wood, editor. Great Basin Naturalist memoirs No. 8 the black-footed ferret. Brigham Young University. Pp. 8-10.
- Clark, T.W. 1989. Conservation biology of the black-footed ferret (*Mustela nigripes*). Wildlife Preservation Trust, Special Scientific Report No. 3. Philadelphia, Pennsylvania.
- Clark, T.W., S.C. Forrest, L. Richardson, D.E. Casey, and T.M. Campbell III. 1986. Description and history of the Meeteetse black-footed ferret environment. Great Plains Naturalist 8:72-84.
- Clippinger, N.W. 1989. Habitat suitability index model: black-tailed prairie dog. U.S. Fish and Wildlife Service, Biol. Rep. 82(10). 21pp.
- Collinge, S.K., W.C. Johnson, C. Ray, R. Matchett, J. Grensten, J.F. Cully, Jr., K.L. Gage, M.Y. Kosoy, J.E. Loye, and A.P. Martin. 2005. Landscape structure and plague occurrence in black-tailed prairie dogs on grasslands of the western USA. Landscape Ecology 20:941-955.
- Collins, C.P. and T.D. Reynolds. 2005. Ferruginous hawk (*Buteo regalis*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/ferruginoushawk.pdf> [January 24, 2007].
- Commission for Environmental Cooperation. 2005. Draft North American conservation action plan for the western burrowing owl (*Athene cunicularia hypugaea*). Prepared by Burrowing Owl Technical Advisory Committee (Working Group) Geoff Holroyd (chair and editor) for Commission for Environmental Cooperation.
- Committee on Rangeland Classification, National Research Council. 1994. Rangeland health: new methods to classify, inventory, and monitor rangelands. Board on Agriculture. National Academy Press. Washington, D.C.
- Conservation Breeding Specialist Group. 2004. Black-footed ferret population management planning workshop. Final Report. IUCN/SSC Conservation Breeding Specialist Group: Apple Valley, MN.
- Connelly J.W., M.A. Schroeder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. Wildlife Society Bulletin 28(4):967-985.
- Cook, R.R., J-L.E. Cartron and P.J. Polechla, Jr. 2003. The importance of prairie dogs to nesting ferruginous hawks in grassland ecosystems. Wildlife Society Bulletin 31:1073-1082.
- Cooper, J and L. Gabriel. 2005. South Dakota black-tailed prairie dog conservation and management plan. [Online] South Dakota Game Fish and Parks. Available: <http://www.sdgifp.info/Wildlife/hunting/Prairiedogfinalplan.pdf> [January 30, 2007]
- Coppock, D.L., J.K. Detling, J.E. Ellis, and M.I. Dyer. 1983a. Plant- herbivore interactions in North American mixed- grass prairie I. Effects of black -tailed prairie dogs on intraseasonal aboveground plant biomass and nutrient and plant species diversity. Oecologia 56:1-9.
- Coppock, D.L., J.E. Ellis, J.K. Detling and M.I. Dyer. 1983b. Plant- herbivore interactions in a North American mixed-grass prairie II. Responses of bison to modification of vegetation by prairie dogs. Oecologia 56: 10-15
- Cully, J.F. 1993. Plague, prairie dogs, and black-footed ferrets. In Proceedings of the symposium on the management of prairie dog complexes for the reintroduction of the black-footed ferret. U.S. Fish and Wildlife Service Biological Report 13. Pp. 38-49.

- Cully, J.F., D.E. Biggins, and D.B. Seery. 2006. Conservation of prairie dogs in areas with plague. *In* J. L. Hoogland, editor. Conservation of the black-tailed prairie dog: saving North America's western grasslands. Island Press. Washington, D.C. Pages 157-168
- Ewer. R.F. 1973. The carnivores. Cornell University Press, Ithaca, New York.
- Extension Toxicology Network. 1993. Zinc phosphide. [Online] EXTOXNET. Available: <http://pmep.cce.cornell.edu/profiles/extoxnet/pyrethrins-ziram/zinc-phosphide-ext.html> [March 1, 2007]
- Davies, J.M. 2005. Nesting ecology of burrowing owls on the Little Missouri National Grassland. Master's thesis. Saint Cloud State University. St. Cloud, MN.
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, A.L. Zimmerman, and B.R. Euliss. 2003a. Effects of management practices on grassland birds: American bittern. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/ambi/ambi.htm> (Version 12DEC2003).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003b. Effects of management practices on grassland birds: long-billed curlew. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003c. Effects of management practices on grassland birds: chestnut collared longspur. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, P.A. Rabie, and B.R. Euliss. 2003d. Effects of management practices on grassland birds: McCown's longspur. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/mclo/mclo.htm> (Version 12AUG2004).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003e. Effects of management practices on grassland birds: short-eared owl. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003f. Effects of management practices on grassland birds: mountain plover. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).
- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003g. Effects of management practices on grassland birds: northern harrier. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).

- Dechant, J.A., M.L. Sondreal, D.H. Johnson, L.D. Igl, C.M. Goldade, M.P. Nenneman, and B.R. Euliss. 2003h. Effects of management practices on grassland birds: grasshopper sparrow. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwr.usgs.gov/resource/literatr/grasbird/noha/noha.htm> (Version 12DEC2003).
- Decker, K., D.R. Culver, and D.G. Anderson. 2006. *Eriophorum gracile* W.D.J. Koch (slender cottongrass): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/erriophorumgracile.pdf> [January 24, 2007].
- DeGraaf, R.M., V.E. Scott, R.H. Hamre, L. Ernst, and S.H. Anderson. 1991. Forest and rangeland birds of the United States – natural history and habitat use. In USDA Forest Service, Agriculture Handbook. 688pp.
- Deisch, M.S., D.W. Uresk, and R.L. Linder. 1990. Effects of prairie dog rodenticides on deer mice in western South Dakota. Great Basin Naturalist 50:347-353.
- Derner, J.D., J.K. Detling, and M.F. Antolin. 2006. Are livestock weight gains affected by black-tailed prairie dogs? Frontiers in Ecology and Environment 4(9): 459–464.
- Desmond, M.J., J.A. Savidge, and K.M. Eskridge. 2000. Correlations between burrowing owl and black-tailed prairie dog declines: a 7-year analysis. J. Wildl.Manage. 64:1067–1075.
- Detling, J.K. 2006. Do prairie dogs compete with livestock? In J.L. Hoogland, editor. Conservation of the black-tailed prairie dog: saving North America’s western grasslands. Island Press. Washington, D.C. Pp. 65-88.
- Dinsmore, S.J. 2003. Mountain plover (*Charadrius montanus*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/mountainplover.pdf> [Accessed Dec 2004].
- Duebbert, H.F. and J.T. Lokemoen. 1977. Upland nesting of American bitterns, marsh hawks, and short-eared owls. Prairie Naturalist 9:33-40.
- Ducey, J.E. 1988. Nebraska birds breeding status and distribution. Simmons and Boardman Books. Omaha, NE. 148pp.
- Elliot, W.J., D.E. Hall, D.L. Scheele. 2000. Disturbed WEPP, WEPP interface for disturbed forest and range runoff, erosion and sediment delivery. USDA Forest Service Rocky Mountain Research Station.
- Ekstein, R.T. 1999. Local and landscape factors affecting nest site selection and nest success of burrowing owls in western Nebraska. Master’s thesis. University of Nebraska. Lincoln, NE.
- Eng, R.L., J.E. Toepfer, and J.A. Newell. 1988. Management of livestock to improve and maintain prairie chicken habitat on the Sheyenne National Grasslands. In A. J. Bjugstad, technical coord. Prairie chickens on the Sheyenne National Grassland. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-159. 73 pp.
- Ernst, A.E., A.L. Clark, and D.R. Gober. 2005. A habitat-based technique to allocate black-footed ferret recovery among jurisdictional entities. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 89-95.
- Extension Toxicology Network. 1993. Pesticide information profiles: zinc phosphide. <http://extoxnet.orst.edu/pips/zincphos.htm> Summarized from U.S. National Library of Medicine. Hazardous Substances Databank. Bethesda, MD, 1995.10-9

- Fagerstone, K.A. and C.A. Ramey. 1996. Rodents and lagomorphs. *In* P.R. Krausman, editor. Rangeland Wildlife. The Society for Range Management, Denver, Colorado. Pp. 83-132.
- Fagerstone, K.A. and D.E. Biggins. 1986. Comparison of capture-recapture and visual count indices of prairie dog densities in black-footed ferret habitat. *In* S.L. Wood, editor. Great Basin Naturalist Memoirs No. 8, the black-footed ferret. Brigham Young University. Pp. 94-98.
- Flanagan, D.C., S.J. Livingston. 1995. WEPP User Summary. NSERL Report No. 11. National Soil Erosion Research Laboratory. West Lafayette, IN. 131p.
- Forrest, S.C. and J.C. Luchsinger. 2006. Past and current chemical control of prairie dogs. *In* J.L. Hoogland, editor. Conservation of the black-tailed prairie dog. Island Press. Washington, D.C. Pp. 115-128
- Forrest, S.C., T.W. Clark, L. Richardson, and T.M. Campbell III. 1985. Black-footed ferret habitat: some management and reintroduction considerations. Wyoming BLM Wildlife Technical Bulletin No. 2.
- Frankham, R.J., J.D. Ballou, and D.A. Briscoe. 2002. Introduction to conservation genetics. Cambridge University Press. Cambridge, United Kingdom.
- Frankham, R.J., J.D. Ballou, and D.A. Briscoe. 2004. A primer of conservation genetics. Cambridge University Press. Cambridge, United Kingdom.
- Fredrickson, L. 1996. The greater prairie chicken. South Dakota Cons. Digest 63(5):11-12.
- Fritcher, S.C. 1998. Bird and small mammal populations in relation to seral stage of mixed-grass prairie, Fort Pierre National Grassland, South Dakota. M.S. thesis. South Dakota State Univ. Brookings, SD. 128pp.
- Gage, E. and D.J. Cooper. 2006. *Carex diandra* Schrank (lesser panicled sedge): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/carexdiandra.pdf> [January 24, 2007].
- Gage, K.L. and M.Y. Kosoy. 2006. Recent trends in plague ecology. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 213-231.
- Gaggiotti, O.E. and I. Hanski. 2004. Mechanisms of population extinction. *In* I. Hanski and O.E. Gaggiotti, editors. Ecology, genetics, and evolution of metapopulations. Academic Press. New York. Pp. 337-366.
- Garelle, D., P. Marinari, and C. Lynch. 2006. Black-footed ferret species survival plan. American Zoo and Aquarium Association Population Management Center.
- Geigle, C., R. Stanton, and T. Geiser. 2007. Pers. comm. Prairie dog shooting on the Buffalo Gap and Fort Pierre National Grasslands.
- Gigliotti, L.M. 2000. Prairie dog shooting in South Dakota. South Dakota Game, Fish and Parks. Pierre, South Dakota.
- Gilpin, M.E., and M.E. Soulé. 1986. Minimum viable populations: processes of species extinction. *In* M.E. Soulé, editor. Conservation biology: the science of scarcity and diversity. Sinauer Associates. Sunderland, MA. Pp. 19 – 34.
- Godbey, J.L., D.E. Biggins, and D. Garrelle. 2006. Exposure of captive black-footed ferrets to plague and implications for species recovery. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 233-237.

- Graupman, K., R.A. Peterson, and N.R. Whitney, compilers. 1991. Birds of the Buffalo Gap National Grassland, field checklist. USDA Forest Service. Chadron NE.
- Griebel, R.L. 2000. Ecological and physiological factors affecting nesting success of burrowing owls in Buffalo Gap National Grassland. M.S. thesis. University of Nebraska. Lincoln, NE.
- Griebel, R.G., and J.A. Savidge. 2007. Factors influencing burrowing owl reproductive performance in contiguous shortgrass prairie. *Journal of Raptor Research* 41(3):212-221.
- Groves, C.R., and T.W. Clark. 1986. Determining minimum population size for recovery of the black-footed ferret. *Great Basin Naturalist Memoirs* 8:150-159.
- Gruver, J.C. and D.A. Keinath. 2006. Townsend's big-eared bat (*Corynorhinus townsendii*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/townsendbig-earedbat.pdf> [January 24, 2007].
- Hanebury, L.R. and D.E. Biggins. 2006. A history of searches for black-footed ferrets. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. *Recovery of the black-footed ferret: progress and continuing challenges*. U.S. Geological Survey Scientific Investigations Report 2005-5293. Pp. 47-65.
- Hanski, I. 1994a. A practical model of metapopulation dynamics. *Journal of Animal Ecology* 63:151-162.
- Hanski, I. 1994b. Patch-occupancy dynamics in fragmented landscapes. *Trends in Ecology and Evolution* 9:131-135.
- Hanski, I. 1997. Metapopulation dynamics: from concepts and observations to predictive models. In I. Hanski, and M.E. Gilpin, editors. *Metapopulation biology: ecology, genetics, and evolution*. Academic Press, San Diego, CA. Pp. 69-91.
- Hanski, I. 1999. *Metapopulation ecology*. Oxford University Press, New York.
- Hannus, A.L. and R. P. Winham. 1999. Cultural resources evaluation of selected portions of the 777 Ranch, Custer County, South Dakota. Archaeologist contract series No. 158. On file, Nebraska National Forest. Chadron, NE.
- Hanson, D.A., H.B. Britten, M. Restani, and L.R. Washburn. 2007. High prevalence of *Yersinia pestis* in black-tailed prairie dog colonies during an apparent enzootic phase of sylvatic plague. *Conservation Genetics* 8:789-795.
- Harris, R.B., T.W. Clark, and M.L. Shaffer. 1989. Extinction probabilities for isolated black-footed ferret populations. In U.S. Seal, E.T. Thorne, M.A. Bogan, and S.H. Anderson, editors. *Conservation biology and the black-footed ferret*. Yale University Press. New Haven, Connecticut. Pp. 69-82.
- Harrison R. L. and J. Whitaker-Hoagland. 2003. A literature review of swift fox habitat and den selection. In M.A. Sovada and L. Carbyn, editors. *The swift fox: ecology and conservation of swift fox in a changing world*. Canadian Plains Research Center. University of Regina. Regina, Saskatchewan Canada. Pp. 79-89.
- Heikkila, K. 2008. Land adjustment program – land purchases, exchanges, and donations. White paper, revised February 2008. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- Heitschmidt, R.K., K.D. Klement, and M.R. Haferkamp. 2005. Interactive effects of drought and grazing on north plains rangelands. *Rangeland and Ecology and Management* 58:11-19.
- Hetlet, L. A. 1991-2006. Swift fox surveys. Final reports to USDA Forest Service, Fall River Ranger District. Hot Springs SD.

- Hetlet, L. A. 1994-2006. Bald eagle surveys. Final reports to USDA Forest Service, Fall River Ranger District. Hot Springs SD.
- Higgins, K.F., E. Dowd Stukel, J.M. Goulet, and D.C. Backlund. 2000. Wild mammals of South Dakota South Dakota Dept. of Game, Fish, and Parks. 278pp.
- Hillman, C.N. 1968. Field observations of black-footed ferrets in South Dakota. Transactions of the North American Wildlife and Natural Resources Conference 33:433-443.
- Hillman, C.N. and R.L. Linder. 1973. The black-footed ferret. In R.L. Linder and C.N. Linder, editors. Proceedings of the black-footed ferret and prairie dog workshop. South Dakota State University. Brookings, South Dakota. Pp. 10-23.
- Hillman, C.N., R.L. Linder, and R.B. Dahlgren. 1979. Prairie dog distribution in areas inhabited by black-footed ferrets. American Midland Naturalist 102:185-187.
- Hillman, C.N. and T.W. Clark. 1980. *Mustela nigripes*. In Mammalian species No. 126. The American Society of Mammalogists.
- Hodorff, R.A. 2004. Swift fox report and implementation strategy - Fall River Ranger District Buffalo Gap National Grassland. Final Report to U.S. Forest Service, Fall River Ranger District. Hot Springs SD.
- Hodorff, R. A. 2005. Sage grouse habitat. Final report 03-CS-11020700-014 MS to South Dakota Game Fish & Parks. Fall River Ranger District. Hot Springs SD.
- Hodorff, R.A. and R.A. Peterson. 2004. Habitat assessment and conservation strategy for sage grouse and other selected species on Buffalo Gap National Grassland. Final Report for Agreement/Grant No.: 03-CS-11020700-014 M3. Nebraska National Forest, Hot Springs, SD and South Dakota Department of Game, Fish, and Parks, Rapid City SD.
- Holechek, J.L., R.D. Pieper, and C.H. Herbel, 2001. Range management: principles and practices. Prentice Hall. Englewood Cliffs, NJ.
- Holechek, J.L., R.D. Pieper, and C.H. Herbel. 2004. Range management: principles and practices. Pearson Education. Upper Saddle River, New Jersey.
- Holmes, E.E. and B.X. Semmens. 2004. Viability analysis for endangered metapopulations: a diffusion approximation approach. In I. Hanski and O.E. Gaggiotti, editors. Ecology, genetics, and evolution of metapopulations. Elsevier Academic Press. Burlington, Massachusetts. Pp. 565-597.
- Holmes, J.A. and M.J. Johnson. 2005. Brewer's sparrow (*Spizella breweri*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/brewerssparrow.pdf> [Accessed Jan 2005].
- Holroyd, G.L., R. Rodriguez-Estrella, and S.R. Sheffield. 2001. Conservation of the burrowing owl in western North America: issues, challenges, and recommendations. J. Raptor Res. 35(4):399-407.
- Holsinger, K.E. 2000. Demography and extinction in small populations. In A. Young and G. Clark, editors. Genetics, demography, and the viability of fragmented populations. Cambridge University Press. Cambridge, United Kingdom. Pp. 55-74.
- Holt, D.W., and S.M. Leasure. 1993. Short-eared owl (*Asio flammeus*). In A. Poole and F. Gill, editors. The birds of North America. Acad. of Nat. Sci., Phil., PA, and American Ornithological Union. Washington, D.C.
- Hooge, P.N., B. Eichenlaub, and E. Solomon. 1999. The animal movement program. Alaska Biological Science Center, U.S. Geological Survey. Anchorage, Alaska.

- Hoogland, J.L., 1995. The black-tailed prairie dog, social life of a burrowing mammal. The University of Chicago Press, Chicago, IL. The University of Chicago Press, Ltd. London. 557pp.
- Howard, J, R.M. Santymire, P.E. Marinari, J.S. Kreeger, L. Williamson, and E.E. Wildt. 2006. Use of reproductive technology for black-footed ferret recovery. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey Scientific Investigations Report 2005-5293. Pp. 28-36.
- Hutchins, M., R.J. Wiese, and J. Bowdoin. 1996. Black-footed ferret recovery program analysis and action plan. American Zoo and Aquarium Association.
- IUCN. 1996. 1996 IUCN red list of threatened animals. IUCN. Gland, Switzerland.
- Jasikoff, T.M. 1982. Habitat suitability index models: ferruginous hawk. U.S. Fish and Wildlife Service. FWS/OBS-82/10.10 18pp.
- Johnsgard, P.A. 1979. Birds of the Great Plains, breeding species and their distribution. University of Nebraska Press. Lincoln, NE. 539pp.
- Johnsgard, P.A. 1983. Grouse of the world. University of Nebraska Press. Lincoln, NE. 413pp.
- Johnsgard, P.A. 1990. Hawks, owls, and falcons of North America. Smithsonian Inst. Press. Washington, D.C. 403pp.
- Johnson, A.S. and S.H. Anderson. 2002. Conservation assessment for the western burrowing owl in the Black Hills National Forest, South Dakota and Wyoming. Wyoming Cooperative Fish and Wildlife Research Unit, University of Wyoming. [Online]. Available: http://www.fs.fed.us/r2/blackhills/projects/planning/assessments/burrowing_owl.pdf [Accessed Jan 2005]
- Johnson J. 1981. Range dry spells yesterday, today and tomorrow. *In* Proceedings of the range beef cow symposium VII. Dec. 7-9, 1981. Rapid City, SD. Pp. 68-88.
- Johnson, J.R. and L.M. Stirling. 2001. Judging South Dakota rangelands for livestock and wildlife values. South Dakota State University, College of Agriculture and Biological Sciences, Cooperative Extension Service. <http://aged.sdstate.edu/Documents/EC914.pdf>.
- Jones, J.K., D.M. Armstrong, R.S. Hoffmann and C. Jones. 1983. Mammals of the Northern Great Plains. University of Nebraska Press. Lincoln, NE. 379pp.
- Joslin, G. and H. Youmans, coordinators. 1999. Effects of recreation on Rocky Mountain wildlife: a review for Montana. Committee of Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society. 307pp.
- Kahn, R., L. Fox, P. Horner, B. Giddings, and C. Roy. 1997. Conservation assessment and conservation strategy for swift fox in the United States. Division of Wildlife. Denver, CO. 54 pp.
- Kantrud, H.A. and K.F. Higgins. 1992. Nest and nest site characteristics of some ground-nesting, non-passerine birds of northern grasslands. *Prairie Nat.* 24:67-84.
- Karlen, D.L., M.J. Mausbach, J.W. Doran, R.G. Cline, R.F. Harris, and G.E. Schuman. 1997. Soil quality: a concept, definition, and framework for evaluation. *Soil Sci. Soc. Am. J.* 61(1): 39-49.
- Keinath, D.A. 2004. Fringed myotis (*Myotis thysanodes*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/fringedmyotis.pdf> [Accessed Nov 2004].

- Kennedy, P.L. 2003. Northern goshawk (*Accipiter gentiles atricapillus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northerngoshawk.pdf> [Accessed Nov 2004].
- Kilpatrick, C.W., S.C. Forrest, and T.W. Clark. 1986. Estimating genetic variation in the black-footed ferret – a first attempt. In S.L. Wood, editor. The black-footed ferret. Great Basin Naturalist Memoirs No. 8. Pp. 145-149
- Klute, D.S., L.W. Ayers, M.T. Green, W.H. Howe, S.L. Jones, J.A. Shaffer, S.R. Sheffield, and T.S. Zimmerman. 2003. Status assessment and conservation plan for the western burrowing owl in the United States. U.S. Fish and Wildlife Service. Denver, CO.
- Knowles, C.J. 1982. Habitat affinity, populations, and control of black-tailed prairie dogs on the Charles M. Russell National Wildlife Refuge. Ph.D. dissertation. Univ. of Montana. Missoula, MT. 171pp.
- Knowles, C.J. 1986. Population recovery of black-tailed prairie dogs following control with zinc phosphide. J. of Range Manage. 39(3):249-250.
- Knowles, C.J. 1987. An evaluation of shooting and habitat alteration for control of black-tailed prairie dogs. In D.W. Uresk, G.L. Schenbeck, and R. Cefkin, technical editors. Eighth Great Plains wildlife damage control workshop proceedings. General technical Report RM-154, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO. Pp. 53-56.
- Knowles, C.J., C.J. Stoner, and S.P. Gieb. 1982. Selective use of black-tailed prairie dog towns by mountain plovers. Condor 84:71-74.
- Kodord, C. B. 1958. Prairie dogs, white faces, and blue grama. Wildl. Monogr. No. 3. 78 pp.
- Kotliar, N.B. 2000. Application of the new keystone-concept to prairie dogs: How well does it work? Conservation Biology 14:1715-1721.
- Kotliar, N.B., B.J. Miller, R.P. Reading, and T.W. Clark. 2006. The prairie dog as a keystone species. In J.L. Hoogland, editor. Conservation of the black-tailed prairie dog. Island Press. Washington, D.C. Pp. 53-64.
- Kotliar, N.B., B.W. Baker, A.D. Whicker, and G. Plumb. 1999. A critical review of assumptions about the prairie dog as a keystone species. Environmental Management 24:177-192.
- Kuchler, A.W. 1964. Potential natural vegetation of the conterminous United States, American Geographical Society, Special Publication No. 36.
- Lacy, R.C. 2000. Structure of the VORTEX simulation model for population viability analysis. Ecological Bulletins 48:191-203.
- Ladyman, J.A.R. 2006a. *Astragalus barrii* Barneby (Barr's milkvetch): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/astragalusbarrii.pdf> [January 24, 2007].
- Ladyman, J.A.R. 2006b. *Eriogonum visheri* A. Nelson (Visher's buckwheat): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/eriogonumvisheri.pdf> [January 24, 2007].
- Lamb, B.L., R.P. Reading, and W.F. Andelt. 2006. Attitudes and perceptions about prairie dogs. In J.L. Hoogland, editor. Conservation of the black-tailed prairie dog: saving North America's western grasslands. Island Press. Washington, D.C. Pp. 108-114.
- Landes, R. 2002. Incorporating stochasticity in population viability analysis. In S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 18-40.

- Lebreton, J.-D. and J. Clobert. 1991. Bird population dynamics, management, and conservation: the role of mathematical modelling. In C.M. Perrins, J.-D. Lebreton, and G.J.M. Hiron, editors. Bird population studies: relevance to conservation and management. Oxford University Press. Oxford, United Kingdom. Pp. 105-125
- Leitzell, T.L. 1986. Species protection and management decisions in an uncertain world. In B.G. Norton, editor. The preservation of species. Princeton University Press. Princeton, New Jersey. Pp. 243-254.
- Lewis, J.C. 1995. Whooping crane (*Grus americana*). In The birds of North America, No. 153 (A. Poole and F. Gill, eds.). The Acad. of Nat. Sci., Philadelphia, and The American Ornithological Union. Washington, D.C.
- Livieri, T.L. 2006. Ten-year history of the Conata Basin black-footed ferret population: 1996-2005. Report to U.S. Forest Service, Prairie Wildlife Research. Fort Collins, CO.
- Livieri, T.L. 2007. Estimates of black-footed ferret population viability and spatial requirements. Final report to U.S. Forest Service. Prairie Wildlife Research. Fort Collins, Colorado.
- Livieri, T.M. and D. Biggens. 2007. The value of black-footed ferrets as a harvestable “crop.” Unpublished report. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- Livieri, T.M. and W. Perry. 2005. Effects analysis of black-tailed prairie dog reduction on black-footed ferret populations in Conata Basin. Unpublished report. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- Lockhart, J.M., E.T. Thorne, and D.R. Gober. 2006. A historical perspective on recovery of the black-footed ferret and the biological and political challenges affecting its future. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 6-19.
- Luce, R. J. 2001. An umbrella, multi-state approach for the conservation and management of the black-tailed prairie dog, *Cynomys ludovicianus*, in the United States – an addendum to the Black-tailed Prairie Dog Conservation Assessment and Strategy. November 3, 1999.
- Luce, R. J. 2003. A multi-state conservation plan for the black-tailed prairie dog, *Cynomys Ludovicianus*, in the United States – an addendum to the Black-tailed Prairie Dog Conservation Assessment and Strategy. November 3, 1999.
- Luce, R.J. 2006. Areas where habitat characteristics could be evaluated to identify potential black-footed ferret reintroduction sites and develop conservation partnerships. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 69-88.
- Ludwig, D. and C.J. Walters. 2002. Fitting population viability analysis into adaptive management. In S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 511-520.
- MacArthur, R.H. and E.O. Wilson. 1967. The theory of island biogeography. Princeton University Press. Princeton, New Jersey.
- McDonald, D., N.M. Korfanta, and S. J. Lantz. 2004. The burrowing owl (*Athene cunicularia*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/burrowingowl.pdf> [Accessed Jan 2005]
- MacDonald D.W. 1981. Resource dispersion and the social organization of the red fox (*Vulpes vulpes*). In J.A. Chapman & D. Porsely, editors. Proceedings of the Worldwide Furbearer Conference Frostburg, Maryland. Pp. 918-49.

- MacDonald D.W. 1983. The ecology of carnivore social behavior. *Nature* 301: 384–397.
- MacWhirter, R. B., and K. L. Bildstein. 1996. Northern harrier (*Circus cyaneus*). In A. Poole and F. Gill, editors. *The birds of North America*. Acad. of Nat. Sci., Phil., PA, and American Ornithological Union. Washington, D.C.
- Maehr, D.S., R.C. Lacy, E.D. Land, O.L. Bass, and T.S. Hoctor. 2002. Evolution of population viability assessments for the Florida panther: a multiperspective approach. In S.R. Beissinger and D.R. McCullough, editors. *Population viability analysis*. University of Chicago Press. Chicago, Illinois. Pp. 284-311.
- Magle, S. 2003. Black-tailed prairie dog (*Cynomys ludovicianus*) response to human intrusion and urban development in the Colorado Front Range. Master's thesis. University of Wisconsin. Madison, WI.
- Manes, R. 2006. Does the prairie dog merit protection via the Endangered Species Act. In J.L. Hoogland, editor. *Conservation of the black-tailed prairie dog*. Island Press. Washington, D.C. Pp. 169-183.
- Marinari, P.E. and J.S. Kreeger. 2006. An adaptive management approach for black-footed ferrets in captivity. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. *Recovery of the black-footed ferret: progress and continuing challenges*. U.S. Geological Survey. Pp. 23-27.
- Marrone, G. 1992. Regal fritillary (*Speyeria idalia*). Prairie Pothole Joint Venture of the North American Waterfowl Management Plan.
- May, H.L. 2003. Black-tailed prairie dog (*Cynomys ludovicianus*). In Charlie Rewa, editor. *Fish and Wildlife Habitat Management Leaflet, Number 23*. Wildlife Habitat Council. NRCS Wildlife Habitat Management Institute.
- Mergen, D.E. (2006, July 17). *Cypripedium parviflorum* Salisb. (lesser yellow lady's slipper): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/cypripediumparviflorum.pdf> [January 24, 2007].
- Merriam, C.H. 1902. The prairie dog of the Great Plains. In USDA Yearbook. Pp. 257-270.
- Miller, B.J., R.P. Reading, D.E. Biggins, J.K. Detling, S.C. Forrest, J.L. Hoogland, J. Javersak, S.D. Miller, J. Proctor, J. Truett, and D.W. Uresk. 2007. Prairie dogs: an ecological review and current biopolitics. *Journal of Wildlife Management* 71:2801-2810.
- Miller, B., R.P. Reading, and S. Forrest. 1996. *Prairie night*. Smithsonian Institution Press. Washington, D.C.
- Mills L.S. and Knowlton F.F. 1991. Coyote space use in relation to prey abundance. *Canadian Journal of Zoology* 69:1516–1521.
- Moffat, M. and N. McPhillips, compilers. 1993. *Management for butterflies in the Northern Great Plains: A literature review and guidebook for land managers*. U.S. Fish and Wildlife Service, Ecol. Ser., South Dakota State Office. Pierre. 14pp.
- Mollhoff, W., J. 2001. The Nebraska breeding bird atlas. Nebraska Ornithologist's Union occasional paper No. 7. Nebraska technical series No 20. Nebraska Game and Parks Commission, Lincoln NE. 233pp.
- Mollhoff, W., J. E. Ducey, and R. A. Peterson, compilers. 1993. *Birds of the Nebraska Sandhills*. Samuel R. McKelvie National Forest and Nebraska National Forest (Bessey Ranger District). Field Checklist. USDA Forest Service.
- Morrison, M.L., B.G. Marcot, and R.W. Mannan. 2006. *Wildlife-habitat relationships*. Island Press. Washington, D.C.

- Moul, F. 2006. The national grasslands: a guide to America's undiscovered treasures. University of Nebraska Press. Lincoln, NE.
- National Park Service. 2006a. Black-footed ferret reintroduction plan, draft environmental assessment. National Park Service, Wind Cave National Park. Hot Springs, South Dakota.
- National Park Service. 2006b. Black-tailed prairie dog management plan, draft environmental assessment. National Park Service, Wind Cave National Park. Hot Springs, South Dakota.
- National Park Service. 2007. Black-footed ferret reintroduction plan: finding of no significant impact. Wind Cave National Park, South Dakota.
- National Research Council. 1994. Rangeland health: New ways to classify, inventory and monitor rangelands. National Academy Press. Washington, D.C.
- National Sage-Grouse Conservation Planning Framework Team, 2006. Greater sage-grouse comprehensive conservation strategy. Western Association of Fish and Wildlife Agencies. <http://wafwa.org>
- NatureServe. 2006. NatureServe Explorer: An online encyclopedia of life [web application]. Arlington, VA. <http://www.natureserve.org/explorer>. [March 2007].
- Naugle, D.E. 2004. Black tern (*Chlidonias niger surinamensis*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/blacktern.pdf> [Accessed Nov 2004].
- Neid, S.L. (2006, May 15). *Utricularia minor* L. (lesser bladderwort): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/utriculariaminor.pdf> [January 24,2007].
- NEPA Task Force. 2003. Report to the Council on Environmental Quality: Modernizing NEPA implementation. Chapter 4 – Adaptive management and monitoring. <http://www.nepa.gov/ntf/report/chapter4.pdf>
- Northern Prairie Wildlife Research Center. 2004. Biological resources [Online]. Available: <http://www.npwrc.usgs.gov/resource/resource.htm> [Dec, 2004].
- Olendorff, R.R. 1993. Status, biology, and management of ferruginous hawks: a review. Raptor Res. and Tech. Asst. Cen., Spec. Rep. USDI Bureau of Land Management. Boise, ID.
- Ovaskainen, O. and I. Hanski. 2004. Metapopulation dynamics in highly fragmented landscapes. In I. Hanski and O.E. Gaggiotti, editors. Ecology, genetics, and evolution of metapopulations. Academic Press. New York. Pp. 73-103
- Pauli, J.N. 2005. Ecological studies of the black-tailed prairie dog (*Cynomys ludovicianus*): implications for biology and conservation. M.S. thesis. University of Wyoming. Laramie, WY. 78 pp.
- Pauli, J.N. and S.W. Buskirk. 2007. Recreational shooting of prairie dogs: a portal for lead entering wildlife food chains. *Journal of Wildlife Management* 71:103-108.
- Pennington County Commissioners. 2004. Letter from Pennington County Commissioners to Mr. Kirby Keyser, Manager of East Pennington Conservation District. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- Peterson, R.A., compiler. 1993. Birds of the Nebraska Pine Ridge. Nebraska National Forest (Pine Ridge Ranger District) and Oglala National Grassland. Field Checklist. USDA Forest Service.
- Peterson, R.A. 1995. The South Dakota breeding bird atlas. S. D. Ornithologists' Union, Northern State Univ. Aberdeen, SD. 276pp.

- Peterson, R.A., R. Riis, and R.V. Summerside, compilers. 1991. Birds of central South Dakota, including the Fort Pierre National Grassland. Field checklist. USDA Forest Service.
- Pezzolesi, L.S.W. 1994. The western burrowing owl: increasing prairie dog abundance, foraging theory, and nest site fidelity. Master's thesis. Texas Tech University. Lubbock, TX.
- Plumpton, D.L. and D.E. Anderson. 1997. Habitat use and time budgeting by wintering ferruginous hawks. *Condor* 99:888-893.
- Powell, R.A. 1979. Mustelid spacing patterns: variations on a theme by *Mustela*. *Zeitschrift fur Tierpsychologie* 50:153-165.
- Prentiss, W.C. and R.G. Rosenberg. 1996. Cultural resource overview of the Nebraska National Forest. *Frontier Archaeology*. Worland, WY.
- Proctor, J., B. Haskins, and S.C. Forrest. 2006a. Focal areas for conservation of prairie dogs. In J.L. Hoogland, editor. *Conservation of the black-tailed prairie dog*. Island Press, Washington, D.C. Pp. 232-247.
- Proctor, J., B. Haskins, and S.C. Forrest. 2006b. Identifying focal areas for conservation of black-footed ferrets and prairie dog associates. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. *Recovery of the black-footed ferret: progress and continuing challenges*. U.S. Geological Survey Scientific Investigations Report 2005-5293. Pp. 271-274.
- Prose, B.L. 1985. Habitat suitability index models: Greater prairie-chicken (multiple levels of resolution). U.S. Fish and Wildlife Service. *Biol. Rep.* 82(10.102). 33pp.
- Rahel, F.J. and L.A. Thel. 2004. Sturgeon chub (*Macrhybopsis gelida*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/sturgeonchub.pdf> [Accessed Nov 2004].
- Ralls, K., S.R. Beissinger, and J. Fitts Cochrane. 2002. Guidelines for using population viability analysis in endangered species management. In S.R. Beissinger and D.R. McCullough, editors. *Population viability analysis*. University of Chicago Press. Chicago, Illinois. Pp. 521-550.
- Reece P.E., J.D. Alexander III, and J.R. Johnson. 1991. Drought management on rangeland and pastureland: a handbook for Nebraska and South Dakota. Nebraska Cooperative Extension EC 91-123. University of Nebraska. Lincoln, NE. 23 pp.
- Restani, M. 2002. Nest site selection and productivity of burrowing owls breeding on the Little Missouri National Grassland. 2001 Annual Report. Prepared for Dakota Prairie Grasslands, USDA Forest Service.
- Restani, M, L.R. Rau, and D.L. Flath. 2001. Nesting ecology of burrowing owls occupying black-tailed prairie dog towns in southeastern Montana. *J. Raptor Res.* 35:296-303
- Rice, L.A., and A.V. Carter. 1982. Evaluation of South Dakota grassland management practices as they affect prairie chicken populations. 1974-1978. P-R Proj. W-75-R-24. South Dakota Game, Fish, and Parks Dept. Pierre, SD. 25pp.
- Rich, T.D., C. Beardmore, H. Berlanga, P. Blancher, M. Bradstreet, G. Butcher, D. Demarest, E. Dunn, W. C. Hunter, E. Inigo-Elias, J. Kennedy, A. Martell, A. Punjabi, D. Pashley, K. Rosenberg, C. Rustay, J.S. Wendt, T. Will. 2004. *Partners In Flight North American landbird conservation plan*. Cornell Lab of Ornithology. Ithaca, NY. 84pp.
- Rittberger letters. 2007. A series of letters from John Rittberger to U.S. Forest Service and replies from U.S. Forest Service to Mr. Rittberger. On file in the administrative record. Nebraska National Forest. Chadron, NE.

- Robb, L.A. and M.A. Schroeder. 2005. Greater prairie-chicken (*Tympanuchus cupido*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/greaterprairiechicken.pdf> [January 24, 2007].
- Rocke, T.E., P. Nol, P.E. Marinari, J.S. Kreeger, S.R. Smith, G.P. Andrews, and A.W. Friedlander. 2006. Vaccination as a potential means to prevent plague in black-footed ferrets. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 243-247.
- Roelle J.E., B.J. Miller, J.L. Godbey, and D.E. Biggins 2006. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Reston, Virginia. Pp. 288.
- Rowland, M.M. 2004. Effects of management practices on grassland birds: greater sage-grouse. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwr.usgs.gov/resource/literatr/grasbird/grsg/grsg.htm> (Version 12AUG2004).
- Royer, R.A. and G. M. Marrone. 1992. Conservation status of the regal fritillary (*Speyeria idalia*) in North and South Dakota. U.S. Fish and Wildlife Service. Denver, CO. p. 22-31.
- Saether, B. and S. Engen. 2002. Including uncertainties in population viability analysis using population prediction intervals. In S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 191-212.
- Samson, F. B. 1980. Island biogeography and the conservation of prairie birds. Proc. North Am. Prairie Conf. 7:293-305.
- Sandell, M. 1989. The mating tactics and spacing patterns of solitary carnivores. In J.L. Gittleman, editor. Carnivore behavior, ecology, and evolution Volume 1. Cornell University Press. Ithaca, New York. Pp. 164-182.
- Sauer, C.O. 1950. Grassland, climax, fire, and man. Journal of Range Management 3:16-22.
- Schenbeck, G.L., and G. Mason. 1994. Summary of the 1990 and 1992 prairie dog hunter surveys on the Buffalo Gap National Grassland in the Conata Basin, South Dakota. Unpublished report. Nebraska National Forest. Chadron, NE.
- Schenbeck, G.L., G Mason, and C. Loop. 1994. Aerial photograph inventory of black-tailed prairie dog colonies in the Conata Basin/Badlands area of South Dakota, Summer, 1993. Unpublished report. Nebraska National Forest. Chadron, NE.
- Schitoskey F. 1975. Primary and secondary hazards of three rodenticides to kit fox. J. Wildl. Manage. 39(2):416-418.
- Schluckebier, L., compiler. 2007. South Dakota 2006 annual report: an educational program assisting farm/ranch managers in obtaining managerial skills. South Dakota Department of Education and Cultural Affairs. Pierre, SD.
- Schmutz, J.K. and D.J. Hungle. 1989. Population of ferruginous and Swainson's hawks increase in synchrony with ground squirrels. Can. J. Zool. 67:2596-2601.
- Scott, J.A. 1986. The butterflies of North America. Stanford Univ. Press. Stanford, CA. 327 pp.
- Seal, U.S., E.T. Thorne, M.A. Bogan, and S.H. Anderson (editors). 1989. Conservation biology and the black-footed ferret. Yale University Press. New Haven, Connecticut.
- Sedgwick, J.A. 2004a. Chestnut-collared longspur (*Calcarius ornatus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/chestnutcollaredlongspur.pdf> [Accessed Dec 2004].

- Sedgwick, J.A. 2004b. McCown's longspur (*Calcarius mccownii*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/mccownslongspur.pdf> [Accessed Dec 2004].
- Sedgwick, J.A. 2006. Long-billed curlew (*Numenius americanus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/longbilledcurlew.pdf> [January 24, 2007].
- Seery, D.B. 2006. Use of pesticides to mitigate the effects of plague. In J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey Scientific Investigations Report 2005-5293. Pp. 238-242.
- Seery, D.B., and D.J. Matiatos. 2000. Response of wintering buteos to plague epizootics in prairie dogs. Western North American Naturalist 60:420-425.
- Shaffer, M. 1987. Minimum viable populations: coping with uncertainty. In M.E. Soulé, editor. Viable populations for conservation. Cambridge University Press. New York, New York. Pp. 69-86.
- Shaffer, M., L. Hood Watchman, W.J. Snape III, and I.K. Latchis. 2002. Population viability analysis and conservation policy. In S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 123-142.
- Sharp R.S., W.R. Silcock, and J.G. Jorgensen. 2001. Birds of Nebraska their distribution and temporal occurrence. University of Nebraska Press. Lincoln, NE and London. 520pp.
- Sharps, J.C. and D.W. Uresk. 1990. Ecological review of black-tailed prairie dogs and associated species in western South Dakota. Great Basin Nat. 50:339-345.
- Sibley, D.A. 2000. The Sibley guide to birds. National Audubon Society. Alfred A. Knopf. New York, N.Y. 545pp.
- Sidle, J.G., G.L. Schenbeck, E.A. Lawton, and D.S. Licht. 2006. Role of federal lands in the conservation of the black-tailed prairie dog. In J.L. Hoogland, editor. Conservation of the black-tailed prairie dog. Island Press. Washington, D.C. Pp. 218-231.
- Slater, G.L. 2004. Grasshopper sparrow (*Ammodramus savannarum*): A technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/grasshoppersparrow.pdf> Accessed [Jan 2005]
- Slater, G.L. 2006. Trumpeter swan (*Cygnus buccinator*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/trumpeterswan.pdf> [January 24, 2007].
- Slater, G.L. and C. Rock. 2005. Northern harrier (*Circus cyaneus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northernharrier.pdf> [January 24, 2007].
- Slobodkin, L.B. 1986. On the susceptibility of different species to extinction: elementary instructions for owners of a world. In B.G. Norton, editor. The preservation of species. Princeton University Press. Princeton, New Jersey. Pp. 226-242.
- Smith, A. 2007. South Dakota prairie dog control. White paper from Interagency Animal Damage Control meeting in Wall, South Dakota. On file in the administrative record. Nebraska National Forest Supervisor's Office. Chadron, NE.
- Smith, B.E. and D.A. Keinath. 2005. Plains leopard frog (*Rana blairi*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/plainsleopardfrog.pdf> [January 24, 2007].

- Smith, B.E. and D.A. Keinath. 2007. Northern leopard frog (*Rana pipiens*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/northernleopardfrog.pdf> [January 24, 2007].
- Smith, G.A. and M.V. Lomolino. 2004. Black-tailed prairie dogs and the structure of avian communities on the shortgrass plains. *Oecologia* 138:592-602.
- Smith, R.L. 1968. Grasshopper sparrow. In O.L. Austin, Jr., editor. Life histories of North American cardinals, grosbeaks, buntings, towhees, finches, sparrows, and allies. Pt.2 U.S. Natl. Mus. Bull 237. Pp. 725-745.
- Society for Range Management. 1995. New concepts for assessment of rangeland condition. *Journal of Range Management* 48:271-283.
- Soulé, M.E., editor. 1987. Viable populations for conservation. Cambridge University Press, Cambridge, United Kingdom.
- Soulé, M.E., J.A. Estes, B. Miller, D.L. Honnold. 2005. Strongly interacting species: conservation policy, management, and ethics. *BioScience* 55(2).
- South Dakota Bird Notes. 1977. Sighting of mountain plover. *South Dakota Bird Notes* 30(2):30.
- South Dakota Department of Agriculture. 2007. Pesticide applicators newsletter. Winter 2007 Issue 35. Division of Agricultural Services, Office of Agronomy Services. Pierre, South Dakota.
- South Dakota Department of Agriculture, South Dakota Department of Game, Fish and Parks, United States Department of Agriculture – ADC, United States Fish and Wildlife Service; Cooperative Extension Service; and United States Department of Agriculture – SCS. 1994. Prairie dog management in South Dakota (1.1mb). Brochure on file in the administrative record. Nebraska National Forest. Chadron, NE.
- South Dakota Department of Game, Fish, and Parks. 2001. Executive summary, Prairie dog shooting in South Dakota. HD-8-02.AMS.
- South Dakota Department of Game, Fish, and Parks. 2004. Bald eagle [Online]. Available: <http://sdgfp.info/Wildlife/WildlifePlans/BEindex/> [Dec 2, 2004].
- South Dakota Department of Game, Fish, and Parks. 2005. News release, January 24, 2005.
- South Dakota Ornithologist's Union (SDOU). 1991. The birds of South Dakota, 2nd Ed. Aberdeen, SD. 411pp.
- South Dakota State University. 2007. South Dakota climate and weather services website. <http://climate.sdstate.edu/coop/monthly.asp>
- Stapp, P., M.F. Antolin, and M. Ball. 2004. Patterns of extinction in prairie-dog metapopulations: plague outbreaks follow El Niño events. *Frontiers of Ecology and Environment* 2:235-240.
- Stebbins, G.L. 1981. Coevolution of grasses and herbivores. *Annals of the Missouri Botanical Garden* 68:75-86.
- Stephens, R.M. and Anderson, S.H. 2005. Swift fox (*Vulpes velox*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/swiftfox.pdf> [Accessed Feb 1, 2005].
- Summer, C.A. and R.L. Linder. 1978. Food habits of the black-tailed prairie dog in western South Dakota. *Journal of Range Management* 31(2).

- Svedarsky, W.D., J.E. Toepfer, R.L. Westemeier, and R.J. Robel. 2003. Effects of management practices on grassland birds: greater prairie-chicken. Northern Prairie Wildlife Research Center. Jamestown, ND. 42p.
- Tallman, D.A., D.L. Swanson, and J.S. Palmer. 2002. Birds of South Dakota. South Dakota Ornithological Union, Northern State Univ. Aberdeen, SD. 441pp.
- Temple, S.A. and J.R. Cary. 2002. Reserve design. In S.E. Gergel and M.G. Turner, editors. Learning landscape ecology: a practical guide to concepts and techniques. Springer Science and Business Media. New York, New York. Pp. 281-292.
- Thomas, M. and M. Watts. 2007. Pers. comm. Maps of prairie dog colony locations available to shooters.
- Tietjen H.P. 1976. Zinc phosphide—its development as a control agent for black-tailed prairie dogs. Special Scientific Report-Wildlife No. 195. U.S. Fish and Wildlife Service. Washington, D.C. 14 pp.
- Tigner, J. 2005. Buffalo Gap National Grasslands bat surveys 2005. Prepared for the SD Dept. of Game, Fish and Parks, Rapid City, SD. Pp. 9-10, 18.
- Tigner J. and E. Dowd Stukel. 2003. Bats of the Black Hills: a description of status and conservation needs. South Dakota Game Fish and Parks, Wildlife Division Report 2003-05. Pierre, SD. 94 pp.
- Tileston, J.V., and R. R. Lechleitner. 1966. Some comparisons of the black-tailed and white-tailed prairie dogs in north-central Colorado. American Midland Naturalist 75:292-316.
- Timm, R.M. 1983. Description of active ingredients. In R.M. Timm, editor. Prevention and control of wildlife damage. Great Plains Agricultural Council Wildlife Resource Committee and Cooperative Extension Service. University of Nebraska. Lincoln, NE. Pp.G31-G131.
- Turner, M.G., R.H. Gardner, and R.V. O'Neill. 2001. Landscape ecology in theory and practice. Springer-Verlag. New York, New York.
- Tyler, J. D. 1968. Distribution and vertebrate associates of the black-tailed prairie dog in Oklahoma. Ph.D. dissertation. University of Oklahoma. Norman, OK.
- Ure, J., P. Briggs, and S.W. Hoffman. 1991. Petition to list as endangered the ferruginous hawk (*Buteo regalis*), as provided by the Endangered Species Act of 1973, as amended in 1982. Ferruginous Hawk Project, Salt Lake City, UT. In M. Bechard and J. Schmutz, editors. 1995. Ferruginous hawk (*Buteo regalis*) in The Birds of North America, No. 172 (A. Poole and F. Gill, eds.). The Acad. of Nat. Sci., Philadelphia, and The American Ornithological Union, Washington, D.C.
- Uresk, D.W. 1984. Black-tailed prairie dog food habits and forage relationships in western South Dakota. Journal of Range Management 37(4):325-329.
- Uresk, D.W. 1985. Effects of controlling black-tailed prairie dogs on plant production. Journal of Range Management 38(5).
- Uresk, D.W. 1990. Using multivariate techniques to quantitatively estimate ecological stages in a mixed grass prairie. Journal of Range Management Vol. 43, No. 4, p. 282-285
- Uresk, D.W. and A.J. Bjugstad. 1983. Prairie dogs as ecosystem regulators on the northern high plains, p. 91-94. In: Seventh North American Prairie Conference, proc. Aug 4-6, 1980. Southwest Missouri State Univ. Springfield, MO.
- Uresk, D.W. and D.D. Paulson. 1988. Estimated carrying capacity for cattle competing with prairie dogs and forage utilization in western South Dakota. Paper presented at symposium, Management of Amphibians, Reptiles, and Small Mammals in North America. Flagstaff, AZ

- Uresk, D.W. and G.L. Schenbeck. 1987. Effect of zinc phosphide rodenticide on prairie dog colony expansion as determined from aerial photography. *Prairie Naturalist* 19(1):57-61.
- Uresk, D.W. and J.C. Sharps. 1986. Denning habitat and diet of swift fox in western South Dakota. *Great Basin Naturalist* 46:249-253.
- Uresk, D.W., J.G. MacCraken, and A.J. Bjugstad. 1981. Prairie dog density and cattle grazing relationships. Paper presentation, Fifth Great Plains Wildlife Damage Control Workshop. University of Nebraska. Lincoln, NE.
- Uresk, D.W., K.E. Severson and J. Javersak. 2003. Vegetative characteristics of swift fox denning and foraging sites in southwestern South Dakota. USDA Forest Service, Rocky Mountain Research Station, Research Paper RMRS-RP-38. Fort Collins, CO. 4pp.
- Uresk, D.W., R.L. Linder, and A.D. Apa. 1985b. Efficiency of two black-tailed prairie dog rodenticides and their impacts on non-target bird species. Final report. Rocky Mountain Range and Forest Experiment Station. Forest Research Laboratory, South Dakota School of Mines and Technology. Rapid City, SD. 72pp.
- Uresk, D.W., R.L. Linder, and M.S. Deisch. 1986. Evaluation of three rodenticides on nontarget small mammals and invertebrates. Final report. Rocky Mountain Range and Forest Experiment Station. Forest Research Laboratory, South Dakota School of Mines and Technology. Rapid City, SD. 132p.
- Uresk, D.W., R.M. King, A.D. Apa, M.S. Deisch, and R.L. Linder. 1985a. Rodenticidal effects of zinc phosphide and strychnine on nontarget species. Final report. Rocky Mountain Range and Forest Experiment Station. Forest Research Laboratory, South Dakota School of Mines and Technology. Rapid City, SD. 22pp.
- Uresk, D.W., R.M. King, A.D. Apa, M.S. Deisch, and R.L. Linder. 1988. Rodenticidal effects of zinc phosphide and strychnine on nontarget species. In D.W. Uresk, G.L. Schenbeck, and R. Cefkin, technical editors. Eighth Great Plains wildlife damage control workshop proceedings. General technical Report RM-154, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO. Pp. 57-63.
- U.S. Census Bureau. 2006. American FactFinder and QuickFacts. http://factfinder.census.gov/home/saff/main.html?_lang=en
- USDA Animal and Plant Health Inspection Service. 1994. Animal Damage Control Program final environmental impact statement, Appendix P – Risk assessment of wildlife damage control methods used by USDA Animal Damage Control Program. Washington, D.C. 337 pp.
- USDA Economic Research Service. 2007. State fact sheets. <http://www.ers.usda.gov/StateFacts/>
- USDA Forest Service. 1978. Final environmental impact statement: management of prairie dogs on lands administered by the supervisor of the Nebraska National Forest. Nebraska National Forest. Chadron, NE.
- USDA Forest Service 1981. Decision notice and finding of no significant impact. Amendments to the prairie dog management plan of the Nebraska National Forest. Nebraska National Forest. Chadron, NE.
- USDA Forest Service 1988. Black-tailed prairie dog management for the Nebraska National Forest, Samuel R. McKelvie National Forest, Oglala National Grassland, Buffalo Gap National Grassland, and Fort Pierre National Grassland. Amendment 5 of the 1984 Forest Plan, November 3, 1988
- USDA Forest Service. 1995a. Biological assessment for black-footed ferret. Rocky Mountain Region. Denver, CO.

- USDA Forest Service. 1995b. Biological evaluation for whooping crane. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995c. Biological evaluation for American burying beetle. Rocky Mountain Region. Denver CO.
- USDA Forest Service. 1995d. Biological assessment for bald eagle, need for evaluating livestock grazing permits for allotments which contain occupied breeding areas for bald eagles. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995e. Biological assessment for bald eagle, assessment on the effects of livestock grazing on the bald eagle and its associated wintering habitat within the grasslands. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995f. Biological assessment for swift fox. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995g. Biological assessment for American Bittern. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995h. Biological assessment for long-billed curlew. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995i. Biological evaluation for ferruginous hawk. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995j. Biological assessment for burrowing owl. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995k. Biological assessment for mountain plover. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995l. Biological assessment for trumpeter swan. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995m. Biological assessment for black tern. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995n. Biological evaluation for northern leopard frog. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995o. Biological assessment for regal fritillary butterfly. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995p. Biological evaluation for sensitive plants and wildlife that for the most part are not impacted by domestic livestock grazing. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 1995q. Biological evaluation for sensitive species in riparian areas grazed by domestic livestock assessment of the effects of livestock grazing on the sensitive species and their habitats within the rocky mountain region. Rocky Mountain Region. Denver, CO.
- USDA Forest Service. 2000. Northern Great Plains terrestrial assessment. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2001a. Unpublished report on the viability and recovery of black-footed ferrets. Chadron, NE.
- USDA Forest Service. 2001b. Final environmental impact statement for the Northern Great Plains management plans revision. <http://www.fs.fed.us/ngp/plan/feis.htm>

- USDA Forest Service. 2001c. Land and resource management plan, Nebraska National Forest and associated units, Rocky Mountain Region. On file in the administrative record. Nebraska National Forest. Chadron, NE. http://www.fs.fed.us/ngp/plan/feis_plan_nebraska.htm
- USDA Forest Service. 2002. Final environmental impact statement and land and resource management plan record of decision. http://www.fs.fed.us/ngp/plan/NNF_ROD_7_16_final.pdf
- USDA Forest Service. 2005a. Conata Basin black-footed ferret reintroduction program summary. Unpublished report, Wall Ranger District, Wall SD.
- USDA Forest Service. 2005b. R2 sensitive species list. Rocky Mountain Region, Lakewood, Co. http://fsweb.r2.fs.fed.us/rr/tes/tes_r2ss.html [Accessed January 23, 2007]
- USDA Forest Service. 2005c. Black-tailed prairie dog conservation and management on the Nebraska National Forest and associated units - final environmental impact statement. Rocky Mountain Region, Nebraska National Forest. Chadron NE.
- USDA Forest Service. 2005d. Recreation Resources section of Black-tailed prairie dog conservation and management on the Nebraska National Forest. Chapter 3, Recreation resources section. On file in the project record. Nebraska National Forest Supervisor's Office, Chadron
- USDA Forest Service. 2005e. Record of decision for black-tailed prairie dog conservation and management on the Nebraska National Forest and associated units, including land and resource management plan amendment 2. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2005f. FSH 2509.25 – Watershed Conservation Practices Handbook. Region 2 Amendment No. 2509.25-05.
- USDA Forest Service. 2006. Annual grazing statistical forest/grassland detail at district level – grazing season 2006 – Report RMSTR21L. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2007a. Forest Service Manual. USDA Forest Service, Washington D. C. <http://fsweb.wo.fs.fed.us/directives/html/fsm.shtml> [Accessed March, 2007]
- USDA Forest Service. 2007b. I-Web Report RNGR306L – Summary list of range permits, 2007. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2007c. Wall Ranger District – summary list of permitted AUMs. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2007d. Supervisor's Office – 2650 Prairie Dog Population / Distribution. An accumulation of historical prairie dog population and distribution data across the Nebraska National Forest. On file in the administrative record and located in the Supervisor's Office Library. Nebraska National Forest. Chadron, NE
- USDA Forest Service. 2007e. Nebraska National Forest spreadsheet of acres of livestock management in areas of controlled prairie dog colonies in the BMZ. District records compiled. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2008a. District prairie dog monitoring reports. Multi-year prairie dog monitoring reports from Pine Ridge, Fall River, Wall, and Fort Pierre Ranger Districts. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA Forest Service. 2008b. Wall Ranger District boundary management zone 2007 monitoring report. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- USDA National Agriculture Statistical Service. 2006. 2002 census of agriculture. http://www.nass.usda.gov/Census_of_Agriculture/index.asp

-
- USDA Natural Resources Conservation Service. 1996. Rangeland health. RCA Issue Brief #10. <http://www.nrcs.usda.gov/technical/land/pubs/ib10text.html>
- USDA Natural Resources Conservation Service. 1997. National range and pasture handbook, Chapter 5, pg 5.3-3. On file in the administrative record. Nebraska National Forest. Chadron, NE. <http://www.glti.nrcs.usda.gov/technical/publications/nrph.html>
- USDA Natural Resources Conservation Service. 2003. National range and pasture handbook, Chapter 3, page 3.1-2. On file in the administrative record. Nebraska National Forest. Chadron, NE. <http://www.glti.nrcs.usda.gov/technical/publications/nrph.html>
- USDA Natural Resource Conservation Service. 2006. National range and pasture handbook –Chapter 4 inventory and monitoring grazing land resources 600.0402 Evaluating and Rating Ecological Sites (b) Similarity Index . Pp. 4-17, 4-18. <http://www.glti.nrcs.usda.gov/technical/publications/nrph.html> [March 28, 2007].
- USDA Natural Resources Conservation Service. No date. Electronic field office technical guides, Section IIA, Ecological Site Description Major Land Resource Area 60A-Pierre Shale Plains, MLRA 63A Northern Rolling Pierre Shale Plains, MLRA 64-Mixed Sandy and Silty Tableland, and MLRA 65-Nebraska Sand Hills. On file in the administrative record. Nebraska National Forest. Chadron, NE.
- U.S. Department of Commerce, Bureau of Economic Analysis. 2007. Bureau of Economic Analysis regional facts. <http://www.bea.gov/bea/regional/bearfacts/>
- U.S. Department of Labor, Bureau of Labor Statistics. No date. <http://www.bls.gov/>
- U.S. Fish and Wildlife Service. 1983. Northern state bald eagle recovery plan. U.S. Fish and Wildlife Service. Denver, CO. 76 pp.
- U.S. Fish and Wildlife Service. 1993. Endangered and threatened wildlife and plants; Proposed establishment of a nonessential experimental population of black-footed ferrets in southwestern South Dakota. Federal Register 58(95): 29176-29186.
- U.S. Fish and Wildlife Service. 1994. Endangered and threatened wildlife and plants; Establishment of a nonessential experimental population of black-footed ferrets in southwestern South Dakota. Federal Register 59(159):42682-42694.
- U.S. Fish and Wildlife Service. 1995. Endangered and threatened wildlife and plants; Final rule to reclassify the bald eagle from endangered to threatened in all of the lower 48 states. Federal Register 60(133):36000-36010.
- U.S. Fish and Wildlife Service. 1999. Endangered and threatened wildlife and plants; proposed rule to remove the bald eagle in the lower 48 states from the list of endangered and threatened wildlife; proposed rule. Federal Register 60(133):36000-36010.
- U.S. Fish and Wildlife Service. 2000a. 2000-2001 Contingency plan. Federal-state cooperative protection of whooping cranes. Aransas/Matagorda Isl. Nat. Wildl. Ref. Complex. Austwell, TX. 36pp.
- U.S. Fish and Wildlife Service. 2000b. Federal Register, Vol. 65, No. 24, February 4, Endangered and Threatened Wildlife and Plants; 12-month finding for a petition to list the black-tailed prairie dog as threatened.
- U.S. Fish and Wildlife Service. 2004a. Federal Register, Vol. 69, No. 159, August 18, Endangered and threatened wildlife plants; finding for the resubmitted petition to list the black-tailed prairie dog as threatened.
- U.S. Fish and Wildlife Service. 2004b. Species assessment and listing priority assignment for the black-tailed prairie dog. Current States/Counties/Territories/Countries of Occurrence.
-

- U.S. Fish and Wildlife Service. 2006a. Draft recovery plan for the black-footed ferret (*Mustela nigripes*). U.S. Fish and Wildlife Service, Denver, Colorado.
- U.S. Fish and Wildlife Service. 2006b. Draft five-year status review of the black-footed ferret (*Mustela nigripes*). U.S. Fish and Wildlife Service, Denver, Colorado.
- U.S. Fish and Wildlife Service and National Marine Fisheries Service. 1998. Consultation Handbook: Procedures for conducting consultation and conference activities under section 7 of the Endangered Species Act. U.S. Government Printing Office. Superintendent of Documents. Washington, D.C.
- U.S. Fish and Wildlife Service, U.S. Forest Service, and U.S. National Park Service. 1994. Final environmental impact statement, black-footed ferret reintroduction, Conata Basin/Badlands, South Dakota.
- Van Bruggen, T. 1992. Wildflowers, grasses, and other plants of the Northern Plains and Black Hills. Badlands Nat. History Assoc. Interior, SD. 112pp.
- Van Pelt, W.E. 1999. The black-tailed prairie dog conservation assessment and strategy-final draft. Nongame and Endangered Wildlife Program. Arizona Game and Fish Department. Phoenix, AZ.
- Vermeire L., R.K. Heitschmidt, P.S. Johnson, and B.F. Sowell. 2004. The prairie dog story: Do we have it right? *BioScience*. 54(7): 689-695.
- Vickery, P.D. 1996. Grasshopper sparrow (*Ammodramus savannarum*). In A. Poole and F. Gill, editors. The birds of North America. Acad. of Nat. Sci., Phil., PA, and American Ornithological Union. Washington, D.C.
- Von Loh, J., D. Cogan, D. Faber-Langendoen, D. Crawford, and M. Pucherelli. 1999. USGS-NPS Vegetation mapping program, Badlands National Park, South Dakota (Final Report). Technical Memorandum No. 8260-00-02, U.S. Bureau of Reclamation Technical Service Center. Denver, Colorado.
- Vosburgh, T.C. and L.R. Irby. 1998. Effects of recreational shooting on prairie dog colonies. *J. Wildl. Manage* 62:363-372.
- Walker, B. 2004. Effects of management practices on grassland birds: Brewer's sparrow. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/brsp/brsp.htm> (Version 12AUG2004).
- Wallestad, R. 1975. Life history and habitat requirements of sage grouse in central Montana. Montana Dept. Fish and Game. 66pp.
- Walters, C. J. 1986. Adaptive management of renewable resources. Macmillan Co. New York, New York.
- Waples, R.S. 2002. Definition and estimation of effective population size in the conservation of endangered species. In S.R. Beissinger and D.R. McCullough, editors. Population viability analysis. University of Chicago Press. Chicago, Illinois. Pp. 147-168.
- Warnock, R.G. and P.C. James. 1997. Habitat fragmentation and burrowing owls (*Speotyto cunicularia*) in Saskatchewan. In J.R. Duncan, D.H. Johnson and T.H. Nicholls, editors. Biology and conservation of owls of the Northern Hemisphere: 2nd international symposium. USDA Gen. Tech. Rep. NC-190, St. Paul, MN. Pp. 477-486.
- Weaver, J.E. and F.W. Albertson. 1956. Grass country of the Great Plains: their nature and use. Johnson Publishing Company. Lincoln, Nebraska.
- White, E.M. 1986. Antiquity, original size and location of prairie dog towns in Wind Cave National Park. Final report for contract CX-1200-4-A040, Wind Cave National Park. Hot Springs, SD.
- Wood, J.E. 1965. Response of rodent populations to controls. *J. of Wildl. Manage*. 29:425-427.

- Whicker A.D. and J.K. Detling. 1988. Ecological consequences of prairie dog disturbances. *BioScience* 38(11):778-785.
- Whicker A.D. and J. K. Detling. 1993. Control of grassland ecosystem processes by prairie dogs. *In* Proceedings of the symposium on the management of prairie dog complexes for the reintroduction of the black-footed ferret. USFWS. Biological Report 13. July 1993. Pp. 18-27.
- Wiggins, D.A. 2004. Short-eared owl (*Asio flammeus*): a technical conservation assessment. (Online). USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/shortearedowl.pdf>
- Wiggins, D. 2005a. Loggerhead shrike (*Lanius ludovicianus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/loggerheadshrike.pdf> [January 24, 2007].
- Wiggins, D. 2005b. Yellow-billed cuckoo (*Coccyzus americanus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/yellowbilledcuckoo.pdf> [January 24, 2007].
- Wiggins, D.A. 2006. American bittern (*Botaurus lentiginosus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/americanbittern.pdf> [Jan 11, 2007].
- Williams, B.K., J.D. Nichols, and M.J. Conroy. 2002. Analysis and management of animal populations. Academic Press, New York.
- Wilson, D.E. and S. Ruff. 1999. The Smithsonian book of North American mammals. Smithsonian Institution Press. Washington, D.C.
- Wimsatt, J., D.E. Biggins, E.S. Williams, and V.M. Becerra. 2006. The quest for a safe and effective canine distemper virus vaccine for black-footed ferrets. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 248-266.
- Wisely, S.M. 2005. The genetic legacy of the black-footed ferret: past, present, and future. *In* J.E. Roelle, B.J. Miller, J.L. Godbey, and D.E. Biggins, editors. Recovery of the black-footed ferret: progress and continuing challenges. U.S. Geological Survey. Pp. 37-43.
- Wood, J.E. 1965. Response of rodent populations to controls. *J. of Wildl. Manage.* 29:425-427.
- Wood, S.L. Editor. 1986. The black-footed ferret. Great Basin Naturalist Memoirs Number 8.
- Wyoming Natural Diversity Data Base 2004. Vegetation [Online]. Available: <http://uwadmnweb.uwyo.edu/WYNDD/> [Accessed Dec 2, 2004].