REFERENCES

Amacher, M.C., J. Kotuby-Amacher, and P.R. Grossl. 2004. Effects of Natural and Anthropogenic Disturbances on Water Quality. *In* J.C. Chambers and J.R. Miller, eds. Great Basin Riparian Ecosystems. Society for Ecological Restoration Management. Island Press, Washington.

Anderson, J.E. and R.S. Inouye. 2001. Landscape-scale changes in plant species abundance and biodiversity of a sagebrush steppe over 45 years. Ecological Monographs 71:531-556.

Bauman, B. 2006. Nevada Department of Wildlife. Non-game Biologist. Winnemucca, NV.

Behnke, R. J., and M. Zarn. 1976. Biology and management of threatened and endangered western trout. USDA Forest Service, Gen. Tech. Rep. RM-28: 45 p.

Belnap, J., J.H. Kaltenecker, R. Rosentreter, J. Williams, S. Leonard, and D. Eldridge. 2001. Biological Soil Crusts: Ecology and Management Technical Reference 1730-2. U.S. Department of Interior, Bureau of Land Management, National Science and Technology Center, Denver, CO. BLM/ID/ST-01/001.

Belnap, J. and Gillette, D.A. 1998. Vulnerability of Desert Biological Soil Crusts to Wind Erosion: The Influences of Crust Development, Soil Texture, and Disturbance. Journal of Arid Environments. 39:133-142+1730.

Belsky, A.J., A. Matzke, and S. Uselman. 1999. Survey of Livestock Influences on Stream and Riparian Ecosystems in the Western United States. Journal of Soil and Water Conservation. Volume 54, Number 1: 419-431.

Bradfield, T. 1975. On the Behavior and Ecology of the Pygmy Rabbit *Sylvilagus idahoensis.* MS Thesis, Idaho State University. Pocatello, ID. 43 p.

Bradley, P.V., M.J. O'Farrell, J.A. Williams and J.E. Newmark. Editors. 2006. The Revised Nevada Bat Conservation Plan. Nevada Bat Working Group. Reno, NV. 216 p.

Bradley, P.V. 2000. Foraging activity of adult female pale big-eared bat (*Corynorhinus townsendii pallescens*) in east-central Nevada. [Abstract only] in Population surveys, species distribution, and key habitats of selected nongame species (G.B. Herron, ed). Job Performance Report. Study 1, Jobs 1-6. Nevada Division of Wildlife. 101p.

Branson, F.A., G.F. Gifford, and R.F. Hadley. 1981. Rangeland Hydrology. Kendall/Hunt Publishing Company, Dubugue, IA.

Brooks, M.L. et al. 2004. Effects of Invasive Alien Plants of Fire Regimes. BioScience, Vol. 54, No. 7. Available: http://www.werc.usgs.gov./lasvegas/pdfs/brooks_et_al_2004_%20Effects%20of%20invasive%20plants%20on%20fire.pdf. Jan. 7, 2008.

Brooks, M.L., and Pyke, D.A. 2002. Invasive Plants and Fire in the Deserts of North America. Allen Press. Available: http://www.werc.usgs.gov./lasvegas/pdfs/brooks_pyke_2001_Invasive%20plants%20and%20fire%20in%20othe%20deserts.pdf. Jan. 7, 2008.

Brooks, S. December 2002. Pollution Report for Non-Time Critical Removal at the BuckskinMine, Humboldt-Toiyabe National Forest, NV. Unpublished U.S. Forest Service Report.

Bryan, R. 2003. Personnel communication. Supervisory Wildlife Biologist, Winnemucca Field Office, Bureau of Land Management. July 23, 2003.

Buckhouse, J.C. September 2000. Domestic Grazing *In* Drinking Water from Forests and Grasslands. General Technical Report SRS-39. G.E. Dissmeyer (editor). USDA Forest Service, Southern Research Station, Ashville, NC. 153-157.

Chambers, J.C., B.A. Roundy, R.R. Blank, S.E. Meyer, and A. Whittaker. 2007. What makes Great Basin sagebrush ecosystems invasible by *Bromus techtorum*? Ecological Monographs 77:117-145.

Chambers, J. C. and J.A. MacMahon. 1994. A day in the life of a seed: Movements and fates of seeds and their implications for natural and managed systems. Annual Review of Ecology and Systematics 25: 263-92.

Clark, B. 2001. Chapter V – Soils, Water, and Watershed. National Interagency Fire Center, Fire Effects Guide (NFES 2394).

Clary, W.P. 1995. Vegetation and Soil Responses to Grazing Simulation on Riparian Meadows. Journal of Range Management, Vol. 48, No. 1: 18-25.

Clary, W.P. and Webster, B.F. 1989. Managing Grazing of Riparian Areas in the Intermountain Region. U.S. Dept. of Agriculture, Forest Service, Intermountain Research Station. General Technical Report INT-263. 11 p.

Cole, D.N. 1988. Disturbance and Recovery of Trampled Montane Grassland and Forests in Montana. Research Paper INT-389. U.S. Department of Agriculture, Forest Service, Intermountain Research Station.

Cowley, E.R. and Burton, T.A. March, 2005. Technical Bulletin No. 2005-2. Monitoring Streambanks and Riparian Vegetation- Multiple Indicators. U.S. Department of the Interior, Bureau of Land Management, Idaho State Office, Boise, Idaho.

Crider, F.J. 1955. Root-growth Stoppage Resulting from Fefoliation of Grass. U.S. Dept. of Agriculture Tech. Bulletin 1102. 23p.

D'Antonio, C. and Meyerson, L.A. 2002. Exotic Plant Species as Problems and Solutions in Ecological Restoration: A Synthesis. Available: http://www.blackwell-synergy.com/doi/abs/10.1046/j.1526-100X.2002.01051.x. Society for Ecological Restoration. Restoration Ecology Vol. 10 No. 4: 703-713. Accessed Jan. 7, 2008.

Day, T.A. and Detling, J.K. 1990. Grassland Patch Dynamics and Herbivore Grazing Preference following Urine Deposition. Ecology 71:180-188.

Dietz, H.E.. 1989. Grass: The Stockman's Crop How to Harvest More of it. Soil Conservation Service.

Dixie and Fishlake National Forests. February 2002. Rangeland Ecological Health and Status Range Site Analyses Monitoring Guidelines.

DRI Western Regional Climate Center. December 1997. Map of Nevada Average Annual Precipitation. Available: http://www.wrcc.dri.edu/pcpn/nv.gif.

Eckert, R.E., Jr. and J.S. Spencer. 1987. Growth and Reproduction of Grasses heavily grazed under Rest-Rotation Management. Journal of Range Management 40: 156-159.

Flath, D. 1994. Bunnies by the Bunch. Montana Outdoors. 25(3) 8-13. [23637].

Fleischner, T. L. 1994. Ecological Cost of Livestock Grazing in Western North America. Conservation Biology 8:629-644.

Freilich, J.E. Emlen, J.M. Duda, J.J., Freeman, C., and Cafaro, P.J. 2003. Ecological Effects of Ranching: A Six Point Critique. BioScience Vol. 53 No. 8. Available: http://alamedacreek.org/Educational%20Resources/Livestock%20grazing%20resources/Ecological%20Effects%20of%20Ranching%20--%20A%206%20point%20critique.pdf. Accessed January, 8 2008.

Gahr, M.L. 1993. Natural History, Burrow Habitat and Use, and Home Range of the Pygmy Rabbit (*Brachylagus idahoensis*) of Sagebrush Flat, Washington. M.S. Thesis. University of Washington, Seattle, WA. 125 p.

Galt, D., G. Mendez, J. Holechek, and J. Joseph. 1999. Heavy Winter Grazing Reduces Forage Production: An Observation. Rangelands 21(4):18-21. Non-replicated experiment with heavy winter versus light summer, cattle, shortgrass prairie (Chihuahuan Desert)

Gelbard, J.L. and Belnap, J. 2003. Roads as Conduits for Exotic Plant Invasions in a Semiarid Landscape. Conservation Biology, pg. 420-432, Vol. 17 No. 2. Available: http://www.blackwell-synergy.com/doi/pdf/10.1046/j.1523-1739.2003.01408.x. Accessed Jan. 2008.

Gillham, J., H. Fisk, W. Goetz, and H. Lachowski. 2004. Existing Vegetation Mapping: Humboldt-Toiyabe National Forest. Prepared for Humboldt-Toiyabe National Forest by Remote Sensing Application Center, Salt Lake City, UT. Technical Report RSAC-65-RPT1. 110 pgs.

Green, D.M. and Kauffman, B.J. 1995. Succession and Livestock Grazing in a Northeastern Oregon Riparian Ecosystem. Journal of Range Management 48(4). July 1995.

Green, J.S. 1978. Pygmy Rabbit and Coyote Investigations in Southeastern Idaho. Ph.D. Dissertation, Brigham Young University, Provo, UT. 88 p.

Green, J.S., and J.T. Flinders. 1980a. *Brachylagus idahoensis*. Amer. Soc. Mammal. Mammalian Species No. 125:1-4.

Green, J.S., J.T. Flinders. 1980b. Habitat and Dietry Relationships of the Pygmy Rabbit. Journal of Range Management 33(2), March. 7 p.

Guyon, J. 2006. Santa Rosa Aspen Report. Santa Rosa Ranger District, Winnemucca NV. Central Records.

Headwaters Economics. November 2007. A SocioEconomic Profile of Humboldt County; produced by the Economic Profile system.

Heitschmidt, R.K. and Stuth, J.W. August 1, 1991. Grazing Management: An Ecological Perspective. Chapter 4 Development Morphology and Physiology of Grasses. Chapter 5 Ecosystem-Level Processes. Chapter 6 Hydrology and Erosion. Timber Press, Incorporated.

Heron, G., C.A. Motimore, M.S. Rawlings. 1985. Nevada Raptors: Their Biology and Management. Nevada Dept. of Wildlife, Reno, NV.

Hickman, T., and R. F. Raleigh. 1982. Habitat suitability index models: cutthroat trout. U.S. Department of Interior, Fish and Wildlife Service, FWS/OBS-82/10.5: 38 p.

Holechek, J.L., R.D. Pieper, and C.H. Herbel. 2004. Range Management Principles and Practices. 5th Edition. Prentice-Hall Inc., Upper Saddle River, N.J. 216-260.

Holechek, J.L., Pieper, R.D., and Herbel, C.H.. 2001. Range Management: Principles & Practices. Prentice Hall, Inc., Upper Saddle River, NJ, USA. Fourth Edition. Chapter 10: 293.

Holechek, J.L., H. Gomez, F. Molinar, and D. Galt. 1999a. Grazing Studies: What We've Learned. Rangelands 21(2). April 1999.

Holechek, J.L., M. Thomas, F. Molinar, and D. Galt. 1999b. Stocking Desert Rangelands: What We've Learned. Rangelands 21(6): 8-12. Summary of utilization in semi-arid environments.

Holechek, J.L., H.S. Gomes, F. Molinar, and D. Galt. 1998. Grazing Intensity: Critique and Approach. Rangelands 20(5). October 1998.

Holechek, J.L. and T. Stephenson. 1983. Comparison of big sagebrush vegetation in northcentral New Mexico under moderately grazed and grazing excluded conditions. Journal of Range Management 36: 455-456.

Holland, R. 1996. Current Knowledge and Conservation Status of *Phacelia inconspicua* E. Green (*Hydrophyllaceae*), the Obscure Scorpion Plant, in Nevada. A status report for Nevada Natural Heritage Program, Carson City, NV and U.S. Fish and Wildlife Service, Reno, NV.

Howard, J.L. 1999. *Artemisia tridentate* subsp. Wyomingensis. *In*: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available: http://www.fs.fed.us/database/feis/. 11-12, 17.

Humboldt County, Nevada. 2008. Humboldt County Online. www.hcnc.us

Huntly, N. 1991. Herbivores and the Dynamics of Communities and Ecosystems. Annual Review of Ecology and Systematics. 22:477-503.

Idaho Fish and Game. 2003. Rare Plant Guide to the Pocatello and Idaho Falls Field Offices, Bureau of Land Management. http://www2.state.id.us/fishgame/info/cdc/plants/plants_N-R/phainc.htm. (Accessed on June 5, 2003)

Janson, R.G. 1946. A survey of the rabbits of Utah with reference to classification, distribution, life histories and ecology. MS Thesis. Utah State Agricultural College, Logan, UT.

Jeffers, J. Nevada Department of Wildlife. Game Biologist. Winnemucca, Nevada. (Retired).

Jenne, A. 2002. 2002 Willow Creek Fire Burned Area Emergency Rehabilitation (BAER) Fish Distribution and Habitat Survey. Unpublished Nevada Division of Wildlife Report.

Johnson, W.S. and Wilson, R. 2003. Invasive Weed Identification for Nevada. Cooperative Extension, University of Nevada.

Juncosa, A.M. 1997. Field Survey Report: Status of *Astragalus yoder-williamsii* in the Osgood Mountain. Unpublished report prepared for Getchell Gold Corp, Golconda, NV.

Kaczmarski, J. Restoration Implications of Bromus tectorum-Infested Grasslands of the Great Basin. http://horticulture.coafes.umn.edu/vd/h5015/00papers/kaczmarski.htm. (Accessed August 6, 2007). 5-9 and 16.

Kaltenecker, J.H., Wicklow-Howard, M.C. and Rosentreter, R. 1999. Biological Soil Crusts in Three Sagebrush Communities Recovering from a Century of Livestock Trampling. *In*: McArthur, E. Durant; Ostler, W. Kent; Wambolt, C.L., comps 1999. Proceedings: shrubland ecosystems; 1998 August 12-14; Ephraim, UT. Proc RMRS-P-11. p 222-226 Ogden, UT; U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.

Kauffman, B.J. and Krueger. 1984. Livestock Impacts on Riparian Ecosystems and Streamside Management Implications. Journal of Range Management.

Kay, C. August 2003. Long-Term Vegetation Changes on Utah's Fishlake National Forest: A Study in Repeat Photography. Department of Political Science, Utah State University, Logan, UT.

Kay, C.E. and D.L. Bartos. 2000. Ungulate herbivory on Utah aspen: Assessment of long-term exclosures. Journal of Range Management 53:145-153.

Knight, T. 1991. Status Report for *Astragalus yoder-williamsii*. Las Vegas: Nevada Natural Heritage Program, prepared for U.S. Dept. of Interior, Bureau of Land Management, Winnemucca, NV.

Kruger, W.C., and M.A. Sanderson (co-chairs). 2002. Environmental Impacts of Livestock Grazing on U.S. Grazing Lands. Task Force Issue Paper Number 22. Council for Agricultural Science and Technology, Ames, IA.

Kunz, T.H., R.A. Martin. 1982. Mammalian Species *Plecotus Townsendii*. The American Society of Mammalogists. No. 175: 1-6, 3 figs.

Larsen, R.E., J.R. Miner, J.C. Buckhouse, J.A. Moore. 1993. Water-Quality Benefits of Having Cattle Manure Deposited Away from Streams. Department of Rangeland Resources, Department of Bioresource Engineering. Oregon State University. Corvallis, OR.

Laycock, W.A. and P.W. Conrad. 1981. Responses of Vegetation and Cattle to Various Systems of Grazing on Seeded and Native Mountain Rangelands in Eastern Utah. System of cattle grazing at moderate use in mountain big sagebrush. Journal of Range Management 34(1): 52-58.

Leckenby; Sheehy; Nellis; Scherzinger; Luman; Elmore; Lemos; Doughty; Trainer. Mule Deer. LaGrande, OR. Pacific NW Forest and Range Experiment Station, Forest Svc; USDA. 1982. General Technical Report PNW-139 6/1982. Wildlife Habitats in Managed Rangelands – The Great Basin of Southeastern Oregon.

MacArthur, R.H. and J.W. MacArthur, 1961. On Bird Species Diversity. Ecology 42:594-598.

Mancuso, M. and R.K. Moseley. 1993. Report on the conservation status of *Astragalus yoder-williamsii* in Idaho. Boise: Idaho Department of Fish and Game, Natural Heritage Section. Status survey report prepared for Idaho Department of Parks and Recreation through Section 6 funding from U.S. Fish and Wildlife Service, Region 1.

Manning, E.M. and Padgett, G.W. 1995. Riparian Community Type Classification for Humboldt and Toiyabe National Forests, Nevada and Eastern California. United States Department of Agriculture, Forest Service, Intermountain Region, R4-Ecol-95-01.

McCallum, D.A. 1994. Review of Technical Knowledge: Flammulated Owls. Hayward, G.D. and J. Verner (eds.). Flammulated, Boreal, and Great Gray Owls in the United States: A Technical Conservation Assessment. Gen. Tech. Rep. RM-253. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO.

McIntyre, S., S. Lavorel, and R.M. Tremont. 1995. Plant Life-history Attributes: Their Relationship to Disturbance Response in Herbaceous Vegetation. Journal of Ecology 83:31-44.

McIntyre, S. and S. Lavorel. 1994. Predicting Richness of Native, Rare and Exotic Plants in Response to Habitat and Disturbance Variables across a Variegated Landscape. Conservation Biology 8(2): 521-531.

Meehan, W.R. 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society Special Publication 19. Bethesda, MD.

Mika, M. M.S. 2007. Department of Biological Sciences, University of Nevada Las Vegas.

Mika, Markus. 2006. Biological Investigation of Flammulated Owl (*Otus flammeolus*) Distribution and Densities on National Forest Lands in Nevada: Biological Survey Protocol and Results. Department of Biology, University of Nevada, Las Vegas. March 6, 2006. pages 12-13.

Morefield, J.E. (editor). 2001. Nevada Rare Plant Atlas. Carson City: Nevada Natural Heritage Program, compiled for the U.S. Department of Interior, Fish and Wildlife Service, Portland, OR and Reno, NV.

Moseley, R.K. 1989. Report on the conservations status of *Phacelia inconspicua* in Idaho. Boise: Idaho Department of Fish and Game, Natural Heritage Section. Status survey report prepared for Idaho Department of Parks and Recreation through Section 6 funding from U.S. Fish and Wildlife Service, Region 1.

Mozingo, H.N. and M. Williams. 1980. Threatened and Endangered Plants of Nevada: a Illustrated Manual. U.S. Department of Interior, Fish and Wildlife Service and Bureau of Land Management, Reno, NV.

Mueggler, W.F. 1988. Aspen Community Types of the Intermountain Region. U.S. Dept. of Agriculture, Forest Service, Intermountain Research Station. General Technical Report INT0250. December 1988. 135 p.

Murphy, C. 2002. The Conservation Status of *Phacelia inconspicua* (obscure scorpion plant) in Idaho – An Update. Boise: Idaho Department of Fish and Game, Natural Heritage Section. Status survey report prepared for U.S. Dept. of Interior, Bureau of Land Management, Upper Snake River District.

Myers, T.J. and S. Swanson. 1995. Impacts of deferred rotation grazing on stream characteristics in central Nevada: A case study. North American Journal of Fisheries Management 15:428-439.

National Wildfire Coordinating Group (NWCG). August 2001. Fire Effects Guide. NFES 2394. National Interagency Fire Center, Boise, ID.

NatureServe. 2003. NatureServe Explorer: An online encyclopedia of life[web application]. Version 1.8. NatureServe, Arlington, Virginia. Available: http://www.natureserve.org/explorer.

Nevada. 2008. Nevada Natural Resources Status Report. Available: http://www.dcnr.nv.gov/nrp01/bio09.htm. Accessed January 9, 2008.

Nevada Administrative Code. Available: http://ndep.nv.gov/admin/nrs445a.htm.

Nevada Comprehensive Wildlife Conservation Strategy. 2004. Available: http://www.ndow.org/wild/conservation/cwcs/final/148_155aspen.pdf. Accessed on Jan. 14, 2008.

Nevada Division of Environmental Protection. NDEP. Available: http://ndep.nv.gov/.

Nevada Partners in Flight. 1999. Bird Conservation Plan. Edited by Larry A. Neal.

Oasis Design. 2008. Available: http://oasisdesign.net/water/quality/coliform.htm.

O'Brien, R.A., Johnson, C.M., Wilson, A.M., and Elsbernd, V.C. 2003. Indicators of Rangeland Health and Functionality in the Intermountain West. U.S. Department of Agriculture, Forest Service. Rocky Mountain Research Station. General Technical Report RMRS-GTR-104.

Oleyar, M.D., C.D. Marti, and M. Mika. 2003. Vertebrate Prey in the Diet of Flammulated Owls in Northern Utah. Journal of Raptor Research 37:244-246.

Olsen, B.E. 1999. Grazing and Weeds. *In* R.L. Sheley and J.K. Petroff (eds.). Biology and Management of Noxious Rangeland Weeds. Oregon State University Press, Corvallis, OR. Pg. 85-96.

Orr, R.T. 1940. The Rabbits of California. Occasional papers of the California Academy of Sciences 19:1-227.

Padgett, W.G., Youngblood, A.P. and Winward, A.H. 1989. Riparian Community Type Classification of Utah and Southeastern Idaho. University of Washing Press. USDA Forest Service Intermountain Region, R4-Ecol-89-01.

Parker, K.G. 1975. Some Important Utah Range Plants. Extension Service Bulletin EC-383. Logan, UT. Utah State University. 174 p. [9878]

Platts, W.S. 1991. Livestock Grazing. American Fisheries Society Special Publication 19: 389-423.

Platts, W.S. 1985. Impacts of Rest-rotation Grazing on Streambanks in Forested Watersheds in Idaho. North American Journal of Fisheries Management. 5:547-556.

Proulx, M. and A. Mazumder. 1998. Reversal of Grazing Impact of Plant Species Richness in Nutrient-Poor vs. Nutrient Rich Ecosystems. Ecology 79:2581-2592.

Rambo, J.L. and S.H. Faeth. 1999. Effect of Vertebrate Grazing on Plant and Insect Community Structure. Conservation Biology 13:1047-1054.

Ratliff, R.D., M.R. George, and N.K. McDougald. 1987. Managing Livestock Grazing on Meadows of California's Sierra Nevada, A Manager-User Guide. Cooperative Extension University of California. Leaflet 21421. 9 p.

Resource Concepts, Inc. 2001. Nevada Grazing Statistics Report and Economic Analysis for Federal Lands in Nevada.

Reid, L.M. March 1993. Research and Cumulative Watershed Effects. General Technical Report PSW-GTR-141. USDA Forest Service, Pacific Southwest Research Station, Albany, California.

Richards, J.H. and M.M. Caldwell. 1985. Soluble carbohydrates, concurrent photosynthesis and efficiency in regrowth following defoliation: A field study with Agropyron species. Journal of Applied Ecology 22:907-920.

Roberts, H.B. 2003. Status of the Pygmy Rabbit (*Brachylagus idahoensis*) in Idaho. Technical Bulletin No. 03-6. Bureau of Land Management. Boise, ID.

Robertson, J.H. 1971. Changes on a Sagebrush-Grass Range in Nevada Ungrazed for 30 years. Journal of Range Management 24(5):397-400.

Rosgen, D. 1996. Applied River Morphology. Wildland Hydrology, Pagosa Springs, Colorado.

Saab, V.A., C.E. Bock, T.D. Rich, and D.S. Dobkin. 1995. Livestock Grazing Effects in Western North America. *In* T.E. Martin and D.M. Finch [Edx.], Ecology and Management of Neotropical Migratory birds: A Synthesis and Review of Critical Issues. Oxford University Press, New York. 311-353.

Schmidt W. 1989. Plants Dispersal by Motor Cars. http://www.springerlink.com/content/u35q740210635215/. Vegetation 80: 147-152. Accessed Jan. 4, 2008.

Schultz, T.T. and W.C. Leininger. 1990. Differences in riparian vegetation structure between grazed areas and exclosures. Journal of Range Management 43:295-299.

Sedgwick, J.A. and Knopf,. L. 1991. Prescribed Grazing as a Secondary Impact in a Western Riparian Floodplain. Journal of Range Management 44(4), July 1991.

Sheley, R,L. and Petroff, J.K.. 1999. Biology and Management of Noxious Rangeland Weeds. Oregon State University Press: 204, 274, 275, 316, 317.

Shiflet. T.N. 1994. Rangeland Cover Types of the United States. Society for Range Management. 40-60.

Smith, L., G. Ruyle, J. Maynard, S. Barker, W. Meyer, D. Stewart, B. Coulloudon, S. Williams and J. Dyess. 2007. Principles of Obtaining and Interpreting Utilization Data on Rangelands. Arizona Cooperative Extension, Tucson, AZ. May 2007. 11 p.

Smith, L., G. Ruyle, J. Maynard, S. Barker, W. Meyer, D. Stewart, B. Coulloudon, S. Williams, and J. Dyess. 2005. Principles of obtaining and interpreting utilization data on Southwest rangelands. The Univeristy of Arizona, Cooperative Extension, College of Agriculture and Life Sciences, Tucson, Arizona. AZ 1375. 11 pgs.

Smith, S. D.; Huzman, T. E. ; Zitzer, S. F.; Charlet, T. N.; Housman, D. C.; Coleman, J. S.; Fenstermaker, L. K.; Seeman, J. R.; and Nowak, R. S. 2000. Elevated CO_2 increases productivity and invasive species success in an arid system. Nature. 408: 79-81.

Society for Range Management (SRM), Public Affairs Committee. 1989. Assessment of Rangeland Condition and Trend of the United States.

State of Nevada Department of Wildlife (NDOW). August 2001. Interagency Stream Completion Report. Andorno Creek GAWS Survey.

State of Nevada, Division of Wildlife (NDOW). July 2001. Interagency Stream Completion Report, Martin Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). August 2000. Interagency Stream Completion Report, Round Corral Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 2000. Interagency Stream Completion Report, Dutch John Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 2000. Interagency Stream Completion Report, Lye Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 2000. Interagency Stream Completion Report, Road Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). June 2000. Interagency Stream Completion Report, Indian Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). 1999. Lahontan Cutthroat Trout, Species Management Plan for the Quinn.

State of Nevada, Division of Wildlife (NDOW). August 1998. Interagency Stream Completion Report, Long Canyon Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 1998. Interagency Stream Completion Report, Cabin Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 1998. Interagency Stream Completion Report, Falls Canyon Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 1998. Interagency Stream Completion Report, North Fork Little Humboldt River. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). October 1997. Interagency Stream Completion Report, Flat Creek, South Fork. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). September 1997. Interagency Stream Completion Report, Cabin Creek, North Fork. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). September 1997. Interagency Stream Completion Report, Quinn River, South Fork. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). September 1997. Interagency Stream Completion Report, Threemile Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). August 1997. Interagency Stream Completion Report, Quinn River, East Fork. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 1993. Interagency Stream Completion Report, Siard Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). September 1987. Interagency Stream Completion Report, Quinn River-South Fork. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). July 1986. Interagency Stream Completion Report, Buffalo Canyon Creek. Unpublished State Report.

State of Nevada, Division of Wildlife (NDOW). September 1986. Interagency Stream Completion Report, Horse Canyon Creek. Unpublished State Report.

Stevens, R. 1984. Population Dynamics of Two Sagebrush Species and Rubber Rabbitbrush over 22 Years of Grazing Use by Three Animal Classes. Paper presented at the symposium: Biology

of *Artemisia and Chrysthamnus*. Provo, UT. July 9-13, 1984.

Stoddart, L.A., A.D. Smith, and T.W. Box. 1975. *Range Management*. Third Edition. McGraw-Hill, Inc. New York, NY.

Trlica, M.J. 1999. Grass Growth and Response to Grazing. Colorado State University Cooperative Extension. No. 6.108.

UCCE Rangeland Watershed Fact Sheet No. 14. 1/11/2008. http://darn.ucop.edu/uccelr/h14.htm. University of California Cooperative Extension. 5 p.

U.S. Army Corps of Engineers. The Archeological Sites Protection And Preservation Notebook: Impacts of Domestic Livestock Grazing on Archaeological Resources. U.S. Army Engineer Waterways Experiment Station, ASPPN I-15USAC.

U.S. Census Bureau. 2005. Census 2000.

USDA Forest Service. 2008. Management Indicator Species (MIS) and Range Suitability/Capability Analysis. Humboldt National Forest Updated MIS Monitoring Report. August.

USDA Forest Service. 2008. Martin Basin Rangeland Management Project Management Indicator Species and Rangeland Capability Report. Santa Rosa Ranger District. Humboldt-Toiyabe National Forest. July.

USDA Forest Service. 2008. Summary of Capability/Suitability for Livestock Grazing and MIS Analysis Associated with 36 CFR 219.20 during Humboldt Forest Planning Effort. Humboldt National Forest. May.

USDA Forest Service. 2007a. Resource Implementation Protocol for Rapid Assessment Matrices. Humboldt-Toiyabe National Forest. Sparks, NV. December.

USDA Forest Service. 2007b. Martin Basin Social Economic Analysis.

USDA Forest Service. 2006. Riparian Assessment Report. Santa Rosa Ranger District, Winnemucca NV. Central files.

USDA Forest Service. 2005. Forest Service Handbook (FSH) Intermountain Region, Amendment No. 2209.21_2005-1. Rangeland Ecosystem Analysis and Monitoring.

USDA Forest Service. 2005. Forest Service Manual (FSM) 2600. Wildlife, Fish and Sensitive Plant Habitat Management. Washington Office.

USDA Forest Service. 2001. Sierra Nevada Forest Plan Amendment FEIS. Pacific Southwest Region, Vallejo, CA.

USDA Forest Service. 1995. Inland Native Fish Strategy Environmental Assessment, Decision Notice and Finding of No Significant Impact, Interim Strategies for Managing Fish-Producing Watersheds in Eastern Oregon and Washington, Idaho, Western Montana and Portions of Nevada.

USDA Forest Service. 1994. Humboldt-Toiyabe National Forest. Range Analysis Narrative. Unpublished Report by Scott W. Bell. Available at the Santa Rosa Ranger District, Winnemucca NV.

USDA Forest Service. 1993a. Humboldt-Toiyabe National Forest. Buffalo Data. Unpublished Report by Scott W. Bell Available at the Santa Rosa Ranger District, Winnemucca NV.

USDA Forest Service. 1993b. Humboldt-Toiyabe National Forest. Singuas Peak Meadow. Unpublished Report by Scott W. Bell. Available at the Santa Rosa Ranger District, Winnemucca NV.

USDA Forest Service. 1991a. Threatened, Endangered, and Sensitive Species of the Intermountain Region. Ogden, UT.

USDA Forest Service. 1991b. Santa Rosa Mountain Range Soil Survey Area, Site Descriptions. Technical Guide Section IIE. Humboldt National Forest.

USDA, Forest Service. 1990. Land and Resource Management Plan, Amendment Number #2. USDA National Agricultural Statistics Service. 2002. Humboldt County Data

USDA Forest Service. 1986. Land and Resource Management Plan for the Humboldt National Forest. Elko, Nevada.

USDA Forest Service. 1951. Indicators of Condition and Trend on High Range-Watersheds of the Intermountain Region. Agricultural Handbook No. 19.

USDA, National Agricultural Statistics Service. 2002. Humboldt County Data.

USDA Natural Resources Conservation Service. 2002. Soil Survey of Humboldt County, Nevada, East Part. Part II. Vol I: 12-13.

USDA Natural Resources Conservation Service. 2001. Soil Quality Information Sheet Rangeland Soil Quality-Introduction, Rangeland Sheet 1. Available Online: http://soils.usda.gov/sqi/files/RSQIS1.pdf

USDA Natural Resources Conservation Service. April 1996. Soil Quality Resource Concerns: Compaction. Soil Quality Information Sheet

USDI Bureau of Land Management. 1998. Asher, Jerry and Spurrier, Carol. The Spread of Invasive Weeds in Western Wildlands: A State of Biological Emergency. The Governor's Idaho Weed Summit. http://www.blm.gov/weeds/BOIUMMI.WPD.html. p. 4-5, 8-9.

USDI Bureau of Land Management. 1996a. Sampling Vegetation Attributes. Interagency Technical Reference. Produced by Bureau of Land Management's National Applied Resource Science Center.

USDI Bureau of Land Management. 1996b. Utilization Studies and Residual Measurements. Interagency Technical Reference. Produced by Bureau of Land Management's National Applied Resource Science Center.

U.S. Fish and Wildlife Service. 1995. Lahontan Cutthroat Trout, *Oncorhynchus clarki henshawi*,

Recovery Plan. Portland, OR. 147p.

U.S. Geological Survey. 2003. Monthly Streamflow Statistics for the Nation. Available: http://waterdata.usgs.gov/nwis/monthly.

Vallentine, J.F. 1980. Range Developments and Improvements. Second Edition. Academic Press, San Diego, CA.

Vavra, M., W.A. Laycock, and R.D. Pieper (eds). 1999. Ecological Implications of Livestock Herbivory in the West., 2nd ed. Society for Range Management, Denver, CO. 297 pgs.

Wai-Ping, V. and M. Brock Fenton. 1989. Ecology of Spotted Bat Roosting and Foraging Behavior. Journal of Mammology, 70(3): 617- 622.

Waser, N.M. and M.V. Price. 1981. Effects of Grazing on Diversity of Annual Plants in the Sonoran Desert. Oceologia 50: 407-411.

Washington Department of Fish and Wildlife (WDFW). 1995. Washington State Recovery Plan for the Pygmy Rabbit. Wildlife Management Program, Wash. Dep. Fish and Wildl., Olympia. 73p.

Watkins, L.C. 1977. *Euderma maculatum*. Mammalian Species. No. 77: 1-4.

Weiss, N. T., and B. J. Verts. 1984. Habitat and Distribution of Pygmy Rabbits (*Sylvilagus idahoensis*) in Oregon. Great Basin Nat. 44(4):563-571.

West, N.E., F.D. Provenza, P.S. Johnson, and M.K. Owens. 1984. Vegetation change after 13 years of livestock grazing exclusion on sagebrush semidesert in West Central Utah. Journal of Range Management 37(3): 262-264

White, S.M., J.T. Flinders, B.L. Welch. 1982. Preference of Pygmy Rabbits (*Brachylagus idahoensis*) for Various Populations of Big Sagebrush (*Artemisia tridentata*). Journal of Range Management 35(6): 724-726.

Willden, R. 1964. Geology and Mineral Deposits of Humboldt County, Nevada. Nevada Bureau of Mines and Geology. 115 and 122.

Williams, C.K. 2008. Properly functioning condition. Unpublished report by the Intermountin Region, Humboldt-Toiyabe National Forest, Ogden, UT.

Woodbridge, B., and C.D. Hargis. 2006. Northern Goshawk Inventory and Monitoring Technical Guide. General Technical Report WO-71. United States Department of Agriculture, Forest Service.Washington, DC: 80 p.

Yensen, D.L. 1981. The 1900 Invasion of Alien Plants into Southern Idaho. Great Basin Naturalist 41:176-183.

Younk, J.V., M.J. Bechard. 1994. Final Report Effects of Gold Mining Activity on Northern Goshawks Breeding in Nevada's Independence and Bull Run Mountains. Raptor Research

Center, Department of Biology. Boise State University. *In* cooperation with: Nevada Department of Wildlife, Independence Mining Company. Humboldt National Forest. 67 p.

Young, J.A., R.E. Eckert, Jr., and R.A. Evans. 1979. Historical Perspectives Regarding the Sagebrush Ecosystem. *In* The Sagebrush Ecosystem: A Symposium. Utah State University, Logan, UT. 1-13.