

INTERMOUNTAIN REGION PROPOSED, ENDANGERED, THREATENED, AND SENSITIVE SPECIES

(12/03) (technical edits 4/08)

KNOWN/SUSPECTED DISTRIBUTION BY FOREST

STATUS	FOREST																
	ENDANGERED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
MAMMALS																	
Black-footed ferret 3/11/67 <i>Mustela nigripes</i>				o													o
BIRDS																	
Southwestern willow flycatcher 2/27/95 <i>Empidonax traillii extimus</i> ED 3/29/95							x	x		x					?		
Whooping crane 3/11/67 <i>Grus americana</i>				x	x									x		o	o
FISH																	
June sucker 3/31/86 <i>Chasmistes liorus</i>																o	o

** Complete key for matrix at the end of document

ENDANGERED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Bonytail chub 4/23/80 <i>Gila elegans</i>	o		o			o	o		o						o	o
Humpback chub 3/11/67 <i>Gila cypha</i>	o		o			o	o		o						o	o
Colorado squawfish 3/11/67 <i>Ptychocheilus lucius</i>	o		o			o	o		o						o	o
Kendall Warm Springs dace 10/13/70 <i>Rhinichthys osculus</i>			X													
Sockeye salmon, Snake River 11/20/91 <i>Oncorhynchus nerka</i> (ED 12/20/91)					+					+	+	X				
Razorback sucker 10/23/91 <i>Xyrauchen texanus</i> (ED 11/22/91)	o		o			o	o		o						o	o
Sturgeon, pallid <i>Scaphirhynchus albus</i>			o													
PLANTS																
San Rafael cactus <i>Pediocactus despainii</i>							X									
Clay phacelia 09/28/78 <i>Phacelia argillacea</i>									?						X	

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

STATUS	FOREST																
	THREATENED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
MAMMALS																	
N. American lynx 4/15/00 <i>Lynx canadensis</i>	x	x	x	x	x						x	x	x	x		?	?
Utah prairie dog 6/04/73 <i>Cynomys parvidens</i>							x	x									
Northern Idaho ground squirrel 3/24/00 <i>Spermophilus brunneus</i>											x						
BIRDS																	
Mexican spotted owl 3/16/93 <i>Strix occidentalis lucida</i> (ED 4/15/93)							x	x		x							
REPTILES AND AMPHIBIANS																	
Desert tortoise 8/04/89 <i>Gopherus agassizii</i>							?								x		
FISH																	
Steelhead trout (Snake River summer) <i>Oncorhynchus mykiss</i>			x			x					x	x	x				
Chinook salmon, Snake River sprg/smr <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)			x			x					x	x	x				
Chinook salmon, Snake River fall <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)											x						

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

THREATENED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Railroad Valley springfish 3/31/86 <i>Crenichthys nevadae</i>														x		
Lahontan cutthroat trout 10/13/70 <i>Oncorhynchus clarki henshawi</i>								x						x		
Bull trout (PT) <i>Salvelinus confluentus</i>		x			x			**		x	x	x				
Paiute cutthroat trout 3/11/67 <i>Oncorhynchus clarki seleniris</i>														x		
PLANTS																
Deseret milkvetch 10/20/99 <i>Astragalus desereticus</i>									?							
Heliotrope milkvetch 11/6/87 <i>Astragalus montii</i>									x							
Maguire daisy <i>Erigeron maguirei</i>							x									
MacFarlane's four-o'clock 10/26/79 <i>Mirabilis macfarlanei</i>										?						
Winkler cactus <i>Pediocactus winkleri</i>									?							
Maguire's primrose 8/21/85 <i>Primula maguirei</i>																x
Last chance townsendia 8/21/85 <i>Townsendia aprica</i>						x	x									
Ute ladies' tresses 1/17/92 <i>Spiranthes diluvialis</i> (2/18/92)	?	?	?	?	?	?	?		?	?	?	?	x		x	?
Spalding's catchfly 10/10/01 <i>Silene spaldingii</i>										?						

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

PROPOSED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Mountain plover <i>Charadrius montanus</i>	x		x	x												

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

STATUS	FOREST																
	SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
MAMMALS																	
Gray wolf (Northern Rockies DPS 3/08) <i>Canis lupus</i>			x	x	x	x						x	x	x	x		
Grizzly bear 4/07 <i>Ursus arctos horribilis</i>				x										x			
Pygmy rabbit <i>Brachylagus idahoensis</i>					x	x	x	x	x			x			x		
Spotted bat <i>Euderma maculatum</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
North American wolverine <i>Gulo gulo (luscus)</i>	x	x	x	x	x	x					x	x	x	x	x		x
Fisher <i>Martes pennanti</i>			x	x		x					x	x	x	x	x	x	
Western big-eared bat <i>Corynorhinus townsendii pallescens</i>	X	x	x	X	x	X	X	X	X	X	x	x	x	x	x	x	x
BIRDS																	
Bald eagle <i>Haliaeetus leucocephalus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	x
Boreal owl <i>Aegolius funereus</i>	x	x	x	x	x	x					x	x	x	x			x
Greater sage-grouse <i>Centrocercus urophasianus</i>	X	X	x	x	X	?	X	X	X	X	?	X	X	?	X	X	X
Trumpeter swan <i>Cygnus buccinator</i>				x	x									x			
Peregrine falcon 3/20/84 <i>Falco peregrinus anatum</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Common loon <i>Gavia immer</i>		?	x							?		x	?			
Harlequin duck <i>Histrionicus histrionicus</i>			x	x	x					x	x		x			
Mountain quail <i>Oerortyx pictus</i>		x						x		x				x		
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Flammulated owl <i>Otus flammeouulus</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
White-headed woodpecker <i>Picoides alborlarvatus</i>		x								x				x		
Three-toed woodpecker <i>Picoides tridactylus</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Great gray owl <i>Strix nebulosa</i>	x	x	x	x	x			?		x	x	x	x	x		x
California spotted owl <i>Strix occidentalis occidentalis</i>															x	
Columbian sharp-tailed grouse <i>Tympanuchus phasianellus columbianus</i>				x						x		x				x
Northern goshawk <i>Accipiter gentilis</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
REPTILES AND AMPHIBIANS																
Columbia spotted frog <i>Rana luteiventris</i>	?	x	x	x	x			x	x	x	x	x	x	x	x	x
FISH																
Wood River sculpin <i>Cottus leiopomus</i>												x				
Westslope cutthroat trout <i>Oncorhynchus clarki lewisi</i>		x			x					x	x	x				

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Colorado River cutthroat trout <i>Oncorhynchus clarki pleuriticus</i>	x		x			x			x						x	x
Bonneville cutthroat trout <i>Oncorhynchus clarki utah</i>			x	x		x	x	x	?						x	x
Snake River fine spotted cutthroat trout <i>Oncorhynchus clarki ssp.</i>			x	x									x			
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
INSECTS																
Mt. Charleston Blue Butterfly <i>Icarcia shasta charlestonensis</i>														x		
Spring Mountain Checkerspot <i>Chlosyne acastus robusta</i>														x		
Dark Blue <i>Euphilotes ancilla purpura</i>														x		
Morand's Checkerspot <i>(Euphydryas anicia morandi)</i>														x		
PLANTS																
Pink agoseris <i>Agoseris lackschewitzii</i>			x								x		x			
Chatterley Onion <i>Allium geyeri chatterleyi</i>									x							
Swamp onion <i>Allium madidum</i>										x						
Tolmie's onion <i>Allium tolmiei var. persimile</i>		x								x						
Candystick <i>Allotopa virgata</i>										x						
Sweet-flowered rock jasmine <i>Androsace chamaejasme carinata</i>			x						x				x			

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Soft aster <i>Aster mollis</i>			x													
Clokey milkvetch <i>Astragalus aequalis</i>														x		
Lost River milkvetch <i>Astragalus amnis-amissi</i>					x											
Goose Creek milkvetch <i>Astragalus anserinus</i>												?				
Lemhi milkvetch <i>Astragalus aquilonius</i>					x											
Bicknell milkvetch <i>Astragalus consobrinus</i>							x		?							
Meadow milkvetch <i>Astragalus diversifolius v. diversifolius</i>			x		x									x		

SENSITIVE

ASH

BOI

B-T

CAR

CHA

DIX

FIS

HUM

M-L

PAY

SAL

SAW

TAR

TOI

UIN

W-C

Funeral milkvetch <i>Astragalus funereus</i>															x	
Dana milkvetch <i>Astragalus henrimontanensis</i>						x										
Starvling milkvetch <i>Astragalus jejunus jejunus</i>			x	x												x
Scorpion milkvetch <i>Astragalus lentiginosus scorpionis</i>								x							x	
Navajo Lake milkvetch <i>Astragalus limnocharis var. limnocharis</i>						x										
Table Cliff milkvetch <i>Astragalus limnocharis var. tabulaeus</i>						x										
Half-ring pod milkvetch <i>Astragalus mohavensis var. hemigyus</i>															x	

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Beautiful Bryum <i>Bryum calobryoides</i>		x															
Cascade reedgrass <i>Calamagrostis tweedyi</i>										x							
Cusick camas <i>Camassia cusickii</i>										x							
Seaside sedge <i>Carex incurviformis</i>			x		x										x		
Black and purple sedge <i>Carex luzulina atropurpurea</i>			x														
Aquarius paintbrush <i>Castilleja aquariensis</i>							x										
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
Christ's Indian paintbrush <i>Castilleja christii</i>												x					
Tushar paintbrush <i>Castilleja parvula</i> var. <i>parvula</i>						x	x										
Reveal paintbrush <i>Castilleja parvula</i> var. <i>revealii</i>						x											
Centennial rabbitbrush <i>Chrysothamnus parryi</i> ssp. <i>montanus</i>													x				
Flexible alpine collomia <i>Collomia debilis camporum</i>											x						
Mound cryptanth <i>Cryptantha compacta</i>								?									
Creutzfeldt-flower cryptanth <i>Cryptantha creutzfeldtii</i>									x								

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Yellow-white catseye <i>Cryptantha ochroleuca</i>						x											
Mohave cryptantha <i>Cryptantha tumulosa</i>															x		
Bodie Hills draba <i>Cusickiella quadricosta</i>															x		
Pinnate spring-parsley <i>Cymopterus beckii</i>						x			x								
Davis' wavewing <i>Cymopterus davisii</i>													x				
Douglas' biscuitroot <i>Cymopterus douglasii</i>					x							x	x				
Goodrich biscuitroot <i>Cymopterus goodrichii</i>															x		
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
Cedar Breaks biscuitroot <i>Cymopterus minimus</i>						x											
Snowy spring parsley <i>Cymopterus nivalis</i> ##								x							x		
Brownie ladyslipper <i>Cypripedium fasciculatum</i>	x																x
Wyoming tansymustard <i>Descurainia torulosa</i>			x														
Idaho douglasia <i>Douglasia idahoensis</i>		x									?						
Arid draba <i>Draba arida</i>																x	
Star draba <i>Draba asterophora</i> var. <i>asterophora</i>																x	

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Rockcress draba <i>Draba densifolia apiculata</i>			x		x											x	x
Jaeger draba <i>Draba jaegeri</i>															x		
Maguire draba <i>Draba maguirei</i>																	x
Serpentine draba <i>Draba oreibata</i> var. <i>serpentina</i>									?						x		
Charleston draba <i>Draba pauciflora</i>															x		
Pennell draba <i>Draba pennellii</i>									x								
Creeping draba <i>Draba sobolifera</i>							x	x									
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
Stanley's whitlow-grass <i>Draba trichocarpa</i>					x							x					
Nevada willowherb <i>Epilobium nevadense</i>								x							x		
Abajo daisy <i>Erigeron abajoensis</i>										x							
Carrington daisy <i>Erigeron carringtonae</i>										x							
Snake Mountain erigeron <i>Erigeron cavernensis</i>									x								
Cronquist daisy <i>Erigeron cronquistii</i>																	x
Kachina daisy <i>Erigeron kachinensis</i>										x							

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Wolly daisy <i>Erigeron lanatus</i>			x														
Maguire daisy <i>Erigeron maguirei</i>							x										
LaSal daisy <i>Erigeron mancus</i>									x								
Untermann daisy <i>Erigeron untermannii</i>	x																
Mono buckwheat <i>Eriogonum ampullaceum</i>															x		
Widtsøe buckwheat <i>Eriogonum aretioides</i>						x											
Elsinore buckwheat <i>Eriogonum batemanii</i> var. <i>ostlundii</i>							x										

SENSITIVE

ASH

BOI

B-T

CAR

CHA

DIX

FIS

HUM

M-L

PAY

SAL

SAW

TAR

TOI

UIN

W-C

Desert buckwheat <i>Eriogonum brevicaulum desertorum</i>													x				
Logan buckwheat <i>Eriogonum brevicaulum</i> var. <i>loganum</i>																	x
Welsh buckwheat <i>Eriogonum capistratum welschii</i>						x											
Toiyabe buckwheat <i>Eriogonum esmeraldense toiyabense</i>																x	
Clokey buckwheat <i>Eriogonum hermannii clokeyi</i>																x	
Holmgren buckwheat <i>Eriogonum holmgrenii</i>									x								
Lewis's buckwheat <i>Eriogonum lewisii</i>									x								

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Guardian buckwheat <i>Eriogonum meledonum</i>						x							x				
Barrel cactus <i>Ferocactus cylindraceus lecountei</i>																x	
Clokey greaseweb <i>Forsellesia clokeyi</i>																x	
Smooth dwarf greaseweb <i>Forsellesia pungens glabra</i>																x	
Wonderland Alice flower <i>Gilia caespitosa</i>							x	x									
Puzzling halimolobos <i>Halimolobos perplexa</i> var. <i>perplexa</i>												x					
Alpine goldenweed <i>Haplopappus alpinus</i>																x	
SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
Spring Mountain goldenweed <i>Haplopappus compactus</i>																x	
Pine Valley goldenweed <i>Haplopappus crispus</i>							x										
Bugleg goldenweed <i>Haplopappus insecticuriis</i>			x										x				
Narrow-leaf goldenweed <i>Haplopappus macronema linearis</i>				x													
Radiate goldenweed <i>Haplopappus radiatus</i>											x						
Canyon sweetvetch <i>Hedysarum occidentale</i> var. <i>canone</i>										x							
Jones goldenaster <i>Heterotheca jonesii</i>							x										

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Payson bladderpod <i>Lesquerella paysonii</i>			x	x									x			
Maguire lewisia <i>Lewisia maguirei</i>								x								
Canyonlands lomatium <i>Lomatium latilobum</i>									x							
Goodrich stickleaf <i>Mentzelia goodrichii</i>	x															
Bank monkeyflower <i>Mimulus clivicola</i>										x						
Fish Lake naiad <i>Najas caespitosa</i>							x									
Challis crazyweed <i>Oxytropis besseyi</i> var. <i>salmonensis</i>					x											

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Arctic poppy <i>Papaver radicum</i> var. <i>pygmaeum</i>	x															x
Naked-stemmed parrya <i>Parrya nudicaulis</i>			x													
Paria breadroot <i>Pediomelum pariense</i>						x										
Stemless beardtongue <i>Penstemon acaulis</i> var. <i>acaulis</i>	x															
Dune penstemon <i>Penstemon arenarius</i>														?		
Bicolored beardtongue <i>Penstemon bicolor</i> var. <i>bicolor</i>														x		
Rose-colored beardtongue <i>Penstemon bicolor</i> var. <i>roseus</i>														x		

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Red Canyon beardtongue <i>Penstemon bracteatus</i>						x											
Cache beardtongue <i>Penstemon compactus</i>				x													x
Elegant penstemon <i>Penstemon concinnus</i>								?									
Death Valley beardtongue <i>Penstemon fruticiformis</i> ssp. <i>amargosae</i>															x		
Idaho penstemon <i>Penstemon idahoensis</i>												x					
Lemhi penstemon <i>Penstemon lemhiensis</i>											x						
Mt. Moriah penstemon <i>Penstemon moriahensis</i>								x									

	SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Little penstemon <i>Penstemon parvus</i>							x	x									
Pinyon penstemon <i>Penstemon pinorum</i>							x										
Ward beardtongue <i>Penstemon wardii</i>								x									
Inconspicuous phacelia <i>Phacelia inconspicua</i>									?								
Small-flower phacelia <i>Phacelia minutissima</i>			x						x				?				
Mono phacelia <i>Phacelia monoensis</i>															x		
Salmon twin bladderpod <i>Physaria didymocarpa</i> var. <i>lyrata</i>												x					

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Creeping twinpod <i>Physaria intergrifolia v. monticola</i>			x										x			
Marsh's bluegrass <i>Poa abbreviata marshii</i>				x				x			x	x		x		
Angell cinquefoil <i>Potentilla angelliae</i>						x										
Cottam cinquefoil <i>Potentilla cottamii</i>												x				x
alkali primrose <i>Primula alcalina</i>													x			
Ruby Mountain primrose <i>Primula capillaris</i>								x								
Greenland primrose <i>Primula egaliksensis</i>			x													

SENSITIVE

ASH

BOI

B-T

CAR

CHA

DIX

FIS

HUM

M-L

PAY

SAL

SAW

TAR

TOI

UIN

W-C

Nevada primrose <i>Primula nevadensis</i>								x								
Tahoe yellowcress <i>Rorippa subumbellata</i>														x		
Bartons' blackberry <i>Rubus bartonianus</i>											x					
Williams comblear <i>Polycytenium williamsii</i>															x ⁹⁸	
Arizona willow <i>Salix arizonica</i>							x	x		x						
Clokey Mountain sage <i>Salvia dorrii</i> var. <i>clokeyi</i>															x	
Weber's saussurea <i>Saussurea webberii</i>			x													

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

Tobias' saxifrage <i>Saxifraga bryophora</i> var. <i>tobiasiae</i>											X						
Tolmie's saxifrage <i>Saxifraga tolmiei</i> var. <i>ledifolia</i> ##											X						
Beaver Mountain groundsel <i>Senecio castoreus</i>							X										
Podunk groundsel <i>Senecio malmstenii</i>							X										
Musinea groundsel <i>Senecio musiniensis</i>										X							
Clokey silene <i>Silene clokeyi</i>															X		
Nachlinger silene <i>Silene nachlingerae</i>									X								

	SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Maguire campion <i>Silene petersonii</i>							X	?		X							
Jones' globemallow <i>Sphaeralcea caespitosa</i>									?								
Rock-tansy <i>Sphaeromeria capitata</i>							X										
Low sphaeromeria <i>Sphaeromeria compacta</i>															X		
Few-flowered streptanthus <i>Streptanthus oliganthus</i>															X		
Charleston kittentails <i>Synthyris ranunculina</i>															X		
Caespitose greenthread <i>Thelesperma caespitosa</i>	X																

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt

ASH - Ashley	CHA - Challis	M-L - Manti-LaSal	TAR - Targhee
BOI - Boise	DIX - Dixie	PAY - Payette	TOI - Toiyabe
B-T - Bridger-Teton	FIS - Fishlake	SAL - Salmon	UIN - Uinta
CAR - Caribou	HUM - Humboldt	SAW - Sawtooth	W-C - Wasatch-Cache

KEY:

X = known distribution species and/or habitat

? = suspected or potential habitat

* = wild and naturally reproducing stocks

+ = migration corridors only

o = offsite impacts (e.g. downstream)

r = reintroduced Central Idaho & Yellowstone populations, covered under ESA Section 10(j), and declared experimental non-essential populations, and thus are treated like "proposed" species

= no longer meet "sensitive" criteria (personal communication with Forest botanists and Dr. Duane Atwood), but no official list revision yet

This list was compiled from the following sources:

R-4 Vertebrate Sensitive Species List (August 13, 1990)

R-4 Sensitive Plant List (April 29, 1994)

Endangered and Threatened Wildlife and Plants, USDA-U.S. Fish & Wildlife Service (August 20, 1994)

Northern Goshawk - Listed as a Sensitive Species in R4 (October 31, 1991)

Miscellaneous Federal Registers

NOTE: Dates are dates the Final Rule was published in the *Federal Register*. Effective dates (ED) are about 30 days later if not listed.

x=known spp/hbtt; ?=suspected/potential hbtt; *=wild/naturally reproducing; +=migration; o=offsite; **=endangered on Humboldt