

APPENDIX B – REFERENCES

- Amman, Gene D.; McGregor, Mark D.; Cahill, Donn B.; Klein, William H. 1977. Guidelines for reducing losses of lodgepole pine to the mountain pine beetle in unmanaged stands in the Rocky Mountains. Gen. Tech. Rep. GTR-INT-36. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Region.
- Beche, Leah A.; Stephens, Scott L.; Resh, Vincent H. 2005. Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management*. 218 (2005): 37-59.
- Beier P.; Rogan E.C.; Ingraldi M.F.; S.S. Rosenstock. 2008. Does forest structure affect reproduction of northern goshawks in ponderosa pine forests? *Journal of Applied Ecology* 45. p. 342-350.
- Binkley, Dan. 2007. Age distribution of aspen in Rocky Mountain National Park, USA. *Forest Ecology and Management*. Article in press. (2007), doi:10.1016/j.foreco.2007.09.066.
- Bissonette, J. A.; Christiansen, L. J.; Smith, N. H. 1995. Final report Franklin Basin (UT, ID) wolverine survey. Conducted for U. S. Forest Service, Caribou National Forest and Uinta and Wasatch-Cache National Forests, Idaho Department of Fish and Game and Utah Division of Wildlife Resources.
- Blackwell, B. H.; Pederson, J.C. 1993. Beaver distribution, habitat and population survey (1971-1982). Salt Lake City, UT: Utah Division of Wildlife Resources.
- Campbell, J.B. 1970. Hibernacula of a population of *Bufo boreas boreas* in the Colorado Front Range. *Herpetologica*. 25: 278-282.
- Campbell, Robert B., Jr.; Bartos, Dale L. 2000. Aspen ecosystems: Objectives for sustaining biodiversity. USDA Proceedings RMRS-P-0. Presented at the September 2004 managing Aspen in Western Landscapes Symposium in Cedar City, UT.
- Carroll, C.; Noss, R. F.; Paquet, P. C. 2001. Carnivores as focal species for conservation planning in the Rocky Mountain Region. *Ecological Applications*. 11: 961-980.
- Claar, J. J.; Anderson, N.; Boyd, D.; Cherry, M.; Conrad, B.; Hompesch, R.; Miller, S.; Olson, G.; Ihsle, H.; Pac, J.; Waller, T.; Wittinger; Youmans, H. 1999. Carnivores. In: Joslin, G.; Youmans, H., coordinators. *The effects of recreation on Rocky Mountain wildlife: A review for Montana*. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society. (p. 7.1-7-63). 307 p.
- Cole E. K.; Pope, M.D.; Anthony, R.G. 1997. The effects of road management on movements and survival of Roosevelt elk. *J. Wildlife Management*. 61: 1115-1126.
- Condrat, Charles R. 2007. Water Resources Technical Report for the Saddle Creek Vegetation Treatment Project. July, 2007. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.
- Connelly J. W.; Schroeder, M.A.; Sands, A.R.; Braun, C. E. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin*. 28(4): 967-985.
- Corbin, Beth. 2007. Fire ecology specialist report for Big Creek Vegetation Treatment Project. February 8, 2007. Ogden, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

Corbin, Beth. 2008. Big Creek Vegetation Treatment EIS - Potential Treatments for Sagebrush Mosaic Units and Fire History for Cumulative Effects. March 18, 2008. Ogden, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

Debyle, Norbert V.; Winokur, Robert P. 1985. Aspen: Ecology and management in the Western United States. Gen. Tech. Rep. GTR RM-119. Fort Collins, CO: U.S. Department of Agriculture, Rocky Mountain Forest and Range Experiment Station.

DeGraff, Jerome V.; Roath, Brent; Franks, Earle. 2007. Monitoring to improve the understanding of herbicide fate and transport in the Southern Sierra Nevada, California, Sierra National Forest, Clovis, California. In Furniss, M.; Clifton, C.; Ronnenberg, K. eds. 2007. Advancing the Fundamental Sciences: Proceedings of the Forest Service National Earth Sciences Conference, San Diego, CA, 18-22 October 2004, PNWGTR-689, Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.

Dow AgroSciences. 2007. Specimen Label for Spike® 20P. Revised 03-07-07.

Earl, Stevan R.; Blinn, Dean W. 2003. Effects of wildfire ash on water chemistry and biota in South-Western U.S.A. streams. *Freshwater Biology*. 48(6): 1015-1030.

Fairbridge, Rhodes W. 1968. The encyclopedia of geomorphology. Encyclopedia of earth Sciences Series, Volume III. Reinhold Book Corporation.

FIREMON website. [Online]. Available: www.fire.org/firemon.

Fire Regime Condition Class website. [Online]. Available: www.frcc.gov.

Flood, Paul K. 2006a. FS WEPP Erosion and sediment delivery modeling results for proposed vegetation treatments in the Big Creek Analysis Area. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

Flood, Paul K. 2006b. Big Creek watershed assessment and vegetation treatment project. Soil Monitoring and Assessment Field Plots. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

Fuller A. K.; Harrison, D. J. 2005. Influence of partial timber harvesting on American martens in North-Central Maine. *J. Wildlife Management*. 69(2): 710-722.

Fulton, Stephanie; West, Ben. 2002. Forestry impacts on water quality in Southern forest resource assessment. By: Wear, David; Greis, John G., eds. Gen. Tech. Rep. SRS-53. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station.

Gibson, J. 2007. Pers. Comm. Field observations on site in the Big Creek Project Area.

Graham, R.T.; Rodriguez, R.L.; Paulin, K. M.; Player, R. L.; Heap, A. P.; Williams, R. 1999. The northern goshawk in Utah: Habitat assessment and management recommendations. Gen. Tech. Rep. GTR-22. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.

Goodrich, Sherel. 2005. Classification and capabilities of woody sagebrush communities of Western North America with emphasis on sage-grouse habitat. In: Shaw, N.L; Pellant, M.; Monsen, S.B., comps.

Sage-grouse habitat restoration symposium proceedings; 2001 June 4-7; Boise ID. Proceedings RMRS-P-38. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. (p. 17-37).

Hairston, James E. 1999. Pesticide Management to Protect Water Quality, Understanding Pesticides and How They Affect Water Quality. Alabama Cooperative Extension System, Alabama A&M and Auburn Universities, ANR-790 Water Quality 4.5.1.

Havlina, Doug. 2005. Fire regime condition class interagency handbook reference conditions for cool sagebrush (mountain sagebrush) with trees (CSAG2). 4/6/05 version.

Hayward, G. D.; Verner, J., tech. editors. 1994. Flammulated, boreal, and great gray owls in the United States: A technical conservation assessment. Gen. Tech. Rep. RM-253. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experimental Station. 214 p. 3 maps.

Hill, Rebecca L. 2000. Suggestions for conservation of the three-toed woodpecker (*Picoides tridactylus*). Richfield, UT: U.S. Department of Agriculture, Forest Service, Fishlake National Forest, Richfield Ranger District. 13 p.

Hodges, K.E. 2000. The ecology of snowshoe hares in northern boreal forests. Chapter 6 *In*: Ruggiero, L.F.; Aubry, K. B.; Buskirk, S. W.; et al., tech. eds. Ecology and conservation of lynx in the United States. Univ. Press of Colorado. Boulder, CO. 480 p.

Hollenbeck, J.P., Ripple, W.J. 2007. Aspen snag dynamics, cavity-nesting birds, and trophic cascades in Yellowstone's northern range. *Forest Ecology and Management*. Article in press. (2007), doi:10.1016/j.foreco.2007.10.016.

Hunter, M.L. 1990. *Wildlife, Forests, and Forestry, Principles of managing forests for biological diversity*. Prentice Hall, Engelwood Cliffs, NJ.

Hutto R.L.; Hejl, S. J.; Preston, C. R.; Finch, D. M. 1993. Effects of silvicultural treatments on forest birds in the Rocky Mountains: Implications and management recommendations. *In*: Finch D.M.; Stangel, P.W., eds. Status and management of neotropical migratory birds. Tech. Rep. RM-229. Fort Collins, CO: U.S. Department of Agriculture, Forest Service.

Hutto, R.L.; Young, J. S. 2000. Effects of partial-cut timber on landbirds in the Northern Rocky Mountains.

Janson, R. G. 2002. The pygmy rabbit from Utah to Montana. Montana Cooperative Wildlife Research Unit, University of Montana. Missoula, MT. 41 p.

Jones, John R.; Debyle, Norbert V. 1985. Fire section in: *Aspen: Ecology and management in the Western United States*. Gen. Tech. Rep. GTR RM-119. Fort Collins, CO: U.S. Department of Agriculture, Rocky Mountain Forest and Range Experiment Station.

Jones, M. S.; Goettl, J. P.; Scherff-Norris, K. L.; Brinkman, S.; Livo, L. J.; Goebel, A.M. 1998. 1998 Boreal toad research progress report: 1995 - 1997. Unpublished report. Fort Collins, CO: Colorado Division of Wildlife.

Joslin, G.; Youmans, H., coordinators. 1999. The effects of recreation on Rocky Mountain wildlife: A review for Montana. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society. 307 p.

Kaufmann, M. R.; Graham, R. T.; Boyce, D. A.; Moir, W. H.; Perry, L.; Reynolds, R. T.; Bassett, R. L.; Mehlhop, P.; Edminster, C. B.; Block, W. M.; Corn, P. S. 1994. An ecological basis for ecosystem management. Gen. Tech. Rep. GTR-RM-246. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station.

LANDFIRE website. [Online]. Available: www.landfire.gov

Major, D. A.; Sands; Tart, D. 2005. LANDFIRE rapid assessment reference condition model for mountain big sagebrush with conifers (R2SBMTwc). 9/30/2005 version.

Margolis, Ellis Q.; Swetnam, Thomas W.; Allen, Craig D. 2007. A Stand-replacing fire history in upper montane forests of the southern Rocky Mountains. Canadian Journal of Forestry Research. 37: 2227-2241.

Mauk, Ronald L.; Henderson, Jan A. 1984. Coniferous forest habitat types of Northern Utah. Gen. Tech. Rep. GTR-INT-170. Ogden, UT: U.S. Department of Agriculture, Intermountain Forest and Range Experiment Station.

Meehan, W. R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19.

Meyerson, Benjamin. 10/10/2006. Email to Jim Gibson regarding flight survey results.

Mika, M. 2003. Prey base differences and reproductive output of flammulated owls (*Otus flammeolus*) in northern Utah. Manuscript of a journal article submitted to the faculty of Brigham Young University in partial fulfillment of the requirements for the degree of Master of Science. Brigham Young University, Provo, Utah.

Murray D. L.; Boutin, S.; O'Donoghue, M. 1994. Winter habitat selection by lynx and coyotes in relation to snowshoe hare abundance. Canadian Journal of Zoology. 72: 1444-1451.

NatureServe. 2000-2006. [Online]. Available: <http://www.natureserve.org/>.

Nelson, D. 1994. Subsections on Ten National Forests in the Intermountain Region.

O'Brien, Renee A.; Pope, Reese. 1997 Forest resources of the Wasatch-Cache National Forest. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.

Oliver, G.V. 2000. The bats of Utah: A literature review. Publication No. 00-14. Salt Lake City, UT: Utah Department of Wildlife Resources.

Olson, R.; Hubert, W.A. 1994. Beaver: Water resources and riparian habitat manager. University of Wyoming.

Parrish, J.; Howe, F.; Norvell, R. 2002. Utah partners in flight avian conservation strategy version 2.0. Publication Number 02-27. Utah Division of Wildlife Resources.

- Poole, K. G.; Wakelyn, L. A.; Nicklen, P. N. 1996. Habitat selection by lynx in the Northwest Territories. *Canadian Journal of Zoology*. 74: 845-850.
- Prichard, D.; Barrett, H.; Cagney, J.; Clark, R.; Fogg, J.; Gebhardt, K.; Hansen, P.; Mitchell, B.; Tippy, D. 1993. Riparian area management: process for assessing proper functioning condition. TR 1737-9. Bureau of Land Management, BLM/SC/ST-93/003+1737, Service Center, Co.
- Reynolds, R.T.; Graham, R.T.; Reiser, M.H.; Bassett, R.L.; Kennedy, P.L.; Boyce, D.A.; Goodwin, G.; Smith, R.; Fisher, E.L. 1992. Management recommendations for the northern goshawk in the Southwestern United States. Gen. Tech. Rep. RM-217. U.S. Department of Agriculture, Forest Service.
- Ripple, William J.; Larsen, Eric J. 2000. Historic aspen recruitment, elk, and wolves in northern Yellowstone National Park, USA. *Biological Conservation*. 95 (2000): 361-370.
- Ripple, William J.; Larsen, Eric J.; Renkin, Roy A.; Smith, Douglas W. 2001. Trophic cascades among wolves, elk and aspen on Yellowstone National Park's northern range. *Biological Conservation*. 102 (2001): 227-234.
- Ripple, William J.; Beschta, Robert L. 2004. Wolves, elk, willows, and trophic cascades in the upper Gallatin Range of Southwestern Montana, USA. *Forest Ecology and Management* 200 (2004) 161-181.
- Ripple, William J.; Beschta, Robert L. 2005. Linking wolves and plants: Aldo Leopold on trophic cascades. *BioScience*. Vol. 55, No. 7: 613-621.
- Ripple, William J.; Beschta, Robert L. 2005. Willow thickets protect young aspen from elk browsing after wolf reintroduction. *Western North American Naturalist*. 65(1): 118-122.
- Ripple, William J.; Beschta, Robert L. 2005. Refugia from browsing as reference sites for restoration planning. *Western North American Naturalist*. 65(2): 269-273.
- Rowland, M. M.; Wisdom, M. J.; Johnson, D. H.; Wales, B. C.; Copeland, J. P.; Edelman, F. B. 2003. Evaluation of landscape models for wolverines in the Interior Northwest, United States of America. *Journal of Mammalogy*. 84(1): 92-105.
- Ruediger, Bill; Claar, Jim; Gniadek, Steve; Holt, Bryon; Lewis, Lyle; Mighton, Steve; Naney, Bob; Patton, Gary; Rinaldi, Tony; Trick, Joel; Vandehey, Anne; Wahl, Fred; Warren, Nancy; Wenger, Dick; Williamson, Al. 2002. Canada lynx conservation assessment and strategy. Missoula, MT: U.S. Department of Agriculture, Forest Service and U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Land Management, and National Park Service.
- Ruggiero, L.F.; Aubry, K. B.; Buskirk, S. W.; et al., technical editors. 2000. Ecology and conservation of lynx in the United States. Boulder, CO: University Press of Colorado.
- Scott, J. M.; Davis, F.; Csuti, B.; Noss, R.; Butterfield, B.; Caicco, S.; Groves, C.; Edwards, T. C., Jr.; Ulliman, J.; Anderson, H.; Erchia, F. D.; Wright, R. G. 1993. Gap analysis: A geographic approach to protection of biological diversity. *Wildlife Monographs*. Number 123. 62 p.
- Skovlin, Jon M.; Bryant, Larry D.; Edgerton, Paul J. 1989. Effects of timber harvest on elk distribution in the Blue Mountains of Oregon. Res. Pap. PNW-RP-415. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 10 p.

Squires J.R.; Laurion, T. 2000. Lynx home range and movements in Montana and Wyoming: preliminary results. *In*: Ruggiero, L.F.; Aubry, K.B.; Buskirk, S.W.; et al. Ecology and conservation of lynx in the contiguous United States. Boulder, CO: University Press of Colorado. (p. 337-349).

Stavola, Ann. 2004. Tebuthiuron analysis of risks to endangered and threatened Pacific salmon and steelhead. July 29, 2004. USEPA Environmental Field Branch Office of Pesticide Programs.

Stednick, John D. 2006. Effects of fuel management practices on water quality. Prepared for publication in Cumulative Watershed Effects of Fuel Management, Rocky Mountain Research Station Gen. Tech. Rep. U.S. Department of Agriculture, Forest Service.

Thompson, I. D.; Harestad, A.S. 1994. Effects of logging on American martens, and models for habitat management. *In*: Buskirk, S.W.; Harestad, A.S.; Raphael, M.G.; Powell, R.A. Martens, Sables, and Fishers. Biology and Conservation. Cornell University Press. 484 p.

Thompson, P.; Chase, P. 2001. Boreal toad (*Bufo boreas boreas*) distributional surveys and monitoring in Northern Utah, 1999-2001. Publication Number 01-27. Salt Lake City, UT: Utah Division of Wildlife Resources.

Thompson, P.; Chase, P. 2003. Boreal toad (*Bufo boreas boreas*) distributional surveys and monitoring in Northern Utah, 2003. Publication Number 03-43. Salt Lake City, UT: Utah Division of Wildlife Resources.

Thompson, P.; Chase, P. 2005. Boreal toad (*Bufo boreas boreas*) distributional surveys and monitoring in Northern Utah, 2004. Annual Report. Salt Lake City, UT: Utah Division of Wildlife Resources.

Thompson, P.; Chase, P.; Nadolski, B. 2003. Boreal toad (*Bufo boreas boreas*) and spotted frog (*Rana luteiventris*) distributional surveys and monitoring in Northern Utah, 2002. Publication Number 03-02. Salt Lake City, UT: Utah Division of Wildlife Resources.

Troendle, Charles A.; Nandervis, James M. 2000. Estimating additional water yield from changes in management of National Forests in the North Platte Basin. Platte River Office, Bureau of Reclamation, Lakewood, CO. (p. 9 and 15).

Tu, Mandy; Hurd, Callie; Randall, John M. 2001. Weed control methods handbook: Tools and techniques for use in natural areas. Wildland Invasive Species Program. The Nature Conservancy. April 2001.

USDA. 2006. Fuels Crew Plot Data "Tree Summary by Species", Ogden, Utah.

USDA Forest Service. 1995. Soil interpretive guide, Intermountain Region (Region 4), U.S. Salt Lake City, UT: Department of Agriculture, Forest Service, Wasatch-Cache National Forest. (p. 5-1 through 5-3, 5-7).

USDA Forest Service. 1995a. Landscape aesthetics, a handbook for scenery management.

USDA Forest Service. 1998a. Sub-Regional Assessment of Properly Functioning Conditions for Area Encompassing the National Forests of Northern Utah. Version 1.0. Ogden, UT, Forest Service Intermountain Region.

USDA Forest Service. 1998b. Properly Functioning Condition, October 23, 1998 Version. Ogden, UT, Forest Service Intermountain Region.

USDA Forest Service. 2000. Goshawk EA, ROD, and Associated Documents. Available: [http://www/fs.fed.us/r4/goshawk](http://www.fs.fed.us/r4/goshawk). U.S. Department of Agriculture, Forest Service.

USDA Forest Service. 2001. Cache aspen/mountain brush treatments environmental assessment. U.S. Department of Agriculture, Intermountain Region, Wasatch-Cache National Forest, Ogden and Logan Ranger Districts.

USDA Forest Service. 2001a. 36 CFR Part 294 – Special areas; Roadless Area Conservation; Final Rule. Federal Register. Vol. 66, No. 9, January 12, 2001.

USDA Forest Service. 2002. Report to GYCC. Wolverine natal denning habitat mapping and field surveys, Caribou-Targhee National Forest.

USDA Forest Service. 2003. Revised Forest Plan, Final EIS, and Record of Decision. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2004. January. Road Analysis for the Ogden Ranger District, Wasatch-Cache National Forest. Ogden, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2004a. National visitor use monitoring results, Region 4, Wasatch-Cache National Forest.

USDA Forest Service. 2004b. Vertebrate wildlife species list. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2005. Management indicator species of the Wasatch-Cache National Forest, Version 2005-2. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2005a. Wasatch-Cache National Forest Noxious Weed Strategy. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2006. Management Indicator Species of the Wasatch-Cache National Forest. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2006a. 2006 Aerial Detection Survey. Boise, ID: U.S. Department of Agriculture, Forest Service, Intermountain Region, Forest Health Protection, Boise Field Office.

USDA Forest Service. 2006b. Analysis of FIA data for the Overthrust Mountains Ecoregion by James Menlove 12/12/2006. U.S. Department of Agriculture, Intermountain Research Station.

USDA Forest Service. 2006c. NRIS Terra Invasives Database. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2006d; 2008. Big Creek Watershed Assessment. Ogden, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service. 2006e. Wasatch-Cache National Forest Noxious Weed Treatment Program DEIS. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest. (p. 4-39 and Appendix B - Characteristics of Herbicides and Appendix 4, Sensitive Condition Factors and Decision Tree).

USDA Forest Service. 2007. Record of Decision and Final Environmental Impact Statement, Including Supplemental EIS, Ogden Ranger District Travel Plan Revision. Ogden, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA Forest Service 2007a. Management Indicator Species of the Wasatch-Cache National Forest, Version 2007-1. Salt Lake City, UT: U.S. Department of Agriculture, Forest Service, Wasatch-Cache National Forest.

USDA NRCS. 1982. Soil survey for Rich County Utah. Salt Lake City, UT: U.S. Department of Agriculture, Natural Resources Conservation Service. (p. 19-21, 23-24, 27, 29-30, 32, 33, 52-54, 62-63, 65-67, 69).

USDA NRCS. 2004. National soil survey handbook, exhibit 618.14. Salt Lake City, UT: U.S. Department of Agriculture, Natural Resources Conservation Service. (Section 618, p. 74-83).

USDA NRCS. The PLANTS database. [Online]. Available: <http://plants.usda.gov/plants>. National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

USDI Fish and Wildlife Service. 2002. Letter to Tom Tidwell from Henry Maddox regarding Canada lynx habitat and lynx analysis unit. November 6, 2002.

USDI Fish and Wildlife Service. 2003a. 90-day Finding for a petition to list as endangered or threatened wolverine in the contiguous United States. Federal Register. October 21, 2003.

USDI Fish and Wildlife Service. 2003b. Endangered and threatened wildlife and plants; Notice of remanded determination of status for the contiguous United States distinct population segment of the Canada lynx; Clarification of findings; Final rule. Federal Register. 68(128).

USDI Fish and Wildlife Service. 2005a. Endangered and threatened wildlife and plants; Proposed designation of critical habitat for the contiguous United States distinct population segment of the Canada lynx; Proposed rule. Federal Register. 50 CFR Part 17, Volume 70, No. 216. November 9, 2005.

USDI Fish and Wildlife Service. 2005b. Recovery outline. Contiguous United States distinct population segment of the Canada lynx. Approved by Sharon R. Rose, Acting Deputy Regional Director, USFWS, Denver, Colorado. September 14, 2005. 21 p.

USDI Fish and Wildlife Service. 2006. Federally listed and proposed endangered, threatened, and candidate species in Utah by County. U.S. Department of the Interior, Fish and Wildlife Service.

USDOE. 2000. Tebuthiuron - Herbicide Fact Sheet. U.S. Department of Energy, Bonneville Power Administration. March, 2000.

US EPA. 1995. Reregistration Eligibility Decision (RED) – Picloram Herbicide. United States Environmental Protection Agency. Pesticide Docket, Public Response and Program Resources Branch, Field Operations Division (7506C), Office of Pesticide Programs (OPP), US EPA, Washington, DC 20460. August, 1995.

- Utah Division of Wildlife Resources. 1980. Furbearer harvest reports (State of Utah) 1979-80.
- Utah Division of Wildlife Resources. 1999. Furbearer harvest reports (State of Utah) 1998-1999.
- Utah Division of Wildlife Resources. 2000 and 2001. Utah Data Conservation Center. [Online]. Available: <http://dwrcdc.nr.utah.gov/ucdc/>
- Utah Division of Wildlife Resources. 2003. Gray wolves in Utah. Species Information Update.
- Utah Division of Wildlife Resources. 2005. Range-wide status of Bonneville cutthroat trout (*Oncorhynchus clarki* Utah): 2004.
- Utah Division of Wildlife Resources. 2006. Utah furbearer proclamation. (p. 1-13).
- Utah Natural Heritage Program. 2005. Element Occurrence Database. Salt Lake City, UT: Utah Division of Wildlife Resources.
- Utah, State of. 2006a. Standards of quality of waters of the State, Section R317-2, Utah Administrative Code. Utah Department of Environmental Quality, Division of Water Quality.
- Utah, State of. 2006b. Utah's 2006 integrated report, Volume II – 303(d) List of impaired waters. Utah Department of Environmental Quality, Division of Water Quality.
- Utah, State of. 2006c. Utah's 2006 integrated report, Volume I – 305(b) Assessment. Utah Department of Environmental Quality, Division of Water Quality.
- Utah, State of. 2006d. Utah Division of Air Quality Annual Report for 2005. 28 p.
- Vallentine, J.F. 2004. Herbicides for Plant Control. In: Monsen, Stephen B.; Stevens, Richard; Shaw, Nancy L., comps. Restoring western ranges and wildlands. Gen. Tech. Rep. RMRS-GTR-136-vol-1. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. (p. 89-100).
- Welsh, S.L.; Atwood, N.D.; Goodrich, S.; Higgins, L.C. 2003. A Utah Flora (3rd ed., revised). Provo, UT: Brigham Young University.
- Williamson, Max; Parker, Doug. 1996. Low-impact, selective herbicide application for control of gray rabbitbrush and greasewood. USDA Forest Service, Southwest Region publication.
- Wisdom, M. J.; Preisler, H. K.; Cimon, N. J.; Johnson, B. K. 2004. Effects of off-road recreation on mule deer and elk. Transactions of the North American Wildlife and Natural Resource Conference 69: in press.
- Wolfe, M.L.; Debyle, N.V.; Winchell, C. S.; McCabe, T. R. 1982. Snowshoe hare cover relationships in northern Utah. Journal of Wildlife Management. 46: 662-670.
- Zouhar, Kris. 2002. Fire Effects Information System, [Online]. Available: <http://www.fs.fed.us/database/feis/> [2007, January 23]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer).