

# **Chapter VIII**

## **References**

## VIII. References

- Agee, J., B. Bahro, M. Finney, P. Omi, D. Sapsis, C. Skinner, J. VanWagtendonk, and C.P. Weatherspoon. 1999. The Use of Shaded Fuelbreaks in Landscape Fire Management. *Forest Ecology and Management* 127(2000):55-66.
- Agee, J.K. 1993. *Fire Ecology of Pacific Northwest Forests*. Island Press, Washington, DC.
- Agee, J.K. 1996. The Influence of Forest Structure on Fire Behavior. Presented at the 17<sup>th</sup> Annual Forest Vegetation Management Conference. Redding, CA, January 16-18, 1996.
- Airola, D.A. 1988. A Guide for the California Wildlife Habitat Relationships System. California Dept. of Fish and Game, Wildlife Investigations Lab. Rancho Cordova, CA.
- Allen, A.W. 1987. The Relationship between Habitat and Furbearers. In: M. Novak, J.A. Baker, M.E. Obbard, and B. Mallock, eds. *Wild Furbearer Management and Conservation in North America*, pp 164-179. Ontario Ministry of Natural Resources, Canada. 1150pp.
- Allison, B., and B. Woodbridge. In Press. Landscape-level patterns of habitat selection by nesting northern goshawks in the southern Cascades. *Studies in Avian Biology*.
- Altig, R., and P.C. Dumas. 1972. *Rana aurora* Baird and Girard, Red-legged frog. In *Catalogue of American Amphibians and Reptiles*, pages 106.1-160.4.
- Anderson, M.K. 1993. The Mountains Smell Like Fire. *Fremontia* 21(4):15-20.
- Andr n, H. 1994. Effects of habitat fragmentation on birds and mammals in landscapes with different proportions of suitable habitat: a review. *Oikos* 75:355-366.
- Andrews, R.S., ed. 1994. Ecological Support Team Workshop Proceedings for the California Spotted Owl Environmental Impact Statement, August 1993. U.S. Forest Service, Pacific Southwest Region. San Francisco, CA.
- Banci, Vivian. 1994. Wolverine. Pages 99-127 *In: Ruggiero, Leonard F., et al., tech. eds.. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the Western United States*. Gen. Tech. Rep. RM-254. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Ft. Collins, CO. 184pp.
- Barber, M. C. (ed.). 1994. Environmental monitoring and assessment program indicator development strategy, EPA/620/r-94. US Environmental Protection Agency, Office of Research and Development, Environmental Resources Lab, Athens, Georgia.
- Barbour, Michael G. and Jack Major (eds.). 1990. *Terrestrial Vegetation of California*. California Native Plant Society (CNPS) Special Publication No. 9. Sacramento, CA 95814.

Barnhart, S.J., J.R. McBride and P. Warner. 1991. Oak seedling establishment in relation to environmental factors at Annadel State Park. Pages 25-30 in Standiford, R.B. ed. Proceedings of the Symposium on Oak Woodlands and Hardwood Rangeland Management, October 31-November 2, 1990. USDA Forest Service, Pacific Southwest Research Station Gen. Tech. Rep. PSW-GTR-126. 376 pp.

Barr, C.B. 1991a. The distribution, habitat, and status of the valley elderberry longhorn beetle *Desmocerus californicus dimorphus*. Sacramento Field Office, U.S. Fish and Wildlife Service, Sacramento, California. 134pp.

Barr, C.B. 1991b. The distribution, habitat, and status of the valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*). U.S. Fish and Wildlife Service report; Sacramento, CA. 134p.

Barr, C.B. 1991c. The distribution, habitat, and status of the valley elderberry longhorn beetle *Desmocerus californicus dimorphus*. Sacramento, CA: Sacramento Field Office, U.S. Fish and Wildlife Service in USFS (U.S. Forest Service). 1993. Pacific Southwest Region threatened, endangered, sensitive, and riparian-associated species: habitat requirements summary and habitat objectives. Unpublished document, July 30, 1993, San Francisco, CA.

Barro, S.C. and S.G. Conard. 1991. Fire Effects on California Chaparral Systems: An Overview. *Environment International* 17:135-149.

Barry, S. 1999. A study of the California red-legged frog (*Rana aurora draytonii*) of Butte County, California. Par Environmental Services, Inc., Sacramento, California. 16pp.

Bart, J. 1995. Amount of Suitable Habitat and Viability of Northern Spotted Owls. *Conservation Biology* 9:943-946.

Bateman, M.C. 1986. Winter habitat use, food habits and home range size of the marten, *Martes americana*, in western Newfoundland. *Can. Field-Nat.* 100:58-62.

Beardsley, Debby, Charles Bolsinger, and Ralph Warbington. 1999. *Old-growth forests in the Sierra Nevada: by type in 1945 and 1993 and ownership in 1993*. Research Paper PNW-RP516. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. 46 pages.

Beck, T.W. 1985. Interim direction for management of great gray owl. USDA Forest Service, Stanislaus National Forest. Sonora, CA. 24pp.

Beck, T.W., and R.A. Smith. 1987. Nesting chronology of the great gray owl at an artificial nest site in the Sierra Nevada. *J. Raptor Res.* 21(3):116-118.

Benedict, Nathan B. 1982. Mountain Meadows: Stability and Change. *Madrone* 29(3):148-153.

Bennett, L.A., and F.B. Samson. 1984. Marten ecology and habitat management in the central Rocky Mountains: problem analysis. USDA Forest Service and Colorado Cooperative Wildlife Research Unit, Colorado State University, Fort Collins, CO. 60pp.

Bent, A. C. 1942. Life histories of North American flycatchers, larks, swallows and their allies. Smithsonian Institution, U.S. National Museum Bulletin 179:1-155.

Berg, N., A., Carlson and D. Azuma. 1998. Function and dynamics of woody debris in stream reaches in the central Sierra Nevada, California. Canadian Journal of Fisheries and Aquatic Sciences 55:1807-1820.

Berrill, M., S. Bertram, and B. Pauli. 1997. Effects of pesticides on amphibian embryos and tadpoles. Pp. 223-245 in: D.M. Green, ed. Amphibians in Decline: Canadian Studies of a Global Problem. Herpetological Conservation 1.

Berrill, M., S. Bertram, Wilson, A., Louis, S. Brigham, D., and Stromberg, C. 1993. Lethal and Sublethal Impacts of Pyrethroid Insecticides on Amphibian Embryos and Tadpoles. Environmental Toxicology and Chemistry 12(3): 525-539.

Beschta, R.L. 1983. The effects of large organic debris upon channel morphology: a flume study. Pages 8.63-8.78 In *Symposium on Erosion and Sedimentation* edited by D.B. Simons. Fort Collins, CO. Simon, Li, and Associates.

Beschta, R.L. 1990. Effects of fire on water quantity and quality. in J.D. Walstead, S.R. Radosovich, D.V. Sandberg, eds. Natural and Prescribed Fire in Pacific Northwest Forests. Oregon State University Press, Corvallis, Oregon.

Binkley, D. and T.C. Brown. 1993. Forest practices as sources of pollution in North America. Water Resources Bulletin 29:729-740.

Bisson, P.A., R.E. Bilby, M.D. Bryant, C.A. Dollof, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski, J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. in E.O. Salo and T.W. Cundy, eds. Streamside management: forestry and fishery interactions. Contribution Number. 57. University Institute of Forest Resources, Seattle, Washington.

Bissonette, J.A., R.J. Fredrickson, and B.J. Tucker. 1988. The effects of forest harvesting on marten and small mammals in western Newfoundland. Final Report, for The Newfoundland and Labrador Wildlife Division and Corner Brook Pulp and Paper, Ltd. (Kruger). Logan, UT: Utah Cooperative Fish and Wildlife Research Unit, Department of Fisheries and Wildlife, College of Natural Resources, Utah State University. 109pp.

Bissonette, John A., D.J. Harrison, C.D. Hargis and T.G. Chapin. 1997. The influence of spatial scale and scale-sensitive properties on habitat selection by American marten. Pages 368-385 in J.A. Bissonette, ed. Wildlife and landscape ecology: effects of pattern and scale. Springer-Verlag, New York NY.

Blank, Robert, J. Chambers, and A. Linnerooth. 1998. Influence of Fall Prescribed Fire on Nutrient Levels in Riparian Soils of Central Nevada. Pages 235-241 *in* D. Potts, ed. Proceedings AWRA Specialty Conference, Rangeland Management and Water Resources, edited by D. Potts, May 27-29, 1998. University of Montana, Missoula, MT 59812.

Block, W.M. and M.L. Morrison. 1991. Influence of scale on the management of wildlife in California oak woodlands. Pages 96-104 *in* Standiford, R.B. ed. Proceedings of the Symposium on Oak Woodlands and Hardwood Rangeland Management, October 31-November 2, 1990. USDA Forest Service, Pacific Southwest Research Station Gen. Tech. Rep. PSW-GTR-126. 376 pp.

Bloom, P.H., G.R. Stewart, and B.J. Walton. 1986. The status of the northern goshawk in California, 1981-1983. Wildlife Management Branch Administrative Report 85-1. State of California, The Resources Agency, Department of Fish and Game. 26pp.

Blumenthal, D.L., T.B. Smith, D.E. Lehrman, R.A. Rasmussen, G.Z. Whitten, and R.A. Baxter. 1985. Southern San Joaquin Valley Ozone Study, Final Report, Prepared for Western Oil and Gas Association, by Sonoma Tech. Inc., and Systems Application Inc.

Bolsinger, C.L. 1988. The hardwoods of California's timberlands, woodlands and savannas. USDA Forest Service, Pacific Northwest Research Station Resource Bulletin, PNW-RB-148. 148 pp.

Bombay, H. 1998. Willow flycatcher demography study annual report for 1997. USDA Forest Service Region 5, San Francisco, Calif.

Bonnicksen, T.M. 2002. Saving Our Giant Sequoias: Restoration Forestry May Be the Only Way. California Forests Magazine: July/September, 6(3):6-7, 21.

Bonnicksen, T.M. and E.C. Stone. 1981. The giant sequoia-mixed conifer forest community characterized through pattern analysis as a mosaic of aggregations. *For. Ecol. Manage.* 3:307-328.

Boroski, B.B., R. T. Golightly, A. K. Mazzoni and K. A. Sager. 2002. Fisher Research and the Kings River Sustainable Forest Ecosystems Project: Current Results and Future Efforts. *in* USDA Forest Service Gen. Tech. Rep. PSW-GTR-183, pp.143-154.

Botti, S.J., and H.T. Nichols. 1995. Availability of Fire Resources and Funding for Prescribed Natural Fire Programs in the National Park Service. *In*: Proceedings, Symposium on Fire in Wilderness and Park Management, March 30-April1, 1993, Missoula, MT, technical coordination by J.K. Brown, R.W. Mutch, C.W. Spoon, and R.H. Wakimoto, pages 74-103. General Technical Report INT-GTR-320. USDA Forest Service, Intermountain Research Station, Ogden, UT.

Bouldin, J. 1999. *Twentieth-Century Changes in Forest of the Sierra Nevada, California*. Doctoral dissertation, University of California, Davis.

Boyce, Jr., G. Goodwin, R. Smith, and E.L. Fisher. 1992. Management recommendations for the northern goshawk in the southwestern United States. USDA Forest Service General Technical Report RM-127. 90pp.

Bradford, D.F. 1983. Winterkill, oxygen relations, and energy metabolism of a submerged dormant amphibian, *Rana muscosa*. *Ecology* 64:1171-1183.

Bradford, D.F. 1991. Mass Mortality and Extinction in a High Elevation Population of *Rana Muscosa*. *Journal of Herpetology* 25(2):174-177.

Bradford, D.F., D.M. Graber, and F. Tabatabai. 1993. Isolation of Remaining Populations of the Native Frog, *Rana muscosa*, by Introduced Fishes in Sequoia and Kings Canyon National Parks, California. *Conservation Biology* 7(4):882-888.

Brinson M.M., B.L. Swift; R.C. Plantico and J.S. Barclay. 1981. *Riparian ecosystems: their ecology and status*. US Fish and Wildlife Service, Biological Service Program. FWS/OBS-81/17. Washington, DC. 151 pages.

Brown, P. 1996. Presentation to the Natural History and Management of Bats in California and Nevada Workshop. Sacramento, CA.

Brunton, D.F. 1971. Observations of the great gray owl on winter range. *Can. Field Nat.* 85:315-322.

Buck, S.C., C. Mullis, A. Mossman, I. Show, and C. Coolahan. 1994. Habitat use by fishers in adjoining heavily and lightly harvested forest. Pages 368-376. IN: Buskirk, S.W., A.S. Harestad, M.G. Raphael, and R.A. Powell, eds. *Martens, sables, and fishers: biology and conservation*. Ithaca, NY: Cornell University Press.

Buck, S.C., C. Mullis, and A. Mossman. 1983. Final Report: Corral Bottom-Hayfork Bally fisher study. Presented to U.S. Forest Service, San Francisco, CA. 136pp.

Bull, E.L., and M.G. Henjum. 1990. Ecology of the great gray owl. USDA Forest Service Gen. Tech. Report PNW-GTR-265. 39pp

Bumgardner. Northern California Herpetological Society, Davis, CA. PP 47-52

Burggren, eds. *Environmental Physiology of the Amphibians*. The University of Chicago Press, Chicago.

Bury, R.B. and T.G. Balgooyen. 1976. Temperature Selectivity in the Legless Lizard, *Anniella pulchra*. *Copeia* 1:152-155.

Buskirk, J. 1990. An overview of the western pond turtle, *Clemmys marmorata*. in *Proceedings of the First International Symposium on Turtles and Tortoises: Conservation and Captive Husbandry*. Eds. Beaman, K.R., Caporaso, F., McKeown, S., and Graff, M.D. Pp 16-23

Buskirk, J. 1993. The decline of the western pond turtle. in *Proceedings for the Conference on the Captive Propagation and Husbandry of Reptiles and Amphibians*, Ed M.

Buskirk, S. and L. Ruggiero. 1994. American marten. *In: Ruggiero, Leonard F. et al., tech. eds. 1994. The Scientific basis for conserving forest carnivores: American marten, fisher, lynx and wolverine in the Western United States. Gen. Tech. Rep. RM-254. Ft. Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, 184 p.*

Buskirk, S.W., and R.A. Powell. 1994. Habitat ecology of fishers and American martens. Pages 283-296. IN: Buskirk, S.W., A.S. Harestad, M.G. Raphael, and R.A. Powell, eds. *Martens, sables, and fishers: biology and conservation*. Ithaca, NY: Cornell University Press.

Bytnerowicz, A., M.E. Fenn, P.R. Miller, and M.J. Arbaugh. 1999a. Wet and Dry Pollutant Deposition to the Mixed Conifer Forest. In P.R. Miller and J.R. McBride (eds.), *Oxidant Air Pollution Impacts in the Montane Forests of Southern California*, pages 235-269. Springer-Verlag, New York.

California Air Resources Board. January, 2001. *Almanac 2001*. Chapter 4: Air Basin Criteria Pollutant Emission and Air Quality Trends and Forecasts. California Air Resources Board. Sacramento, CA.

California Department of Fish and Game. CNDDDB: California Natural Diversity Data Base, of the California Department of Fish and Game. Data on file as of December 2000.

California Native Plant Society. 1997. Inventory of Rare and Endangered Plants of California. Rare Plant Scientific Advisory Committee, California Native Plant Society, Sacramento, CA.

California State Parks. March, 1998. Public Opinions and Attitudes on Outdoor Recreation in California 1997, An Element of the California Outdoor Recreation Planning Program.

CalFlora Database. 2000. CalFlora: Information on California Plants for Education, Research, and Conservation. Berkeley, CA. (<http://www.calflora.org>)

Camilleri, E.P. 1982. Goshawk (*Accipiter gentilis*). Pages 83-91, IN: Shimamoto, K., and D. Airola. Fish and Wildlife habitat capability models and special habitat criteria for the northeast zone National Forests. USDA Forest Service. 260pp.

Campbell, T.M., III. 1979. Short-term effects of timber harvests on pine marten ecology. M.S. Thesis, Colorado State University, Fort Collins. 76pp. IN: Allen, A.W. 1987. The relationship between habitat and furbearers. Pages 164-179 IN M. Novak, J.A. Baker, M.E. Obbard, and B. Mallock, eds. *Wild Furbearer Management and Conservation in North America*. Ontario Ministry of Natural Resources, Canada. 1150pp.

Caprio, A.C., L.S. Mutch, T.W. Swetnam, and C.H. Baisan. 1994. Temporal and Spatial Patterns of Giant Sequoia Radial Growth Response to a High Severity Fire in A.D. 1297. Contract report to the California Department of Forestry and Fire Protection, Mountain Home State Forest.

Carlton, Donald. 1998. Personal communication, conversation with Sue Husari, South Lake Tahoe. Donald Carlton is a retired Region 6 fuels specialist.

Carroll, C., R. F. Noss and P. C. Paquet. 2001. Carnivores as focal species for conservation planning in the Rocky Mountain region. *Ecological Applications* 11(4), 961-980.

Carroll, C., W.J. Zielinski and R.F. Noss. In Press. Using presence-absence survey data to build and test spatial habitat models for mesocarnivores: the fisher (*Martes pennanti*) in the Klamath region, U.S.A. *Conservation Biology*.

Chang, C.R. 1996. Ecosystem Responses to Fires and Variations in Fire Regimes, Chapter 39. In: Sierra Nevada Ecosystem Project, Assessments and Scientific Basis for Management Options, Final Report to Congress, Volume II. Wildland Resource Center, Davis, CA.

Chapel, M., A. Carlson, D. Craig, T. Flaherty, C. Marshall, M. Reynolds, D. Pratt, L. Pyshora, S. Tanguay, and W. Thompson. 1992. Recommendations for managing late-seral-stage forest and riparian habitats on the Tahoe National Forest. Nevada City, CA: Tahoe National Forest. 31pp.

Christenson, D.P. 1984. The revised fishery management plan for the Little Kern Golden Trout. California Dept. Fish and Game. Unpublished document .

Committee of Scientists. 1999. Sustaining the people's land. Recommendations for stewardship of the national forest and grasslands into the next century. USDA, Washington, D.C.

Cooper, C.F. 1961. The Ecology of Fire. *Scientific American* 204:150-160.

Copeland, Jeffrey P., and Thomas E. Kucera. 1997. Wolverine (*Gulo gulo*). Pages 23-33 in John E. Harris and Chester V. Ogan, eds. Mesocarnivores of Northern California: biology, management, and survey techniques, Workshop Manual. August 12-15, 1997. Humboldt State Univ., Arcata, CA. The Wildlife Society, California North Coast Chapter. Unpublished document. 117 pp.

Cordell, H. Ken, Principal Investigator. 1999. Outdoor Recreation in American Life: A National Assessment of Demand and Supply Trends.

Corn, J.G., and M.G. Raphael. 1992. Habitat characteristic at marten subnivean access sites. *Journal of Wildlife Management* 56(3):442-448.

Cypher, Ellen. Northern Vernal Pool Ecosystem Recovery Plan. Under development by the Endangered Species Recovery Program through the California State University, Stanislaus Foundation. 6 January 2000 draft.

Davidson, C. and H. B. Shaffer. 1999. California red-legged declines associated with elevation and upwind agriculture. Abstract, Society for Conservation Biology Annual Meetings, College Park, Maryland.

Davis, F.W. 1995. Vegetation change in blue oak and blue oak/foothill pine woodland. Report to California Department of Forestry and Fire Protection. Contract 8CA06673. 34 pp.

Davis, F.W. and D.M. Stoms. 1996. Sierran vegetation: a gap analysis. Pages 671-690 in Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, chapter 23. University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.

Despaine, Joel. 2002. Summary of Known Caves in the Giant Sequoia National Monument. Personnel Communication. Sequoia and Kings Canyon National Parks, Three Rivers, CA.

De Vos, A. 1951. Overflow and dispersal of marten and fisher from wildlife refuges. J. Wildl. Manage. 15:164-175.

DeBano, L.F., D.G. Neary, and P.F. Folliott. 1998. *Fire's Effects on Ecosystems*. John Wiley and Sons, Inc. New York, NY 10158-0012. 333 pages.

DeGraaf, R.M., V.E. Scott, R.H. Hamre, L. Ernst, and S.H. Anderson. 1991. Forest and Rangeland Birds of the United States. Natural History and Habitat Use. USDA Forest Service, Agriculture Handbook 688. 625pp.

Detrich, 1982. Results of California winter bald eagle survey - 1982. U.S. Dept. Int. Fish Wildl. Serv., Sacramento, CA. 16pp.

Detrich, P.J. 1981. Historic range of breeding bald eagles in California. Unpublished Manuscript. Redding, CA. 17pp.

Dixon, J. 1925. Closed season needed for fisher, marten and wolverine in California. California Fish and Game, 11:23-25. Sacramento, CA.

Dodge, M. 1972. Forest Fuel Accumulation – A Growing Problem. *Science* 177:139-142.

Drew, R. E., J.G. Hallett, B. Aubry, K.W. Cullings, S. M. Koepfs and W. J. Zielinski. 2003. Conservation genetics of the fisher (*Martes pennanti*) based on mitochondrial DNA sequencing. *Molecular Biology* 12, 51-62.

Drost, C.A. and G.M. Fellers. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biology* 10:414-425.

Duellman, W.E. and L. Trueb. 1986. *Biology of the Amphibians*. McGraw-Hill Publishing Company. New York, NY. 670 pages.

Duncan Furbearer Interagency Workgroup. 1989. Workgroup assembled to review the proposed Duncan Timber Sale, Tahoe National Forest and formulate proposed Management Guidelines. Members present: Slader Buck, Reg Barrett, Terri Simon-Jackson, Gordon Gould, Ron Schlorff, Jeff Finn, Joelle Buffa, Maeton Freel, Jeff Mattison, Mike Chapel, Mariana Armijo, Julie Lydick, and Phil Turner.

Duncan, James, R. and P. H. Hayward. 1994. Review of technical knowledge: great gray owls. Pages 159-175 *In* Hayward, G.D. and J. Verner, tech. eds. *Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment*. Gen. Tech. Rep. RM-253. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 214p.

Earle, R. 1978. *The fisher-porcupine relationship in Upper Michigan*. Houghton, MI: Michigan Technical University. M.S. thesis.

Eriksen, C.H. and D. Belk. 1999. *Fairy Shrimps of California's Puddles, Pools, and Playas*. Mad River Press, Inc. Eureka, CA. xiv + 196 pp.

Erman, D.C. and N.A. Erman. 1975. Macroinvertebrate composition and production in some Sierra Nevada Minerotrophic peatlands. *Ecology* 56:591-603.

Erman, N.A. 1996. Status of aquatic invertebrates. Pages 987-1008 in *Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, chapter 35*, University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.

Ettinger, A.O., and J.R. King. 1980. Time and energy budgets of the willow flycatcher (*Empidonax traillii*) during the breeding season. *Auk* 97:533-546.

Evans, L.S. and M.R. Leonard. 1991. Histological Determination of Ozone Injury Symptoms of Primary Needles of Giant Sequoia. *New Phytologist* 117:557-564.

Ewell, D., R. Flocchini, L. Myrup, and T. Cahill. 1989. Aerosol Transport in the Southern Sierra Nevada. *Journal of Applied Meteorology* 28:112-125.

Eyre, F.H. 1980. *Forest Cover Types of the United States and Canada*. Society of American Foresters, Washington, DC.

Fager, C.W. 1991. *Harvest dynamics and winter habitat use of the pine marten in southwest Montana*. Bozeman, MT: Montana State University. M.S. thesis. 73 p.

Federal Register, March 26, 1997. US Fish and Wildlife Service Final Rule: Endangered and Threatened Wildlife and Plants; Determination of Endangered Status of Three Plants and Threatened Status of Five Plants from Vernal Pools in the Central Valley of California. Vo. 62, No. 58, pp 14338 – 14352.

Federal Register, September 14, 1998. US Fish and Wildlife Service Final Rule: Endangered and Threatened Wildlife and Plants; Determination of Threatened Status for Four Plants from the Foothills of the Sierra Nevada Mountains in California. Vol. 63, No. 177, pp. 49022-49035.

Fisher, R.N. and T.J. Case. 1997. A Field Guide to the Reptiles and Amphibians of Coastal Southern California. Biological Resources Division, US Geological Survey. 46 pages.

Finney, M.A. 1999. "Design of Regular Landscape Fuel Treatment Patterns for Modifying Fire Growth and Behavior". USDA Forest Service, Rocky Mountain Research Station, P.O. Box 8089, Missoula, MT 59807.

Fites-Kaufman, J.A. 1997. "Historic Landscape Pattern and Process: Fire, Vegetation, and Environment Interactions in the Northern Sierra Nevada." Ph.D. dissertation. University of Washington, Seattle, WA.

Flett, M. A. and S. D. Sanders. 1987. Ecology of a Sierra Nevada population of willow flycatchers. *Western Birds* 18:37-42.

Fowler, C. 1988. Habitat Capability Model for the northern goshawk. Unpubl. Document, USDA Forest Service, Tahoe National Forest, Nevada City, CA. 21pp.

Fowler, C., B. Valentine, S. Sanders and M. Stafford. 1991. Suitability Index Model: Willow flycatcher (*Empidonax traillii*). Document, USDA Forest Service, Tahoe National Forest. 15pp.

Franklin, A.B. 1988. Breeding biology of the great gray owl in southeast Idaho and northwest Wyoming. *Condor* 90:689-696.

Franklin, Jerry and JoAnn Fites-Kaufman. 1996. Assessment of Late Successional forests of the Sierra Nevada. Pages 627-662 In *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific basis for management options*. Vol II, chp21. University of California, Centers for Water and Wildland Resources, Davis, CA 95616.

Frazier, J. and A. Carlson. 1991. Surface and ground water quality monitoring protocol for herbicide application. Appendix G; Groveland conifer release environmental assessment. : U.S. Forest Service, Stanislaus National Forest, Sonora, CA

Freel, M. 1991. A literature review for management of fisher and marten in California. Unpubl. Document, USDA Forest Service, Pacific Southwest Region. 22pp.

Fry, W. 1933. The Giant Sequoia Avalanche. *Sierra Club Bulletin* 18(1):118-120.

Fry, W. and J.R. White. 1948. Big Trees. Revised enlarged edition. 126 pages. Stanford University Press. Palo Alto, CA.

Fuller, T. K., E. C. York, S. M. Powell, T. A. Decker, and R. M. Degraaf. 2001. An evaluation of territory mapping to estimate fisher density. *Can. J. Zool.* 79: 1691-1696.

Fullmer, Donald G., Robert R. Rogers, Jeffrey D. Manley, and Nathan L. Stephenson. 1996. Restoration as a Component of Ecosystem Management for Giant Sequoia Groves in California. In: *The Role of Restoration in Ecosystem Management*, pages 109-115. Society for Ecological Restoration.

Garber, S. D. and Burger, J. 1995. A 20-yr study documenting the relationship between turtle decline and human recreation. *Ecological Applications* 5:1151-1162.

Gary, Margaret, et al. 1974. Glossary of Geology, page 430. American Geologic Institute, Washington, D.C.

Goldberg, S.R. and C.M. Miller. 1985. Reproduction in the Silvery Legless Lizard, *Anniella pulchra*, in Southern California. *Southwestern Naturalist* 30 (4), pages 617-618.

Graber, D.M. 1996. Status of Terrestrial Vertebrates. Pages 709-726 in *Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, chapter 25*. Davis: University of California, Centers for Water and Wildland Resources.

Graham, R.W. and M.A. Graham. 1994. Late Quaternary distribution of *Martes* in North America. Pages 26-58 in S.W. Buskirk, A.S. Harestad, M.G. Raphael and R.A. Powell, eds. *Martens, sables, and fishers: biology and conservation*. Cornell University Press, Ithaca, NY.

Graumlich, J.J. 1993. A 1000-year Record of Temperature and Precipitation in the Sierra Nevada. *Quaternary Research* 39:249-255.

Green, G.A., H.L. Bombay, and M.L. Morrison. 2003. Conservation assessment of the willow flycatcher in the Sierra Nevada. USDA Forest Service, Region 5, Vallejo, California.

Green, L.R. 1977. Fuelbreaks and Other Fuel Modification for Wildland Fire Control. Agricultural Handbook 499. USDA Forest Service, Washington, DC.

Green, L.R. and H.E. Schimke. 1971. "Guides for Fuelbreaks in the Sierra Nevada Mixed Conifer Type." USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA.

Greenlee, J.M. 1973. A Study of the Fire Ecology of the Emigrant Basin Primitive Area. Stanislaus National Forest, Sonora, CA. USDA Forest Service. 105 pages.

Grinnel, J., J.S. Dixon, and L.M. Linsdale. 1937. Furbearing mammals of California: their natural history, systematic status and relations to man. University of California, Berkeley. 1:1-777.

Grinnell, J. and A. H. Miller. 1944. The distribution of the birds of California. Pacific Coast Avifauna. 27:1-608.

Grubbs, D, B. Boroski, K. Purcell, A. Mazzone. 2002. Habitat use by fishers in the southern Sierra Nevada. Agricultural Research Institute, California State University. ARI Project No 00-2-016. final report 6 pg at <http://ari.calstate.edu/>

Grubbs, D, B. Boroski, K. Purcell, A. Mazzone. 2002. Winter Foraging Behavior and Food Habits of Fishers (*Martes Pennanti*) in the Southern Sierra Nevada: Implications for Forest Management. Agricultural Research Institute, California State University. ARI Project No 00-2-016. summary 4pg at <http://ari.calstate.edu/>

Grulke, N.E., P.R. Miller, R.D. Wilborn, and S. Hahn. 1989. Photosynthetic Response of Giant Sequoia Seedlings and Rooted Branchlets of Mature Foliage to Ozone Fumigation. In: *Effects of Air Pollution on Western Forests*, Transactions Series No. 16, pages 422-429. Air and Waste Management Association, Pittsburgh.

Grulke, N.E., P.R. Miller, and D. Scioli. 1996. Response of Giant Sequoia Canopy Foliage to Experimentally Manipulated Levels of Atmospheric Ozone. *Tree Physiology* 16:575-581.

Gunderson, L.H., C.S. Holling, and S.S. Light, eds. 1995. Barriers and Bridges to the Renewal of Ecosystems and Institutions. Columbia University Press, New York, NY.

Hall, P.A. 1984. Characterization of nesting habitat of goshawks (*Accipiter gentilis*) in northwest California. Unpubl. M.S. Thesis, California State University, Humboldt. Arcata, CA. 70pp.

Hanes, T. L. 1977. California Chaparral. In: *Terrestrial Vegetation of California*, edited by M.G. Barbour and J. Major, pages 417-469. John Wiley and Sons. New York.

Hansen, R. 1992. The 6<sup>th</sup> Annual Population Studies of Kaweah Brodiaea (*Brodiaea insignis*) and Springville clarkia (*Clarkia springvillensis*). Report for California Department of Fish and Game, Region 4. Fresno, California.

Hansen, R.W. 1997. Salamander Diversity in the Kern Valley Region. Kern River Research Center Fieldnotes 6(2):1-3.

Hargis, C.D., and D.R. McCullough. 1984. Winter diet and habitat selection of marten in Yosemite National Park. *Journal of Wildlife Manage.* 48(1): 140-146.

Hargis, C.D., R.D. Perloff, and C. McCarthy. 1991. Home ranges and habitats of northern goshawks in eastern California. Draft Report, Dept. Fish and Wildlife., Utah State Univ., Logan, UT. 17pp.

Hargis, Christina D., J.A. Bissonette and D.L. Turner. 1999. The influence of forest fragmentation and landscape pattern on American martens. *Journal of Applied Ecology* 36:157-172.

Harlow, W.M., E.S. Harrar and F.M. White. 1978. Textbook of Dendrology. 6<sup>th</sup> edition. McGraw-Hill, Inc.

Harris J. H., S. D. Sanders and M. A. Flett. 1988. The status and distribution of the willow flycatcher in the Sierra Nevada: Results of the survey. Calif. Dept. of Fish and Game, Wildlife Management Division, Administrative Report 88-1. 32pp.

Harris, J.H. 1991. Effects of brood parasitism by brown-headed cowbirds on willow flycatcher nesting success along the Kern River, California. *Western Birds* 22:13-26.

Harris, J.H., S.D. Sanders, and M.A. Flett. 1987. Willow flycatcher surveys in the Sierra Nevada. *Western Birds* 18:27-36.

Harvey, H.T., H.S. Shellhammer, and R.E. Stecker. 1980. Giant Sequoia Ecology. National Park Service. Washington, DC.

Hayes, M. P., and M. R. Jennings. 1988. Habitat correlates of the distribution of California red-legged frog (*Rana aurora draytonii*) and Foothill yellow-legged frog (*Rana boylei*): Implications for Management. In: R. C. Szaro, K. E. Severson, D. R. Patton, tech. coords. Management of Amphibians, Reptiles, and Small Mammals in North America. Pp 144-158. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Gen. Tech. Rep. RM-166, Fort Collins, Colorado.

Hayes, M.P. and M.R. Jennings. 1986. Decline of Ranid Frog Species in Western North America: Are Bullfrogs (*Rana catesbeiana*) Responsible? *Journal of Herpetology* 20(4):490-509.

Hayes, M.P. and M.R. Tennant. 1986. Diet and feeding behavior of the California red-legged frog, *Rana aurora draytonii* (Ranidae). *The Southwestern Naturalist* 30:601-605.

Heinemeyer, K.S. 1993. Temporal dynamics in the movements, habitat use, activity, and spacing of reintroduced fishers in northwestern Montana. M.S. thesis, University of Montana, Missoula. 154pp.

Heinemeyer, K.S., and J.L. Jones. 1994. Fisher biology and management: a literature review and adaptive management strategy. Missoula, MT: USDA Forest Service Northern Region. 108pp.

Hemphill, D.V. 1952. The Vertebrate Fauna of the Boreal Areas of the Southern Yolla Bolly Mountains, California. PhD Dissertation, Oregon State College, Corvallis, Oregon.

Hermit. 1996. "Fire Analysis – California Spotted Owl EIS: Frequency of Burning and Severity of Burning." Unpublished Report. USDA Forest Service. Sierra Nevada Framework Project. 801 I Street, Sacramento, CA 95814. 4 Pages.

Holland, D., M. Jennings, and M. Hayes. 1992. Petition to list the Western pond turtle (*Clemmys marmorata*). Petition to the USFWS. 10pp.

Holland, D.C. 1994. The western pond turtle: habitat and history. Final Report prepared for U.S. Department of Energy, Bonneville Power Administration, Portland, Oregon. Project Number 92-068.

Holland, D.C. 1985. *Clemmys marmorata*. Feeding. Herp. Review 16(4):112-113.

Holland, D.C. 1991. A synopsis of the ecology and status of the Western pond turtle (*Clemmys marmorata*) in 1991. Unpublished document, prepared for the U.S. Fish and Wildlife Service, National Ecology Research Center, San Simeon Field Station. 141pp.

Husari, S.J. 1980. Fire Ecology of the Vegetative Habitat Types in the Lassen Fire Management Planning Area (Caribou Wilderness and Lassen Volcanic National Park). In: Fire Management Plan, Lassen Fire Management Planning Area, Caribou Unit. Lassen Volcanic National Park and Lassen National Forest.

IPCC (Intergovernmental Panel on Climate Change). 2001. Climate Change 2001: The Scientific Basis, Summary for Policy Makers. [www.ipcc.ch/pub/spm22-01.pdf](http://www.ipcc.ch/pub/spm22-01.pdf).

Jennings, M.R. 1988. Natural History and Decline of Native Ranids in California. Pages 61-72 in Proceedings of the Conference on California Herpetology. Eds. H.P. DeLisle, P.R. Brown, B. Kaufman, and B.M. McGurty.

Jennings, Mark R. and Marc P. Hayes. 1994. Amphibian and Reptile Species of Special Concern in California. Final Report Submitted to the California Department of Fish and Game, Inland Fisheries Division, Contract #8023. Sacramento, CA. 255 pages.

Jennings, M.R. 1996. Status of amphibians. Pp. 921-944 *in*: Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options. Davis: University of California, Centers for Water and Wildland Resources.

Johnston, Hank. 1996. They Felled the Redwoods. Stauffer Publishing, Fish Camp, CA

Jones, F.L. 1950. Recent records of the wolverine (*Gulo luscus luteus*) in California. California Fish and Game, 36:320-322. Sacramento, CA.

Jones, J.L., and E.O. Garton. 1994. Selection of successional stages by fishers in North Central Idaho. Pages 377-387. IN: Buskirk, S.W., A.S. Harestad, M.G. Raphael, and R.A. Powell, eds. Martens, Sables, and Fishers: Biology and Conservation. Ithaca, NY: Cornell University Press.

Jurek, R.M. 1988. Five-year status report. Bald Eagle. Calif. Dept. Fish and Game. Sacramento, CA. 15pp.

Keane, R., E.D. Reinhardt and J.K. Brown. 1995. FOFEM: A First Order Fire Effects Model. In: Proceedings: Symposium on Fire in Wilderness and Park Management, page 214. USDA Forest Service General Technical Report, INT-GTR-320.

Keeley, J.E. 1982. Distribution of Lightning and Man-caused Wildfires in California. In: *Proceedings of the Symposium on Dynamics and Management of Mediterranean-type Ecosystems*, technical coordination by C.E. Conrad and W.C. Oechel, pages 431-437. General Technical Report PSW-58. USDA Forest Service, Pacific Southwest Research Station. Berkeley, CA.

Keeley, J.E. 1991. Fire Management for Maximum Biodiversity of California Chaparral. In: C.S. Nodvin and T.A. Waldrop eds. *Proceedings of an International Symposium on Fire and the Environment: Ecological and Cultural Perspectives*, March 20-24, 1990. General Technical Report SE-69. USDA Forest Service, Southeastern Forest Experiment Station.

Keifer, MaryBeth, N.L. Stephenson, and J. Manley. 2000. Prescribed Fire as the Minimum Tool for Wilderness Forest and Fire Regime Restoration: A Case Study from the Sierra Nevada, California. In: *Proceedings: Wilderness Science in a Time of Change*. May 23-27, 2000. Proc. RMRS-P-000. USDA Forest Service, Rocky Mountain Research Station, Missoula, MT.

Kilgore, B.M. 1973a. The Ecological Role of Fire in Sierran Conifer Forests: Its Application to National Park Management. *Quaternary Research* 3:496-513.

Kilgore, B.M. 1973b. Fire in Ecosystem Distribution and Structure: Western Forests and Scrublands. In: *Proceedings of the Conference on Fire Regimes and Ecosystem Properties*, technical coordination by H.A. Mooney, T.M. Bonnicksen, L.L. Christensen, J.E. Lotan, and W.A. Reiners, pages 58-89. General Technical Report WO-26. U.S. Forest Service. Washington, DC.

Kilgore, B.M. and R.W. Sando. 1975. Crown-fire Potential in a Sequoia Forest After Prescribed Burning. *Forest Science* 21(1): 83-87.

Kilgore, B.M. and D. Taylor. 1979. Fire history of a sequoia-mixed conifer forest. *Ecology* 60:129-142.

Kilgore, B.M. 1987. The Role of Fire in Wilderness: A State-of-knowledge Review. In: *Proceedings of the National Wilderness Research Conference: Issues, State-of-knowledge, Future Directions*, compiled by R. C. Lucas, pages 70-103. General Technical Report INT-220. U.S. Forest Service, Intermountain Research Station. Ogden, UT.

Knapp, R. 1994. *Wilderness Record*. Volume 19, Number 2. Davis, California.

Koehler, G.M., and M.G. Hornocker. 1977. Fire effects on marten habitat in the Selway-Bitterroot Wilderness. *J. Wildl. Manage.* 41:500-505.

Krohn, W., Elowe, K. and Boone, R. (In Press). Relations among fishers, snow and martens: development and evaluation of two hypotheses. *Forestry Chronicle*.

Kucera, T.E., and R.H. Barrett. 1992. Cooperative Wolverine Study, Second Annual Report, June 30, 1992. Berkeley, CA: Dept. Forestry and Resource Management, College of Natural Resources. 8pp + appendices.

Kyle, C. J., J. F. Robitaille, and C. Strobeck. 2001. Genetic variation and structure of fisher (*Martes pennanti*) populations across North America. *Molecular Ecology* 10:2341-2347.

Laymon, S.A., L. Overtree, G. Collings, and P.L. Williams. 1991. Final report on the distribution of marten, fisher and other carnivores in the Starvation, Tyler, Deer, and Capainero Creek and White River Drainages of the Sequoia National Forest: Summer 1991. Contract # CAFO 070991. Weldon, CA: Kern River Research Center.

Lehrman, D.E., T.B. Smith, W.R. Knuth, C.E. Dorman, 1994. Meteorological Analysis of the San Joaquin Valley Air Quality Study, Atmospheric Utilities Signature, Predictions and Experiments Program (SJVAQS/AUSPEX). Prepared for PG&E and CARB by Technical and Business Systems Inc.

Leiberg, J.B. 1902. Forest Conditions in the Northern Sierra Nevada, California. Professional Paper No. 5, Series H, Forestry 5. USDI Geological Survey, Washington, DC.

Lewis, H.T. 1993. Patterns of Indian Burning in California: Ecology and Ethnohistory. In: *Before the Wilderness: Environmental Management by Native Californians*, edited by T.C. Blackburn and K. Anderson, pages 55-116. Ballena Press, Menlo Park, CA.

Magoun, A.J. and J.P. Copeland. 1998. Characteristics of wolverine reproductive den sites. *J. Wildl. Manage.* 62(4): 1313-1320.

Mann, M.E., R.S. Bradley, and M.K. Hughes. 1998. Global-scale Temperature Patterns and Climate Forcing over the Past Six Centuries. *Nature* 392:779-787.

Martin, D.L. 1992. Sierra Nevada Anuran Guide. Canorus, LTD. Ecological Research Team. San Jose, CA.

Martin, S.K. 1987. The ecology of the pine marten (*Martes americana*) at Sagehen Creek, California. PhD Dissertation, University of California, Berkeley. 223pp.

Martin, S.K. 1994. Feeding ecology of American martens and fishers. Pages 297-315. IN: Buskirk, S.W., A.S. Harestad, M.G. Raphael, and R.A. Powell, eds. *Martens, sables, and fishers: biology and conservation*. Ithaca, NY: Cornell University Press.

Matthews, K.R. and K.L. Pope. 1999. A telemetric study of the movement patterns and habitat use of *Rana muscosa*, mountain yellow-legged frog, in a high elevation basin in Kings Canyon National Park, California. *J. Herpetol.*

Matthews, K.R. and R.A. Knapp. 1999. A study of high mountain lake fish stocking effects in Sierra Nevada Wilderness. *International Journal of Wilderness* 5:24-26.

Mathews, Robert A. and John L. Burnett. 1965. Geologic Map of California, Olaf P. Jenkins Edition, Fresno Sheet. Scale 1:250,000. California Division of Mines and Geology, Sacramento CA.

Mayer, K.E. and W.F. Laudenslayer, Jr. (eds.). 1988. A Guide to the Wildlife Habitats of California. California Dept of Forestry and Fire Protection. Sacramento, CA.

Mayer, K.E. and W.F. Laudenslayer, Jr. eds. 1988. A Guide to Wildlife Habitats of California. California Dept. of Forestry and Fire Protection, Sacramento. 166 pp.

Mazzoni, A. K. 2002. Habitat Use by Fishers (*Martes pennanti*) in the Southern Sierra Nevada, California. Master's Thesis, California State University Fresno (Chair: David Grubbs) University Microfilms Inc., Ann Arbor, Michigan.

McCarthy, C. 1986. Goshawk progress report/proposal for nesting habitat analysis on the Inyo National Forest. Draft. 13pp.

McCue, K. 1997. The ecological genetics of rarity: A study of genetic structure, inbreeding and seed bank dynamics in a rare annual plant. PhD. Dissertation. University of Missouri. Columbia, Missouri.

McCue-Harvey, K. and T. Holtsford. 1994. Determining the role of the seed bank in maintaining populations of a California grassland annual through prolonged periods of drought. California Department of Fish and Game. Sacramento.

McDonald, P.M. 1990. *Quercus Kelloggii* Newb. In: *Hardwoods*, Vol. 2, of *Silvics of North America*, technical coordination by R.M. Burns and B.H. Honkala, pages 661-671. U.S. Forest Service Agriculture Handbook 654. USDA Forest Service, Washington, DC.

McDonald P.M. and D.W. Huber. 1995. California's Hardwood Resource: Managing for Wildlife, Water, Pleasing Scenery, and Wood Products. General Technical Report PSW-GTR-154. 23 pages. USDA Forest Service, Pacific Southwest Research Station.

McKelvey, Kevin S. 1996a. Sierra Nevada Ecosystem Project: Final Report to Congress, Vol. II, Chapter 37, page 1035. Centers for Water and Wildland Resources Wildland Resources Center, Report No. 37. University of California, Davis, CA.

McKelvey K.S. and K.K. Busse. 1996b. Twentieth century fire patterns on Forest Service Lands. Pages 1119-1138 in *Sierra Nevada Ecosystem Project, Final Report to Congress, Assessments and Scientific Basis for Management Options*. Vol. II, chp 41. University of California Centers for Water Resources, Davis.

McKelvey, K. S., C. N. Skinner, C. Chang, D. C. Erman, S. J. Husari, D. J. Parsons, J. W. Van Wagtendonk, and C. P. Weatherspoon. 1996. An overview of fire in the Sierra Nevada. Pages 1033-1040 in *Sierra Nevada Ecosystem Project; Final Report to Congress*, vol. III, chapter 37. University of California, Davis, Center for Water and Wildland Resources, Davis, CA 95616.

McKelvey, K., S. Balsdon, and C. Zabel. 1997. The efficacy of a count-based protocol for monitoring California spotted owls in the Sierra Nevada. USDA Forest Service, Pacific Southwest Station, Arcata, California, 37 p.

Minnich, R. and L. Howard. 1984. Biogeography and Prehistory of Shrublands. In: *Shrublands in California: Literature Review Research Needed for Management*, edited by J.J. DeVries, pages 8-24. Contribution 191. University of California, California Water Resources Center. Davis, CA.

Minnich, R.A. 1987. Fire Behavior in Southern California Chaparral before Fire Control: The Mount Wilson Burns at the Turn of the Century. *Annals of the Association of American Geographers* 77(4):599-618.

Mitchell, Dale. 2000. California Department of Fish and Game. Personal communication.

Monk, J.G., B.J. Walton, R. Olendorff, and D. Carrier. 1988. Draft California Peregrine Falcon Implementation Plan. 40pp.

Moyle, P.B. 1976. Inland Fishes of California. University of California Press, Berkeley, Los Angeles, London. 405pp.

Moyle, P.B. 1996a. Status of aquatic habitats. Pages 945-952 in Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, Ch.32. University of California, Centers for Water and Wildland Resources. Davis, CA.

Moyle, P.B., R.M. Yoshiyama, and R.A. Knapp. 1996b. Status of fish and fisheries. Pages 953-973 in Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, chapter 33. University of California, Centers for Water and Wildland Resources, Davis, CA 95616.

Moyle, P.B., J.E. Williams, and E.D. Wikramanayake. 1989. Fish species of special concern of California. California Department of Fish and Game, Sacramento, CA.

Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E. Wikramanayake. 1996c. Fish species of special concern in California. California Department of Fish and Game, Sacramento.

Moyle, Peter B. 2002. Inland Fishes of California. University of California Press, University of California, Berkeley, CA.

Muir, J. 1894. The Mountains of California. Houghton. Boston, MA.

Mullaly, D.P., and J.D. Cunningham. 1956. Ecological relations of *Rana muscosa* at high elevations in the Sierra Nevada. *Herpetologica* 12:189-198.

NFMAS, National Fire Management Analysis System, Technical Course. 1996. Presented by Compus Services Corporation, Boise, ID.

Nokleberg, Warren J. 1983. Wallrocks of the Central Sierra Nevada Batholith, California: A Collage of Accreted Tectono-Stratigraphic Terraines, page 14. U.S. Geological Survey Professional Paper 1255. U.S. Geological Survey. United States Government Printing Office, Washington, D.C.

Nussbaum, R.A., E.D. Brodie, Jr., and R.M. Storm. 1983. Amphibians and Reptiles of the Pacific Northwest. University of Idaho Press, Moscow, Idaho.

Omi, P.N. 1996. The Role of Fuelbreaks. In: Proceedings of the 17<sup>th</sup> Forest Vegetation Management Conference, pages 89-96. Redding, CA.

Parsons, D.J. 1976. The Role of Fire in Natural Communities: An example from the Southern Sierra Nevada, California. *Environmental Conservation* 3(2):91-99.

Parsons, D.J. 1981. The Historical Role of Fire in the Foothill Communities of Sequoia National Park. *Madroño* 28:111-120.

Phillips, A. R. 1948. Geographic variation in *Empidenax traillii*. *Auk* 65:507-514.

Philpot, W. 1997. Summaries of the Life Histories of California Bat Species. USDA Forest Service, Sierra National Forest, Pineridge Ranger Station. 30pages. Unpublished document.

Pierson, Elizabeth, PhD. 1996. Private Consultant, Pierson and Rainey Consultants, Berkeley, CA. Presentation at the North California Mine Assessment for Bats Seminar, Shasta College, Redding, CA. June 4-6, 1996.

Piirto, D. D. and Robert R. Rogers. 1999. An Ecological Foundation for Management of National Forest Giant Sequoia Ecosystems: Technical Paper R5-EM-TP-005. USDA Forest Service, Pacific Southwest Region.

Poff, Roger. 1996. Effects of Silvicultural Practices and Wildfire on Productivity of Forest Soils. Pages 477-495 in Sierra Nevada Ecosystem Project: Final Report to Congress, vol.II, Assessments and scientific basis for management options, chapter 16. University of California, Centers for Water and Wildland Resources, Davis, CA 95616.

Pope, K.L. 1999. Mountain yellow-legged frog habitat use and movement patterns in a high elevation basin of the Kings Canyon National Park. Master's thesis, California Polytechnic State University, San Luis Obispo. 64 pp.

Potter, D.A. 1994. *Guide to Forested Communities of the Upper Montane in the Central and Southern Sierra Nevada*. R5-ECOL-TP-003. U.S. Forest Service, Pacific Southwest Regional Office. San Francisco, CA.

Potter, D.A. 1998. Forested Communities of the Upper Montane in the Central and Southern Sierra Nevada. General Technical Report PSW-GTR-169. 319 pages. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.

Powell, R. 1994. The fisher: life history, ecology and behavior. University of Minnesota Press, Minneapolis, MN. 237 p.

Pritcher, D.C. 1987. Fire History and Age Structure in Red Fir Forests of Sequoia National Park, California. *Canadian Journal of Forest Research* 17:582-587.

Pulliainen, E. 1968. Breeding biology of the wolverine (*Gulo gulo* L.) in Finland. *Annales Zoologica Fennici*. 5:338-344.

Purcell, K. 2003. Forest Carnivore working group meeting notes 2/27/03

Raphael, M. 1989. Habitat associations of small mammals in a subalpine forest, southeastern Wyoming. In: Szaro, R., et al., tech. coords. Management of amphibians, reptiles, and small mammals in North America. Gen. Tech. Rep. RM-166. Ft. Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 359-367.

Rathbun, G.B., M. R. Jennings, T.G. Murphey, and N.R. Siepel. 1993. Status and ecology of sensitive aquatic vertebrates in lower San Simeon and Pico Creeks, San Luis Obispo County, California. Unpublished report, National Ecology Research Center, Piedras Blancas Research Station, San Simeon, California.

Rathbun, Galen B., N. Siepel, and D. Holland. 1992. Nesting behavior and movements of western pond turtles, *Clemmys marmorata*. *The Southwestern Naturalist* 37(3): 319-325.

Reese, D. A. and Welsh, H. Jr. 1998a. Habitat use by western pond turtles in the Trinity River, California. *Journal of Wildlife Management*.62: 842-853.

Reid, M.E. 1989. The predator-prey relationships of the great gray owl in Yosemite National Park. Cooperative National Park Resources Studies Unit Technical Report No. 35. 86pp.

Remsen, J. V., Jr. 1978. Bird species of special concern in California. Calif. Dept. of Fish and Game, Wildlife Management Branch Admin. Report, No. 78-1. 54 pp

Roberts, Paul T., Ted B. Smith, Charles G. Lindsey, Don E. Lehrman, and William R. Knuth. 1990. Analysis of San Joaquin Valley Air Quality and Meteorology, Final Report. San Joaquin Valley Air Pollution Study Agency, California Air Resources Board.

Roper Starch Worldwide. 2001. Outdoor Recreation in America. A report on the eighth national survey in an annual series for the Recreation Roundtable.

Rothstein, S. L., J. Verner and E. Stevens. 1984. Radio-tracking confirms a unique diurnal pattern of spatial occurrence in the parasitic brown-headed cowbird. *Ecology* 65:77-88.

Rothstein, S.I., J. Verner, and E. Stevens. 1980. Range expansion and diurnal changes in dispersion of the brown-headed cowbird in the Sierra Nevada. *Auk* 97:253-267.

Rundel, P.W., D.J. Parsons, and D.T. Gordon. 1977. Montane and Subalpine Vegetation of the Sierra Nevada and Cascade Ranges. In: *Terrestrial Vegetation of California*, edited by M.G. Barbour and J. Major, pages 559-599. John Wiley and Sons. New York, NY.

Samuel, D.E., and B.B. Nelson. 1982. Foxes. *Vulpes vulpes* and Allies. Pages 475-490 IN J.A. Chapman and G.A. Feldhamer, eds., *Wild Mammals of North America*. The John Hopkins University Press, Baltimore. 1147pp.

Sanders, S. D. and M. A. Flett. 1989. Ecology of a Sierra Nevada population of willow flycatchers (*Empidonax traillii*) , 1986-1987. State of California, the Resources Agency, Department of Fish and Game, Wildlife Management Division, Nongame Bird and Mammal Section, Sacramento. 27pp.

Sando, R.W. 1978. Natural Fire Regimes and Fire Management – Foundations for Direction. *Western Wildlands*, Spring 1978:34-45.

San Joaquin Valley Air Pollution Control District. 1994. Ozone Attainment Demonstration Plan. Fresno, CA.

Saunders, L.B. 1982. Essential nesting habitat of the goshawk (*Accipiter gentilis*) on the Shasta-Trinity National Forest, McCloud District. Unpubl. M.S. Thesis, California State University, Chico. Chico, CA. 57pp.

Schempf, P.F. and M. White. 1977. Status of six furbearer populations in the mountains of northern California. USDA Forest Service. 51pp.

Schneider, Richard R. and P. Yodzis. 1994. Extinction dynamics in the American marten (*Martes Americana*). *Conservation Biology* (8) 4:1054-1068.

Schnell, J.H. 1958. Nesting behavior and food habits of goshawks in the Sierra Nevada of California. *Condor* 60:377-403.

Schoenherr, A.A. 1992. *A Natural History of California*. California Natural History Guides Series, no. 56. University of California Press, Berkeley, CA.

Science Review Team. 1998. *Sierra Nevada Science Review: A Report of the Science Review Team Charged to Synthesize New Information of Rangeland Urgency to the National Forests of the Sierra Nevada*. USDA Forest Service, Pacific Southwest Research Station, Albany, California. 104 pages.

Scientific Advisory Board, Giant Sequoia National Monument. 2001. Advisories I-XVIII, found at [www.r5.fs.fed.us/giant\\_sequoia/](http://www.r5.fs.fed.us/giant_sequoia/).

Scientific Advisory Board, Giant Sequoia National Monument. 2002. Advisories XIX-XXI, found at [www.r5.fs.fed.us/giant\\_sequoia/](http://www.r5.fs.fed.us/giant_sequoia/).

Self, S.E., and S.J. Kearns. 1995. Pine marten use of a managed forest andscape in northern California. In Press.

Self, S. and S. Kerns. 2001. Pacific Fisher use of a managed forest landscape in Northern California. Sierra Pacific Industries, Redding, CA. Wildlife Research paper No. 6. 32pp.

Serena, M. 1982. The status and distribution of the willow flycatcher (*Empidonax traillii*) in selected portions of the Sierra Nevada. Calif. Dept. of Fish and Game Wildlife Management Branch Admin. Report No. 82-5. 28pp.

Shair, F. 1987. Atmospheric Tracer Experiments Aimed at Characterizing Upslope/Downslope Flows Along the Southwestern Region of the Sierra Nevada Mountains. Prepared for CARB by CalTech. Pasadena, CA.

Sherwin, R. 1998. Presentation to the Western Bat Working Group Workshop. February 9-13. Reno, NV. Personal communication.

Simon, T.L. 1980. An ecological study of the marten in the Tahoe National Forest, California. M.S. Thesis, California State University, Sacramento. 140pp.

Skinner, C.N. 1995. Change in Spatial Characteristics of Forest Openings in the Klamath Mountains of Northwestern California. *Landscape Ecology* 10(4):219-28.

Skinner, C.N. and C.R. Chang. 1996. Fire Regimes Past and Present, Chapter 38. In: Sierra Nevada Ecosystem Project, Assessments and Scientific Basis for Management Options, Final Report to Congress, Volume II. University of California Wildland Resource Center, Davis, CA. 95616-8750

Skinner, M.W. and B.M. Pavik, editors. 1994. Inventory of Rare and Endangered Vascular Plants of California. California Native Plant Society's Special Publication No. 1, Fifth Edition.

Slough, B. G. 1989. Movement and habitat use by transplanted marten in the Yukon territory. *Journal of Wildlife Management* 53:991-997.

Smith, Arthur R. 1964. Geologic Map of California, Olaf P. Jenkins Edition, Bakersfield Sheet. Scale 1:250,000. California Division of Mines and Geology, Sacramento, CA.

SNBSIAG, 1997. A conservation strategy for Sierra Nevada bighorn sheep. Prepared by the Sierra Nevada bighorn sheep interagency advisory group. Bishop, CA.

SNEP (science team and special consultants). 1996. *Sierra Nevada Ecosystem Project, Final Report to Congress, Assessment Summaries and Management Strategies*, University of California Centers for Water and Wildland Resources. Davis, CA.

Soutiere, E.C. 1979. Effects of timber harvesting on marten in Maine. *J. Wildl. Mgt.* 43(4) 850-860.

Spencer, W.D. 1987. Seasonal rest-site preferences of pine martens in the northern Sierra Nevada. *J. Wildl. Manage.* 51(3):616-621.

Spencer, W.D., R.H. Barrett, and W.J. Zielinski. 1983. Marten habitat preferences in the northern Sierra Nevada. *J. Wildl. Manage.* 47(4):1181-1186.

Stafford, M. D. and B. E. Valentine. 1985. A preliminary report on the biology of the willow flycatcher in the central Sierra Nevada. *CAL-NEVA wildlife transactions* 1985:66-77.

Stalmaster, M.V. 1976. Winter ecology and effects of human activity on bald eagles in the Nooksack River Valley, Washington. M.S. Thesis, Western Washington State College, Bellingham, WA. 100pp.

Stalmaster, M.V., and J.R. Newman. 1978. Behavioral responses of wintering bald eagles to human activity. *J. Wildlife Manage.* 42(3):506-513.

Stebbins, R.C. 1985. *A Field Guide to Western Reptiles and Amphibians.* Houghton Mifflin Company, Boston, MA.

Standiford, R.B., J. Klein, and B. Garrison. 1996. Sustainability of Sierra Nevada Hardwood Rangelands, pages 637-680. In: *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments, Commissioned Reports and Background Information, Vol. III, Chapter 6.* University of California Wildland Resource Center, Davis, CA. 95616-8750.

Stein, R.C. 1963. Isolating mechanisms between populations of Traill's flycatchers. *Proc. Amer. Philos. Soc.* 107:21-50.

Steinhart, P. 1990. *California's wild heritage: threatened and endangered animals in the Golden State.* California Department of Fish and Game. Sierra Club Books. 108pp.

Stephens, S. May, 1999. Personal communication with Catherine Phillips, USDA Forest Service Assistant Ecologist. Sacramento, CA.

Stephenson, N.L., D.J. Parsons, and T.W. Swetnam. 1991. Restoring Natural Fire to the Sequoia-Mixed Conifer Forest: Should Intense Fire Play a Role? In: *Proceedings of the 17<sup>th</sup> Tall Timbers Fire Ecology Conference: High Intensity Fire in Wildlands: Management Challenges and Options*, pages 321-337. Tall Timbers Research Station, Tallahassee, FL.

Stephenson, N.L. 1994. Long-Term Dynamics of Giant Sequoia Populations: Implications for Managing a Pioneer Species. General Technical Report PSW-151. USDA Forest Service.

Stephenson, N.L. 1996. Ecology and Management of Giant Sequoia Groves, pages 1431-1467. In: *Sierra Nevada Ecosystem Project: Final Report to Congress, Vol. II, Assessments and Scientific Basis for Management Options.* Centers for Water and Wildland Resources, University of California, Davis, CA.

Stephenson, N.L. 1999. Reference Conditions for Giant Sequoia Forest Restoration: Structure, Process, and Precision. *Ecological Applications* 9:1253-1265.

Steventon, J.D., J.T. Major. 1982. Marten Use of Habitat in a Commercially Clear-Cut Forest. *Wildlife Management* 46(1):175-182.

Sudworth, G.B. 1900. Stanislaus and Lake Tahoe Forest Reserves, California and Adjacent Territory, pages 505-575. In: Annual Reports of the Department of the Interior for the Fiscal Year Ending June 30, 1900. Twenty-First Annual Report of the U.S. Geological Survey, Part V. Government Printing Office, Washington, DC.

Sugihara, N.G., J. vanWagtendonk, and J. Fites-Kaufmann. 2002. Draft Chapter: Fire As an Ecosystem Process. In: Fire in California Ecosystems, edited by Sugihara, N.G., J. vanWagtendonk, K. Shaffer, J. Fites-Kaufmann, and A.E. Thode. Unpublished manuscript.

Sumner, L., and J.S. Dixon. 1953. Birds and mammals of the Sierra Nevada. Univ. California Press, Berkeley. 484pp.

Swetnam, T.W., C.H. Baisan, A.C. Caprio, R. Touchan, and P.M. Brown. 1992. Tree-Ring Reconstruction of Giant Sequoia Fire Regimes. Final Report on Cooperative Agreement DOI 8018-1-0002 to National Park Service, Sequoia and Kings Canyon National Parks, CA.

Swetnam, T.W. 1993. Fire History and Climate Change in Giant Sequoia Groves. *Science* 262:855-889.

Taylor, A.H. 1993. Fire History and Structure of Red Fir (*Abies magnifica*) Forests, Swain Mountain Experimental Forests, Cascade Range, Northeastern California. *Canadian Journal of Forest Research* 23(8): 1672-1678.

Taylor, A.H. and C.N. Skinner. In preparation. Fire Regimes and Landscape Dynamics in the Klamath Mountains.

Taylor, D. M. and C. D. Littlefield. 1986. Willow flycatcher and yellow warbler response to cattle grazing. *Amer. Birds* 40:1189-1173.

Thompson, I.D. 1994. Marten populations in uncut and logged boreal forests in Ontario. *J. Wildl. Manage.* 58(2):272-280.

Thompson, I.D., and A.S. Harestad. 1994. Effects of logging on American martens, and models for habitat management. Pages 283-296. IN: Buskirk, S.W., A.S. Harestad, M.G. Raphael, and R.A. Powell, eds. Martens, sables, and fishers: biology and conservation. Ithaca, NY: Cornell University Press.

Thompson, I.D., and P.W. Colgan. 1994. Marten activity in uncut and logged boreal forests in Ontario. *J. Wildl. Manage.* 58(2): 280-288.

Tierney, M. 1997. Wildlife Biologist, Tahoe National Forest, personal communication.

Timossi, I. 1990. California's statewide wildlife habitat relationships system. Calif. Dept. Fish and Game. Sacramento, Ca. Computerized database.

Tracer Technologies, 1992. Transport of Acidic Air Pollutants to Forests and Alpine Regions of the Sierra Nevada. Prepared for CARB by Tracer Technologies. San Marcos, CA.

Travis, Diane. 2002. Fire and Fuels Working Paper for the Giant Sequoia National Monument Draft Environmental Impact Statement. Sequoia National Forest, Porterville, CA.

Truex, R. L. 2001?. Modeling of fisher habitat in the southern Sierra. Presentation, The wildlife Society Western Section Meeting. Visalia, CA .

Twitty, V.C., D. Grant, and O. Anderson. 1967. Amphibian Orientation: An Unexpected Observation. Science 155(3760):352-353.

Unitt, P. 1987. *Empidonax traillii extimus*: an endangered subspecies. Western Birds 18(3):137-162.

Unpublished data on file at Supervisor's Office, Stanislaus National Forest, Sonora, California.

USDA, 1996. Status of Amphibians, pages 921-944 in Sierra Nevada Ecosystem Project: Final Report to Congress, vol. II, Assessments and scientific basis for management options, Davis: chapter 31, pp. University of California, Centers for Water and Wildland Resources, Davis, CA 95616.

USDA Forest Service. December, 1995. Landscape Aesthetics: A Handbook for Scenery Management. Agriculture Handbook Number 701.

USDA Forest Service. 1996. Chapter 3, page 237 in Revised Draft Environmental Impact Statement, Managing California spotted owl habitat in the Sierra Nevada national Forests of California, an ecosystem approach. Pacific Southwest Region

USDA Forest Service. 1997. Ecological Classification, Mapping, and Inventory Handbook. Forest Service Handbook 2090.11. Washington, DC.

USDA Forest Service. 2000a. The Recreation Agenda. FS-691. September, 2000.

USDA Forest Service. 2000b. Protecting People and Sustaining Resources in Fire-Adapted Ecosystems: A Cohesive Strategy. The Forest Service Management Response to the General Accounting Office, Report GAO/RCED-99-65, October 13, 2000.

USDA Forest Service. 2000c. RPA Assessment of Forest and Range Lands.

USDA Forest Service. 2001a. Transportation Atlas, Records and Analysis. Forest Service Manual 7731. Washington, DC.

USDA Forest Service. 2001b. Administrative National Forest System Roads – Deferred Maintenance and Capital Improvement.

USDA Forest Service, Pacific Southwest Region. Jan, 2001. *Sierra Nevada Forest Plan Amendment Final Environmental Impact Statement*. USDA Forest Service. Vallejo, CA.

USDA Forest Service, Sequoia National Forest. Undated. Soil Survey. In cooperation with the Soil Conservation Service and the Regents of the University of California (Agricultural Experiment Station). 317pages. Porterville, CA.

USDA Forest Service, Pacific Southwest Region, Sequoia National Forest. October, 1990. Scenic Byway Nomination Report, Kings Canyon Highway, State Highway 180. Porterville, CA.

USDA Forest Service, Sequoia National Forest. 1988. *Land and Resource Management Plan*. USDA Forest Service. Porterville, CA 93257-2035.

USDA Forest Service, Sequoia National Forest. 1988. *Land and Resource Management Plan Final Environmental Impact Statement*. USDA Forest Service. Porterville, CA 93257-2035.

USDA Forest Service, Sequoia National Forest. 1990. *Land Management Plan 1990 Mediated Settlement Agreement*. USDA Forest Service. Porterville, CA 93257-2035. 290 pages.

USDA Forest Service, Sequoia National Forest. 2001. *Defining Ecological Zones of Influence for Giant Sequoia Groves on the Sequoia National Forest: A Draft Report*. USDA Forest Service, Porterville, CA 93257-2035.

USDA NRCS. 1997. The PLANTS Database. National Plant Data Center, Baton Rouge, LA. (<http://plants.usda.gov>)

USDI National Park Service, Sequoia and Kings Canyon National Parks. August, 2001. Sequoia and Kings Canyon National Parks Fire Effects Monitoring Program: 2000 Annual Fire Report.

USDI National Park Service, Sequoia and Kings Canyon National Parks. March, 2002. Sequoia and Kings Canyon National Parks Fire Effects Monitoring Program: 2001 Annual Fire Report.

USDI National Park Service. May, 2002a. Yosemite National Park. Draft Yosemite Fire Management Plan Environmental Impact Statement.

USDI National Park Service. April, 2003. Sequoia and Kings Canyon National Parks. Draft Fire and Fuels Management Plan and Environmental Assessment.

USFWS (U.S. Fish and Wildlife Service) 1996b. Recovery Plan for the California Condor. Portland, Oregon. 62pp.

USFWS (U.S. Fish and Wildlife Service). 1993e. General compensation guidelines for the valley elderberry longhorn beetle. 7pp.

USFWS (U.S. Fish and Wildlife Service). 1982. Habitat Suitability Index Models: Marten. U.S. Fish and Wildlife Service, U.S. Department of the Interior, FWS/OBS-82/10.11, February 1982. 19pp.

USFWS (U.S. Fish and Wildlife Service). 1982. Pacific coast recovery plan for the American Peregrine Falcon. U.S. Fish and Wildlife Service, Endangered Species Office, Sacramento, Calif. Unpubl. Report. 86pp.

USFWS (U.S. Fish and Wildlife Service). 1983. Habitat Suitability Index Models: Fisher. U.S. Fish and Wildlife Service, U.S. Department of the Interior, WS/OBS82/10.45, October 1983. 19pp.

USFWS (U.S. Fish and Wildlife Service). 1984a. California Condor Recovery Plan. Portland, OR.

USFWS (U.S. Fish and Wildlife Service). 1986. Recovery Plan for the Pacific Bald Eagle. Portland, Oregon. 163pp.

USFWS (U.S. Fish and Wildlife Service). 1993a. Endangered and Threatened Wildlife and Plants; Proposed rule to list the southwestern willow flycatcher as endangered with critical habitat. Federal Register 58(140): 39495-39522.

USFWS (U.S. Fish and Wildlife Service). 1993b. Endangered and threatened wildlife and plants; notice of 1-year petition finding on the Western pond turtle. Federal Register 58(153): 42727-42718.

USFWS (U.S. Fish and Wildlife Service). 1993d. General compensation guidelines for the valley elderberry longhorn beetle. Sacramento Field Office, Sacramento, CA. 7p.

USFWS (U.S. Fish and Wildlife Service). 1994. Endangered and threatened wildlife and plants; Proposed Endangered Status for the California Red-legged frog. Federal Register 59(22): 4888-4895.

USFWS (U.S. Fish and Wildlife Service). 1994b. Endangered and threatened wildlife and plants: Notice of interagency cooperative policy for the ecosystem approach to the endangered Species Act. Federal Register 59(126): 34272-34273.

USFWS (U.S. Fish and Wildlife Service). 1996a. Endangered and threatened wildlife and plants: determination of threatened status for the California red-legged frog. Federal Register 61(101): 25813-25833.

USFWS. 1980. Listing the valley elderberry longhorn beetle as a threatened species with critical habitat. FR 45:54803-52807.

USFWS. 1984. Recovery plan for the valley elderberry longhorn beetle. U.S. Fish and Wildlife Service, Endangered Species program, Portland, Oregon.

USFWS. 1996. Endangered and threatened wildlife and plants: determination of threatened status for the California red-legged frog. Federal Register 61(101):25813-25833.

USFWS. 1999. Final Rule to list the Sierra Nevada Distinct Population Segment of the California Bighorn Sheep as Endangered. FR 65:20-30.

Valentine, B. E., T. A. Roberts, S. D. Boland, and A. P. Woodman. 1988. Livestock management and productivity of willow flycatchers in the Central Sierra Nevada. Transactions of the Western Section of the Wildlife Society. 24:105-114.

Vankat, J.L. 1970. Vegetation Change in Sequoia National Park, California. Ph.D. dissertation, University of California, Davis, CA.

Vankat, J.L. and J. Major. 1978. Vegetation Changes in Sequoia National Park, California. *Journal of Biogeography* 5:377-402.

Vankat, J.L. 1983. General Patterns of Lightning Ignitions in Sequoia National Park, California. In: Proceedings, Symposium and Workshop on Wilderness Fire, edited by J.E. Lotan, B.M. Kilgore, C. William. USDA Forest Service, Intermountain Research Station, Ogden, UT..

vanWagtendonk, J.W. 1972. Fire and Fuel Relationships in Mixed Conifer Ecosystems of Yosemite National Park. Ph.D. dissertation, University of California, Berkeley, CA.

vanWagtendonk, J.W. 1986. The Role of Fire in Yosemite Wilderness. In: Proceedings, National Wilderness Research Conference, Current Research, pages 23-26, July 1985, Fort Collins, CO, compiled by R.C. Lucas. General Technical Report INT-212. USDA Forest Service, Ogden, UT.

vanWagtendonk, J.W. 1996. Use of a Deterministic Fire Growth Model to Test Fuel Treatments. Sierra Nevada Ecosystem Project: Final Report to Congress, Vol. II, Assessments and Scientific Basis for Management Options. Centers for Water and Wildland Resources, Davis, CA.

Verner, J. and A.S. Boss. 1980. California wildlife and their habitats: Western Sierra Nevada. Gen. Tech. Rep. PSW-37. Forest Service, Pacific Southwest Research Station, United States Department of Agriculture, Berkeley, CA. 439pp.

Verner, J., K.S. McKelvey, B.R. Noon, R.J. Gutierrez, G.I. Gould Jr., and T.W. Beck, technical coordinators. 1992. The Californian Spotted Owl: A Technical Assessment of its Current Status. General Technical Report PSW-133. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.

Wagener, W.W. 1961. Past Fire Incidence in Sierra Nevada Forests. *Journal of Forestry*

Weatherspoon, C.P., S.J. Husari, and J.W. van Wagtendonk. 1992. Fire and Fuels Management in Relation to Owl Habitat in Forests of the Sierra Nevada and Southern California. In: The Californian Spotted Owl: A Technical Assessment of its Current Status, technical coordination by J. Verner, K.S. McKelvey, B.R. Noon, R.J. Gutierrez, G.I. Gould Jr., and T.W. Beck, pages 247-260. General Technical Report PSW-133. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.

Weatherspoon, C.P., and C.N. Skinner. 1996. Landscape-Level Strategies for Forest Fuel Management. In: Sierra Nevada Ecosystem Project: Final Report to Congress, Vol. II, Chapter 56. Centers for Water and Wildland Resources, University of California, Davis, CA.

Weaver, H. 1974. Effects of Fire on Temperate Forests: Western United States. In: Fire and Ecosystems, edited by T.T. Kozlowski and C.E. Ahlgren, pages 279-319. New York: Academic Press.

Whitfield, M.J. 1990. Willow flycatcher reproductive response to brown-headed cowbird parasitism. Master's Thesis, California State University, Chico. 42pp.

Williams, P.L. and D. Craig. 1988. Willow flycatcher. California Partners in Flight – Riparian Bird Conservation Plan. 44pp.

Wilson, C.C. and J.D. Dell. 1971. The Fuels Buildup in American Forests: A Plan of Action and Research. *Journal of Forestry* 68(8):471-475.

Winter, J. 1980. The status and distribution of the great gray owl in California. State of California, Dept. of Fish and Game. Project W-54-R-12, Job II-9. Final Report (April 1980). 37pp.

Winter, J. 1981. Some aspects of the ecology of the great gray owl in the Sierra Nevada. USDA Forest Service, Region 5, Stanislaus National Forest contract #43-2276. Final Report (January 1981). 22pp + figures.

Winter, J. 1982. Further investigations on the ecology of the great gray owl in the central Sierra Nevada. USDA Forest Service, Region 5, Stanislaus National Forest contract #43-2348. Final Report (February 1982). 35pp + figures.

Winter, J. 1985. Great gray owl survey, 1984. State of California, Dept. of Fish and Game. Project W-65-R-2, Job II-3. Progress Report (January 1985). 15pp + appendices.

Winter, J. 1986. Status, distribution and ecology of the great gray owl (*Strix nebulosa*) in California. M.A. thesis, San Francisco State University, San Francisco, CA.

Woodbridge, B., and P. Detrich. Territory occupancy, nest site movements and reproductive success of northern goshawks in the southern Cascades of California. IN:

Woodbridge, B., P.H. Bloom, and P. Detrich. 1988. Territory fidelity and habitat use by nesting northern goshawks; Implications for management. Paper presented at the 1988 Annual Meeting of The Wildlife Society, Hilo, HI, Nov. 1988.

Wright, H.E. and M.L. Heinselman. 1973. The Ecological Role of Fire in Natural Conifer Forests of Western and Northern North America. *Quarterly Research* 3:319 – 328.

Yocum, C.F. 1973. Wolverine records in the Pacific coastal states and new records for northern California. *California Fish and Game*. 59:207-209.

Yoshiyama, Ronald M. 1996. *Sierra Nevada Ecosystem Project, Final Report to Congress, Vol. III, Assessments, Commissioned Reports, and Background Information*, University of California Centers for Water and Wildland Resources. Davis, CA

Zabic, John M. and James N. Seiber. 1993. Atmospheric Transport of Organophosphate Pesticides from California's Central Valley to the Sierra Nevada Mountains. *J. Environ. Qual.*, Vol. January – March, 1993.

Zielinski, W.J., W.D. Spencer, and R.H. Barrett. 1983. Relationship between food habits and activity patterns of pine martens. *J. Mammal.* 64(3):387-396.

Zielinski, W.J. 1992. A survey protocol for forest carnivores in proposed management activity areas - Working Paper. 14pp + Appendices.

Zielinski, W.J., R.H. Barrett, R.L. Trux, E. Farmer. 1995. Southern Sierra Nevada fisher and marten study: Progress report III (2 March 1995 - 31 August 1995). USDA Forest Service, Pacific Southwest Station, Arcata, Calif. 14 pp.

Zielinski, W.J., T.E. Kucera, and R. Barrett. 1996a. Current distribution of the American marten, *Martes Americana*, in California. In press.

Zielinski, W.J., T.E. Kucera, and R. Barrett. 1996b. Current distribution of the Fisher, *Martes Pennanti*, in California. In press.

Zielinski, et al. 1997. Southern Sierra Nevada Fisher and Marten Study: Progress Report IV. Sequoia National Forest. Porterville, CA. 28 pages.

Zielinski, W.J., N.P. Duncan, E.C. Farmer, R.L. Truex, A.P. Clevenger, and R.H. Barrett. In Press. Diet of fishers (*Martes pennanti*) at the southernmost extent of their range. *Journal of Mammalogy*.

Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K. N. Schmidt and R.H. Barrett. In prep. Habitat ecology and home range characteristics of the fisher in California. Submitted to *Wildlife Monographs* 11/2001. 116 pgs +app

Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White, ed. 1988. California's Wildlife. Volume I. Amphibians and Reptiles. California Statewide Wildlife Habitat Relationships System. Department of Fish and Game, The Resources Agency, Sacramento, CA. 272 pages.

Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer. 1990a. California's Wildlife. Vol. I-III. California Dept. of Fish and Game. Sacramento, CA.

Zeiner, D. C., W. Laudenslayer Jr., K. Mayer and M. White, eds. 1990b. California's Wildlife, Volume II, Birds. California Department of Fish and Game, Sacramento, CA. 732 pages.

Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White. 1990c. California's Wildlife: Volume III, Mammals. California Department of Fish and Game. Sacramento, CA. 407 pages.

Ziesmer, T. C. 1997. Vocal behavior of the foothill and mountain yellow-legged *frogs* (*Rana boylei* and *Rana muscosa*). Master's Thesis, California State University, Sonoma.

Zweifel, R.G. 1955. Ecology, Distribution, and Systematics of Frogs of the *Rana Boylei* Group. University of California Publication of Zoology 54:207-292.