

## References

---

- Ahuja, Suraj. 2003. Province Air Quality Specialist. Tables and figures computed from acreage treated by alternative
- Alexander, Ben and Ray Rasker. 1998. Economic Profiles of the Sierra Nevada. The Wilderness Society. June 1998.
- Allen, G. M. and E. Gould, Jr. 1986. "Complexity, wickedness, and public forests." *Journal of Forestry* 84(4):20-23
- Andersen, M.C. and D. Mahato. 1995. Demographic models and reserve designs for the California spotted owl. *Ecol. Applications* 5:639-647.
- Aplet, Gregory H. and B. Wilmer. 2003. *The Wildland Fire Challenge*. The Wilderness Society.
- Aubry, K.B., S.M. Wisely, C.M. Raley, and S.W. Buskirk. In Press. Zoogeography, spacing patterns, and dispersal in fishers: insights gained from combining field and genetic data. In D.J. Harrison and A.K. Fuller, eds. *Proceedings of the 3<sup>rd</sup> International Martes Symposium: Martens and fishers (Martes) in human-altered environments: an international perspective*. Corner Brook, Newfoundland, Publisher Unknown.
- Barbour, M., E. Kelley, P. Maloney, D. Rizzo, E. Royce, J. Fites-Kaufman. 2002. Present and past old-growth forests of the Lake Tahoe Basin, Sierra Nevada, US. *Journal of Vegetation Science* 13: 461-472.
- Barrett, J.W. 1979. *Silviculture of ponderosa pine in the Pacific Northwest: the state of our knowledge*. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, General Technical Report PNW-97. 106 p.
- Barrett, R.H. 2003. Professor, Division of Ecosystem Systems, University of California, Berkeley CA. Response letter to Draft SEIS.
- Bart, J. 1995. Amount of suitable habitat and viability of northern spotted owls. *Conservation Biology* 9:943-946.
- Beck and Winter, 2000. Survey protocol for the great gray owl in the Sierra Nevada of California
- Beck, T.W. 1985. Habitat suitability index model for great gray owl. USDA Forest Service, Stanislaus National Forest, Sonora, CA. Draft publication. 15 pp.
- Beck, T.W., and J. Winter. 2000. Survey protocol for the great gray owl in the Sierra Nevada of California.
- Beighley, Mark et. al. 2003. Washington Office Review of the Fuel Management Strategy for the Sierra Nevada Forest Plan Amendment, August 22, 2003.
- Belt, G. H., J. O'Laughlin, and T. Merrill. 1992. Design of forest riparian buffer strips for the protection of water quality: Analysis of scientific literature. Idaho Forest, Wildlife and Range Policy Analysis Group Report No. 8, College of Forestry, Wildlife and Range Sciences, University of Idaho, Moscow, ID. 35 p.
- Benavides-Solorio, J., and L.H. MacDonald, 2001. Post-fire runoff and erosion from simulated rainfall on small plots, Colorado Front Range. *Hydrological Processes* 15: 2931-2952.
- Benda, L.E., Miller, D., Bigelow, P., and K. Andras. 2003. Effects of post-wildfire erosion on channel environments, Boise River, Idaho. *Forest Ecology and Management*. 178(1-2): 105-119.

- Benson, Teresa. 2003. Wildlife Biologist, Sequoia National Forest. Personal communication
- Benson, T. 2003. Wildlife Biologist. Sequoia National Forest, Cannell-Meadow Ranger District. Personal communication with Mike Gertsch.
- Berrill M, Bertram S, and Pauli B. 1997. Effects of pesticides on amphibian embryos and larvae. *Herpetol Conserv* 1:233-245 Bridges CM (1997) Tadpole swimming performance and activity affected by acute exposure to sublethal levels of carbaryl. *Env Toxicol Chem* 16:1935-1939
- Bisson, P.A., Rieman, B.E., Luce, C., Hessburg, P.F., Lee, D.C., Kershner, J.L., Reeves, G.H., and R. Gresswell. 2003. Fire and aquatic ecosystems of the western USA: Current knowledge and key questions. *Forest Ecology and Management*. 178(1-2): 213-229.
- Biswell, H. H. 1989. *Prescribed Burning In California Wildlands Vegetation Management*. University of California Press, Berkeley. 255 p.
- Blakesley, Jennifer. 2003. Ecology of the California Spotted Owl: Breeding dispersal and associations with forest stand characteristics in northeastern California. Phd Dissertation. Department of Fishery and Wildlife Biology, Colorado State University, Fort Collins, CO. Summer 2003.
- Blakesley, J.A. and B.R. Noon. 1999. Summary report: Demographic parameters of the California Spotted Owl in the Lassen National Forest (preliminary results) 1990-1998. USDA Forest Service, Pacific Southwest Research Station, Redwood Sciences Laboratory, Arcata, CA.
- Blann, Kristen and Stephen S. Light. 1999. Working Papers on Adaptive Management in Natural Resources and Conservation. Accessed December 17, 2003 at <http://www.iatp.org/AEAM/primer.htm>
- Blaustein A.R., D.G. Hokit, R.K. O'Hara, and R.A. Holt. 1994. Pathogenic fungus contributes to amphibian losses in the Pacific Northwest. *Biological Conservation* 67:251-254.
- Blaustein, A.R., J.J. Beatty, D.H. Olson, and R.M. Storm. 1995. The biology of amphibians and reptiles in old-growth forests in the Pacific Northwest. USDA Forest Service PNW-GTR-337. Portland, OR. 98pp.
- Bolsinger, C.L. 1978. The extent of dwarf mistletoe in six principal softwoods in California, Oregon, and Washington, as determined from Forest Survey records. Pages 45-54. In: R.F. Scharpf and J.R. Parmeter, Jr. (technical coordinators), *Proceedings of the Symposium on Dwarf Mistletoe Control Through Forest Management*, April 11-13, 1978, Berkeley, California. USDA Forest Service, General Technical Report PSW-31. 190 p.
- Bombay, H.L., T.M. Ritter, and B.E. Valentine. 2000. A willow flycatcher survey protocol for California. June 6, 2000. 50 pp.
- Bombay, H.L., M.L. Morrison, D.E. Taylor and J.W. Cain. 2001. 2001 Annual Report and Preliminary Demographic Analysis for Willow Flycatcher Monitoring in the Central Sierra Nevada in partial fulfillment of contract RFQ-IBET-17-01-053 between University of California, San Diego, White Mountain Research Station and U.S.D.A Forest Service, Tahoe National Forest. November 31, 2001. 47pp.
- Bombay, H.L., M.L. Morrison. 2003. 2002 Annual Report and Preliminary Demographic Analysis for Willow Flycatcher Monitoring in the Central Sierra Nevada in partial fulfillment of contract RFQ-IBET-17-02-062 between University of California, San Diego, White Mountain Research Station and U.S.D.A Forest Service, Tahoe National Forest. February 20, 2003. 44pp.
- Bonnicksen, T.M. and E.C. Stone. 1981. The giant sequoia-mixed conifer forest community characterized through pattern analysis as a mosaic of aggregations. *For. Ecol. Manage.* 3:307-328.

- Bonnicksen, Thomas M. 2003. Written Statement for the Record, US House of Representatives, Committee on Resources, August 25, 2003, Oversight Hearing on Crisis on our National Forests: Reducing the Threat of Catastrophic Wildfire to Central Oregon Communities and the Surrounding Environment.
- Bradford, D.F. 1983. Winterkill, oxygen relations, and energy metabolism of a submerged dormant amphibian *Rana muscosa*. *Ecology* 64(5):1171-1183.
- Bradford, D.F. 1984. Temperature modulation in a high elevation amphibian, *Rana muscosa*. *Copeia* 1984(4):966-976.
- Briggs, J.L. 1987. Breeding biology of the Cascades frog, with comparisons to *R. aurora* and *R. pretiosa*. *Copeia* 1987:241-245.
- Briggs, J.L., and R.M. Storm. 1970. Growth and population structure of the Cascade frog, *Rana cascadae* Slater. *Herpetologica* 26:283-300.
- Brown, J.T., and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. *Water Resources Research* 6(4):1133-1139.
- Bull, Evelyn L.; Heater, Thad W. In press. Habitat use of the American marten in northeastern Oregon. Publisher unknown.
- Bull, E.L., M.G. Henjum, and R.S. Rohweder. 1988. Home range and dispersal of great gray owls in northeastern Oregon. *J. Raptor Res.* 22:101-106.
- Bull, E.L., M.G. Henjum, and R.S. Rohweder. 1989. Reproduction and mortality of great gray owls in Oregon. *Northwest Sci.* 63:38-48.
- Bull, E.L., and M.G. Henjum. 1990. Ecology of the great gray owl. Gen. Tech. Rep. PNW-GTR-265. Portland, OR. USDA Forest Service, PNW Res. Stn. 39 pp.
- Bull, E.L., and J.R. Duncan. 1993. Great gray owl (*Strix nebulosa*). In A. Poole and F. Gill, editors. The birds of North America. Number 41. Academy of Natural Sciences, Philadelphia, Pennsylvania.
- Bull E.L. and A.K. Blumton. 1999., Effect of Fuels Reduction on American Martens and Their Prey, PNW-RN-539, March 1999
- Burroughs, E.R., Jr.; King, J.G. 1989. Reduction of soil erosion on forest roads. General Technical Report INT-264. Ogden, UT: U.S. Forest Service Intermountain Research Station.
- Bury, R.B., and D.J. Major. 1997. Integrated sampling for amphibian communities in montane habitats. Chapt 5, pp75-82 In: D.H. Olson, W.P. Leonard, and R.B. Bury (eds.), *Sampling Amphibians in Lentic Habitats: Methods and Approaches for the Pacific Northwest*, Northwest Fauna 4, 134 pp.
- Byler, James W. 1978. The pest damage inventory in California. In: Symposium on Dwarf Mistletoe Control Through Forest Management; 1978 April 11 - April 13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 162-171.
- Byler, J.W.; Cobb, F.W., Jr.; Rowney, D.L. 1979. An evaluation of black stain root disease on the Georgetown Divide, El Dorado County. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No 79-2. 15 p.
- California Department of Fish and Game. 1998a. An assessment of mule and black-tailed deer habitats and populations in California with special emphasis on public lands administered by the Bureau of Land Management and the United States Forest Service: report to the Fish and Game Commission. Calif. Dept. Fish and Game, Sacramento, CA. 57 pages.

- California Department of Fish and Game. 1998b. Black bear management plan. Calif. Dept. Fish and Game, Sacramento, CA. 30 pages
- California Department of Fish and Game. 2003. Draft Strategic Plan for Wild Turkey Management. Calif. Dept. Fish and Game, Sacramento, CA. 32 pages
- California Department of Forestry and Fire Protection. 2003. Fire and Resource Assessment Program, Forest and Range 2003 Assessment, October 2003. Forest Products Industry.  
<http://www.frap.cdf.ca.gov/assessment2003/>
- California Department of Forestry and Fire Protection. 1995. Fire and Resource Assessment Program, California Fire Plan. available from [http://www.frap.cdf.ca.gov/fire\\_plan/](http://www.frap.cdf.ca.gov/fire_plan/)
- California Department of Fish and Game (CDFG). 2002. California Wildlife Habitat Relationships (CWHR) Version 8.0 personal computer program. California Interagency Wildlife Task Group. Sacramento, CA.
- California Partners in Flight. 1999. Draft Avian Conservation Plan for the Sierra Nevada Bioregion. Version 1.0. July 9, 1999.
- California Partners in Flight. 2002a. Version 1.0. The draft coniferous forest bird conservation plan: a strategy for protecting and managing coniferous forest habitats and associated birds in California (J. Robinson and J. Alexander, lead authors). Point Reyes Bird Observatory, Stinson Beach, CA.  
<http://www.prbo.org/calpif/plans.html>
- California Partners in Flight. 2002b. Version 2.0. The oak woodland bird conservation plan (Dr. Steve Zack, lead author). Point Reyes Bird Observatory, Stinson Beach, CA.  
<http://www.prbo.org/calpif/htmldocs/oaks.html>
- California State Board of Equalization. 2003. California timber harvest statistics. Retrieved from:  
[http://www.boe.ca.gov/proptaxes/pdfharv\\_yr.pdf](http://www.boe.ca.gov/proptaxes/pdfharv_yr.pdf)
- Cannon, S.H., Bigio, E.R., Mine, E. 2001. A process for fire-related debris flow initiation, Cerro Grande fire, New Mexico. *Hydrol. Process.* 15, 3011-3023.
- California Forest Pest Control Action Council. 1960. Forest Pest Conditions in California, 1959. USDA Forest Service and California Department of Forestry, Sacramento. 25 p.
- California Forest Pest Control Action Council. 1988. Forest Pest Conditions in California, 1987. USDA Forest Service And California Department of Forestry, Sacramento. 25 p.
- Chang, C.R. 1996. Ecosystem responses to fire and variations in fire regimes. Pages 1071-1100 In *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific basis for management options*, Vol II, chp 39. University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.
- Citta, J.J. and L.S. Mills. 1999. What do demographic sensitivity analyses tell us about controlling brown-headed cowbirds? Pages 121-134. In: M.L. Morrison, L.S. Hall, S.K. Robinson, S.I. Rothstein, D.C. Hahn, T.D. Rich, eds *Research and management of the brown-headed cowbird in western landscapes*. Studies in Avian Biology No. 18 Cooper Ornith. Society.
- Cole, L.W., and H.F. Kaufman. 1966. Socio-economic factors and forest fires in Mississippi counties. *Social Science Res. Cent. Prelim. Rep.* 14. Mississippi State Univ.
- Corn, P.S. and J.C. Fogleman. 1984. Extinction of montane populations of the northern leopard frog (*Rana pipiens*) in Colorado. *Journal of Herpetology* 18(2):147-152.
- Creel S., et al. 2001. Snowmobile Activity and Glucocorticoid Stress Responses in Wolves and Elk, *Conservation Biology*, Vol 16, No 3, June 2002, pp 809-814

- Dale, V. H., L. A. Joyce, S. McNulty, R. P. Neilson, M. P. Ayres, M. D. Flannigan, P. J. Hanson, L. C. Irland, A. E. Lugo, C. J. Peterson, D. Simberloff, F. J. Swanson, B. J. Stocks, and B. M. Wotton. 2001. Climate change and forest disturbances. *BioScience*
- Degenhardt, W.G., C.W. Painter A.H. Price, C.M. Garrett. 1996. Amphibians and Reptiles of New Mexico. University of New Mexico Press. Albuquerque, NM.
- DeNitto, G.; Parmeter, J.R., Jr.; Slaughter, G.; Schultz, M. 1984. Incidence of *Fomes annosus* in mixed conifer and true fir forests in northern California. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No. 84-11. 12 p.
- Dole, J.W. 1965. Spatial relations in natural populations of the leopard frog, *Rana pipiens* Schreber, in northern Michigan. *American Midland Naturalist* 74(2):464-478.
- Dole, J.W. 1967. The role of substrate moisture and dew in the water economy of leopard frogs, *Rana pipiens*. *Copeia* 1967(1):141-149.
- Doolittle, M.L., and G.D. Welch. 1974. Fire prevention in the deep south: personal contact pays off. *Journal of Forestry* 72(8):488-490.
- Drost C., and G. Fellers. 1994. Decline of Frog Species in the Yosemite Section of the Sierra Nevada, Technical Report No. NPA/WRUC/NRTR 94-02, Cooperative National Park Resources Studies Unit.
- Drost, C.A. and G.M. Fellers. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biology* 10:414-425.
- Duncan, J.R. 1987. Movement strategies, morality and behavior of radio-marked great gray owls in southeastern Manitoba and northern Minnesota. Pages 101-107 in R.W. Nero, R.J. Clark, R.J. Knapton, and R.H. Hamre, eds. *Biology and conservation of northern forest owls*. Symposium proceedings, February 3-7, Winnipeg, Manitoba, Canada. U.S. Dept. of Agriculture, Forest Service, General Technical Report RM-142. Fort Collins, CO.
- Duncan, J.R. 1992. Influence of prey abundance and snow cover on Great Gray Owl breeding dispersal. Ph.D. dissertation Thesis. Univ. Manitoba, pp.
- Dunham, J.B., Young, M.K., Gresswell, R., and B.E. Rieman, 2003. Effects of fire on fish populations: landscape perspectives on persistence of native fishes and non-native fish invasions. *Forest Ecology and Management*. 178(1-2): 183-196.
- Elliot, W.J. and I.S. Miller. 2002. Estimating Erosion Impacts from Implementing the National Fire Plan. 2002 American Society of Agricultural Engineers Annual International Meeting, Paper # 02-5011.
- Fairbanks, F., H. Gardner, et al. 2001. Managing Wildland Fire: Enhancing Capacity to Implement the Federal Interagency Policy Phase II Report: Study of the Implementation of the Federal WildLand Fire Management Policy. Washington, DC, National Academy of Public Administration.
- Fellers, G.M., and C.A. Drost. 1993. Disappearance of the Cascades frog *Rana cascadae* at the southern end of its range, California, USA. *Biological Conservation* 65:177-182.
- Ferrell, G.T. 1996. The influence of insect pests and pathogens in Sierra forests. pages 1177 In: *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific basis for management options*. Vol. II Ch. 21. Univ. of Calif. Centers for Water and Wildland Resources, Davis, CA 95616.
- Finney, M.A. 1999. An analysis of elliptical fire growth through some regular landscape fuel patterns. USDA Forest Service. Available from author. PO Box 8868, Missoula, MT 59801. 10 pages.

- Finney, M.A. 2001. Design of Regular Landscape Fuel Treatment Patterns for Modifying Fire Growth and Behavior. *Forest Science* 47(2) 2001.
- Fisher, Lisa, Remote Sensing Manager. Forest Health Protection, USDA Forest Service. Unpublished Data.
- Fitch, H.S. 1938. *Rana boylei* in Oregon. *Copeia* 1938(3):148.
- Fites, J.A. et al. 1996. Assessment of Forest Health for the Eastside and Transition Zones of the Lassen, Plumas, and Tahoe National Forests. White Paper Report for the Technical Fuels Report, Plumas, Lassen, and Tahoe National Forests.
- Fites-Kaufman, J.A. 1997. "Historic landscape pattern and process: fire, vegetation and environment interactions in the northern Sierra Nevada." Ph.D. dissertation. Univ. Washington, Seattle, WA.
- Flett, M.A. and S.D. Sanders. 1987. Ecology of a Sierra Nevada population of willow flycatchers. *Western Birds* 18:37-42.
- Folkman, W.S. 1973. Children caused forest fires—how to prevent them. *California Fire Prevention Notes* No. 8.
- Folkman, W.S. 1975. Butte County California residents: their knowledge and attitudes about forest fires reassessed. USDA Forest Service Res. Note PSW-297.
- Force, E.R. 1933. The age of the attainment of sexual maturity of the leopard frog *Rana pipiens* (Schreber) in northern Michigan. *Copeia* 1933(3):128-131.
- Franklin, A.B. 1988. Breeding biology of the Great Gray Owl in southeastern Idaho and northwestern Wyoming. *Condor* 90: 689-696.
- Franklin, A.B., D. R. Anderson, E. D. Forsman, K. P. Burnham, and F. F. Wagner. 1996. Methods for collecting and analyzing demographic data on the northern spotted owl. *Studies in Avian Biology*. 17:12-20
- Franklin, et al. 2003. Population Dynamics of the California Spotted Owl: A Meta-Analysis. Final Report to U.S. Forest Service. PWS, Berkeley, CA. 81 pp.
- Franklin, Jerry. 2003. Professor with the College of Forest Resources at the University of Washington. Personal Communication.
- Franklin, J. and J.A. Fites-Kaufman. 1996. Assessment of Late Successional forests of the Sierra Nevada. Pages 627-662 In *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific basis for management options*. Vol. II Ch. 21. Univ. Calif. Centers for Water and Wildland Resources, Davis, CA 95616.
- Franklin, J.F., D. Graber, K.N. Johnson, J. Fites-Kaufman, K. Menning, D. Parsons, J. Sessions, T.A. Spies, J. Tappeiner, D. Thornburgh. 1996. Alternative approaches to conservation of late-successional forests in the Sierra Nevada and their evaluation. In: *Sierra Nevada Ecosystem Project: Final Report to Congress, Addendum*. pp. 53-69.
- Freel, M. 1991. A literature review for management of the marten and fisher on National Forests in California : USDA Forest Service Pacific Southwest Region.
- Fritts, et al. 1979. Estimating long-term statistics for annual precipitation for six regions of the United States from tree-ring data. Technical Report No. UCRL 15162 to Lawrence Livermore Laboratory, University of California, Livermore, California. 96 pp.
- Fritts, H. C., G. R. Lofgren and G. A. Gordon. 1980. Past climate reconstructed from tree rings. *Journal of Interdisciplinary History* X(4):773-93.

- Furniss, M. J.; Ledwith, T., S.; Love, M. A.; McFadin, B. C. Flanagan, S. A. 1998. Response of road-stream crossings to large flood events in Washington, Oregon, and Northern California. No. 9877 1806-SCTDC. San Dimas, CA: U. S. Department of Agriculture, Forest Service, San Dimas Technology Center.
- Geiger, Rudolf. 1966. The climate near the ground. Harvard University Press. 611 p.
- Gibbons, D. R., and E. O. Salo. 1973. An annotated bibliography of the effects of logging on fish of the western United States and Canada. USDA For. Serv. Gen. Tech. Rep. PNW-10. Pac. Northwest For. and Range Exp. Stn., Portland, Oregon.
- Gilbert, R.L.J., and R. Fortin. 1994. Reproduction of the northern leopard frog (*Rana pipiens*) in floodplain habitat in the Richelieu River, Quebec, Canada. *Journal of Herpetology* 28(4):465-470.
- Godfrey, W.E. 1986. The birds of Canada (revised ed.) National Mus. Nat. Sci., Ottawa. Canada.
- Graumlich, L.J. 1993. A 1000 year record of temperature and precipitation in the Sierra Nevada. *Quaternary Research* 39:249-255.
- Graham, R. T. et. al. 1999. The Effects of Thinning and Similar Stand Treatments on Fire Behavior in Western Forests. PNW-GTR-463. September, 1999.
- Graham, R.T. and Sarah McCaffrey. 2003. Influence of Forest Structure on Wildfire Behavior and The Severity of its Effects. Executive Summary. [www.fs.fed.us/projects/hfi/docs/forest\\_us/projects/hfi/docs/forest\\_structure\\_wildfire.pdf](http://www.fs.fed.us/projects/hfi/docs/forest_us/projects/hfi/docs/forest_structure_wildfire.pdf)
- Greene, C. 1995. Habitat requirements of great gray owls in the central Sierra Nevada. Master thesis. Univ. of Mich. 94 pp.
- Green, G.A., H.L. Bombay, and M.L. Morrison. 2003. Conservation assessment of the Willow Flycatcher in the Sierra Nevada. USDA Forest Service. Vallejo, CA. 62 pp.
- Grinnell, J. and T.I. Storer. 1924. Animal life in Yosemite. Univ. of California Press, Berkeley, California.
- Grinnell, J. and A.H. Miller. 1944. The distribution of the birds of California. Pacific Coast Avifauna. No. 27. Mus. Vertebrate Zoology, Univ. Calif., Berkeley, CA.
- Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes (eds.). 2001. Forest roads: A synthesis of scientific information. Gen. Tech. Rep. PNW-GTR-509. Portland, OR.
- Guldin, James M.; Cawrse, David; Graham, Russell; Hemstrom, Miles; Joyce, Linda; Kessler, Steve; McNair, Ranotta; Peterson, George; Shaw, Charles G.; Stine, Peter; Twery, Mark; Walter, Jeffrey. 2003. The Science Consistency Review: A Tool To Evaluate the Use of Scientific Information in Land Management Decisionmaking. Publication FS-772. Washington, D.C.: U.S. Department of Agriculture, Forest Service, Washington Office. 29 p. (In press.)
- Gutierrez, R.J. and S. Harrison. 1996. Applying metapopulation theory to spotted owl management: A history and critique. Chapter 8 in McCollough, D.R.(ed.) *Metapopulations and Wildlife Conservation*, Island Press, Washington, D.C
- Hall, L.S. and S.I. Rothstein. 1999. Cowbird control: the efficacy of long-term control and proposed alternatives to standard control practices. Pages 254-259. In: M.L. Morrison, L.S. Hall, S.K. Robinson, S.I. Rothstein, D.C. Hahn, T.D. Rich, eds. *Research and management of the brown-headed cowbird in western landscapes*. Studies in Avian Biology No. 18. Cooper Ornith. Soc.
- Hargis, C. D., McCarthy, C. and R. D. Perloff. 1994. Home ranges and habitats of northern goshawks in eastern California. *Studies in Avian Biology*. 16: 66-74.

- Hammerson, G.A. 1999. Amphibians and Reptiles in Colorado. University Press of Colorado and Colorado Division of Wildlife, Denver, CO.
- Harris, J.H., S.D. Sanders, and M.A. Flett. 1987. Willow flycatcher surveys in the Sierra Nevada. *Western Birds* 18:27-36
- Harris, J.H., S.D. Sanders, and M.A. Flett. 1988. The status and distribution of the willow flycatcher in the Sierra Nevada: results of the survey. Calif. Dept. Fish Game, Wildlife Manage. Div., Admin. Rep. 88-1. 32 pages.
- Hawksworth, F.G.; Williams-Cipriani, J.C.; Eav, B.B.; Geils, B.R.; Johnson, R.R.; Marsden, M.A.; Beatty, J.S. 1991. Interim dwarf mistletoe impact modeling system. Users Guide and Reference Manual. USDA Forest Service, Methods Application Group, Report MAG-91-3. 93 p.
- Hawksworth, F.G. 1961. Dwarf mistletoes of ponderosa pine. *Recent Advances in Botany* 2: 1537-1541.
- Hayes, M.P. and M.R. Jennings. 1988. Habitat correlates of the distribution of California red-legged frog (*Rana aurora draytonii*) and Foothill yellow-legged frog (*Rana boylei*): implications for management. Pages 144-158. In: R.C. Szaro, K. E. Severson, D. R. Patton, tech. coords. Management of Amphibians, Reptiles, and Small Mammals in North America. Gen. Tech. Rep. RM-GTR-166. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
- Hayward, G.D. 1994. Review of technical knowledge: boreal owls. In Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment. G.D. Hayward and J. Verner, tech. Eds. USDA Forest Service. Gen. Tech. Rept. RM-253. Fort Collins, CO. Pp. 92-127.
- Herger-Feinstein Quincy Library Group (HFQLG) Forest Recovery Act – PL 103-354, October 21, 1998
- Hessberg, Paul F., Bradley G. Smith, Scott D. Kreiter, Craig A. Miller, R. Brion Salter, Cecilia H. McNicoll, and Wendall J. Hann. 1995. Historical and current forest and range landscapes in the interior Columbia River basin and portions of the Klamath and Great Basins. Part 1: Linking vegetation patterns and landscape vulnerability to potential insect and pathogen disturbances. PNW-GTR-458. 467p.
- Hessburg, P., and J. Agee. 2003. An environmental narrative of inland northwest US Forests, 1800-2000.
- Hine, R.L., B.L. Les, and B.F. Hellmich. 1981. Leopard Frog Populations and Mortality in Wisconsin, 1974-76. Department of Natural Resources, Madison.
- Hitchcock, C.J. 2001. The status and distribution of the northern leopard frog (*Rana pipiens*) in Nevada. MS Thesis, University of Nevada, Reno, Nevada. 114pp.
- Hokit, D.G., and A.R. Blaustein. 1995. Predator avoidance and alarm-response behavior in kin-discriminating tadpoles (*Rana cascadae*). *Ethology* 101:280-290.
- Huff D.D., Hargrove, W.W., Graham R., Nikolov, and M.L. Tharp. 2002. A GIS/simulation framework for assessing change in water yield over large spatial scales. *Environmental Management* 29: 164-181.
- Hunsaker, C.T., B.B. Boroski, and G.N. Steger. 2002. "Relations Between Canopy Cover and the Occurrence and Productivity of California Spotted Owls." IN J.M. Scott, P.J. Heglund, and M.L. Morrison (eds.). Predicting Species Occurrences: Issues of Accuracy and Scale. Covelo, California: Island Press, 2002.
- Irwin, L.L., D. Rock, and S. Rock. 2003. Adaptive management monitoring of spotted owls - Annual progress report - January 2003. Unpublished paper. National Council for Air and Stream Improvement, Inc. P.O. Box 458, Corvallis, OR 97339. 48pp. <http://www.ncasi.org>

- Jennings, M.R., and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game. Rancho Cordova.
- Kagarise Sherman, C. 1980. A comparison of the natural history and mating system of two anurans: Yosemite toads (*Bufo canorus*) and black toads (*Bufo exsul*). PhD dissertation, University of Michigan
- Kagarise Sherman, C. and M.L. Morton. 1993. Population declines of Yosemite Toads in the Eastern Sierra Nevada of California. *J. Herpetology* 27(2):186-198.
- Karlstrom, E.L. 1962. The toad genus *Bufo* in the Sierra Nevada of California. Univ. of California, Publications in Zoology 62(1):1-104.
- Kattlemann, R. 1996. Hydrology and Water Resources. In Sierra Nevada Ecosystem Project: Final Report to Congress, vol II, Assessment and scientific basis for management options. Davis: University of California, Centers for Water and Wildland Resources.
- Kendall, W. L. 2001. Using models to facilitate complex decisions. Pages 147-170 in T. Schenk and A. Franklin (eds.), *Modeling in Natural Resource Management: Valid Development, Interpretation, and Application*, Island Press, Inc, Washington, DC, USA.
- Kiesecker J.M., and A.R. Blaustein. 1997. Influences of egg laying behavior on pathogenic infection of amphibian eggs. *Conservation Biology* 11:214-220.
- King, John G. and L.C. Tennyson. 1984. Alteration of streamflow characteristics following road construction in north central Idaho. *Water Resources Research*. 20(8): 1159-1163.
- Kliejunas, John. 2003. Forest Health Protection, State and Private Forestry, USDA Forest Service. Unpublished Material.
- Kliejunas, J.T. 1989a. Borax stump treatment for control of annosus root disease in the eastside pine type forests of northeastern California. Pages 159-166. In: W.J.Otrosina and R.F. Scharpf (technical coordinators), *Research and Management of Annosus Root Disease (*Heterobasidion annosum*) in Western North America*. Pacific Southwest Forest and Range Experiment Station, General Technical Report PSW-116. 177 p.
- Kliejunas, J.T. 1989b. Incidence of *Heterobasidion annosum* stump infection in eastside pine type stands on the Plumas and Tahoe National Forests. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No. 89-16. 9 p.
- Kliejunas, J.T. 1992. A biological evaluation of black stain root disease, Stateline timber sale area, Devils Garden Ranger District, Modoc National Forest. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No. R92-07. 9 p.
- Kilgore, B.M. and R.W. Sando. 1975. Crown-fire potential in a Sequoia Forest after prescribed burning. *Forest Science*. 21(1):83-87
- Knapp, R.A. 2003. Habitat associations of two declining amphibian species in Yosemite National Park. Final Report. USDA Forest Service, Contract #43-9AD6-1-3077. Sierra Nevada Research Center. 44pp + figures.
- Knapp, R.A., and K. Matthews. 2000. Non-native fish introductions and the decline of the mountain yellow-legged frog (*Rana muscosa*) from within protected areas. *Conservation Biology* 14(2):428-438.
- Koehler, G.M., W.R. Moore, and R.A. Taylor. 1975. Preserving the pine marten: management guidelines for western forests. *Western Wildlife*. 2:31-36.

- Kucera, T.E., W.L. Zielinski, and R.H. Barrett. 1995. The current distribution of American martens (*Martes Americana*) in California. *California Fish and Game* 81:96-103.
- Kupferberg, S.J. 1997. Bullfrog (*Rana catesbeiana*) invasion of a California river: the role of larval competition. *Ecology* 78(6):1736-1751.
- Laaksonen-Craig, Susanna, George E. Goldman, and William McKillop. University of California, Division of Agriculture and Natural Resources. Publication 8070. (undated, accessed from <http://anrcatalog.ucdavis.edu/> on 8/21/2003)
- Landram, Michael. 2003. Region 5 silviculturist. Personal Communication.
- LeBlanc, G.A. and L.J. Bain. 1997. Chronic toxicity of environmental contaminants: sentinels and biomarkers. *Environmental Health Perspectives* 105 (suppl.):65-80.
- Lee, Danny C. and Larry L. Irwin. In Review. Multiscale considerations for managing spotted owls in fire-adapted forest of the western United States. In review, December 2003.
- Lehmkuhl, J. F., and M. G. Raphael. 1993. Habitat pattern around spotted owl locations on the Olympic Peninsula, Washington. *Journal of Wildlife Management* 57:302-315.
- Liliehalm, R.J, et al. 1990. Effects of Single Tree Selection Harvests on Stand Structure, Species Composition and Understory Tree Growth in a Sierra Mixed Conifer Forest. *Western Journal of Applied Forestry* 5(2) 43-47.
- Loe, S. 2003. Wildlife Biologist. USDA Forest Service, San Bernardino National Forest, Personal Communication with Mike Gertsch.
- Loomis, J., Wohlgemuth, P., González-Cabán, A., and D. English, 2003. Economic benefits of reducing fire-related sediment in southwestern fire-prone ecosystems, *Water Resources Research*, 39(9), 1260, doi:10.1029/2003WR002176.
- MacDonald, L.H., and J.D. Stednick. 2003. Forests and water: a state-of-the-art review for Colorado. Colorado Water Resources Research Institute, Colorado State University, Fort Collins, CO. 65 pp.
- MacDonald, L.H. 2002. Assessing Cumulative Watershed Effects in the Central Sierra Nevada: Hillslope Measurements and Catchment-scale Modeling. *Sierra Nevada Science Symposium*. October 7-10, 2002. Kings Beach, Lake Tahoe, CA.
- Madej, M.A.. 2001. Erosion and Sediment Delivery Following Removal of Forest Roads. *Earth Surface Processes and Landforms* 26:175-190.
- Martin, Dave. Professor, University of California, Santa Barbara, CA Unpublished data.
- Martin, Dave. 2003. Professor, University of California, Santa Barbara, CA. personal communication.
- Matthews, K.R., and K.L. Pope. 1999. A telemetric study of the movement patterns and habitat use of *Rana muscosa*, mountain yellow-legged frog, in a high-elevation basin in Kings Canyon National Park, California. *Journal of Herpetology* 33(4):615-624.
- Mazzoni, A.K. 2002. Habitat Use by Fishers (*Martes pennanti*) in the Southern Sierra Nevada, California. Master's Thesis, California State University Fresno (Chair: David Grubbs) University Microfilms Inc., Ann Arbor, Michigan.
- McDonald, Phillip. 1980. Seed Dissemiation in Small Clearcuttings in North Central California. USDA Forest Service, Research Paper PSW-150.
- McDonald, T.L., and L.L. McDonald. 2002. "A New Ecological Risk Assessment Procedure Using Resource Selection Models and Geographic Information Systems," *Wildlife Society Bulletin*, v30, p. 1015-1021.

- McIver, James D.; Starr, Lynn. 2001. A literature review on the environmental effects of postfire logging. *Western Journal of Applied Forestry*. 16(4): 159–168.
- McMahon, T. E., and D. S. deCalesta. 1990. Effects of fire on fish and wildlife. Pp. 233-250 in Walstad, S. R. Radosevich, and D. V. Sandberg, editors, *Natural and prescribed fire in Pacific Northwest forests*. Oregon State University Press, Corvallis, Oregon.
- Meehan, W.R.. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats: Bethesda, Maryland, American Fisheries Society Special Publication 19, 751 p.
- Meinecke, E.P. 1925. An effect of drought in the forests of the Sierra Nevada. *Phytopathology* vol 15: 549-553.
- Merrell, D.J. 1977. Life history of the leopard frog, *Rana pipiens*, in Minnesota. *Occasional Papers of the Bell Museum of Natural History, University of Minnesota, Minneapolis, MN*. 15:1-23.
- Meyer, G.A., Pierce, J.L., Wood, S.H., Jull, A.J.T. 2001. Fire storms, and erosional events in the Idaho Batholith. *Hydrol. Process*. 15, 3025-3038.
- Milano, Gary. 2003, *Wildlife Biologist, Inyo National Forest*, personal communication.
- Millar, C.I. 1996. Tertiary vegetation history. Pgs. 71-122 in Vol. II, *Assessment and Scientific Basis for Management Options, Sierra Nevada Ecosystem Project, Final Report to Congress*. Centers for Water and Wildland Resources, University of California, Davis CA.
- Millar, C.I. 2003. Climate change: detecting climate's imprint on California forests. *Science Perspectives*, spring, 2003. Pacific Southwest Research Station, USDA-FS.
- Millar, C.I., in press. Climate change as and ecosystem architect: Implications to rare plant management, conservation, and restoration. In: Kalt, J. (ed.) *Proceedings, Ecology and Management of Rare Plants*. California Native Plant Society Conference: Feb. 2002: Arcata, CA.
- Millar, C.I. and Woolfenden, W.B. 1999. Sierra Nevada forests: Where did they come from? Where are they going? What does it mean? *Trans. 64th No. A. Wldl and Natur. Resour. Conf.* pgs 206-236
- Minich, R.A., M.G. Barbour, J.H. Burk, R.F. Fernau. 1995. Sixty years of change in California conifer forests of the San Bernadino Mountains. *Conservation Biology* (9):902-914.
- Moody, J.A., and Martin, D.A. 2001, Initial hydrologic and geomorphic response following a wildfire in the Colorado Front Range: *Earth Surface Processes and Landforms*, v. 26, p. 1,049-1,070.
- Morrison, M.L., L.S. Hall, H. Bombay, and J. Cain. 1999. 1999 Annual report for the challenge cost-share agreement between Calif. State Univ., Sacramento and USDA Forest Service, Tahoe National Forest regarding willow flycatcher survey and monitoring. December 17, 1999.
- Morrison, M.L., H.L. Bombay, J.W. Cain, and D.E. Taylor. 2000. 2000 Annual report and preliminary demographic analysis for willow flycatcher monitoring in the central Sierra Nevada, in partial fulfillment of contracts RFQ-17-00-30 and RFQ-17-00-31 between Calif. State Univ., Sacramento and USDA Forest Service, Tahoe National Forest. 11/15/00
- Mullally, D.P. 1953. Observations on the ecology of the toad *Bufo canorus*. *Copeia* 1953:182-183.
- Mullally, D.P. 1959. Notes on the natural history of *Rana muscosa* Camp in the San Bernardino Mountains. *Herpetologica* 15(2):78-80.
- Mullally, D.P. and J.D. Cunningham. 1956. Ecological relations of *Rana muscosa* at high elevations in the Sierra Nevada. *Herpetologica* 12(3):189-198.
- Munck, A., P.M. Guyre, and N.J. Holbrook. 1984. Physiological functions of glucocorticoids in stress and their relation to pharmacological actions. *Endocr. Rev.* 5:25-44

- National Research Council (NRC). 1994. Review of EPA's environmental monitoring and assessment program: forests and estuaries. National Academy Press, Washington, D.C.
- National Research Council (NRC). 1995. Review of EPA's environmental monitoring and assessment program: overall evaluation, National Research Council, National Academy Press, Washington, D.C.
- Nero, R.W. and H.W.R. Copeland. 1981. High mortality of great gray owls in Manitoba - winter 1980-81. *Blue Jay* 39:158-165.
- Nichols J.D., and J.E. Hines. 2002. Approaches for the direct estimation of  $\Lambda$  [lambda] and demographic contributions to  $\Lambda$  [lambda], using capture-recapture data. *Journal of Applied Statistics* 29:539-568.
- Noon, B.R., Spies, T.A. and Raphael, M.G.: 1999. Conceptual basis for designing an effectiveness monitoring program, Pages 21-48 in Mulder, B. S., Noon, B. R., Spies, T. A., Raphael, M. G., Palmer, C. J., Olsen, A. R., Reeves, G. H. and Welsh, H. H. Jr., The strategy and designing of the effectiveness program for the Northwest Forest Plan, USDA For. Serv. Gen. Tech. Rept., PNW-GTR-437, Pacific Northwest Station, Portland, Oregon.
- Noon, B.R. and K.S. McKelvey. 1996. Management of the spotted owl: a case history in conservation biology. *Annual Review of Ecology and Systematics* 27:135-162.
- North, M., G. Steger, R. Denton, G. Eberlein, T. Munton, and K. Johnson. 2000. Association of weather and nest-site structure with reproductive success in California spotted owls. *J Wildlife Management* 64:797-807.
- Oeming, A.F. 1964. Banding recovery of great gray owl. *Blue Jay* 22:10.
- O'Hara, R.K. 1981. Habitat selection behavior in three species of anuran larvae: Environmental cues, ontogeny and adaptive significance. PhD Dissertation, Oregon State University, Corvallis, OR.
- Oliver, William W. and Fabian C. C. Uzoh. 1997. Maximum Stand Densities for Ponderosa Pine and Red and White Fir in Northern California. In proceedings: 18<sup>th</sup> Annual Forest Vegetation Management Conference, January 14-16, 1997. Sacramento, California
- Olson, D.H. 1992. Ecological susceptibility of amphibians to population declines. In: Proc. of Symposium on Biodiversity of Northwestern California. Oct. 28-30, 1991, Santa Rosa, CA.
- Omi P. N. and E.J. Martinson. 2002. Effect of Fuels Treatment on Wildfire Severity. Western Fire Research Center, Colorado State University, March 25, 2002.
- Otrosina, W.J.; Scharpf, R.F. (technical coordinators). 1989. Research and Management of Annosus Root Disease (*Heterobasidion annosum*) in Western North America. Pacific Southwest Forest and Range Experiment station, General Technical Report PSW-116. 177 p.
- Pace, A.E. 1974. Systematic and biological studies of leopard frogs (*Rana pipiens complex*) of the United States. University of Michigan, Ann Arbor, Michigan, Museum of Zoology.
- Padel, R. 1996. Utilization of capture-mark-recapture for the study of recruitment and population growth rate. *Biometrics* 52:703-709.
- Parmeter, J.R. 1978. Forest stand dynamics and ecological factors in relation to dwarf mistletoe spread, impact, and control. In Proceedings of the Symposium on Dwarf Mistletoe Control Through Forest Management, 11-13 April 1978, Berkeley, Calif. Edited by R.F. Scharpf and J.R. Parmeter, Jr. Pacific Southwest Forest and Range Experiment Station, Berkeley, Calif. pp. 16-30.

- Parmeter, J.R., Jr.; Scharpf, R.F. 1972. Spread of dwarf mistletoe from discrete seed sources into young stands of ponderosa and Jeffrey pines. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Research Note PSW-269. 5 p.
- Parsons, D. J., and S. H. DeBenedetti. 1979. Impact of fire suppression on a mixed-conifer forest. *Forest Ecology and Management* 2:21–33.
- Peterson, J.A. and A.R. Blaustein. 1991. Unpalatability in anuran larvae as a defense against natural salamander predators. *Ethology, Ecology and Evolution* 3:63-72.
- Phillips, N.G., Ryan, M.G. Bond, B.J., McDowell, N.G., Hinckley, T.M., Cermak, J. 2003. Reliance on stored water increases with tree size in three species in the Pacific Northwest. *Tree physiology*. Mar 2003. v. 23 (4) p. 237-245.
- Poff, N.L., and J.V. Ward. 1990. The physical habitat template of lotic systems: recovery in the context of historical pattern of spatio-temporal heterogeneity. *Environmental Management* 14:629-646.
- Pope, K. 1999. Mountain yellow-legged frog habitat use and movement patterns in a high elevation basin in Kings Canyon National Park. Unpublished MS Thesis, California State Polytechnic University, San Luis Obispo. 64 p.
- Potter, Don et al., undated. published and unpublished material.
- Potter, Don. 2003 Forest Ecologist, USDA Forest Service, personal communication
- Pronos, J.; Harris, J.L. 1991. Incidence of annosus root disease stump infection in eastside pine type stands on the Inyo National Forest. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No. C90-14. 4 p.
- Purcell, K. 2003. Forest Carnivore working group meeting notes 2/27/03
- Reeves, G.H., L. Benda, K. Burnett, P. Bisson and J. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. *American Fisheries Society Symposium* 17: 334-349.
- Renn, O. 1995. "Style of using scientific expertise: A comparative framework." *Science and Public Policy* 22:147-156.
- Rice, R.M., and J. Lewis. 1986. Identifying unstable sites on logging roads. In: *Proceedings, Division 1. 18th IUFRO World Congress. Volume 1, 239-47.*
- Richards, S.J., and A.D. Pickering. 1978. Frequency and distribution patterns of Saprolegnia infection in wild and hatchery-reared brown trout *Salmo trutta* and char *Salvelinus alpinus*. *Journal of Fish Diseases* 1:69-82.
- Rieman, B.E., Lee, D.C., Burns, D., Gresswell, R., Young, M., Stowell, R., Rinne, J., and P. Howell. 2003. Status of native fishes in the Western United States and issues for fire and fuels management. *Forest Ecology and Management*. 178(1-2): 197-211.
- Rieman, B. E., and J. Clayton. 1997. Fire and fish: issues of forest health and conservation of native fishes. *Fisheries*. 22(11):6-15.
- Riparian Habitat Joint Venture. 2000. Version 1.0. The riparian bird conservation plan: a strategy for reversing the decline of riparian associated birds in California. California Partners in Flight. <http://www.prbo.org/CPIF/Riparian/Riparian.html>

- Robichaud, P.R. and R.E. Brown. 1999. What Happened After the Smoke Cleared: Onsite Erosion Rates after a wildfire in Eastern Oregon. In: Proceedings of the Annual Summer Specialty Conference (Track 2: Wildland Hydrology), 419-426. June 30-July 2, 1999, Bozeman, MT. Herndon, VA: American Water Resources Association.
- Robichaud, P.R. 2000. Forest Fire Effects on Hillslope Erosion: What We Know. Watershed Management Council Networker 9(1): Winter 2000.
- Robinson, J.C., R.A. Stefani. 2003. Definition of Willow Flycatcher Site Occupancy for use within the SNFPA DSEIS. USDA Forest Service, Pacific Southwest Region. May 2003.
- Rotta, Gary. 2003. Wildlife Biologist, USDA Forest Service. personal communication.
- Roth, L.F.; Barrett, J.W. 1985. Response of dwarf mistletoe-infested ponderosa pine to thinning: 2. Dwarf mistletoe propagation. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Research Paper PNW-331. 20 p.
- Ryan, M.G. B.J. Bond, B.E. Law, R.M. Hubbard, D. Woodruff, E. Cienciala, J. Kucera. 2000. Transpiration and whole-tree conductance in ponderosa pine trees of different heights. *Oecologia* (124): 553-560.
- Sanders, S.D. and M.A. Flett. 1989. Ecology of a Sierra Nevada population of willow flycatchers (*Empidonax traillii*), 1986-1987. Calif. Dept. Fish Game, Wildlife Manage. Div., Nongame Bird and Mammal Section. 27 pages.
- Sapolsky RM. 1992. Cortisol concentrations and the social significance of rank instability among wild baboons. *Psychoneuroendocrinology*. Nov 17(6):701-9.
- Schempf, P.F., White, M. 1977. Status of six furbearer populations in the mountains of northern California. U.S. Department of Agriculture, Forest Service, California Region.
- Sedgwick, J.A. and W.M. Iko. 1999. Costs of brown-headed cowbird parasitism to willow flycatchers. In: M.L. Morrison, L.S. Hall, S.K. Robinson, S.I. Rothstein, D.C. Hahn, T.D. Rich, eds. Research and management of the brown-headed cowbird in western landscapes. *Studies in Avian Biology* No. 18. Cooper Ornith. Soc.
- Seidal, K.W.; Cochran, P.H. 1981. Silviculture of mixed conifer forests in eastern Oregon and Washington. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, General Technical Report PNW-121. 70 p.
- Self, S. and S. Kerns. 2001. Pacific Fisher use of a managed forest landscape in Northern California. Sierra Pacific Industries, Redding, CA. Wildlife Research paper No. 6. 32pp
- Sierra Nevada Ecosystem Project (SNEP), Final Report to Congress, Volumes I, II, and III. 1996. Davis: University of California, Centers for Water and Wildland Resources, 1996.
- Sierra Nevada Wealth Index, Understanding and Tracking Our Region's Wealth. 1999. 1999-2000 Edition, Sierra Business Council.
- Serena, M. 1982. The status and distribution of the willow flycatcher (*Empidonax traillii*) in selected portions of the Sierra Nevada, 1982. Calif. Dept. Fish Game, Wildlife Manage. Branch Admin. Rep. No. 82-5. 28 pages.
- Sessions, J., K.N. Johnson, D. Sapsis, B. Bahro and J.T. Gabriel. 1997. Methodology for simulating forest growth. Fire effects, timber harvest, and watershed disturbance under different management regimes. Pages 115-174 In: Addendum, Sierra Nevada Ecosystem Project, Final Report to Congress. Centers for Water and Wildland Resources, Univ. Calif., Davis, CA. 95616.
- Seymour, R.L. 1970. The genus *Saprolegnia*. *Nova Hedwigia* 30:1-124.

- Shakesby, R.A., Boakes, D. J., and C. Coelho. 1996. Limiting the soil degradational impacts of wildfire in pine and eucalyptus forests in Portugal: a comparison of alternative post-fire management practices. *Applied Geography*. 16(4): 337-355.
- Siegel, R.B., and D.F. DeSante. 1999. Version 1.0. Draft avian conservation plan for the Sierra Nevada Bioregion: conservation priorities and strategies for safeguarding Sierra bird populations. Institute of Bird Populations report to California Partners in Flight. <http://www.prbo.org/calpif/plans.html>
- Simon, J., Christy, S., and J. Vessels. 1994. Clover-Mist fire recovery: a forest management response. *Journal of Forestry*. November: 41-44.
- Skinner, C.N. and Chang. 1996. Fire regimes, past and present. In *Sierra Nevada Ecosystem Project-Final Report to Congress*, vol.II, Chap. 38
- Slaughter, G.W.; Parmeter, J.R. 1989. Annosus root disease in true fir in northern and central California National Forests. Pages 70-77. In: W.J.Otrosina and R.F. Scharpf (technical coordinators), *Research and Management of Annosus Root Disease (Heterobasidion annosum) in Western North America*. Pacific Southwest Forest and Range Experiment station, General Technical Report PSW-116. 177 p.
- Slovic, P. 2000. *The Perception of Risk*. Sterling, VA, Earthscan Publications
- Smith, R.S., Jr. 1983a. Diseases of eastside pine types. Pages 79-81. In: T.F. Robson and R.B. Standiford (editors), *Management of the Eastside Pine Type in Northeastern California*. Northern California Society of American Foresters, Publication SAF 83-06. 139 p.
- Smith, R.S., Jr. 1983b. Evaluation of pinyon pine mortality at Chimney Peak, Bureau of Land Management. USDA Forest Service, Pacific Southwest Region, Forest Pest Management Report No. 83-25. 4 p.
- Smith, R.S., Jr. 1984. Root disease-caused losses in the commercial coniferous forests of the western United States. USDA Forest Service, Methods Application Group. Report No. 84-85. 21 p.
- Snyder, G. 2001. Sustainable forestry practices: science can suggest them but culture must choose the path. *Fire Manage. Today* 61, 1041-1069.
- Soutiere, E. C. 1979. Effects of timber harvesting on marten in Maine. *J. Wildl. Manage.* 43:850-860.
- Sparling, D.W., G.M. Fellers, and L.L. McConnell. 2001. Pesticides and amphibian declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591-1595.
- Spencer, W.D. 1981. Pine marten habitat preferences at Sagehen Creek, California. Unpublished thesis. Univ. of California, Berkeley. 120 pp.
- Squires, J.R. and R.T. Reynolds. 1997. Northern Goshawk (*Accipiter gentilis*). In: *The Birds of North America*, No. 298. A. Poole and F. Gill, eds. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologist's Union, Washington, D.C.
- Stafford, M.D. and B.E. Valentine. 1985. A preliminary report on the biology of the willow flycatcher in the central Sierra Nevada. *CAL-NEVA Wildlife Transactions* 1985:66-77.
- State Water Resources Control Board (SWRCB). 2002. California's 2002 Clean Water Act, Section 303(d) List of Water Quality Limited Segments.
- Stebbins, R.C. 1951. *Amphibians of western North America*. University of California Press, Berkeley and Los Angeles. ix+539 pp.
- Stebbins, R.C. 1985. *A Field Guide to Western Reptiles and Amphibians*, Second Edition, revised. Houghton-Mifflin Co. Boston. 336 pp.

- Stebbins, R. C. and Cohen, N. W. A Natural History of Amphibians. Princeton, NJ: Princeton University Press, 1997.
- Stefani, R.A. 2003. 2001/2002 Willow Flycatcher Emphasis Habitat Information Findings. USDA Forest Service, Pacific Southwest Region. Unpublished data. January 28, 2003.
- Stefani, R. A., H. L. Bombay, and T. M. Benson. 2001. Willow Flycatcher. pp. 143-195 in USDA Forest Service, Sierra Nevada Forest Plan Amendment Final Environmental Impact Statement, vol. 3, Ch. 3, Part 4.4. USDA Forest Service, Pacific Southwest and Intermountain Regions, Sacramento, CA 95814.
- Stefani, R.A. 2003. personal communication.
- Stephens, S.L. 1998. Evaluation of the effects of silvicultural and fuels treatments on potential fire behavior in Sierra Nevada mixed-conifer forests. *Forest Ecology and Management*. 105:21-35
- Stern, P.C. and H.V. Fineberg, Eds. 1996. *Understanding Risk: Informing Decisions in a Democratic Society*. Washington DC, National Academy Press.
- Steventon, J. 1982. Marten use of habitat in a commercially clear-cut forest. *J Wildl Manage*. 46(1):175-82.
- Steventon, J.D. and J.T. Major. 1982. Marten use of habitat in commercially clear-cut forest. *Journal of Wildlife Management* 46(1): 175-182.
- Stine, S. 1996. Climate, 1650-1850. Pgs. 25-30 in Vol. II, *Assessment and Scientific Basis for Management Options, Sierra Nevada Ecosystem Project, Final Report to Congress*. Centers for Water and Wildland Resources, University of California, Davis CA.
- Stine, Peter. 2003. Director, Sierra Nevada Research Center. personal communication.
- Storer, T.I. 1925. A synopsis of the amphibia of California. University of California Press, Berkeley, CA. 343 pp.
- Sype, W.E. 1975. Breeding habits, embryonic thermal requirements and embryonic and larval development of the Cascades frog, *Rana cascadae* Slater. Ph.D. Dissertation, Oregon State University, Corvallis, OR.
- Truex, R. L. 2001. Modeling of fisher habitat in the southern Sierra. Presentation, The Wildlife Society Western Section Meeting. Visalia, CA.
- USDA Forest Service. 1993a. California Spotted Owl Sierran Province Interim Guidelines Environmental Assessment, Decision Notice, and Finding of No Significant Impact. USDA Forest Service. Pacific Southwest region. San Francisco, CA. January 1993. 444 pages.
- USDA Forest Service. 1996. Land bird monitoring implementation plan. USDA Forest Service, Pacific Southwest Region, Vallejo, CA. 13 pp., unpublished
- USDA Forest Service. 1998 Sensitive Species List for the Pacific Southwest Region. USDA Forest Service, Pacific Southwest Region, Vallejo, CA. Forest Service Manual 267.
- USDA Forest Service. 1998-2002. Regions 4 and 5 Cut and Sold Reports.
- USDA Forest Service. 1999. Herger-Feinstein Quincy Library Group Forest Recovery Act Final Environmental Impact Statement. USDA Forest Service, Pacific Southwest Region, Lassen, Plumas, Tahoe National Forests. For copies contact Dave Peters, Project Manager, PO Box 11500, Quincy, CA 91971.
- USDA Forest Service. 2000. Great gray owl database records for the Stanislaus National Forest. Forest Service. Sonora, CA. (unpublished agency records).

- USDA Forest Service. 2003a. Unpublished monitoring data.
- USDA Forest Service. 2003b. Unpublished monitoring data.
- USDA Forest Service. unpublished. Draft Conservation Assessment for the Yosemite toad (*Bufo canorous*), USDA Forest Service, Pacific Southwest Region, Vallejo, CA
- USDA Forest Service. unpublished. Draft Conservation Assessment for the Northern Leopard Frog (*Rana pipiens*), USDA Forest Service, Pacific Southwest Region, Vallejo, CA
- USDA Forest Service. unpublished. Draft Conservation Assessment for the Cascades Frog (*Rana cascadae*), USDA Forest Service, Pacific Southwest Region, Vallejo, CA
- USDA Forest Service. unpublished. Draft Conservation Assessment for the Mountain Red legged Frog (*Rana mucosa*), USDA Forest Service, Pacific Southwest Region, Vallejo, CA
- USDA Forest Service. unpublished. Draft Conservation Assessment for the Foothill yellow-legged Frog (*Rana boylei*), USDA Forest Service, Pacific Southwest Region, Vallejo, CA
- USDA Forest Service. Draft Biological Evaluation/Assessment for Threatened, Endangered or Sensitive Plant Species. HFQLG Supplement Environmental Impact Statement. 62 pp.
- USDA Forest Service. Forest Health Protection Program. 2003. Unpublished data.
- USDA Forest Service, Pacific Southwest Region. 1990-2002. Cut and Sold Timber Reports by Calendar Year.
- USDA Forest Service, Pacific Southwest Region 1999. Sierra Nevada Forest Plan Amendment, Draft Environmental Impact Statement, Appendices, Volume 3, USDA Forest Service, Pacific Southwest Region, Vallejo, CA.
- USDA Forest Service Pacific Southwest Region. 2001a. Sierra Nevada Forest Plan Amendment Final Environmental Impact Statement. Sacramento, CA, 95814.
- USDA Forest Service Pacific Southwest Region. 2001b. Sierra Nevada Forest Plan Amendment Record of Decision. January 12, 2001
- USDA Forest Service Pacific Southwest Region. 2002. Unpublished Status and Trend Monitoring Data.
- USDA Forest Service Pacific Southwest Research Station. 2003. Science Consistency Review of the Draft Supplemental Environmental Impact Statement (DSEIS) for the Sierra Nevada Forest Plan. accessed December 2003 at [http://www.fs.fed.us/psw/programs/snrc/whatsnew/science\\_consistency\\_review\\_final\\_report\\_031002.doc](http://www.fs.fed.us/psw/programs/snrc/whatsnew/science_consistency_review_final_report_031002.doc)
- USDA Forest Service Pacific Southwest Region. 2003a Biological Assessment for SNFPA SEIS. USDA Forest Service, Pacific Southwest Region, Vallejo, CA. July 30, 2003. 330 pp.
- USDA Forest Service Pacific Southwest Region. 2003b. Ecosystem Conservation Staff.
- USDA Forest Service Pacific Southwest Region. 2003c. Regional Willow Flycatcher Database. November 10, 2003.
- USDA Forest Service Pacific Southwest Region. 2003d. Remote Sensing Laboratory GIS Library.
- USDA Forest Service Pacific Southwest Region. 2003e. Remote Sensing Laboratory GIS Library, Allotment spreadsheet prepared for the SNFPA SEIS. January 17, 2003
- USDA Forest Service Pacific Southwest Region. 2003f. Sales Tracking and Reporting System database.

- USDA Forest Service Pacific Southwest Region. 2003g Sierra Nevada Forest Plan Amendment. Management Review and Recommendations. USDA Forest Service, Pacific Southwest Region, Vallejo, CA. March 2003. 169 pp.
- USDA Forest Service Pacific Southwest Region. 2003h Sierra Nevada Forest Plan Amendment. Draft Supplemental Environmental Impact Statement. USDA Forest Service, Pacific Southwest Region, Vallejo, CA. June 2003. 372 pp.
- USDA Forest Service, Pacific Southwest Region. 2003i. SPECTRUM and Feldspar Scheduling Models; Forest Vegetative Simulators; and GIS, FIA, and Plantation plot data.
- USDA Forest Service and USDI. 2001. A Collaborative Approach for Reducing Wildland Fire Risks to Communities and the Environment, 10-Year Comprehensive Strategy.
- USDI Fish and Wildlife Service. 1986. Draft Recovery Plan for the Least Bell's Vireo (*Vireo bellii pusillus*). U.S. Fish and Wildlife Service, Portland, OR.
- USDI Fish and Wildlife Service. 2002a. Recovery Plan for the Red-legged frog (*Rana aurora drayonii*) U.S. Fish and Wildlife Service, Portland, OR 258 pages
- USDI Fish and Wildlife Service. 2002b. Twelve Month Finding for a Petition to List the Yosemite Toad. 67 FR 75836.
- USDI Fish and Wildlife Service. 2003a. Endangered and Threatened Wildlife and Plants; 12-Month Finding for a Petition To List the California Spotted Owl (*Strix occidentalis occidentalis*). 68 FR 7580-7608
- USDI Fish and Wildlife Service. 2003b. Endangered and Threatened Wildlife and Plants; 12-Month Finding for a Petition To List the Sierra Nevada Distinct Population Segment of the Mountain Yellow-legged Frog. 69 FR 2283-2303.
- USDA Forest Service Manual. Chapter 2670, Threatened, Endangered, and Sensitive Plants and Animals. Effective June 23, 1995.
- USDA Forest Service Handbook. Chapter 2409.26.
- US District Court for the District of Columbia. 2002. Home Builders Assn of No. Calif. v. Gale A. Norton, 01-1291. November 6, 2002.
- Valentine, B.E. 1987. Implications of recent research on the willow flycatcher to forest management. USDA Forest Service, Pacific Southwest Region, Annual workshop. Fresno, CA. Environmental Section staff report. Kings River Conservation District, Res. Rep. 87-002. 17 pp.
- Valentine, B.E., T.A. Roberts, S.D. Boland, and A.P. Woodman. 1988. Livestock management and productivity of willow flycatchers in the central Sierra Nevada. Transactions Western Section of the Wildlife Society 24:105-114.
- Van Wagner, T.J. 1996. Selected life-history and ecological aspects of a population of foothill yellow-legged frogs (*Rana boylei*) from Clear Creek, Nevada County, California. Master's Thesis, Department of Biological Sciences, California State University, Chico. 143 pp.
- van Wagendonk, J.W. 1985. Fire Suppression Effects on Fuels and Succession in Short-Fire-Interval Wilderness. GTR INT-182, April, 1985
- van Wagendonk, J.W. 1996. Use of a Deterministic Fire Growth Model to Test Fuel Treatments. In Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific management options. Vol II , Chap 43. University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.

- Verner, J. and L.V. Ritter. 1983. Current status of the brown-headed cowbird in the Sierra National Forest. *Auk*. 100:355-368.
- Verner, J. and S.I. Rothstein. 1988. Implications of range expansion into the Sierra Nevada by the parasitic Brown-headed Cowbird. Pages 92-98. In: D. Bradley, ed. *Proceedings, State of the Sierra Symposium, 1985-86*. Golden Trout Wilderness, 21-27 July 1985. Pacific Publications Co., San Francisco, CA.
- Verner, J., K.S. McKelvey, B.R. Noon, R.J. Gutierrez, G.I. Gould Jr., and T.W. Beck (Technical coordinators). 1992. *The California spotted owl: A technical assessment of its current status*. Gen. Tech. Rep. PSW-GTR-133. U.S. Department of Agriculture Forest Service, Albany, CA.
- Wagener, W.W. 1961. The influence of light on establishment and growth of dwarf mistletoe on ponderosa and Jeffrey pines. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Research Note No. 181. 5 p.
- Wasser, S., L. Risler, and R.A. Steiner. 1988. Excreted steroids in primate feces over the menstrual cycle and pregnancy: *Biology of Reproduction* 39:862–872.
- Wasser, S.K., K. Bevis, G. King, and E. Hanson. 1997. Noninvasive physiological measures of disturbance in the northern spotted owl. *Conservation Biology* 11:1019-1022.
- Weatherspoon, C. Philip, S.J. Husari, and J.W. van Wagendonk. 1992. Fire and Fuels Management in Relation to Owl Habitat in Forests of the Sierra Nevada and Southern Calif.. Pages 247-260 In *The Calif. Spotted Owl: A technical assessment of its current status* coordinated by J. Verner, K. McKelvey, B. Noon, R. Gutierrez, G. Gould, and T. Beck. Gen. Tech. Rep. PSW-GTR-133. USDA Forest Service, Pacific Southwest Research Station. Albany, CA 94701-0245.
- Weatherspoon, C.P. 1996. Fire-Silviculture Relationships in Sierra Forests. In *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific management options*. Vol II , Sec VI. University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.
- Weatherspoon, C.P. and C.N. Skinner. 1996. Landscape-level Strategies for Forest Fuel Management. In *Sierra Nevada Ecosystem Project: Final Report to Congress, Assessments and scientific management options*. Vol II , Sec VI. University of California, Centers for Water and Wildland Resources, Davis, CA 95616-8750.
- Weatherspoon, C.P. and C.N. Skinner. 2002. An Ecological Comparison of Fire Surrogates for Reducing Wildfire Hazard and Improving Forest Health. Conference presentation at *Fire in California Ecosystems: Integrating Ecology, Prevention, and Management*, November 17-20, Bahia Hotel, San Diego, CA
- Weaver, W. E., D. K. Hagans, and J. H. Popenoe. 1995. Magnitude and Causes of Gully Erosion in the Lower Redwood Creek Basin, Northwestern California. In: *Geomorphic Processes and Aquatic Habitat in the Redwood Creek Basin, Northwestern California*. K. M. Nolan, H. M. Kelsey, and D.C. Marron, eds. U.S. Geological Survey Professional Paper #1454. pp. 11-121.
- Welsh, Hart. Research Wildlife Biologist. USDA Forest Service, Pacific Southwest Research Station. Unpublished Data.
- Wemple, B.C., Jones, J.A., and G.E. Grant. 1996. Channel network extension by logging roads in two basins, Western Cascades, Oregon. *Water Resources Bulletin* 32: 1195-1207.
- Wenz, John. 2003. Region 5 Entomologist, Forest Health Protection Staff, USDA Forest Service. personal communication.
- Whitfield, M.J. 1990. Willow flycatcher reproductive response to brown-headed cowbird parasitism. Masters thesis, Calif. State Univ., Chico. 42 pages.

- Whitfield, M.J. and K. Enos. 1996. A Brown-headed cowbird control program and monitoring for the Southwestern willow flycatcher, South Fork Kern River, California, 1996. Prepared for U. S. Army Corps of Engineers, Sacramento District, and the Calif. Dept. Fish and Game.
- Whitfield, M.J., E.B. Cohen, and C.D. Otahal. 1999. Southwestern willow flycatcher (*Empidonax traillii extimus*) surveys, nest monitoring, and removal of brown-headed cowbirds on the South Fork Kern River, California in 1999. Prepared for U. S. Army Corps of Engineers, Sacramento District, and the Calif. Dept. Fish and Game.
- Whitfield, M.J. and M.K. Sogge. 1999. Range-wide impact of brown-headed cowbird parasitism on the southwestern willow flycatcher (*Empidonax traillii extimus*). pp. 182-190 In: M.L. Morrison, L.S. Hall, S.K. Robinson, S.I. Rothstein, D.C. Hahn, T.D. Rich (eds.). Research and management of the brown-headed cowbird in western landscapes. Studies in Avian Biology No. 18. Cooper Ornithological Society, Camarillo, CA.
- Williams, J. 1998. Ecosystem Management brings concepts into practice. Fire Manage. Today 58, 14-16.
- Williams, M., B.J. Bond, and M.G. Ryan. 2001. Evaluating different soil and plant hydraulic constraints on tree function using a model and sap flow data from ponderosa pine. Plant, Cell, and Environment (24): 679-690.
- Winter, Jon. 1986. Status, Distribution, and Ecology of the great gray Owl (*Strix nebulosa*) in California. M.S. Thesis, San Francisco State University. San Francisco, CA. 121 p.
- Winter, Jon. 1999, 2000. Unpublished data. Wildlife consultant with Winter and Associates. Santa Rosa, CA.
- Wohlgenuth, P.M., J.L. Beyers, and S.G. Conard. 1999. Postfire Hillslope Erosion in Southern California Chaparral: A Case Study of Prescribed Fire as a Sediment Management Tool. pp. 269- 276. In: Proceedings of the symposium on fire economics, planning, and policy: bottom Lines. USDA Forest Service General Technical Report PSW- GTR- 173. Pacific Southwest Research Station, Forest Service, US Department of Agriculture, Albany, California. 332 p.
- Wondzell, S.M. and J. King. 2003. Post-fire erosional processes: In the Pacific Northwest and Rocky Mountain region. Forest Ecology and Management. 178(1-2): 75-87
- Woolfenden, W.B. 1996. Quaternary vegetation history. Pgs. 47-70 in Vol. II, Assessment and Scientific Basis for Management Options, Sierra Nevada Ecosystem Project, Final Report to Congress. Centers for Water and Wildland Resources, University of California, Davis CA.
- Wright, A.A., and A.H. Wright. 1933. Handbook of frogs and toads. The frogs and toads of the United States and Canada. First edition. Comstock Publishing Associates, Ithaca, NY. xi+231 pp.
- Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer. 1988. California's Wildlife, Vol. 1. Amphibians and Reptiles. Calif. Dept. Fish and Game, Sacramento.
- Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White (eds.). 1990a. California's Wildlife. Volume II. Birds. State of California. The Resources Agency. Sacramento, CA.
- Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White (eds.). 1990b. California's Wildlife. Volume III. Mammals. State of California. The Resources Agency. Sacramento, CA.
- Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White (eds.). 1990c. California's Wildlife. Volume I. Amphibians and Reptiles. State of California. The Resources Agency. Sacramento, CA.
- Zenisek, C.J. 1963. A study of the natural history and ecology of the leopard frog, *Rana pipiens* Schreber. Biology, Ohio State University, Columbus, OH: p.153

- Zielinski W.J., Kucera, T.E. (Eds). 1995. American Marten, Fisher, Lynx, and Wolverine: Survey Methods for their Detection. USDA Forest Service, Pacific Southwest Research Station, General Technology Report PSW-GTR-157.
- Zielinski, W.J. 2003. Letter to Jack Blackwell, dated September 2003.
- Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K. N. Schmidt, and R.H. Barrett. In press (a). Resting habitat selection by fishers in California. Submitted to *J. Wildlife Manage.*
- Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K. N. Schmidt, and R.H. Barrett. In press (b). Home range characteristics of fishers in California. Submitted to *J. Mammalogy*.
- Zielinski, W.J., R.L. Truex, G.A. Schmidt, F.V. Schlexer, K. N. Schmidt and R.H. Barrett. In prep. Habitat ecology and home range characteristics of the fisher in California. Submitted to *Wildlife Monographs* 11/2001. 116 pgs +app
- Ziemer, Robert R. 1964 Summer evapotranspiration trends as related to time after logging of forests in the Sierra Nevada. *Journal of Geophysical Research* 69(4): 615-620
- Ziemer, Robert R. 1968. Soil moisture depletion patterns around scattered trees. USDA Forest Service Research Note PSW-166. 13 pages.
- Zweifel, R.G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylei* group. University of California Publications in Zoology 54(4):207-292.

