

References

- Abella, S.R., and MacDonald, N.W. 2000. Intense burns may reduce spotted knapweed germination. *Ecological Restoration* 18(3): p.203-5.
- Alex, J.F. 1962. The taxonomy, history, and distribution of *Linaria dalmatica*. *Canadian Journal of Botany* 40:17.
- Alien Plant Working Group. 2004a. English Ivy (*Hedera helix*) [Web Page]. Located at: <http://www.nps.gov/plants/alien/fact/hehe1.htm>. Accessed 2004 Apr.
- Alien Plant Working Group. 2004b. Japanese Knotweed (*Polygonum cuspidatum* Sieb. and Zucc.) [Web Page]. Located at: <http://www.nps.gov/plants/alien/fact/pocu1.htm>. Accessed 2004 Apr.
- Alien Plant Working Group. 2004c. Spotted Knapweed (*Centaurea biebersteinii* DC) [Web Page]. Located at: <http://www.nps.gov/plants/alien/fact/cebi1.htm>. Accessed 2004 Apr.
- Allaby, Michael, Editor. 1992. *The Concise Oxford Dictionary of Botany*. Oxford, England: Oxford University Press.
- Ando, C., R., Segawa, C., Gana, L., Li, J., Walters and others. 2003. Dissipation and offsite movement of forestry herbicides in plants of importance to Native Americans in California National Forests. *Bull. Environ. Contam. Toxicol.* 71:p.354-61.
- Anton, F.A., Laborda, E., De Ariz, M. 1994. Acute toxicity of the herbicide glyphosate to fish. *Chemosphere* 28(4): p.745-53.
- Archer, A.J. 2001. *Taeniatherum caput-medusae* [Web Page]. Located at: <http://www.fs.fed.us/database/feis>. Accessed 2003 Aug 11.
- Arthur, M.A., and Wang, Y. 1999. Soil nutrients and microbial biomass following weed-control treatments in a Christmas tree plantation. *Soil Science Society of America Journal* 63(3): p.629-37.
- Asher, J. 2001. Weed information for Leslie Allen- Writer for National Geographic. Unpublished Notes .
- Asher, J.1998. Bureau of Land Management.
- ATSDR (Agency for Toxic Substances and Disease Registry) US Dept. of HHS. 2004. *Guidance Manual for the Assessment of Joint Toxic Action of Chemical Mixtures*. U.S. Department of Health and Human Services, Public Health Service, ATSDR, Division of Toxicology. 62 + appendices.

- Augustine, D.J., and McNaughton, S.J. 1998. Invited paper: Ungulate effects on functional species composition of plant communities: herbivore selectivity and plant tolerance. *Journal of Wildlife Management* 62: p.1164-82.
- Baker, H.G. 1974. The evolution of weeds. *Annual Review of Ecology and Systematics* 5:1-24.
- Bakke, D. 2002. Analysis of issues surrounding the use of spray adjuvants with herbicides. Unpublished report by the Forest Service Pacific Southwest Regional Pesticide Use Specialist.
- Bakke, D. 2003. Human and ecological risk assessments of nonylphenol polyethoxylate-based (NPE) surfactants in Forest Service herbicide applications. Unpublished report by the Forest Service Pacific Southwest Regional Pesticide Use Specialist.
- Balciunas, J.K., and Coombs, E.M. 2004. *International Code of Best Practices for Classical Biological Control of Weeds* 1st ed. Corvallis, Oregon USA: Oregon State University Press.
- Barrows, C.W. 1996. Tamarisk control and common sense. *Proceedings: California Exotic Pest Plant Council* San Diego, CA.
- Bartos, D.L., and Campbell, R.B. 1998. Decline of quaking aspen in the Interior West. *Rangelands* 20((1)): p.17-24.
- Batcher, M.S. 2002. Element Stewardship Abstract for (*Elytrigia repens* var. *repens*) Quackgrass [Web Page]. Located at: <http://tncweeds.ucdavis.edu>. Accessed 1913 Apr.
- Bedunah, D., and Carpenter, J. 1989. Plant community response following spotted knapweed (*Centaurea maculosa*) control on three elk winter ranges in western Montana. *Plant & Soil Department and Extension Service/ Montana State University. 1998 - Knapweed Symposium* Bozeman, Montana.
- Belcher, J.W., and Wilson, S.D. 1989. Leafy spurge and the species composition of a mixed-grass prairie. *Journal of Range Management* 42(2): p.172-5.
- Belnap, J., and Phillips, S.L. 2001. Soil biota in an ungrazed grassland: response to annual grass (*Bromus tectorum*) Invasion. *Ecological Applications* 11(5): p.1261-75.
- Bender, J. 1987. Element Stewardship Abstract for *Lythrum salicaria*. The Nature Conservancy, Arlington VA.
- Benefield, C.B., DiTomaso, J.M., Kyser, G.B., Orloff, S.B., Churches, K.R. and others. 1999. Success of mowing to control yellow starthistle depends on timing and plant's branching form. *California Agriculture, University of California, Division of Agriculture and Natural Resources* 53(2): p.17-21.

- Benoit, L.K. 1997. Impacts of the spread of Phragmites on populations of tidal marsh birds in Connecticut. New London, CT: Connecticut College. Masters Thesis :56.
- Bergleson, J., Newman, J.A., and Floresroux, E.M. 1993. Rates of weed spread in spatially heterogeneous environments. *Ecology* 74: p.999-1011.
- Berrill, M., S., Bertram, and B., Pauli. 1997. Effects of Pesticides on Amphibian Embryos and Larvae. *Herpetological Conservation* 1: p.233-45.
- Berrill, M., S., Bertram, L., McGillivray, M., Kolohon, and B., Pauli . 1994. Effects of low concentrations of forest-use pesticides on frog embryos and tadpoles. *Environmental Toxicology and Chemistry* 13(4): p.657-64.
- Beschta, R.L., Bilby, R.E., Brown, G.W., Holtby, L.B., and Hofstra, T.D. 1987. Stream temperature and aquatic habitat. In: Salo, E.O., and Cundy, T.W. (eds.). *Streamside Management: Forestry and Fishery Interactions*. University of Washington, Institute of Forest Resources. P.191-232.
- Blossey, B. 1999. Before, during and after: the need for long-term monitoring in invasive plant species management. *Biological Invasions* 1(2/3):301-11.
- Bodmer, R.E. 1991. Strategies of seed dispersal and seed predation in Amazonian ungulates. *Biotropica* 23(3): p.255-61.
- Bonnivier, G. 1999. Idaho field notes. Idaho: 8p.
- Borrecco, J.E., and Neisess, J. 1991. Risk Assessment for the Impurities, 2-Butoxyethanol and 1, 4-Dioxane Found In Garlon 4 and Roundup Herbicide Formulations. *Forest Pest Management, Pacific Southwest Region Report No. R91-2*: p.1-33.
- Bossard, C.C., Randall, J.M., Hoshovsky, M.C. 2000. *Invasive Plants of California's Wildlands*. University of California Press.
- Boutin, C., Elmegaard, N., Kjaer, C. 2004. Toxicity Testing of Fifteen non-crop Plant Species with Six Herbicides in a Greenhouse Experiment: Implication for Risk Assessment. *Ecotoxicology* 13: p.349-69.
- Bowes, G.G, and Thomas, A.G. 1978. Longevity of leafy spurge seeds in the soil following various control programs. *Journal of Range Management* 31(2): p.137-40.
- Bramble, W.C., Yahner, R.H., and Byrnes, W.R. 1999. Effect of Herbicide Maintenance of an Electric Transmission Line Right-of-Way on Butterfly Populations. *J. Arboriculture* 25(6): p.302-10.
- Bramble, W.C., Yahner, R.H., and Byrnes, W.R. 1997. Effects of Herbicides on Butterfly Populations of an Electric Transmission Right-of-Way. *J. Arboriculture* 23(5): p.196-206.

- Bright, C. 1996. Understanding the threat of bio-invasions. State of the World. New York: W. W. Norton and Co. p 95-113.
- Brooks, J.J., Rodriguez, J.L., Cone, M.A., Miller, K.V., Chapman, B.R. and others. 1995. Small mammal and avian communities on chemically-prepared sites in the Georgia sandhills. General Technical Report - Southern Research Station, USDA-Forest Service (No.s): p.21-3.
- Brooks, M.L. 2002. Peak fire temperatures and effects on annual plants in the Mojave Desert. *Ecological Applications* 12: p.1088-102.
- Brooks, M.L., D'Antonio, C.M., Richardson, D.M., Grace, J.B., Keeley, J.E. and others. 2004. Effects of invasive alien plants on fire regimes. *BioScience* 54(7) p.77-88.
- Brotherson, J. D., and Field, D. 1987. *Tamarix*: impacts of a successful weed. *Rangelands* 9:110-2.
- Brown, M.L., Duncan, C.A, and Halstvedt, M.B. 2001. Cost and efficacy of spotted knapweed management with integrated methods. *Techline* (May): p.2-5.
- Buchmann, S., and Nabhan, G.P. 1996. *The Forgotten Pollinators*. Washington, D.C.: Island Press.
- Burchfield, J., Miller, T., and Anderson, K. Date unknown. Recreation in the Pacific Northwest: Challenges and opportunities- current regional conditions and potential desired futures. Missoula, MT: The University of Montana.
- Burke, M.J.W., and Grime, J.P. 1996. An experimental study of plant community invasibility. *Ecology* 77(3): p.776-90.
- Busse, M.D., Fiddler, G.O., and Ratcliff, A.W. 2004. Ectomycorrhizal formation in herbicide-treated soils of differing clay and organic matter content. *Water, Air and Soil Pollution* (152): p.23-34.
- Cadenasso, M.L., and Pickett, S.T.A. 2001. Effect of edge structure on the influx of species into forest interiors. *Conservation Biology* 15(1): p.91-7.
- Callihan, R.H., Wilson, L.M., McCaffrey, J.P., and Miller, T.W. 1994. *Hawkweeds. Weeds: A Pacific Northwest Extension Publication* .
- Carpenter, A.T., and Murray, T.A. 1998. Element stewardship abstract for *Linaria genistifolia* (L.) P. Miller ssp. *dalmatica* (L.) Maire & Petitmengin (Synonym: *Linaria dalmatica* (L.) P. Miller) and *Linaria vulgaris* P. Miller (dalmatian toadflax, broad-leaved toadflax and yellow toadflax, butter and eggs, wild snapdragon, common toadflax) [Web Page]. Accessed 2004 May.

- CensusScope. Census 2000 Data, Charts, Maps, and Rankings [Web Page]. Located at: <http://www.censusScope.org>. Accessed 2003 Jun 26.
- Center, T.D., Frank, J.H., and Dray Jr., F.A. 1997. Biological Control. Strangers in Paradise: Impact and Management of Nonindigenous Species in Florida. P.245-63.
- Center for Invasive Plant Management. 2003. Invasive Plant Prevention Guidelines.
- Chew, F.S. 1981. Coexistence and local extinction in two *Pieris* butterflies. *American Naturalist* 118: p.655-72.
- Cole, E.C., McComb, W.C., Newton, M., Leeming JP, and Chambers, C. L. 1998. Response of small mammals to clearcutting, burning, and glyphosate application in the Oregon Coast Range. *Journal of Wildlife Management*. 62(4): p.1207-16.
- Cole, E.D., McComb, W.C., Newton, M., Chambers, C.J., and Leeming, J.P. 1997. Response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range. *Journal of Wildlife Management* 61:p.656-64.
- Connelly, J.W., Schroeder, M.A., Sands, A.R., and Braun, C.E. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin* 28(4): p.967-85.
- Corliss, D., and Keith, M. Date Unknown. Culturally significant plants: Which should Federal Agencies manage and how?
- Couch, E.A.C, Wilson, R., and Zeise, L. 1983. The risks of drinking water. *Water Resources Research* 19(6): p.1359-75.
- Cousens, R., and Mortimer, M. 1995. *Dynamics of Weed Populations*. Cambridge Press.
- Covington, W.W., and Moore, M.M. 1994. Southwestern ponderosa forest structure: changes since Euro-American settlement. *Journal of Forestry* 92: p.39-47.
- Cox, G.W. 1999. *Alien Invasion in North America and Hawaii: Impacts on Natural Ecosystems*. Island Press.
- Cox, R.D., and Anderson, V.J. 2004. Increasing native diversity of cheatgrass-dominated rangeland through assisted succession. *Journal of Range Management* 57 (2) (March): p.203-10.
- Crawley, M. 1983. *Herbivory: dynamics of plant-animal interactions*. Oxford, UK: Blackwell Scientific Publications.
- Crawley, M.J. 1987. What makes a community invisable? Gray, A.J., Crawley, M.J., Edwards, P.J. *Colonization, Succession and Stability: the 26th Symposium of the British Ecological Society*. Southampton. Oxford: Blackwell Scientific Publications Inc. p.429-53.

- Csuti, B.A., Kimerling, A.J, O'Neil, T.A, Shaughnessy, M.M, Gaines, E.P. and others. 1997. Atlas of Oregon wildlife: distribution, habitat, and natural history. Corvallis, OR: Oregon State University Press.
- Csuti, B.A., Kimerling, A.J, O'Neil, T.A, Shaughnessy, M.M, Gaines, E.P. and others. 2001. Atlas of Oregon wildlife: distribution, habitat, and natural history. Corvallis, OR: Oregon State University Press.
- D' Antonio, C.M., and Vitousek, P. 1992. Biological invasions by exotic grasses, the grass/fire cycle, and global change. *Annual Review of Ecological Systems* 23:63-87.
- Daehler, C.C. 2003. Performance comparisons of co-occurring native and alien invasive plants: implications for conservation and restoration. *Annu. Rev. Ecol. Evol. Syst.* 34: p.183-211.
- Davis, E.S., Fay, P.K., Chicoine, T.K., and Lacey, C.A. 1993. Persistence of spotted knapweed (*Centaurea maculosa*) seed in soil. *Weed Science* 41: p.57-61.
- Davis, M.A., and Thompson, K. 2000. Eight ways to be a colonizer; two ways to be an invader: a proposed nomenclature scheme for invasion ecology. *Bulletin of the Ecological Society of America* 81: p.226-30.
- DeFerrari, C.M., and Naiman, R.J. 1994. A multi-scale assessment of the occurrence of exotic plants on the Olympic Peninsula, Washington. *Journal of Vegetation Science* 5: p.247-58.
- DeLoach, C.J. 1991. Past successes and current prospects in biological control of weeds in the United States and Canada. *Natural Areas Journal* 11(3): p.1829-34.
- Delfosse E.S. Proceedings for the VII International Symposium on Biological Control of Weeds Rome, Italy.
- Detwyler, T.R. 1971. *Man's Impact on Environment*. New York, USA: McGraw Hill.
- Dewey, S.A. 2003. *Applying Fundamentals of Wildfire Management to Improve Noxious Weed Control Cooperative Extension Services*, Utah State University//U.S. Department of Agriculture.
- DiTomaso, J. 2001. Yellow starthistle management possible with planning and integrated approach. *Techline* (May): p.6-8.
- DiTomaso, J.M. 2000. Invasive weeds in rangelands: species, impacts, and management. *Weed Science* 48: p.255-65.
- DiTomaso et al. 1999. *Yellow starthistle*. Weed Research and Information Center, University of California .

- Donaldson, S.G. 1997. Flood-borne noxious weeds: impacts on riparian areas and wetlands. California Exotic Pest Plant Council. 1997 Symposium Proceedings.
- Dudley, T.L. 2000. Noxious wildland weeds of California: *Arundo Donax*. in: Bossard, C.C., Randall, J.M., and Hoshousky, M.C., eds. Invasive plants of California wildlands. Berkeley, CA: Univ. of California Press. p.53-8.
- Duncan, C. 1997. Environmental Benefits of Weed Management. Ag. West Communications.
- Duncan, C., Story, J., and Sheley, R. 2001. Montana Knapweeds: Identification, Biology and Management. Montana State University, Extension Service (Circular 311).
- DuPont. 1998. Escort (metsulfuron methyl). (H - 63665).
- Dupont. 1998. Oust (sulfometuron methyl). (H-- 63401).
- DuPont. 1998. Telar DF (chlorsulfuron). (H-64384).
- Ehrenfeld, J.G., Kourtev, P., and Huang, W. 2001. Changes in soil functions following invasions of exotic understory plants in deciduous forests. *Ecological Applications* 11(5): p.1287-300.
- Elton, C.S. 2000. The ecology of invasions by animals and plants. Chicago IL.: University of Chicago Press, 181p.
- EPA/OPP Environmental Protection Agency/Office of Pesticide Programs. 2004. Taking Care of Business: Protecting Public Health and the Environment [Web Page]. Located at: <http://www.epa.gov.oppfead1/annual/2004/04annualrpt.pdf>. Accessed 2005 Apr 19.
- Estok, D., Freeman, B., and Boyle, D. 1989. Effects of the herbicides 2,4-D, glyphosate, hexazinone, and triclopyr on the growth of three species of ectomycorrhizal fungi. *Bulletin of Environmental Contamination and Toxicology* 42: p.835-9.
- Evans, R.A., and Young, J.A. 1972. Competition within the grass community. The biology and utilization of grasses. New York: Academic Press. p 230-46.
- Ewel, J.J., O'Dowd, D.J., Bergelson, J., Daehler, C.C., D'Antonio, C.M. and others. 1999. Deliberate introductions of species: research needs. *BioScience*: p.619-30.
- Fagerstone, K.A., Tietjen, H.P., LaVoie, G.K. 1977. Effects of range treatment with 2,4-D on prairie dog diet. *Journal of Range Management* 30(1): 57-60.
- Fairbrother, A., Kapustka, L.A, Williams, B.A., and Glicken, J. 1995. Risk assessment in practice: success and failure. *Human and Ecological Risk Assessment* 1(4): p.367-75.
- Fausch et al. 2002. Landscapes to riverscapes: bridging the gap between research and conservation of stream fishes. *BioScience* 52: p.483-98.

- Federal Interagency Committee for the Management of Noxious and Exotic Weeds. 1998. Invasive Plant Management [Web Page]. Located at: <http://ficomnew.fws.gov.page3.html>. Accessed 2004 Jul.
- FEMAT. 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. [Web Page]. Located at: <http://pnwin.nbio.gov/nwfp/FEMAT/PDF/>. Accessed 2004 Jul.
- Firey, W. 1960. Man, Mind, and Land: A Theory of Resource Use. Glencoe, IL. The Free Press.
- Flame Engineering Inc. Flame Weeding 101: A Quick guide to Weed Control with a RED DRAGON Torch. Get There Early [Web Page]. Located at: http://www.flameeng.com/Flame_Weeding.html. Accessed 1925 Jan 5.
- Flather, C.H., Joyce, L.A., and Bloomgarden, C.A. 1994. Species endangerment patterns in the United States. Gen. Tech. Rep. RM-241 Ft. Collins, CO: U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Fletcher, J.S., J.E., Nellessen, and T.G., Pfleeger. 1994. Literature review and evaluation of the EPA food-chain (Kenaga) nomogram, and instrument for estimating pesticide residue on plants. Environ. Toxicol. and Chemisty 13(9): p.1383-91.
- Fletcher, J.S., Pfleeger, T.G., and Ratsch, H.C. 1993. Potential environmental risks associated with the new sulfonyleurea herbicides. Environmental Sciences & Technology 27(10): p.2250-2.
- Fletcher, J.S., Pfleeger, T.G., Ratsch, H.C., and Hayes, R. 1996. Potential impact of low levels of chlorsulfuron and other herbicides on growth and yield of nontarget plants. Environmental Technology and Chemistry 15(7): 1189-96.
- Folmar, L.C., Sanders, H.O., Julin, A.M. 1979. Toxicity of the herbicide glyphosate and several of it's formulations to fish and aquatic invertebrates. Arch. Environ. Contam. Toxicol. 8(3): p.269-78.
- Force, J.E., Machlis, G.E. 1997. The human ecosystem part II: Social indicators in ecosystem management. Society & Natural Resources 10:369-82.
- Forest Concepts L1910. Long-Strand Erosion Control Material from Forest and Urban Wood. Federal Way, WA.
- Fox, M.D., and Fox, B.J. 1986. The susceptibility of natural communities to invasion. in: Groves RH, Burdon JJ, editors. Ecology of biological invasions; an Australian perspective. Canberra: Australian Academy of Science. p.57-66.

- Friedman, J., Hutchins, A., Li, C.Y., and Perry, D.A. 1989. Actinomycetes inducing phytotoxic or fungistatic activity in a Douglas-fir forest and in an adjacent area of repeated regeneration failure in southwestern Oregon. *Biologia Plantarum* 31(6): p.487-95.
- Fuerst, E.P., T.M., Sterling, M.A., Norman, T.S., Prather, G.P., Irzyk, Y. and others. 1996. Physiological Characterization of Picloram Resistance in Yellow Starthistle. *Pesticide Biochemistry and Physiology* 56: p.149-61.
- Fuller, T.C., and Barbe, G.D. 1985. The Bradley Method of Eliminating Exotic Plants from Natural Reserves.
- Funke, O.C. 1995. Limitation of ecological risk assessment. *Human and Ecological Risk Assessment* 1(4): p.443-53.
- Galley, K.E.M., and Wilson, T. (Eds). 2001. Proceedings of the Invasive Species Workshop: The Role of Fire in the Control and Spread of Invasive Species. November 27-December 1, San Diego, CA.
- Galley, K.E.M., Wilson, T.P. Proceedings of the Invasive Species Workshop Tallahassee, FL: Tall Timbers Research Station. p.81-94.
- Garbay, J., and Bowen, G.D. 1989. Stimulation of ectomycorrhizal infection of *Pinus radiata* by some microorganisms associated with the mantle of ectomycorrhizas. *New Phytologist* 1989(112): p.383-8.
- Gardener, C.J., McIvor, J.G., and Jansen A. 1993. Passage of legume and grass seeds through the digestive tract of cattle and their survival in faeces. *Journal of Applied Ecology* 30: p.60-74.
- Gelbard, J., and Belnap, J. 2001. Roads and Exotic Plant Invasions. Davis, CA: Department of Environmental Science and Policy, University of CA at Davis.
- Gelbard, J., and J., Belnap. 2003. Roads as conduits for exotic plant invasions in a semiarid landscape. *Journal of the Society for Conservation Biology* 17(2): p.420-32.
- Germaine, S.S., Rosenstock, S.S., Schweinsburg, R.E., and Richardson, W.S. 1998. Relationships among breeding birds, habitat, and residential development in greater Tucson, Arizona. *Ecological Applications*.
- Gill, R.M.A., and Beardall, V. 2001. The impact of deer on woodlands: the effects of browsing and seed dispersal on vegetation structure and composition. *Forestry* 74(3): p.209-18.

- Goheen, D.J., Marshall, K., Hansen, E.M., and Betlejewski, F. 2004. Effectiveness of vehicle washing in decreasing *Phytophthora lateralis* inoculum: a case study. Port-Orford-Cedar Supplemental Environmental Impact Statement. USDI Bureau of Land Management/ USDA Forest Service. Chapter 10, 153p.
- Goodwin, K., Sheley, R., and Clark, J. 2002. Integrated noxious weed management after wildfires. Volume EB-160. Bozeman: Montana State University Extension Service.
- Goodwin, K.M., and Sheley, R.L. 2001. What To Do When Fires Fuel Weeds: A step-by-step guide for managing invasive plants after a wildfire. *Rangelands* 23(6): p.15-21.
- Greenberg, C.H., Crownover, S.H., and Gordon, D.R. 1997. Roadside soils: a corridor for invasion of xeric scrub by nonindigenous plants. *Natural Areas Journal* 17(2): p.99-109.
- Grime, J.P. 2001. Plant strategies, vegetation processes, and ecosystem properties. Chichester, New York, Toronto: John Wiley and Sons.
- Grime, J. P. 1974. Vegetation classification by reference to strategies. *Nature*, (250): p.26-31.
- Grout, Jeff A., Levings, Colin D., Richardson, John S. 1997. Decomposition rates of purple loosestrife (*Lythrum salicaria*) and Lyngbyei's sedge (*Carex lyngbyei*) in the Fraser River Estuary. *Estuaries* 20(1): p.96-102.
- Grue, C.E. 1994. Extending laboratory results to the field. Pages 205-206 in Kendall, R.J. and Lacher Jr., T.E. (eds.) *Wildlife Toxicology and Population Modeling: Integrated Studies of Agroecosystems*. Boca Roton, FL: Lewis Publishers.
- Gunsolus, J.L. 1999. Herbicide Resistant Weeds. University of Minnesota Extension Service, North Central Regional Extension Publication [Web Page]. Located at: <http://www.extension.umn.edu/distribution/cropsystems/DC6077.html>; also: <http://appliedweeds.coafes.umn.edu>. Accessed 2004 Jul.
- Hann, W.J., Jones, J.L., Karl, M.G., Hessburg, P.F., Keane, R.E. and others. 1997. Landscape dynamics of the basin. in: Quigley, T.M., and Arbelbide, S.J., eds., *An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins*. Gen. Tech. Rep. PNW-GTR-405. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Volume 2. p.337-1055.
- Hansen, M., S., Wilson. 2004. Predicting invasion by introduced grass (*Agropyron cristatum*).
- Harrod, R.J. 2001. The effect of invasive and noxious plants on land management in Eastern Oregon and Washington. *Northwest Science* 75: p.85-90.

- Harvey, S.J., and Nowierski, R.M. 1989. Spotted knapweed: allelopathy or nutrient depletion?. Proceedings of the 1989 Knapweed Symposium. Montana State University. Bozeman, 118p.
- Hasan, S., and Ayres, P.G. 1990. The control of weeds through fungi: principles and prospects. *Tansley Review* 23: p.201-22.
- Hayes, M. P. 1996. Wildlife issues pertaining to amphibians and the Western pond turtle (*Clemmys marmorata*) on the North Umpqua Hydroelectric Project area. Prepared for USDA Forest Service, Umpqua National Forest, Roseburg, Oregon Under Subcontract to Resources Northwest, Inc.
- Heitshmidt, R.K. and Stuth, J.W. (eds). 1991. *Grazing Management: An Ecological Perspective*. Corvallis, OR: Timber Press.
- Helliwell, R.1988a. USDA Forest Service.
- Helliwell, R.1988b. USDA Forest Service.
- Henderson, D., M., Naeth. 2004. Paradox of crested wheatgrass in the Northwest: savior or invader?
- Henderson, J., R., Leshner, T., DeMeo. 2004. Use of potential natural vegetation modeling to identify rare species habitat in the Pacific Northwest.
- Henry, C. 2004. Hand-pulling project gains public involvement in weed control. *TechLine*: p.6-8.
- Henry, C. 2003. Successful Tamarisk and Purple Loosestrife Programs. *TechLine* .
- Herbert Research Inc. 2003. Washington State Nonhighway and Off-road Vehicle Activities Fuel Use Survey: Interagency Committee for Outdoor Recreation.
- Higgins, S.I., and Richardson, D.M. 1996. A review of models of alien plant spread. *Ecological Modelling* 87(1996): p.249-65.
- Hill, B.E., and Targ, N. 2001. The link between protecting natural resources and the issue of environmental justice. *Boston College Environmental Affairs Law Review* 28(1): p.1-37.
- Hill, E.F. 1994. Acute and subacute toxicology in evaluation of pesticide hazard to avian wildlife. Pages 207-226 in Kendall, R.J. and Lacher Jr., T.E. (eds.) *Wildlife Toxicology and Population Modeling: Integrated Studies of Agroecosystems*. Boca Raton, FL: Lewis Publishers.

- Hobbie, S.E. 1992. Effects of plant species on nutrient cycling. *Tree* 7(10): p.336-9.
- Hobbs, R.J. 1991. Disturbance, a precursor to weed invasion in native vegetation. *Plant Protection Quarterly* 6(3): p.99-104.
- Hobbs, R.J. 1989. The nature and effects of disturbance relative to invasions. in: Drake, J.A. , Mooney, H.A., i Castri, F. R., Groves, H., Kruger, F.J. and others, editors. *Biological invasions: a global perspective*. Chichester, UK: John Wiley. P.389-405.
- Hobbs, R.J., and Huenneke, L.F. 1992. Disturbance, diversity, and invasion: implications for conservation. *Conservation Biology* 6(3):p.324-37 .
- Hobbs, R. J., and Humphries, S.E. 1995. An integrated approach to the ecology and management of plant invasions. *Conservation Biology* 9(4): p.761-70.
- Hobbs, R.J., and Mooney, H. A. 1993. Restoration ecology and invasions. in: Saunders, D.A., Hobbs, R.J., Ehrlich PR, editors. *Nature conservation 3: reconstruction of fragmented ecosystems*. Surrey Beatty and Sons. p.127-33.
- Hodkinson, D.J., and Thompson, K. 1997. Plant dispersal: the role of man. *Journal of Applied Ecology* 34: p.1484-96.
- Horton, J.S. 1977. The development and perpetuation of the permanent tamarisk type in the phreatophyte zone of the Southwest. U.S. Department of Agriculture, Forest Service, Gen. Tech. Rep., Rocky Mountain Forestry and Range Experiment Station 43: p.124-127.
- Howe, H.F., and Smallwood, J. 1982. Ecology of seed dispersal. *Ann. Rev. Ecol. Syst.* 13: p.201-28.
- Huenneke, L.F., Hamburg, S.P., Koide, R., Mooney, H.A., and Vitousek, P.M. 1990. Effects of soil resources on plant invasion and community structure in Californian serpentine grassland. *Ecology* 71: p.478-91.
- Hutchinson, J. After the Biscuit fire, What Now? 2004 Oregon Interagency Noxious Weed Symposium. USDA Forest Service.
- ICBEMP. 2000. Interior Columbia Basin Ecosystem Management Project. U.S. Department of Agriculture, Forest Service and U.S. Department of the Interior, Bureau of Land Management .
- Jacobs, J.S., and Sheley, R.L. 2003. Combining prescribed fire and herbicides to restore rangeland invaded by indiginous trees and dalmation toadflax. *Restoration Ecology Notes*.

- Jacobs, J. S., and Sheley, R.L. 1997. Relationships among Idaho fescue defoliation, soil water, and spotted knapweed emergence and growth. *Journal of Range Management* 50(3): p.258-62.
- Jakle, M.D., and Gatz, T.A. 1985. Herpetofaunal use of four habitats of the Middle Gila River drainage, Arizona. Paper presented at the North American Riparian Conference, April 16-18, 1985, Tucson, AZ.
- Janzen, D.H. 1984. Dispersal of small seeds by big herbivores: foliage is the fruit. *The American Naturalist* 123(3): p.338-53.
- Johnson, D.R., and Hansen, R.M. 1969. Effects of range treatment with 2,4-D on rodent populations. *Journal of Wildlife Management* 33(p.1125-132).
- Johnson, K.H., Olson, R.A., Whitson, T.D., Swearingen, R.J., and Jurz, G.L. 1994. Ecological implications of Russian knapweed infestation: small mammal and habitat associations. In. *Proceedings Western Society Weed Science*. Volume 47. p.98-101.
- Kay, C.E. 1994. Aboriginal overkill: the role of native Americans in structuring Western ecosystems. *Human Nature* 5: p.359-98.
- Kaye, T.N. 2001. Common Ground and Controversy in Native Plant Restoration: the SOMS Debate, Source Distance, Plant Selections, and a Restoration Oriented Definition of Native. Keynote Address at Native Plant Propagation and Restoration Strategies Conference. December 12-13, 2001. Eugene, OR. 12.
- Keeley, J.E. 2004. Ecological impacts of wheat seeding after a Sierra Nevada wildfire. *International Journal of Wildland Fire* 13(1): p.73-8.
- Keeley, J.E. 2001. Fire and Invasive Species in Mediterranean-climate Ecosystems of California.
- Keeley, J. E., and Keeley, S. C. 1984. Postfire recovery of California coastal sage scrub. *American Midland Naturalist* (111): p.105-17.
- Kenaga, E.E. 1973. Factors to be considered in the evaluation of the toxicity of pesticides to birds in their environment. In: *Environmental Quality and Safety: Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment*. Vol. II. New York, NY: Georg Thieme Publishers, Stuttgart Academic Press, Inc.
- Kimberling, D.N., Shanafelt, B.J., Parks, C.G., Knecht, D.E., and DePuit, E.J. 2003. Forest Service land management actions as contributors to non-native plant invasions in Pacific Northwest forests and rangelands: a review: 38p.

- Kirby, D.R., Lym, R.G., Sterling, J.J., Sieg, C.H. 2003. Observation: Leafy spurge control in western prairie fringed orchid habitat. *Journal of Range Management* 56: p.466-73.
- Kiviat, E. 1996. Short Communications: American Goldfinch nests in purple loosestrife. *Wilson Bulletin* 108(1): p.182-6.
- Knezevic, S.Z. Purple Loosestrife Control with Herbicides: Single-year application. Nebraska: University of Nebraska, Haskell Agricultural Library.
- Kociaba, R.J., and Mullison, W.R. 1985. Toxicology interactions with agricultural chemicals. *Farm Supplier* .
- Koniak S. 1985. Succession in pinyon-juniper woodlands following wildfire in the Great Basin. *Great Basin Nat.* 45: p.556-66.
- Krueger, J., Sheley, R. 1999. Perennial Pepperweed (*Lepidium latifolium*). Volume A-10. 4p.
- Lacey, C.A, Lacey, J.R, Fay, P.K., Story, J.M., and Zamora, D.L. 1997. Controlling knapweed on Montana rangeland. *Montana State University Extension Service Bulletin, Circular 311p.*
- Lacey, J.R., Marlow, C.B., and Lane, J.R. 1989. Influence of spotted knapweed (*Centaurea maculosa*) on surface runoff and sediment yield. Volume 3. p.627-31.
- Lacey, J. R., Olson, B. E. 1991. Environmental and economic impacts of noxious range weeds. *Noxious Range Weeds* James, L. F., Evans, J. O., Ralphs, M. H., & Child, R. D., editors (Westview Press).
- LeCain, R.R. 2000. Establishment of native and invasive species along a riparian resource gradient. M.S. Thesis. Montana State University :57p.
- Leibold, A.M., MacDonald, W.L., Bergdahl, D., and Mastro, V.C., Editor(s). 1995. Invasion by exotic forest pests: a threat to forest ecosystems. Bethesda, MD: Society of American Foresters; (Forest Science Monograph 30).
- Lesica, P., and DeLuca, T.H. 1996. Longterm harmful effects of crested wheatgrass on Great Plains grassland ecosystems. *Journal of Soil and Water Conservation* 51: p.408-9.
- Lonsdale, W.M. 1999. Global patterns of plant invasions and the concept of invasibility . *Ecology* 80(5): p.1522-36.
- Lor, S.K. 1999. Habitat use and population status of marsh birds in western New York. M.S. thesis. Department of Natural Resources, Cornell University, Ithaca New York. 135.
- Lukan, J.O. 1990. *Directing Ecological Succession*. London: Capman and Hall.

- Lym, R.G., Messersmith, C.G., and Zollinger, R. 1998. Leafy spurge - identification and control [Web Page]. Located at:
<http://ndsuxext.nodak.edu/extpubs/plantsci/weeds/w765w.htm>. Accessed 2001 Dec 5.
- Lyons, K.E. 1998. Elemental stewardship abstract for *Phalaris arundinacea* L. (Reed canarygrass). The Nature Conservancy. Arlington, VA. 14.
- MacDonald, N.W., Burton, A.J., Jurgensen, M.F., McLaughlin, J.W., Mroz, G.D. 1991. Variation in forest soil properties along a Great Lakes air pollution gradient. Soil Science Society of America Journal (55): p.1709-15.
- Mack, C.A., and McClure, R.H. 2002. *Vaccinium* Processing in the Washington Cascades. Journal of Ethnobiology 22((1)): 35-60.
- Mack, M.C., and C. M. D'Antonio. 1998. Impacts of biological invasions on disturbance regimes. Trends in Ecology and Evolution 13(5): 195-8.
- Mack, M.C., D'Antonio, C.M., and Ley, R.E. 2001. Alteration of ecosystem nitrogen dynamics by exotic plants: A case study of C (4) grasses in Hawaii. Ecological Applications 11(5): 1323-35.
- Mack, R.N. 1981. Invasion of *Bromus tectorum* L. into Western North America: an ecological chronicle. Agro-Ecosystems: 7: p.145-65.
- Mack, R.N., Simberloff, D., Lonsdale, W.M., Evans , H., Clout, M and others. 2000. Biotic invasions: causes, epidemiology, global consequences, and control. Ecological Applications 10(3):p. 689-710.
- Malo, J.E., and Suarez, F. 1995. Herbivorous mammals as seed dispersers in a Mediterranean dehesa. Oecologia 104: p.246-55.
- Malo, J.E., Jimenez, B., and Suarez, F. 2000. Herbivore dunging and endozoochorous seed deposition in a Mediterranean dehesa. Journal of Range Management 53: p.322-8.
- Marcot, B.G, Croft, L.K., Lehmkuhl, J.F., Naney, R.H., Niwa, C.G. and others. 1998. Macroecology, Paleoecology, and Ecological Integrity of Terrestrial Speices and Communities of the Interior Columbia Basin and Northern Portions of the Klamath and Great Basins. Gen. Tech. Rep. PNW-GTR-410. Portland OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 131.
- Marcot, B.G., M.A., Castellano, J.A., Christy, L.K., Croft, J.F., Lehmkuhl and others 1997. Terrestrial Ecology Assessment: Forest Service, Pacific Northwest Research Station. General Technical Report PNW-GTR-405.
- Marshall, J.S., and Vandruff, L.W. 2002. Impact of Selective Herbicide Right-of-Way Vegetation Treatment on Birds. Environmental Management 30(6): p.801-6.

- Masters, R.A., and Sheley, R.L. 2001. Invited synthesis paper: principles and practices for managing rangeland invasive plants. *Journal Range Management* 54: p.502-17.
- Masters, R.A., Nissen, S.J., Gaussoin, R.E., Beran, D.D., Stougaard R.N. 1996. Imidazolinone herbicides improve restoration of Great Plains grasslands. *Weed Technology* 10: p.392-403.
- Maurer, T., Russo, M.J., and Godell, A. 1988. Elemental stewardship abstract for *Taeniatherum caput-medusae* (Medusahead).
- Mazzu, L.C. 2004. Common Control Measures for Pacific Northwest Invasive Plants. 58p.
- Mazzu, L.C., and Skrine, E.A.. Evaluation of Prevention Effectiveness by Alternative. 29p.
- McDaniel, K.C., Carroll, D.B., and Hart, C.R. 2000. Broom snakeweed establishment following fire and herbicide treatments. *Journal of Range Management* 53: p.239-45.
- McMurray, S.T., Lochmiller, R.L., Boggs, J.F., Leslie, Jr., D.M., Engle and others. 1993b. Opportunistic Foraging of Eastern Woodrats (*Neotoma floridana*) in Manipulated Habitats. *American Midland Naturalist* (130): p.325-37.
- McMurray, S.T., Lochmiller, R.L., Boggs, J.F., Leslie, Jr., D.M., Engle and others. 1993a. Woodrat Population Dynamics Following Modification of Resource Availability. *American Midland Naturalist* (129): p.48-56.
- Meyers, J.H., and Bazely, D.R. 2003. Ecology and Control of Introduced Plants. United Kingdom: Cambridge Press.
- Meyers, J.H., Risley, C., and Eng, R. 1989. The Ability of Plants to Compensate for Insect Attack: why biological control of weeds and insects is so difficult.
- Milberg, P., and Lamont, B.B. 1995. Fire enhances weed invasion of roadside vegetation in Southwestern Australia. *Biological Conservation* 73(1): p.45-9.
- Miller. 2004. Invasive knotweed symposium notes. Snohomish PUD, Everett, WA.
- Miller, J.H., Boyd, R.S., and Edwards, M.B. 1999. Floristic diversity, stand structure, and composition 11 years after herbicide site preparation. *Can. J. For. Res.* 29: p.1073-83.
- Mills, E.L., Leach, J.H., Carlton, J.T., Secor, C.L. 1994. Exotic species and the integrity of the Great Lakes. *BioScience*: 44: p.666-76.
- Mills, G.S., Dunning, J. B. Jr., and Bates, J. M. 1989. Effects of urbanization on breeding bird community structure in southwestern desert habitats. *Condor* (91): p.416-28.
- Moody, M.E., and Mack, R.N. 1988. Controlling the spread of plant invasions: the importance of nascent foci. *Journal of Applied Ecology* 25: p.1009-21.

- Mooney, H.A., and Cleland, E.E. 2001. The evolutionary impact of invasive species. *Proceedings of the National Academy of Science*.
- Morghan, K.J.R., Seastedt, T.R., and Sinton, P.J. 1999. Effects on fire on Canada thistle.
- Morisawa, T.L. 1999. Weed Notes: *Lepidium latifolium* [Web Page]. Located at: <http://tncweeds.ucdavis.edu>. Accessed 1904 May 13.
- Morse, L.E., Randall, J.M., Benton, N., Hiebert, R., Lu, Stephanie 2004. An Invasive Species Assessment Protocol: NatureServe.
- Mosely, J.C. 1996. Prescribed Sheep Grazing to Suppress Cheatgrass: A Review. *Sheep & Goat Research Journal* 12(2): p.74-81.
- Mullin, B.H., Anderson, L.W., DiTomaso, J.M., Eplee, R.E., and Getsinger, K.D. 2000. Invasive Plant Species. Issue Paper (13): p.1-18.
- Naeem, S., F.S., Chapin III, R., Costanza, P.R, Ehrlich, F., Golley and others. 1999. Biodiversity and Ecosystem Functioning: Maintaining Natural Life Support Processes. *Issues in Ecology* 4: 11p.
- National Academy of Sciences. 2002. Predicting Invasions of Nonindigenous Plants and Plant Pests. Washington DC: The National Academy Press.
- National Center for Food and Agricultural Policy. 1997. 1997 Pesticide use database [Web Page]. Located at: <http://www/ncfap.org/database/state/default.asp>. Accessed 2004 Jul.
- National Center for Food and Agricultural Policy (NCFAP). 1998. Pesticide Use Database for 1997 [Web Page]. Located at: <http://pestdata.ncsu.edu/ncfap/search.cfm>. Accessed 1931 Mar 5.
- National Invasive Species Council. 2001. Meeting the Invasive Species Challenge [Web Page]. Located at: <http://www.invasivespecies.gov/council/nmptoc.shtml>. Accessed 2004 Jul.
- National Research Council. Risk Assessment in the Federal Government: Managing the Process. 13th (1996) ed. Washington DC: National Academy Press.
- NCAP (Northwest Coalition for Alternatives to Pesticides). 1995. Pesticide drift: "indiscriminately from the skies. *Journal of Pesticide Reform* 15(1): p.2-7.
- Newmaster, S.G., Bell, F.W., and Vitt, D.H. 1999. The effects of glyphosate and triclopyr on common bryophytes in northwestern Ontario. *Can. J. For. Res.* 29: p.1101-11.
- Nolte, K.R., and Fulbright, T.E. 1997. Plant, small mammal, and avian diversity following control of honey mesquite. *Journal of Range Management* 50(2): p.205-12.

- Obrigawitch, T.T., Cook, G., Wetherington, J. 1998. Assessment of effects on non-target plants from sulfonylurea herbicides using field approaches. *Pesticide Science* 52: p.199-217.
- Ogle, D., L., John, Dr. K.B., Jensen. 2003. USDA-NRCS. Crested Wheatgrass *Apropyron cristatum* L. Gaertn. USDA-NRCS.
- Ojima, D.S., Parton, W.J., Schimel, D.S., and Owensby, C.E. 1990. Simulated impacts of annual burning on prairie ecosystems. *Fire in North American Tallgrass Prairies* (p.118-132): University of Oklahoma Press, Norman.
- Olson, B.E. 1999. Impacts of noxious weeds on ecologic and economic systems. in: Sheley, R.L., Petroff, J.K. editors. *Biology and management of noxious rangeland weeds*. Corvallis, Oregon: OSU Press. p.4-18.
- Olson, B.E., and Wallander, R.T. 2001. Sheep grazing spotted knapweed and Idaho fescue. *Journal of Range Management* 54: p.25-30.
- Olson, B.E., Wallander, R.T., and Lacey, J.R. 1997. Effects of sheep grazing on a spotted knapweed-infested Idaho fescue community. *Journal of Range Management* 50(4): p.386-91.
- Oregon Department of Agriculture. 2000. Economic analysis of containment programs, damages, and production losses from noxious weeds in Oregon. Plant Division, Noxious Weed Control Program .
- Oregon Natural Heritage Program. 2001. Rare, Threatened and Endangered Plants and Animals of Oregon. Oregon Natural Heritage Program, Portland, Oregon. :94.
- Oregon Off Highway Vehicle Association. 2004. OHV Demographic and Economic Statistics [Web Page]. Located at: <http://www.oohva.org/pages/news.html>. Accessed 2004 Jul.
- Oregon Parks and Recreation Department. 2003. Outdoor Recreation Trends, Chapter Four in: 2003-2007 Oregon Statewide Comprehensive Outdoor Recreation Plan. Salem, OR: Oregon Parks and Recreation Department.
- Oregon State University. 2002. Pacific Northwest Weed Management Handbook. WSU, OSU, UI: Extension of WSU, OSU, UI.
- Oregon State University. 2003. Pacific Northwest Weed Management Handbook. WSU//OSU//UI: Extension of WSU//OSU//UI.
- Orians, G.H. 1986. Site characteristics favoring invasions. Mooney HA, Drake JA, Editors. *Ecology of biological invasions of North America and Hawaii*. New York: Springer-Vrelag. p. 132-48.

- Pacific Fishery Management Council. 2004. Located at: <http://www.pcouncil.org>. Accessed 2004 Jul.
- Panetta, F.D., and Hoplins, J.M. 1991. Weed in corridors: invasion and management. in: Saunders DA, Hobbs RJ, Editors . Nature Conservation 2: The Role Of Corridors. Chipping Norton, Australia: Surrey Beatty & Sons. p 341-51.
- Parker, B., Miller, G., and Burrill, L.C. 1998. Scotch Broom. Pacific Northwest Extension Publication. 4 p.
- Parker, I.M. 2001. Safe site and seed limitation in *Cytisus scoparius* (Scotch broom): invasibility, disturbance, and the role of cryptogams in a glacial outwash prairie. Biological Invasions 3: p.323-32.
- Parker, I.M., Simberloff, D., Lonsdale, W.M., Goodell, K., Wonham, M. and others. 1999. Impact: toward a framework for understanding the ecological effects of invaders. Volume 1. printed in the Netherlands: Kluwer Academic Publishers. p.3-19.
- Parks, C., Wisdom, M.J., Kie, J.K. 2003. The influence of ungulates on non-native plant invasion of rangelands: a review. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, La Grande, OR.
- Penn State Cooperative Extension. 2004. Pest management in organic systems [Web Page]. Located at: <http://agguide.agronomy.psu.edu/PM/Sec1/sec18.htm>. Accessed 2004 Jul.
- Perkins, Peggy J., Boermans, Jerman H., Stephenson, Gerald R. 2000. Toxicity of Glyphosate and Triclopyr using the frog embryo. Teratogenesis Assay-Xenopus. Environmental Toxicol and Chemistry 19(4): p.940-5.
- Perrins, J., M. Williamson, and Fitter, A. 1992. Do annual weeds have predictable characters? Acta (Ecologica) 13: p.517-33.
- Perry, D. A. 1994. Forest Ecosystems. The John Hopkins University Press .
- Peters, G.B., Dawson, H.J., Hrutford, B.F., Whitney, R.R. 1976. Aqueous leachate from Western Red Cedar: Effects on some aquatic organisms. J. Fish Res. Board Can. 33: p.2703-9.
- Pfleeger, T.G, Fong, A., Hayes, R., Ratsch, H., and Wickliff, C. 1996. Field evaluation of the EPA (Kenaga) nomogram, a method for estimating wildlife exposure to pesticide residue on plants. Environmental Toxicology and Chemistry 15(4): p.535-43.
- Pickett, S.T.A., and P.S. White. 1985. The Ecology of Natural Disturbance in Patch Dynamics. Academic Press .

- Planty-Tabacchi, A.M., Tabacchi, E., Naiman, R.J., Deferrari, C., and De`Camps, H. 1996. Invasibility of species-rich communities in riparian zones. *Conservation Biology* 10(2): p.598-607.
- Pokorny, M.L., Sheley, R.L., Svecjar, T.J., and Engel, R.E. 2004. Plant species diversity in a grassland plant community: Evidence for forbs as a critical management consideration. *Western North American Naturalist* 64: p.219-30.
- Prather, T.S., DiThomaso, J.M., Holt, J. 2000. History, Mechanisms, and Strategies for Prevention and Management of Herbicide Resistant Weeds. California Weed Science Society.
- Prouty, G.L. 1994. Paleoethnobotany in the Fort Rock Basin, Oregon: Settlement and subsistence intensification in the Boulder village uplands. Northwest Anthropology Conference, Spokane WA.
- Quigley, T.M., and Arbelbide, S.J., (eds.). 1997. An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins. Gen. Tech. Rep. PNW-GTR-405. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- Raloff, J. 1998. Botanical 'velcro' entraps hummingbirds- burrs cause bird fatalities- brief article [Web Page]. Located at:
http://www.findarticles.com/p/articles/mi_m1200/is_n16_v154/ai_21250276.
Accessed 2004 Jul.
- Randall, J.M. 1997. Defining weeds of natural areas. In: Luken, J.O. , and Thieret, J.W. (eds). *Assessment and Management of Plant Invasions*. Springer, New York, NY.
- Randall, J.M. 1996. Weed control for the preservation of biological diversity. *Weed Technology* 10: p.370-83.
- Raven, A. 2003. A summary of five years of research on pale blue-eyed grass, *Sisyrinchium sarmentosum*, on the Gifford Pinchot National Forest U.S. Forest Service.
- Rawinski, T.J., and Malecki, R.A. 1984. Ecological relationships among purple loosestrife, cattail and wildlife at the Montezuma National Wildlife Refuge. *New York Fish and Game Journal* 31(1): p.81-7.
- Rawinski TJ. 1982. The ecology and management of purple loosestrife (*Lythrum salicaria* L.) in central New York. Cornell University, Ithaca, N.Y. ix:88.
- Reader, R.J., and Bricker, B.D. 1994. Barriers to the establishment of invading non-forest plants in deciduous forest nature reserves. *Environmental Conservation* 21(1): p.62-6.

- Rees, N.E., Quimby Jr., P.C., Piper, G.L., Combs, E.M., Turner, C.E. and others. 1996. Biological Control of Weeds in the West. Western Society of Weed Science, USDA Agricultural Research Science, Montana Department of Agriculture, and Montana State University, Bozeman, MT.
- Reichard, S.H., and Hamilton, C.W. 1997. Predicting invasions of woody plants introduced into North America. *Conservation Biology* 11(1): p.193-203.
- Reichard, S.H., and P. White. 2001. Horticulture as a pathway of invasive plant introductions in the United States. *Bioscience* 51(2): p.103-13.
- Rejmanek, M. 2000. Invasive plants: approaches and predictions. *Australian Journal of Ecology* 25: p.497-506.
- Rejmanek, M., and Richardson, D.M. 1996. What attributes make some plant species more invasive? *Ecology* 77(6): p.1655-61.
- Relyea, R.A. 2005. The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecological Applications* 15(2): p.618-27.
- Renz, M.J. 2000. Element stewardship abstract for *Lepidium latifolium* L. [Web Page]. Located at: <http://tncweedsd.ucdavis.edu/esadocs/lepilati.html>.
- Rice, P.M. 2004. Bozeman, MT: Center for Invasive Plant Management.
- Rice, P.M., Lacey, C.A., Lacey, J.R., and Johnson, R. 1994. Sulfur Cinquefoil Biology, Ecology and Management in Pasture and Rangeland. July. University of Montana : Montana Department of Agriculture.
- Rice, P.M., Toney, C., Bedunah, D.J., and Carlson, C.E. 1997. Plant community diversity and growth form responses to herbicide applications for control of *Centaurea maculosa*. *Journal of Applied Ecology* 34: p.1397-412.
- Rice, P.M., Toney, J. C., Bedunah, D.J., and Carlson, C.E. 1997. Elk winter forage enhancement by herbicide control of spotted knapweed. *Wildlife Society Bulletin* 25(3): p.627-33.
- Richards, W., and Dean, J. 1998. Space invaders: modeling the distribution, impacts and control of alien organisms. *Trends in Ecology and Evolution* 13:256-8.
- Rinella, M.J., and Sheley, R.L. (Montana State University Extension Service). 2002. University of Montana Publications. MT1998 AG .
- Romo, J.T. 2005. Emergence and Establishment of *Agropyron desertorum* (Fisch.) (Crested Wheatgrass) Seedlings in a Sandhills Prairie of Central Saskatchewan . *Natural Areas Journal* 25((1)): p.26-35.

- Rooney, T.P. Off-road vehicles as dispersal agents for invasive plant species in a forested landscape [Web Page]. Located at: <http://www.naturalarea.org/>. Accessed 2003.
- Roshon, R.D., Mccann, J.H., Thompson, D.G., Stephenson, G.R. 1999. Effects of seven forestry management herbicides on *Myriophyllum sibiricum*, as compared with other nontarget aquatic organisms . Canadian Journal of Forest Research 29(2): p.1158-69.
- Sabba, R.P., Ray, I.M., Lownds, N., Sterling, T.M. 2003. Inheritance of Resistance to Clopyralid and Picloram in Yellow Starthistle (*Centaurea solstitialis* L.) is Controlled by a single Nuclear Recessive Gene. Journal of Heredity 94(6): p.523-7.
- Sakai, A.K., Allendorf, F.W., Holt, J.S., Lodge, D.M., Molofsky, J. and others. 2001. The population biology of invasive species. Annual Review of Ecology and Systematics 32: p.305-32.
- Saskatchewan Watershed Authority. Date Unknown. Managing Crested Wheatgrass in Native Grassland. Invasive Species Factsheet. 4p.
- Schmidt, K.A., and Whelan, C.J. 1999. Effects of exotic *Lonicera* and *Rhamnus* on songbird nest predation. Volume 13. 6. p 1502-6.
- Schmidt, W. 1989. Plant Dispersal by motor cars. Vegetation 80: p.147-52.
- Schoenig, S. 2002. Certified weed free forage: an emerging program for Western States. Proceedings of the Western Alfalfa and Forage Conference, December 11-13, 2002, Sparks Nevada .
- Schooler, S.S., McEvoy, P.B., Coombs, E.M. 2004. The Ecology of Biological Control 1st ed. Corvallis, Oregon USA: Oregon State University Press.
- Seiger, Leslie. 1991. Japanese knotweed, Mexican bamboo.
- Selleck, G.W., Coupland, R.T., and Franklin, C. 1962. Leafy spurge in Saskatchewan. Ecological Monographs 32: p1-29.
- SERA (Syracuse Environmental Research Associates, Inc.). 1998. 2,4-Dichlorophenoxyacetic acid formulations - Human Health and Ecological Risk Assessment - Final Report. SERA TR 9595-21-09-01d. September 20, 1998.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Chlorsulfuron - Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-18-01a. April 10, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 1999. Clopyralid (Transline)- Final Report. SERA TR 99-21-11/12-01c. February 27, 1999.

- SERA (Syracuse Environmental Research Associates, Inc.). 2004. Documentation for the Use of GLEAMS (Version 3) and Auxiliary Programs in Forest Service Risk Assessments (Version 2.04). SERA TD 2004-02.04b February 10, 2004.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Documentation for Worksheets Version 2.04 - Human Health and Ecological Risk Assessments. SERA WSD 01-2.04. February 25, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 1997. Effects of Surfactants on the Toxicity of Glyphosate, with Specific Reference to RODEO. SERA TR 97-206-1b February 6, 1997.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001. Glyphosate - WordPerfect Worksheets for Human Health and Ecological Risk Assessments. SERA WPWS 01-43-07-03a. November 23, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 1999. Imazapyr - Human Health and Ecological Risk Assessment Preliminary Draft - Program Description. SERA TR 98-21-14-01b. May 6, 1999.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001. Impazapic [Plateau and Plateau DG] - Human Health and Ecological Risk Assessment Final Report. SERA TR 00-21-28-01e. January 28, 2001.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Metsulfuron methyl - Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-17-01a. April 14, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 2002. Neurotoxicity, Immunotoxicity, and Endocrine Disruption with Specific Commentary on Glyphosate, Triclopyr, and Hexazinone: Final Report. SERA TR 01-43-08-04a February 14, 2002.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Picloram - Revised Human Health and Ecological Risk Assessment Final Report. SERA TR 03-43-26-01b. June 30, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001. Preparation of Environmental Documentation of Risk Assessments. SERA MD 2001-01a. July 18, 2001.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001. Sethoxydim [Poast] - Human Health and Ecological Risk Assessment Final Report. SERA TR 01-43-01-01c. October 31, 2001.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Sulfometuron methyl - Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-17-02a. October 16, 2003.

- SERA (Syracuse Environmental Research Associates, Inc.). 2003. Triclopyr - Revised Human Health and Ecological Risk Assessments Final Report. SERA TR 02-43-13-03b. March 15, 2003.
- SERA (Syracuse Environmental Research Associates, Inc.). 1997. Use and Assessment of Marker Dyes Used With Herbicides. SERA TR 96-21-07-03b December 21, 1997.
- SERA (Syracuse Environmental Research Associates/Inc.) . 2004. Dicamba - Final Report. SERA TR 04-43-17-06d November 24, 2004.
- SERA (Syracuse Environmental Research Associates I. 2003. Glyphosate- Human Health and Ecological Risk Assessment Final Report.
- Sheley, R.L. 2002. Rangeland weed management. Montana State University Extension Service: Montguide MT199504(AG 8/2002).
- Sheley, R.L., and Petroff, J.K. , eds. 1999. Biology and management of noxious rangeland weeds. Corvallis OR: Oregon State University Press. 438p.
- Sheley, R.L., Mullin, B.H., and Fay, P.K. 1995. Managing riparian weeds. *Rangelands* 17(5):154-7.
- Sheley, R.L., Olson, B.E., and Larson, L.L. 1997. Effect of weed seed rate and grass defoliation level on diffuse knapweed. *Journal of Range Management* 50(1): 39-43.
- Sheley, R. L., Svejcar, T. J., and Maxwell, B. D. 1996. A theoretical framework for developing successional weed management strategies on rangeland . *Weed Technology* 10: p.766-73.
- Sheley, R. L., Svejcar, T. J., Maxwell, B. D., and Jacobs JS. 1996. Successional Rangeland Weed Management. *Rangelands* 18(4): p.155-9.
- Shepherd, M., S., Buchmann, M., Vaughan, and S., Black. 2003. Pollinator Conservation Handbook. Glazer, M., Editor. Portland, Oregon: The Xerces Society.
- Shinn, S.L., and Thill, D.C. 2002. The response of yellow starthistle (*centaurea solstitialis*), annual grasses, and smooth brome (*Bromus inermis*) to imazapic and picloram. *Weed Technology* 16(2): p.366-70.
- Soll, J. 2004. Controlling Knotweed in the Pacific Northwest. The Nature Conservancy, Oregon Field Office .
- Spencer, N.R., and Prevost, A.D. 1993. Leafy spurge control--release of *aphthona lacertosa* beetle in Custer County, Montana. Environmental Assessment. U.S. Department of Agriculture. 16p.

- Stevens, K.L. 1986. Allelopathic polyacetylenes from *Centaurea repens* (Russian Knapweed). *Journal of Chemical Ecology* 12(6):1205-11.
- Stohlgren, T.J., Brinley, D., Chong, G.W., Kalhan, M.A., Snell, K.D. and others. 1999. Exotic plant species invade hot spots of native plant diversity. *Ecological Monographs* 69(1): p.25-46.
- Stout, B.M. III. 1992. Impacts of off-road vehicle use on vegetative communities of Northern Canaan Valley, West Virginia. Prepared for The Canaan Valley Task Force. Final Report.
- Subbasin Report of Inventoried Invasive Plants Near Water Compared to Uplands. 2003. Specialist report compiled by Jan Robbins for Invasive Plant EIS Project.
- Sucoff, E., Nichols, T., and Lu, E. 2001. Herbicide Effects on Host Plants of Karner Blue Butterfly and on Butterfly Development from Egg to Adult. University of Minnesota. 151. Department of Forest Resources Staff Paper Series 151.
- Sullivan, T.P., Nowotny, C., and Lautenschlager, R. A. 1998. Silvicultural use of herbicide in sub-boreal spruce forest: implications for small mammal population dynamics. *Journal of Wildlife Management* 62(4): p.1196-206.
- Sylvia, D.M., and Jarstfer, A.G. 1997. Distribution of mycorrhiza on competing pines and weeds in a southern pine plantation. *Soil Science Society of America Journal* 1997(61): p.139-44.
- Thill, D.C., Zamora, D.L., and Kambitsch, D.L. 1986. The germination and viability of excreted common crupina (*Crupina vulgaris*) achenes. *Weed Science* 34: p.237-41.
- Thompson, D.Q., Stuckey, R.L., and Thompson, E.B. 1987. Spread, impact, and control of purple loosestrife (*Lythrum salicaria*) in North American wetlands. *Fish and Wildlife Research* 2. USDI Fish and Wildlife Service, Washinton DC. 55p.
- Tinker, D.B., Resor, C.A.C., Beauvais, G.P., Kipfmueller, K.F., Fernandes, C.I. and others. 1998. Watershed analysis of forest fragmentation by clearcuts and roads in a Wyoming forest. *Landscape Ecology* 13: p149-65.
- Trabaud, L. 1990. Fire as an agent of plant invasion? A case study in the French Mediterranean vegetation. in: Di Castri, F., Hansen, A.J., Debussche, M., editors. *Biological invasions in Europe and the Mediterranean Basin*. Netherlands: Kluwer Academic. p 417-37.
- Trabaud, L. 1991. Is fire an agent favoring plant invasions? In: Groves RH, Di Castri F, eds. *Biogeography of Mediterranean Invasions*. New York, NY: Cambridge University Press. p.179-90.

- Trainer, M. 2003. Population dynamics of tansy ragwort in burned and non-burned forested areas. M.S. thesis. Montana State University, Bozeman MT .
- Trammell, M.A., and Butler, J.L. 1995. Effects of exotic plants on native ungulate use of habitat. *Journal of Wildlife Management* 59((4)): p.808-16.
- Tu, M. , et al. 2001. Sethoxydim. *Weed Control Methods Handbook*. The Nature Conservancy. .
- Tu, M. , Hurd, C., and Randall, J. M. 2001. *Weed Control Methods Handbook: Tools and Techniques for Use in Natural Areas*.
- Tu, M., Rice, B., TNC/WIST. 2002. Eco-Weeder (Puzzy Boy) [Web Page]. Located at: <http://tncweeds.ucdavis.edu/tools/puzzy.html>. Accessed 2005 Feb 23.
- Turner-Fairbank Highway Research Center. 2000. Beware of invasive species [Web Page]. Located at: <http://tfhrc.gov/pubrds/marapr00/invasiv1.htm>. Accessed 2004 Jul.
- Tveten, R.K., and Fonda, R.W. 1999. Fire effects on prairies and oak woodlands on Fort Lewis, Washington. *Northwest Science* 73((3)): p.145-58.
- Tyser, R.W. 1992. Vegetation associated with two alien plant species in a fescue grassland in Glacier National Park, Montana. *Great Basin Naturalist* 52(2): p.189-93.
- Tyser, R.W., and Key, C. H. 1988. Spotted knapweed in natural area fescue grasslands: an ecological assessment. *Northwest Science* 62(4):151-60.
- Tyser, R.W., Asebrook, J.M., Potter, R.W., and Kurth LL. 1998. Roadside vegetation in Glacier National Park, U.S.A: Effects of herbicide and seeding treatments. *Restoration Ecology* 6(2): p.197-206.
- U.S. Census Bureau. American Factfinder [Web Page]. Located at: <http://factfinder.census.gov>. Accessed 2003 Jun 26.
- U.S. Department of Agriculture, Animal and Plant Health Inspection Service PPaQ. 2003. Reviewer's Manual for the Technical Advisory Group for Biological Control Agents of Weeds: Guidelines for Evaluating the Safety of Candidate Biological Control Agents. USDA, APHIS, PPQ, Riverdale, MD :224.
- U.S. Department of Agriculture, Forest Service. 2004. Herbicide use reports [Web Page]. Located at: <http://www.fs.fed/foresthealth/pesticide/reports.shtml>. Accessed 2004 Mar.
- U.S. Department of Agriculture, Forest Service. 1999. Land and Resource Management Plan: Mt. Baker-Snoqualmie National Forest. Washington. As amended.

- U.S. Department of Agriculture, Forest Service. 1989. Land and Resource Management Plan: Okanogan National Forest. Washington. As amended.
- U.S. Department of Agriculture, Forest Service. 1990. Land and Resource Management Plan: Winema National Forest. Oregon. As amended.
- U.S. Department of Agriculture, Forest Service. 2004. National Strategy and Implementation Plan for Invasive Species.
- U.S. Department of Agriculture, Forest Service. 2000. Pacific Northwest Region Monitoring and Evaluation Report [Web Page]. Located at: <http://www.fs.fed.us/r6/plan/monitor2000.htm>. Accessed 2003 Jul 10.
- U.S. Department of Agriculture, Forest Service 2000. The Recreation Agenda FS-691. Washington, DC: U.S. Department of Agriculture, Forest Service. 13.
- U.S. Department of Agriculture, Forest Service. 1999. Stemming the invasive tide: Forest Service strategy for noxious and nonnative invasive plant management.
- U.S. Department of Agriculture/Forest Service-Lolo. 1991. Noxious Weed Management Record of Decision (ROD). Washington, DC: Federal Register.
- U.S. Department of Agriculture/Forest Service/Salmon-Challis 1999. Frank Church-River of No Return Wilderness Noxious Weed Treatments EIS. Salmon, Idaho.
- U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service 2000. NOAA Technical Memorandum NMFS-NWFSC-42.
- U.S. Department of Commerce/National Oceanic and Atmospheric Administration (NOAA) - Fisheries 2002. NOAA Fisheries.
- U.S. Department of Labor, Bureau of Labor Statistics. 2004. Local area unemployment statistics [Web Page]. Located at: <http://www.bls.gov/lau/home.htm>. Accessed 2004.
- U.S. Department of the Interior, Bureau of Land Management. 1996. How to prevent the spread of noxious weeds [Web Page]. Located at: <http://www.blm.gov/education/weed/weed.html>. Accessed 2004 Jul.
- U.S. Department of the Interior, Fish and Wildlife Service, Birds of Conservation Concern 2002. Birds of Conservation Concern 2002. Division of Migratory Bird Management//Arlington, VA: US Department of Interior//Fish and Wildlife Service.
- U.S. Department of the Interior, Fish and Wildlife Service. 1992. Endangered and Threatened Wildlife and Plants; Determination of critical habitat for the northern spotted owl. Washington DC: Federal Register 57(10): 1796-838.

- U.S. Department of the Interior, Fish and Wildlife Service. 2000. Endangered and threatened wildlife and plants; endangered status for "Erigeron decumbens" var. "decumbens" (Willamette Daisy) and Fender's Blue Butterfly ("*Icarcia icariodes fenderi*") and threatened status for "Lupinus sulphureus" ssp. "kincaidii" (Kincaid's Lupine). Washington, DC: Federal Register. 65(16): 3875-3890.
- U.S. Department of the Interior, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants; Final designation of critical habitat for the marbled murrelet; final rule. Washington DC: Federal Register 61(102): 26256-320.
- U.S. Department of the Interior, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants: Reclassification of *Mirabilis Macfarlanei* (Macfarlane's Four-O'-Clock) From Endangered to Threatened Status; Final Rule. Washington DC: Federal Register. 61(52): 10693-10697.
- U.S. Department of the Interior, Fish and Wildlife Service. 2001. Oregon silverspot butterfly (*speyeria zerene hippolyta*) revised recovery plan. Portland, OR. 113.
- U.S. Department of the Interior, Fish and Wildlife Service. 2000. Revised Recovery Plan for MacFarlane's Four-O'Clock . US Department of Interior//Fish and Wildlife Service//Region 1//Portland OR: US Department of Interior//Fish and Wildlife Service.
- U. S. Environmental Protection Agency. 1998. Consumer Factsheet on: picloram [internet]EPA 811-F-95-003-T(4603) ed. Volume 1998. Office of Water: National Primary Drinking Water Regulations.
- U.S. Environmental Protection Agency. 1986. Guidelines for the health risk assessment of chemical mixtures. Washington, DC: Federal Register. 51(185): 34014-34025.
- U.S. Environmental Protection Agency. 2004. Overview of the Ecological Risk Assessment Process in the Office of Pesticide Programs, U.S. Environmental Protection Agency. Endangered and Threatened Species Effects Determinations. Office of Prevention, Pesticides, and Toxic Substances; Office of Pesticide Programs. Washington, D.C.
- U.S. Environmental Protection Agency 1995. U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency/Office of Pesticide Programs. 2004. Environmental Fate and Effects Division's Risk Assessment for the Reregistration Eligibility Document for 2,4-Dichlorophenoxyacetic Acid (2,4-D).
- U.S. Fish and Wildlife Service. 2001. Western snowy plover (*Charadrius alexandrinus nivosus*) Pacific Coast population draft recovery plan. Portland, OR. xix + 630.

- Utah State University, Launchbaugh//K. 2004 Oct 5. BEHAVE:Behavioral Education for Human, Animal, Vegetation, & Ecosystem Management: Noxious Weeds: Cleaning up the rangeland plate: Teaching livestock noxious weeds [Web Page]. Located at: <http://www.behave.net/projects/range-weeds2003.html>. Accessed 2005 Jan 25.
- Utah State University, Olson//B. 2004 Oct 5. BEHAVE:Behavioral Education for Human, Animal, Vegetation, & Ecosystem Management: Noxious Weeds: They're what's for dinner [Web Page]. Located at: http://www.behave.net/projects/range-weeds_olson2003.html . Accessed 2005 Jan 25.
- Van der Putten, W.H. 1997. Plant-soil feedback as a selective force. *TREE* 12(5):169-70.
- VanGessel, M.J. 2001. Glyphosate-resistant horseweed from Delaware. *Weed Science* 49:703-5.
- Velagala, R.P., Sheley, R.L., and Jacobs, J.S. 1997. Influence of density on intermediate wheatgrass and spotted knapweed interference. *Journal of Range Management* 50: p.523-9.
- Vickery Jr., R.K., Phillips, D.R., and Wonsavage, P.R. 1986. Seed dispersal in *Mimulus guttatus* by wind and deer. *American Midland Naturalist* 116(1): p.206-8.
- Walker, L.R., and Smith, S.D. 1997. Impacts of Invasive Plants on Community and Ecosystem Properties Luken, J.O., and Thieret, J.W. Assessment and Management of Plant Invasions. Springer-Verlag New York, Inc. p 69-86.
- Walker, L.R., Smith, S.D. 1997. Impacts of Invasive Plants on Community and Ecosystem Properties Luken, J.O., Thieret, J.W., Editors. Assessment and Management of Plant Invasions. New York, New York: Springer-Verlag. p 69-86.
- Washington Department of Fish and Wildlife. 2003. Game Management Plan: July 2003-June 2009.
- Washington Toxics Coalition, et al., Plaintiffs, v EPA and Christine Todd Whitman, Administrator, Defendants, American Crop Protection Association, et al., Intervenor-Defendants. Case No. C01-123C.
- Watson, A.K., and Renney, A.J. 1974. The biology of Canadian weeds, *Centaurea diffusa* and *C. maculosa*. *Canadian Journal of Plant Science* 54: p.678-701.
- Weihe, P.E., and Neely, R.K. 1997. The effects of shading on competition between purple loosestrife and broad-leaved cattail. *Aquatic Botany* 59: p.127-38.
- Weiher, E., Wisheu, I.C., Keddy, P.A., and Moore, D.R.J. 1996. Establishment, Persistence, and Management Implications of Experimental Wetland Plant Communities. *Wetlands* 16(2): p.208-18.

- Welch, D. 1985. Studies in the grazing of heather moorland in north-east Scotland. IV. Seed dispersal and plant establishment in dung. *Journal of Applied Ecology* 22: p.461-72.
- Westbrooks, R. 1998. Invasive plants, changing the landscape of America: Fact book. Federal Committee for the Management of Noxious and Exotic Weeds (FICMNEW) Washington, D.C. 109p.
- Whisenant, S.G. 1990. Changing fire frequencies on Idaho's Snake river plains: ecological and management implications. In. *Symposium on Cheatgrass Shrub Die-off and Other Aspects of Shrub Biology and Management*. Las Vegas, NV.
- Whitson, T.D. Editor. 2001. *Weeds of the West*. 5th ed. Parker, R., Lee, R.D., Nelson, B.E., Cudney, D.W., Burrill, L.C., Dewey and others. Pioneer of Jackson Hole, Jackson, WY: The Western Society of Weed Science.
- Wiemeyer, S.N., Bunck, C.M., and Stafford, C.J. 1993. Environmental Contaminants in Bald Eagle Eggs - 1980-84 and further interpretations of relationships to productivity and shell thickness. *Archives of Environmental Contamination and Toxicology* 24: p.214-27.
- Wilbur, S.H., Hansen, H., Pohl, J., Colman. 2004. *Guidance Manual for the Assessment of Joint Toxic Action of Chemical Mixtures*.
- Wilcove, D.S., Rothstein, D., Dubow, J., Phillips, Ali, and Losos, E. 1998. Quantifying threats to imperiled species in the United States: assessing the relative importance of habitat destruction, alien species, pollution, overexploitation, and disease. *Bioscience* 48(8).
- Williamson, M.H., and Fitter, A. 1996. The characters of successful invaders. *Biological Conservation* 78(1996):163-70.
- Wilson, L.M., and McCaffrey, J.P. 1999. *Biological Control of Noxious Rangeland Weeds* 1st ed. Corvallis, Oregon USA: Oregon State University Press.
- Wilson, R.E., Johnson, W.S., Swanson, S. 1999. Nevada's war on weeds: steps to success, step 5, avoid exploding weed populations with prevention and early detection. University of Nevada Reno Cooperative Extension [Web Page]. Located at: <http://unce.unr.edu/publications/FS99/FS9979.html>.
- Winward, A.H. 2000. Monitoring the vegetation resources in riparian areas. Gen. Tech. Rep. RMRS-GTR-47. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. Ogden UT. 49p.
- Zavaleta E. 2000. H. A. Mooney, Hobbs, R.J. Washington D.C., Island Press :p.261-300.
- Zeise, L., Wilson, R., and Crouch, E. 1984. Use of Acute Toxicity to Estimate Carcinogenic Risk. *Risk Analysis* Vol. 4/No. 3:p.187-99.

Personal Communications / Personal Observations

Bautista, Shawna - Wildlife Biologist; R-6 Invasive Plant Team, Pacific Northwest Region; personal observation.

Borgsewicz, Mike – Wildlife Biologist; Sullivan Lake Ranger District, Colville National Forest, personal communication, 2003.

Dade, Gary – Director of Vegetation Management; Union County, Oregon; personal communication.

Friedman, Rachel – Fisheries Biologist; NOAA Fisheries, Portland, Oregon; personal communication.

Frounfelker, Carl – Wildlife Biologist; Siuslaw National Forest; personal communication, 2003 and 2004.

Larsen, Larry – Professor of Range Management; Oregon State University, Corvallis, Oregon; personal communication.

Layser, Tim – Wildlife Biologist; Priest Lake Ranger District, Colville National Forest; personal communication, 2003.

McGowan, Jim- Forest Wildlife Biologist; Colville National Forest; personal communication.

Ridlington, John – Range Management Specialist; Colville National Forest; personal communication, 2003.

Segotta, Dan – Botanist; South Zone Ranger District, Siuslaw National Forest; personal communication.

Wordzell, Steve – Riparian Specialist; Olympia Forestry Sciences Laboratory; Olympia, Washington, 2003.