

References

REFERENCES

- Alien Plant Working Group. 2004b. Japanese Knotweed (*Polygonum cuspidatum* Sieb. and Zucc.) [Web Page]. Located at: <http://www.nps.gov/plants/alien/fact/pocu1.htm>. Accessed on: April 2004.
- Anonymous. 2002. Predicting Invasions of Nonindigenous Plants and Plant Pests. National Research Council Committee on the Scientific Basis for Predicting the Invasive Potential of Nonindigenous Plants and Plant Pests in the United States. Washington, D.C.: National Academy Press. 194 pp.
- Arthur, M.A., and Y. Wang. 1999. Soil nutrients and microbial biomass following weed control treatments in a Christmas tree plantation. *Soil Science Society of America Journal* **63(3)**: 629-37.
- Asher, J. 1998. The Spread of Invasive Plants in Western Wildlands: A State of Biological Emergency. The Governor's Idaho Weed Summit. [Web Page]. Located at: <http://www.blm.gov/weeds/BOISUMMI.WPD.html>. Accessed on: 19 April 2006.
- ATSDR (Agency for Toxic Substances and Disease Registry) U.S. Department of Health and Human Services. 2004. Guidance Manual for the Assessment of Joint Toxic Action of Chemical Mixtures. U.S. Department of Health and Human Services, Public Health Service, ATSDR, Division of Toxicology. 62 pp. plus appendices.
- Bakke, D. 2003a. Analysis of issues surrounding the use of spray adjuvants with herbicides. Unpublished report by the Forest Service Pacific Southwest Regional Pesticide Use Specialist.
- Bakke, D. 2003b. Human and ecological risk assessments of nonylphenol polyethoxylate-based (NPE) surfactants in Forest Service herbicide applications. Unpublished report by the Forest Service Pacific Southwest Regional Pesticide Use Specialist.
- Batcher, M.S. 2002. Element Stewardship Abstract for (*Elytrigia repens* va. *repens*) Quackgrass [Web Page]. Located at: <http://tncweeds.ucdavis.edu>. Accessed on: 13 April 2004.
- Beard, R. and J. Carbone. 2001. Invasive Plant Management Decision and Environmental Analyses. USDA Forest Service, Washington Office, Washington DC.
- Belnap, J., and S.L. Phillips. 2001. Soil biota in an ungrazed grassland: response to annual grass (*Bromus tectorum*) Invasion. *Ecological Applications* **11(5)**: 1261-75.
- Behnke, R.J. 1992. Native trout of western North America. *American Fisheries Society Monograph* **6**.

- Berrill, M., S. Bertram, L. McGillivray, M. Kolohon, and B. Pauli. 1994. Effects of low concentrations of forest-use pesticides on frog embryos and tadpoles. *Environmental Toxicology and Chemistry* **13(4)**: 657-64.
- Berrill, M., S. Bertram, and B. Pauli. 1997. Effects of Pesticides on Amphibian Embryos and Larvae. *Herpetological Conservation* **1**: 233-45.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat. In: E.O. Salo and T.W. Cundy (eds.). Streamside Management: Forestry and Fishery Interactions. University of Washington, Institute of Forest Resources. p. 191-232.
- Bidlack, H.D. 1978. The hydrolysis of triclopyr EB ester in buffered deionized water, natural water, and selected soils. DowElanco. Data package Report No. ABM-106279-E. DPR# 51566-001.
- Bjornn, T.C., and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. *American Fisheries Society Special Publication* **19**: 83-138.
- Bonneville Power Administration. 2001. Environmental Impact Statement on the Transmission System Vegetation Management Program. Oregon.
- Brooks, J.J., J.L. Rodriguez, M.A. Cone, K.V. Miller, B.R. Chapman, and others. 1995. Small mammal and avian communities on chemically-prepared sites in the Georgia sandhills. General Technical Report - Southern Research Station, USDA Forest Service. Asheville. North Carolina. p. 21-3.
- Brooks, M.L., C.M. D'Antonio, D.M. Richardson, J.B. Grace, J.E. Keeley, and others. 2004. Effects of invasive alien plants on fire regimes. *BioScience* **54(7)**: 77-88.
- Brown, G.W. 1983. Forestry and Water Quality. Oregon State University Bookstore, Inc., Corvallis, Oregon. 142 pp.
- Boutin, C., N. Elmegaard, and C. Kjaer. 2004. Toxicity Testing of Fifteen non-crop Plant Species with Six Herbicides in a Greenhouse Experiment: Implication for Risk Assessment. *Ecotoxicology* **13**: 349-69.
- Bureau of Labor Statistics. 2005. Local Area Unemployment Statistics. U.S. Department of Labor. [Web Page]. Located at: <http://data.bls.gov/cgi-bin/surveymost>. Accessed on: 15 October 2005.
- Buttler, I.W., D.W. Roberts, L.E. Siders and R.C. Gardner. 1993. Non-crop right-of-way terrestrial dissipation of triclopyr in California. DowElanco. Data package Report No. ABM-140265-E. DPR# 51566-017.
- Carey, A. 2002. Globalization of Flora: Inviting Worldwide Ecosystem Disaster. *Renewable Resources Journal* **20.1**: 13-17.

- Clackamas River Basin Council. 2006. Japanese knotweed. [Web Page]. Located at: <http://clackamasriver.org/misc/index.htm>. Accessed on: 19 April 2006.
- Cohle, P., and W. McAllister. 1984. Acute toxicity of Arsenal herbicide to rainbow trout (*Oncorhynchus mykiss* [sic]). Static Acute Toxicity Report #32180. Unpublished study prepared by Analytical Biochemistry Laboratories, Inc. 62pp. MRID No. 00153778.
- Cole, E.D., W.C. McComb, M. Newton, C.J. Chambers, and J.P. Leeming. 1997. Response of amphibians to clearcutting, burning, and glyphosate application in the Oregon Coast Range. *Journal of Wildlife Management* **61**: 656-64.
- Cole, E.C., W.C. McComb, M. Newton, J.P. Leeming, and C.L. Chambers. 1998. Response of small mammals to clearcutting, burning, and glyphosate application in the Oregon Coast Range. *Journal of Wildlife Management* **62(4)**: 1207-16.
- Colorado Natural Areas Program, et al. 2000. Creating an Integrated Weed Management Plan, A Handbook for Owners and Managers of Lands with Natural Values. Caring for the Land Series, Volume IV. [Web Page]. Located at: http://parks.state.co.us/cnap/iwm_handbook/IWM%20handbook%20text.PDF. Accessed on: 28 October 2005.
- Columbia River Gorge Commission and USDA Forest Service, National Scenic Area. 1992. Management Plan for the Columbia River Gorge National Scenic Area. Washington.
- Columbia River Gorge Commission and USDA Forest Service, National Scenic Area. 2004. Revisions to the Management Plan for the Columbia River Gorge National Scenic Area. Washington.
- Confederated Tribes of Warm Springs and U.S. Department of Interior, Bureau of Indian Affairs. 2005. Vegetation Management Noxious Weed Control Plan and Assessment. Oregon.
- Cordell, H. Ken. 1999. Outdoor Recreation in American Life: A National Assessment of Demand and Supply Trends. Sagamore Publishing.
- Cox, G.W. 1999. Alien Invasion in North America and Hawaii: Impacts on Natural Ecosystems. Island Press.
- Cox, R.D. and V.J. Anderson. 2004. Increasing native diversity of cheatgrass-dominated rangeland through assisted succession. *Journal of Range Management* **57 (2)**: 203-10.
- Currens, K.P., C.B. Schreck, and H.W. Li. 1990. Allozyme and morphological divergence of rainbow trout (*Oncorhynchus mykiss*) above and below waterfalls in the Deschutes River, Oregon. *Copeia* **3**: 730-746.
- Csuti, B.A., A.J. Kimerling, T.A. O'Neil, M.M. Shaughnessy, E.P. Gaines, and others. 2001. Atlas of Oregon wildlife: distribution, habitat, and natural history. Corvallis, OR: Oregon State University Press.

- DiTomaso, J. 2001. Yellow starthistle management possible with planning and integrated approach. *Techline* (May): 6-8.
- Donaldson, S.G. 1997. Flood-borne noxious weeds: impacts on riparian areas and wetlands. California Exotic Pest Plant Council. 1997 Symposium Proceedings.
- Dowlan, S. 2006. Personal communication. Wildlife Biologist. USDI Bureau of Land Management, Salem District Office. Salem, Oregon.
- Durkin, P. and P. Durkin. 2005. A Note on Plausible Initial Pesticide Residues on Selected Mushrooms: Hen of the Wood, Shiitake, and Portabello.
- Ehrenfeld, J.G., P. Kourtev, and W. Huang. 2001. Changes in soil functions following invasions of exotic understory plants in deciduous forests. *Ecological Applications* **11**(5): 1287-300.
- Environmental Consultants, Inc. 1991. Determination of the Effectiveness of Herbicide Buffer Zones in Protecting Water Quality on New York State Powerline Rights-of-Way. Research Report EP 89-44. Final Report.
- EPA (Environmental Protection Agency). 1987. The Risk Assessment Guidelines of 1986. Prepared by the Office of Health and Environmental Assessment, Office of Research and Development, Washington, D.C. EPA/600/8-87/045. (Also available from NTIS, PB-88-123997/AS).
- EPA/OPP (Environmental Protection Agency/Office of Pesticide Programs). 2004. Taking Care of Business: Protecting Public Health and the Environment [Web Page]. Located at: <http://www.epa.gov/oppfead1/annual/2004/04annualrpt.pdf>. Accessed on: 2005 April 19.
- Executive Order 12898. (1994). Federal Actions To Address Environmental Justice in Minority Populations and Low-Income Populations.
- EPA/OPP (U.S. Environmental Protection Agency, Office of Pesticide Programs). 2004. Overview of the Ecological Risk Assessment process in the Office of Pesticide Programs, U.S. Environmental Protection Agency; Endangered and Threatened Species Effects Determinations. Office of Prevention, Pesticides, and Toxic Substances; Office of Pesticide Programs, Washington, D.C. 92 pp.
- Evans, J.O. and D.R. Duseja. 1973. Herbicide contamination of surface runoff waters. U.S. Environ. Prot. Agency, Washington, D.C. Environmental Protection Technical Series. EPA-R2-73-266. 99 pp.
- Fagerstone, K.A., H.P. Tietjen, and G.K. LaVoie. 1977. Effects of range treatment with 2,4-D on prairie dog diet. *Journal of Range Management* **30**(1): 57-60.
- Fairchild, J.F., L.C. Sappington, K.P. Feltz, K. Neslon, and J. Valle. 2005. Acute and chronic toxicity of 2,4-D acid, picloram acid, and clopyralid acid to rainbow trout (*Oncorhynchus mykiss*) and bull trout (*Salvelinus confluentus*). Progress Report submitted to Janet Valle (USFS) and Karen Nelson (USFWS). U.S. Geological Survey, Columbia Environmental Research Center, Columbia, MO. 13 pp.

- FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. [Web Page]. Located at: <http://pnwin.nbio.gov/nwfp/FEMAT/PDF/>. Accessed on: 2004 July.
- Fiedler, C. 2006. Personal communication. Wildlife and Fish Biologist. Columbia River Gorge National Scenic Area, USDA Forest Service. Hood River, Oregon.
- Fissell, D. 2006. Personal communication. Range Conservationist, USDA Forest Service, Pacific Northwest Region, Mt. Hood National Forest, Barlow Ranger District. Duffur, Oregon.
- Fletcher, J.S., J.E. Nellessen, and T.G. Pflieger. 1994. Literature review and evaluation of the EPA food-chain (Kenaga) nomogram, and instrument for estimating pesticide residue on plants. *Environmental Toxicology and Chemistry* **13(9)**: 1383-91.
- Folmar, L.C., H.O. Sanders, and A.M. Julin. 1979. Toxicity of the herbicide glyphosate and several of its formulations to fish and aquatic invertebrates. *Arch. Environmental Contamination Toxicology* **8(3)**: 269-78.
- Forest Concepts L1910. Long-Strand Erosion Control Material from Forest and Urban Wood. Federal Way, WA.
- Forney, T. 2006. Personal communication. Projects Coordinator of Noxious Weed Control Program. Oregon Department of Agriculture. Salem, Oregon.
- Isaacs, F.B. and R.G. Anthony. 2004. Bald Eagle Nest Locations and History of Use in Oregon and the Washington Portion of the Columbia River Recovery Zone, 1971 through 2005. [Oregon State University. Corvallis, OR. [Web Page]. Located at: <http://fresc.usgs.gov/bdpmetadata/fre00124.htm>. Accessed on: 3 March 2006.
- French, R. 2006. Personal communication. District Fish Biologist. Oregon Department of Fish and Wildlife. The Dalles, Oregon.
- Friends of Forest Park. 2006. Threats and Issues Affecting the Park. [Web Page]. Located at: <http://www.friendsofforestpark.org/html/issues.html>. Accessed on: 19 April 2006.
- Furnish, J.L., and R.W. Monthey. 1998. Draft management recommendations for ROD mollusk species associated with springs and spring runs: *Fluminicola* new species 2, 3, 11, 19; *Vorticifex* new species 1, *Vorticifex klamathensis sinitsini*; *Juga (Oreobasis)* new species 2; and *Lyogyrus* new species 1 and 3. v. 2.0
- Ganapathy C. 1997. Environmental Fate of Triclopyr. Massachusetts Department of Food and Agriculture. Report. p. 1-18
- Garbaye, J. and G.D. Bowen. 1989. Stimulation of ectomycorrhizal infection of *Pinus radiata* by some microorganisms associated with the mantle of ectomycorrhizas. *New Phytologist* **1989(112)**: 383-8.

- Gates, A. and L. Crider. 2001. Immigrant Participation in the Oregon Workforce: A qualitative study of the work experience of Latino immigrants in the Portland Metropolitan Area. [Web Page]. Located at: http://www.morsechair.uoregon.edu/AFLCIO_report.pdf. Accessed on: 12 September 2005.
- Gibbons, D.R. and E.O. Salo. 1973. An annotated bibliography of the effects of logging on fish of the western United States and Canada. USDA Forest Service General Technical Report PNW-10.
- Grime, J.P. 2001. Plant strategies, vegetation processes, and ecosystem properties. Chichester, New York, Toronto: John Wiley and Sons.
- Halverson, N.M., C. Topik, and R.V. Vickle. 1986. Plant Association and Management Guide for the Western Hemlock Zone. USDA – Forest Service, Pacific Northwest Region, Mt. Hood National Forest. R6-ECOL-232A-1986.
- Hamaker, J.W. 1974. Adsorption of 3,5,6-trichloro-2-pyridinol by soils. DowElanco. Data package Report No. ABM-106279-E. DPR# 51566-001.
- Hansis, R. 1998. A Political Ecology of Picking: Non-Timber Forest Products in the Pacific Northwest. *Human Ecology* **26.1**: 67-86.
- Harvey, S.J., and R.M. Nowierski. 1989. Spotted knapweed: allelopathy or nutrient depletion?. Proceedings of the 1989 Knapweed Symposium. Montana State University. Bozeman. 118 pp.
- Hatterman-Valenti, H., M.D.K. Owen, and N.E. Christians. 1995. Comparison of spray drift during post emergence applications to turfgrass. *Weed Technology* **9**: 321-325.
- Hendee, J.C., G.H. Stankey, and R.C. Lucas. 1990. Wilderness Management. Golden: North American Press.
- Henry, C. 2003. Successful Tamarisk and Purple Loosestrife Programs. TechLine.
- Hobbie, S.E. 1992. Effects of plant species on nutrient cycling. *Tree* **7(10)**: 336-9.
- Holmes, S.B., D.G. Thompson, K.L. Wainio-Keizer, S.S. Capell, and B. Staznik. 1994. Effects of lethal and sublethal concentrations of the herbicide, triclopyr butoxyethyl ester, in the diet of zebra finches. *Journal of Wildlife Diseases* **30(3)**: 319-327.
- Hood River Soil and Water Conservation District (SWCD). 1999. Hood River Watershed Assessment. Hood River Watershed Group. Hood River. Oregon.
- Hood River Soil and Water Conservation District (SWCD). 2004. Hood River Subbasin Plan. Northwest Power Planning Council, Portland, Oregon.

- Huenneke, L.F., S.P. Hamburg, R. Koide, H.A. Mooney, and P.M. Vitousek. 1990. Effects of soil resources on plant invasion and community structure in Californian serpentine grassland. *Ecology* **71**: 478-91.
- Interior Columbia Basin Ecosystem Management Project (ICBEMP). 2000. Interior Columbia Basin Ecosystem Management Project. U.S. Department of Agriculture, Forest Service and U.S. Department of Interior, Bureau of Land Management. Oregon and Washington.
- Jobson, H.E. 1996. Prediction of Travel time and Longitudinal Dispersion in Rivers and Streams. USGS Water-Resources Investigations Report 96-4013
- Johnsen, T.N., and W.L. Warskow. 1980. Picloram dissipation in a small southwestern stream. *Weed Science* **28**:612-615.
- Johnson, D.R., and R.M. Hansen. 1969. Effects of range treatment with 2,4-D on rodent populations. *Journal of Wildlife Management* **33**: 1125-132.
- Johnson, K.H., R.A. Olson, T.D. Whitson, R.J. Swearingen, and G.L. Jurz. 1994. Ecological implications of Russian knapweed infestation: Small mammal and habitat associations. *Proceedings Western Society Weed Science* **47**: 98-101.
- Johnson, W. G., T. L. Lavy, and E. E. Gbur. 1995a. Persistence of triclopyr and 2,4-D in flooded and non-flooded soils. *Journal of Environmental Quality* **24**:493-497.
- Jones, D., N. Singhasemanon, D. Tran, J. Hsu, J. Hernandez, and H. Feng. 2000a. Surface Water Monitoring for Pesticides in the Hupa and Karuk Territories. State of California, Department of Pesticide Regulation, Sacramento, CA. 14 pp. plus appendices. [Webpage] Located at: <http://www.cdpr.ca.gov/docs/empm/pubs/tribal/reports.htm>. Accessed on: April 2006.
- Kenaga, E.E. 1973. Factors to be considered in the evaluation of the toxicity of pesticides to birds in their environment. In: Environmental Quality and Safety: Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment. Vol. II. New York, NY: George Thieme Publishers, Stuttgart Academic Press, Inc.
- Kocis, S.M., B.K. Donald, and English et al. 2004. National Visitor Monitoring Results: Mt. Hood National Forest. USDA Forest Service. [Web Page]. Located at: <http://www.fs.fed.us/recreation/programs/nvum/>. Accessed on: 12 September 2005.
- Labatt-Anderson Inc. 2002. Risk assessment of pesticides and fertilizers proposed for use at Walter H. Horning Seed Orchard, Colton (Clackamas County), OR, Salem District, U.S. Bureau of Land Management.
- Lacey, J.R., C.B. Marlow, and J.R. Lane. 1989. Influence of spotted knapweed (*Centaurea maculosa*) on surface runoff and sediment yield. Volume 3. p.627-31.
- Lacey, J.R. and B.E. Olson. 1991. Environmental and economic impacts of noxious range weeds. *Noxious Range Weeds*. Eds. James, L.F., J.O. Evans, M.H. Ralphs, and R.D. Child. Westview Press.

- Lautenschlager, R.A., F.W. Bell, R.G. Wagner, and P.E. Reynolds. 1998. The Fallingsnow Ecosystem Project: documenting the consequences of conifer release alternatives. *Journal of Forestry* **96(11)**: 20–27.
- Lautenschlager, R.A. and T.P. Sullivan. 2004. Improving research into effects of forest herbicide use on biota in northern ecosystems. *Wildlife Society Bulletin* **32(4)**: 1061–1070.
- League of Women Voters of Oregon Education Fund. 2002. Farmworkers in Oregon. [Web Page]. Located at: <http://www.open.org/~1wvor/Farmworkers2.htm>. Accessed on: 12 September 2005.
- Lyons, K.E. 1998. Elemental stewardship abstract for *Phalaris arundinacea* L. (Reed canarygrass). The Nature Conservancy. Arlington, VA.
- MacDonald, N.W., A.J. Burton, M.F. Jurgensen, J.W. McLaughlin, and G.D. Mroz. 1991. Variation in forest soil properties along a Great Lakes air pollution gradient. *Soil Science Society of America Journal* **55**: 1709-1715.
- Mack, R.N., D. Simberloff, W.M. Lonsdale, H. Evans, M. Clout, and others. 2000. Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* **10(3)**: 689-710.
- Marshall, J.S. and L.W. Vandruff. 2002. Impact of Selective Herbicide Right-of-Way Vegetation Treatment on Birds. *Environmental Management* **30(6)**: 801-6.
- Masters, R.A, and R.L. Sheley. 2001. Invited synthesis paper: principles and practices for managing rangeland invasive plants. *Journal Range Management* **54**: 502-17.
- Masters, R.A., S.J. Nissen, R.E. Gaussoin, D.D. Beran, and R.N. Stougaard. 1996. Imidazolinone herbicides improve restoration of Great Plains grasslands. *Weed Technology* **10**: 392-403.
- Mayeux, H.S., Jr., C.W. Richardson, R.W. Bovey, E. Burnett, M.G. Merkle, and R.E. Meyer. 1984. Dissipation of picloram in storm runoff. *Journal Of Environmental Quality* **13**: 44-49.
- Mazzu, L.C. 2005. Common Control Measures for Pacific Northwest Invasive Plants. USDA Forest Service. Pacific Northwest Region. Oregon.
- McCall, P. J. and P.D. Gavit. 1986. Aqueous photolysis of triclopyr and its butoxyethyl ester and calculated environmental photodecomposition rates. *Environmental Toxicology Chemistry* **5**: 879-885.
- McMurray, S.T., R.L. Lochmiller, J.F. Boggs, D.M. Leslie, Jr., Engle, and others. 1993b. Opportunistic Foraging of Eastern Woodrats (*Neotoma floridana*) in Manipulated Habitats. *American Midland Naturalist* (**130**): 325-37.
- McMurray, S.T., R.L. Lochmiller, J.F. Boggs, D.W. Leslie, Jr., Engle and others. 1993a. Woodrat Population Dynamics Following Modification of Resource Availability. *American Midland Naturalist* (**129**): 48-56.

- Menconi, M., and S. Siepmann. 1994. Preliminary Hazard Assessment of the Herbicide Triclopyr to Fish and Wildlife. Pesticides Investigation Unit, California Department of Fish and Game. 15 pp.
- Michael, J.L. 2002. Impact of herbicides on the forest ecosystem, aquatic ecosystems, and wildlife. *The US Experience Special Issue* **6**: 593-608.
- Montana State University Extension Service. 2006. Montana State Weed Science. [Web Page]. Located at: <http://weeds.montana.edu/>. Accessed on: January 2006.
- Morisawa, T.L. 1999. Weed Notes: *Lepidium latifolium* [Web Page]. Located at: <http://tncweeds.ucdavis.edu>. Accessed on: 13 May 2004.
- Munz, P.A. 1963. California Mountain Wildflowers. Berkeley, University of California Press.
- Myers, J. M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. United States Department of Commerce, National Oceanic and Atmospheric Administration: 443.
- National Marine Fisheries Service (NMFS). 2005. ESA-Section 7 Consultation Biological and Conference Opinion & Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Consultation: Pacific Northwest Region Invasive Plant Program, National Forests of Oregon and Washington.
- Neary, D.G., P.B. Bush, J.E. Douglass, and R.L. Todd. 1985. Picloram Movement in an Appalachian Hardwood Forest Watershed. *Journal of Environmental Quality* **14**(4)
- Newmaster, S.G., F.W. Bell, and D.H. Vitt. 1999. The effects of glyphosate and triclopyr on common bryophytes in northwestern Ontario. *Canadian Journal Forest Research* **29**: 1101-1111.
- Newton, M., F. Roberts, A. Allen, B. Kelpsas, D. White, and P. Boyd. 1990. Deposition and dissipation of three herbicides in foliage, litter and soil of brushfields of Southwest Oregon. *Journal of Agriculture and Food Chemistry* **38**(2): 574-583.
- No Ivy League. 2004. Ivy Removal Project a.k.a. No Ivy League – Benchmarks. [Web Page]. Located at: http://www.noivyleague.com/Pages/10_year_report_complete/page34.html. Accessed on: 19 April 2006.
- Nolte, K.R. and T.E. Fulbright. 1997. Plant, small mammal, and avian diversity following control of honey mesquite. *Journal of Range Management* **50**(2): 205-12.
- Norris, L., M.L. Montgomery, and L.E. Warren. 1987. Triclopyr persistence in western Oregon hill pastures. Bulletin. *Environmental Contamination and Toxicology* **39**:134-141.

- NRC (National Research Council). 1983. Risk Assessment in the Federal Government: Managing the Process. National Research Council, National Academy Press, Washington, D.C.
- Oregon Department of Agriculture (ODA). 2000. Economic Analysis of Containment Programs, Damages, and Production Losses From Noxious Weeds in Oregon. Plant Division. Noxious Weed Control Program.
- Oregon Department of Agriculture. 2001. Oregon Noxious Weed Strategic Plan: Comprehensive guide for the protection of Oregon's resources. Salem, Oregon.
- Oregon Department of Agriculture, Noxious Weed Control Program. 2005. 2005 Noxious Weed Policy and Classification System. Oregon.
- Oregon Public Broadcasting (OPB). 2005. The Oregon Story: Harvesting the Wild. OPB. [Web Page]. Located at: <http://www.opb.org/programs/oregonstory/>. Accessed on: 15 October 2005.
- Oregon State University Extension Service. 2003. Pacific Northwest's Least Wanted List: Invasive Weed Identification and Management.
- Perkins, P. J., J.H. Boermans, and G.R. Stephenson. 2000. Toxicity of Glyphosate and Triclopyr using the frog embryo. Teratogenesis Assay-Xenopus. *Environmental Toxicology and Chemistry* **19(4)**: 940-5.
- Perkins, Mark. 2006. Personal communication. Mt. Hood Community College. Gresham, Oregon.
- Pfleeger, T.G, A .Fong, R. Hayes, H. Ratsch, and C. Wickliff. 1996. Field evaluation of the EPA (Kenaga) nomogram, a method for estimating wildlife exposure to pesticide residue on plants. *Environmental Toxicology and Chemistry* **15(4)**: 535-43.
- Reichard, S.H, and P. White. 2001. Horticulture as a pathway of invasive plant introductions in the United States. *Bioscience* **51(2)**: 103-13.
- Relyea, R.A. 2005. The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecological Applications* **15(2)**: 618-27.
- Renz, M.J. 2000. Element stewardship abstract for *Lepidium latifolium* L. [Web Page]. Located at: <http://tncweedsd.ucdavis.edu/esadocs/lepilati.html>. Accessed on: 13 May 2004.
- Rice, P.M., J.C. Toney, D.J. Bedunah, and C.E. Carlson. 1997. Elk winter forage enhancement by herbicide control of spotted knapweed. *Wildlife Society Bulletin* **25(3)**: 627-33
- Ruediger, B. and D. Roberts. 2005. Biological assessment for control of knotweed with glyphosate in the Molalla River basin. U.S. Department of Interior, Bureau of Land Management, Salem, Oregon.

- Sarathy, B. 2003. Mobilizing for participation in natural-resource management: Comparisons between Latino forestry-workers, Ecosystem restoration advocates and Mushroom harvesters in Southern Oregon. ILE Conference Paper. Community Forestry Research Fellowship. [Web Page]. Located at: http://www.iir.ucla.edu/research/grad_conf/2003/sarathy.pdf. Accessed on: 12 September 2005
- Scheiman, D.M., E.K. Bollinger, and D.H. Johnson. 2003. Effects of leafy spurge infestation on grassland birds. *Journal of Wildlife Management* **67(1)**: 115-121.
- Schulz, C.A., D.M. Leslie, Jr., R.L. Lochmiller, and D.M. Engle. 1992. Autumn and Winter Bird Populations in Herbicide-treated Cross Timbers in Oklahoma. *American Midland Naturalist* **127(2)**: 215-223.
- Seiger, L. 1991. Japanese knotweed, Mexican bamboo.
- SERA (Syracuse Environmental Research Associates, Inc.). 1997a. Effects of Surfactants on the Toxicity of Glyphosate, with Specific Reference to RODEO. SERA TR 97-206-1b.
- SERA (Syracuse Environmental Research Associates, Inc.). 1997b. Use and Assessment of Marker Dyes Used With Herbicides. SERA TR 96-21-07-03b.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001a. Preparation of Environmental Documentation of Risk Assessments. SERA MD 2001-01a.
- SERA (Syracuse Environmental Research Associates, Inc.). 2001b. Sethoxydim [Poast] - Human Health and Ecological Risk Assessment Final Report. SERA TR 01-43-01- 01c.
- SERA (Syracuse Environmental Research Associates, Inc.). 2002. Neurotoxicity, Immunotoxicity, and Endocrine Disruption with Specific Commentary on Glyphosate, Triclopyr, and Hexazinone: Final Report. Fayetteville, KY.
- SERA (Syracuse Environmental Research Associates I. 2003a. Glyphosate- Human Health and Ecological Risk Assessment Final Report.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003b. Picloram - Revised Human Health and Ecological Risk Assessment Final Report. SERA TR 03-43-26-01b.
- SERA (Syracuse Environmental Research Associates, Inc.). 2003c. Triclopyr - Revised Human Health and Ecological Risk Assessments Final Report. SERA TR 02-43-13-03b.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004a. Chlorsulfuron – Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-18-01a.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004b. Clopyralid (Transline)- Final Report. SERA TR 99-21-11/12-01c.

- SERA (Syracuse Environmental Research Associates, Inc.). 2004c. Imazapic [Plateau and Plateau DG] - Human Health and Ecological Risk Assessment Final Report. SERA TR 00-21-28-01e.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004d. Imazapyr - Human Health and Ecological Risk Assessment Preliminary Draft - Program Description. SERA TR 98-21-14-01b.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004e. Metsulfuron methyl - Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-17-01a.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004f. Sulfometuron methyl - Human Health and Ecological Risk Assessment Preliminary Draft - Introduction and Program Description. SERA TR 02-43-17-02a.
- SERA (Syracuse Environmental Research Associates, Inc.). 2004g. Documentation for the use of GLEAMS (Version 3) and auxiliary programs in Forest Service risk assessments (Version 2.04). SERA TD 2004-02.04b. February 10, 2004.
- Sheehan, M. 2005. Biological assessment for the buckhead knotweed glyphosate treatment project. Willamette National Forest, Eugene, Oregon.
- Sheley, R.L. and J.K. Petroff, eds. 1999. Biology and management of noxious rangeland weeds. Corvallis OR: Oregon State University Press. 438 pp.
- Soll, J. 2004a. Controlling Knotweed in the Pacific Northwest. The Nature Conservancy, Oregon Field Office. Portland, Oregon.
- Soll, J. 2004b. Personal communication. Willamette Basin Conservation Director, The Nature Conservancy, Oregon Field Office. Portland, Oregon.
- Somasundaram, L. and J.R. Coats. 1991. Pesticide transformation products: fate and significance in the environment. American Chemical Society. Washington D.C. p. 232-234.
- Spray Drift Task Force. 1997. A summary of ground application studies.
- Stein, M. 2005. Personal communication. Forest botanist, USDA Forest Service, Siuslaw National Forest, Waldport, Oregon. Previously Forest botanist on Mt. Hood National Forest, Sandy, Oregon.
- Stephenson, G. R., K. R. Solomon, C. S. Bowhey, and K. Liber. 1990. Persistence, leachability, and lateral movement of triclopyr (Garlon) in selected Canadian forestry soils. *Journal of Agricultural Food Chemistry* **38**: 584-588.
- Sullivan, T.P., R.G. Wagner, D.G. Pitt, R.A. Lautenschlager, and D.G. Chen. 1998a. Changes in diversity of plant and small mammal communities after herbicide application in sub-boreal spruce forest. *Canadian Journal of Forest Research* **28**: 168-177.

- Sullivan, T.P., C. Nowotny, and R.A. Lautenschlager. 1998b. Silvicultural use of herbicide in sub-boreal spruce forest: implications for small mammal population dynamics. *Journal of Wildlife Management* **62(4)**: 1196-206.
- Sullivan, T.P. 1994. Influence of Herbicide-Induced Habitat Alteration on Vegetation and Snowshoe Hare Populations in Sub-Boreal Spruce Forest. *Journal of Applied Ecology* **31(4)**: 717-730.
- Sylvia, D.M. and A.G. Jarstfer. 1997. Distribution of mycorrhiza on competing pines and weeds in a southern pine plantation. *Soil Science Society of America Journal* **1997(61)**: 139-44.
- Talmage, E. and E. Kiviat. 2004. Japanese Knotweed and Water Quality on the Batavia Kill in Green County, New York: Background Information and Literature Review. Report to Green County Soil and Water Conservation District and New York City Department of Environmental Protection, 27 pp.
- The Research Group. 2000. Economic Analysis of containment Programs, Damages, and Production Losses from Noxious Weeds in Oregon. Oregon Department of Agriculture Plant Division, Noxious Weed Control Program.
- Thurman, R. 2005. Personal communication. Wildlife Biologist, USDA Forest Service, Mt. Hood National Forest, Barlow Ranger District. Duffur. Oregon.
- Topik, C., N.M Halverson, and T. High. 1988. Plant Association and Management Guide for the Ponderosa Pine, Douglas-fir, and Grand Fir Zones. USDA – Forest Service, Pacific Northwest Region, Mt. Hood National Forest. R6-ECOL-TP-004-88.
- Tu, M., et al. 2001. Sethoxydim. Weed Control Methods Handbook. The Nature Conservancy.
- Tu, M., C. Hurd, & J.M. Randall. 2001. Weed Control Methods Handbook: Tools and Techniques for Use in Natural Areas, version April 2001. The Nature Conservancy. [Web Page]. Located at: <http://tncweeds.ucdavis.edu>. Accessed on: 28 October 2005.
- Tyser, R.W. 1992. Vegetation associated with two alien plant species in a fescue grassland in Glacier National Park, Montana. *Great Basin Naturalist* **52(2)**: 189-93.
- U.S. Census Bureau. 2004. Small Area Income & Poverty Estimates: Estimates for Oregon Counties, 2002. US Census Bureau. [Web Page]. Located at: <http://www.census.gov/cgi-bin/saipe/saipe.cgi>. Accessed on: 15 October 2005.
- U.S. Census Bureau. 2005. Oregon Quick Facts from the US Census Bureau. [Web Page]. Located at: <http://quickfacts.census.gov/qfd/states/41000.html>. Accessed on: 15 October 2005.
- U.S. Department of Agriculture. Forest Service. 1988. General Water Quality Best Management Practices. Pacific Northwest Region. Oregon.

Final Environmental Impact Statement

- U.S. Department of Agriculture. Forest Service. 1990a. Final Environmental Impact Statement: Land and Resource Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1990b. Land and Resource Management Plan: Mt. Hood National Forest. As amended. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1992. Clackamas National Wild and Scenic River and State Scenic Waterway. Environmental Assessment and Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1993a. Environmental Assessment for the Management of Noxious Weeds. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1993b. Roaring National Wild and Scenic River. Environmental Assessment and Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1993c. Salmon National Wild and Scenic River. Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture, Forest Service. 1993d. Wells Island Open Space Plan. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture. Forest Service. 1994a. Fish Creek Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1994b. Mile Creeks Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1994c. Pesticide-Use Management and Coordination Handbook. Washington Office. Washington D.C.
- U.S. Department of Agriculture. Forest Service. 1994d. Upper Sandy National Wild and Scenic River. Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1994e. White River National Wild and Scenic River. Management Plan. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995a. Collawash/Hot Springs Watershed Analysis. Revised 2003. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995b. Eagle Creek Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995c. Final Environmental Impact State for the Sandy River Delta Plan. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995d. Salmon River Watershed Analysis. Mt. Hood National Forest. Oregon.

- U.S. Department of Agriculture. Forest Service. 1995e. Sandy River Delta Plan. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995f. Upper Clackamas River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995g. White River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1995h. Zigzag River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996a. Clackamas River – Oak Grove Fork Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996b. East Fork Hood River and Middle Fork Hood River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996c. Environmental Assessment for the Control and Management of Noxious Weeds and Blackberries on Selected Lands within the Columbia River Gorge National Scenic Area. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996d. Lower Clackamas River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996e. North Fork Clackamas River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996f. Roaring River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996g. Upper Sandy Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1996h. West Fork of Hood River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1997a. Bull Run River Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1997b. Olallie Lake Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1997c. South Fork of Clackamas River Watershed Analysis. Mt. Hood National Forest. Oregon.

- U.S. Department of Agriculture. Forest Service. 1998a. Columbia River Tributaries East Watershed Analysis. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1998b. Control and Management of Noxious Weeds on the Barlow Ranger District, Mt. Hood National Forest. Mt. Hood National Forest. Oregon.
- U.S. Department of Agriculture. Forest Service. 1999a. Oregon Columbia River Tributaries West Watershed Analysis. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture, Forest Service. 1999b. Stemming the invasive tide: Forest Service strategy for noxious and nonnative invasive plant management. Washington Office. Washington, D.C.
- U.S. Department of Agriculture. Forest Service. 2000a. Mill Creek Watershed Analysis. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture, Forest Service. 2000b. USDA Forest Service Landbird Strategic Plan. Washington Office. Washington, D.C. (FS-648)
- U.S. Department of Agriculture, Forest Service. 2001. Guide to Noxious Weed Prevention Practices. Washington Office. Washington, D.C.
- U.S. Department of Agriculture, Forest Service. 2002. Field Guide Invasive Plant Inventory, Monitoring and Mapping Protocol. Washington Office. Washington, D.C.
- U.S. Department of Agriculture. Forest Service. 2003. Salmon-Challis National Forest Noxious Weed Management Program, Final Environmental Impact Statement. Idaho.
- U.S. Department of Agriculture. Forest Service. 2005a. Pacific Northwest Region Invasive Plant Program: Preventing and Managing Invasive Plants. Final Environmental Impact Statement. Volumes I, II, and III. (R6-NR-FHP-PR-02-05). Pacific Northwest Region. Oregon.
- U.S. Department of Agriculture. Forest Service. 2005b. Pacific Northwest Region Invasive Plant Program: Preventing and Managing Invasive Plants. Record of Decision.(R6-NR-FHP-PR-02-05). Pacific Northwest Region. Oregon.
- U.S. Department of Agriculture, Forest Service. 2005c. Biological Assessment for the USDA Forest Service Pacific Northwest Region Invasive Plant Program. Portland, Oregon.
- U.S. Department of Agriculture, Forest Service. 2005d. Rowena Plan. Columbia River Gorge National Scenic Area. Oregon.
- U.S. Department of Agriculture, Forest Service and U.S. Department of Interior, Bureau of Land Management. 1994. Final Supplemental Environmental Impact Statement on Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. Oregon, Washington and Northern California.

- U.S. Department of Agriculture, Forest Service and U.S. Department of Interior, Bureau of Land Management. 2001. Record of Decision and Standards and Guidelines for Amendments to the Survey and Manage, Protection Buffer, and other Mitigation Measures Standards and Guidelines. Oregon, Washington and Northern California.
- U.S. Department of Agriculture, Forest Service and U.S. Department of Interior, Bureau of Land Management. 2004. Record of Decision to Remove or Modify the Survey and Manage Mitigation Measure Standards and Guidelines. Oregon, Washington and Northern California.
- U.S. Department of Commerce, National Oceanic & Atmospheric Administration (NOAA). 2003. Endangered Species Act – Section 7 Consultation Biological Opinion and Magnuson-Steven Fishery Conservation and Management Act Essential Fish Habitat Consultation. Control of Knotweed on Bureau of Land management-Administered Lands, Sandy River Basin, Multnomah and Clackamas Counties, Oregon. USDI BLM, Salem District. NOAA National Marine Fisheries Service, Northwest Region.
- U.S. Department of Interior, Fish and Wildlife Service (FWS). 2005. Biological Opinion, Concurrence, and Conference Report on the Effects to 23 Species and 4 Critical Habitats from the U.S. Forest Service Pacific Northwest Regional Invasive Plant Program. (USFWS Reference Number 1-7-05-7-0653).
- U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS). 1999. Noxious, Invasive, and Alien Plant Species: A Challenge in Wetland Restoration & Enhancement. [Web Page]. Located at: <http://www.pwrc.usgs.gov/WLI/wris1.htm>. Accessed on: 27 April 2006.
- U.S. Government Accountability Office. 2005. Invasive Species: Cooperation and Coordination Are Important for Effective Management of Invasive Weeds. Report to the Chairman, Committee on Resources, House of Representatives. GAO-05-185. [Web Page]. Located at: <http://www.gao.gov/cgi-bin/getrpt?GAO-05-185>. Accessed on: 12 September 2005.
- Van der Putten, W.H. 1997. Plant-soil feedback as a selective force. *Tree* **12(5)**:169-70.
- Wasco County Soil and Water Conservation District (SWCD). 2002. Mosier Watershed Assessment. The Dalles. Oregon.
- Waters, T.F. 1995. Sediment in streams: sources, biological effects, and control. *American Fisheries Society Monograph* **7**.
- Weed Research and Information Center. 2006. Yellow Star Thistle Information. [Web Page]. Located at: <http://wric.ucdavis.edu/yst/manage/management.html>. Accessed on: 19 April 2006.
- Weis, J., G. Smith, T. Zhou, C. Santiago-Bass, and P. Weis. 2001. Effect of contaminants on behavior: biochemical mechanisms and ecological consequences. *BioScience* **51(3)**: 209-217.

- Wentz, D.A., B.A. Bonn, K.D. Carpenter, S.R. Hinkle, M.L. Janet, F.A. Rinella, M.A. Uhrich, I.R. Waite, A. Laenen, and K.E. Bencala. 1998, Water Quality in the Willamette Basin, Oregon, 1991-95: U.S. Geological Survey Circular 1161, updated June 25, 1998. [Webpage] Located at: <http://water.usgs.gov/pubs/circ1161>. Accessed on: July 2006.
- Whitson, T.D. Editor. 2001. Weeds of the West. 5th ed. Parker, R., Lee, R.D., Nelson, B.E...Cudney, D.W., Burrill, L.C., Dewey and others. Pioneer of Jackson Hole, Jackson, WY: The Western Society of Weed Science.
- William, R.D., A.G. Dailey, D. Ball, J. Colquhoun, R. Parker, J.P. Yenish, T.W. Miller, D.W. Morishita, and P.J.S. Hutchinson. 2004. Pacific Northwest Weed Management Handbook. Oregon State University (revised annually).
- Woodward DF. 1976. Toxicity of the herbicides dinoseb and picloram to cutthroat (*Salmo clarki*) and lake trout (*Salvelinu namaycush*). *Journal of the Fisheries Research Board of Canada* **33**:1671-1676.
- Woodward, D.F. 1979. Assessing the hazard of picloram to cutthroat trout. *Journal of Range Management* **32(3)**: 230-232.
- Wydoski, R.S., and R.L. Whitney. 2003. Inland fishes of Washington. Second edition. University of Washington Press, Seattle, Washington.
- Zollinger, R.K. 2005. 2005 North Dakota Weed Control Guide. 2005 North Dakota Herbicide Compendium, W-253. 2005. North Dakota State University Extension Service. [Web Page]. Located at: <http://www.ag.ndsu.nodak.edu?weeds/w253/w253-5b.htm>. Accessed on: 9 July 2005.