


2006 Aerial Insect and Disease Survey

USGS 100K Quad: Mt. Baker - E148121; 4A



Defoliators		Mortality Agents	
Code	Damaging Agent	Code	Damaging Agent
AS	Spruce aphid	1	Douglas-fir beetle
BS	Western blackheaded budworm	2	Douglas-fir engraver
BM	Modoc budworm	3	Spruce beetle
BP	Sugar pine tortrix	4	Fir engraver
BS	Western spruce budworm	5	Western balsam bark beetle
BY	Bryum's blight/Lophodermella	6B	Mountain pine beetle
CH	Larch	6J	Sub-alpine fir
HL	Western hemlock looper	6K	Mountain pine beetle
LG	Green striped forest looper	6L	Mountain pine beetle
LL	Larch looper	6P	Mountain pine beetle
LS	Black pine needle scale	6Q	Mountain pine beetle
MD	Douglas-fir budmoth	6W	Mountain pine beetle
ML	Larch budmoth	7	Ips spp.
MN	Douglas-fir needle midge	8	Western pine beetle
MS	Spruce budmoth	8B	Western pine beetle
NJ	Needle miner	8C	Silver fir beetle
ND	Needle miner	BEAR	Bear damage
NS	Needle miner	LW	Flatheaded wood borer
NK	Needle miner	PL	Black stain root disease
NL	Needle miner	RD	Root disease
NM	Needle miner	WATR	Water damage
NP	Needle miner		
NT	Needle miner		
NW	Needle miner		
OC	Western oak looper		
OB	Pine butterfly		
OL	Pine needle cast		
PH	Phantom hemlock looper		
PM	Pandora moth		
PN	Pine needle/needle miner		
PS	Pine needle scale		
RC	Needle cast		
S	Spider mite		
SA	Sawfly		
SD	Sawfly		
SH	Sawfly		
SK	Sawfly		
SL	Sawfly		
SM	Sawfly		
SNC	Swiss needle cast		
SP	Sawfly		
SW	Sawfly		
TA	Tent caterpillar, alder		
TC	Tent caterpillar, other		
TM	Douglas-fir tussock moth		
TS	Tent caterpillar, aspen		

USGS 100K Quad: Mt. Baker - 48121E1; 4A
 2006 Aerial Insect and Disease Detection Survey
 Mapscale: 1:100,000
 Date: November 29, 2006

Legend

- Defoliating Agents
- Mortality Agents
- Other Damage
- WadNR Managed Lands
- Areas Not Flown

Other Damaging Agents

Code	Damaging Agent	Primary Host
AB	Balsam woolly adelgid	True fir
AC	Cooley spruce gall adelgid	Spruce, Douglas-fir
AM	Leaf discoloration	Maple
BR	Blester rust	Five-needle pines
CC	Corytophora canker	True fir
CH	Dying hemlock	Hemlock
FIRE	Fire	All species
GP	Gouty pitch midge	Ponderosa pine
HAL	Hail	All species
HD	Heartwood decline	Hardwoods
NF	No damage detected	All species
OUT	Pacific madrone	Pacific madrone
PMD	True fir	Poplars
PR	Leaf rust in poplars	All species
RB	Rust leaf	All species
SLID	Slide	All species
UNDM	Unknown defoliation	All species
UNDM	Unknown mortality	All species
WATR	Water damage	All species
WIND	Windthrow	All species
WTR	Winter Damage	All species

The map base was created with TOPO! (Copyright 2001, National Geographic); available online at: www.ngmapstore.com

A data dictionary, digital copies of this map and ArcGIS insect and disease data are available at: www.fs.fed.us/r6/nr/fid/data.shtml

How the Aerial Surveys Are Conducted

Data represented on this map are based on trees visibly affected by forest insects and diseases detected and recorded during aerial survey flights conducted by the USDA Forest Service and the Washington Department of Natural Resources. Observers have just a few seconds to recognize the color difference between healthy and damaged trees of different species; diagnose causal agents correctly; estimate intensity; delineate the extent of damage; and precisely record this information on a georeferenced, digital map. Air turbulence, cloud shadows, distance from aircraft, haze, smoke and observer experience can all affect the quality of the survey. These data summaries provide an estimate of conditions on the ground and may differ from estimates derived by other methods.

The aerial survey provides information on the current status for many causal agents, and is important when examining insect activity trends by comparing historical and current survey data over large areas.

Overview surveys are a 'snap shot' in time and therefore may not be timed to accurately capture the true extent or severity of a particular disturbance activity. Specially designed surveys with modified flight patterns and timing may be conducted to more accurately delineate the extent and severity of a particular disturbance agent. Special surveys, such as Swiss needle cast surveys, are conducted when resources are available to address situations of sufficient economic, political or environmental importance.

DIRECT ALL INQUIRIES TO:

Washington State Department of Natural Resources
 Resource Protection
 Forest Health
 1111 Washington St. SE
 Olympia, WA 98504

-- OR --

USDA Forest Service, Region 6
 Natural Resources
 Forest Health Protection
 PO Box 3623
 Portland, Oregon 97208

DISCLAIMER

The insect and disease data presented should only be used as an indicator of insect and disease activity, and should be ground-checked for precise location, extent, severity and causal agent.

Color coded polygons show locations where trees were recently killed or defoliated. Intensity of damage is variable and not all trees within coded polygons are dead or defoliated.

The cooperators reserve the right to correct, update, modify or replace GIS products without notice. Using this map for purposes other than those for which it was intended may yield inaccurate or misleading results.