



M.S.D.S

MATERIAL SAFETY DATA SHEET

RELEASE DATE: AUGUST 2007

REVISED DATE: SEPTEMBER 2010



Product Name: Firelce®

Section I Company Information

GelTech Solutions, Inc.
 1460 Park Lane South, Suite 1
 Jupiter, Florida 33458
 Telephone: 561.427.6144
 Fax: 561.427.6182

Section II Hazardous Ingredients / Identity Information

Hazardous Components Specific chemical identity: Common name(s)	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
Manufacturer's recommended exposure guideline for respirable particulate	—	—	0.05mg/m ³	—

Product Identification

Chemical Name	CAS Number	%
Potassium based co-polymer	25608-12-2	92 to 98
Water	7732-18-5	2 to 8
Acrylic acid	79-10-7	<0.08

Component Information/Information on Non-Hazardous Components: The components of this product are not regulated as hazardous under 29 CFR and 49 CFR. All components are listed in TSCA CFR 40 700.

NFPA/HMIS Health – 1, Fire – 0, Reactivity – 0, Specific Hazard – None

Dot Class Not Regulated

Section III Physical / Chemical Characteristics

Boiling Point (in solution)225°F (107°C)	Bulk Density (apparent – g/cc):0.5
Vapor Pressure (mm Hg.).....Not applicable	Melting Point.....Not applicable
Vapor Density (AIR =1)Not applicable	Evaporation Rate (Butyl Acetate = 1)Not applicable
Appearance and OdorOff white, odorless	Freezing Point (in solution)26°F (-3°C)



Product Name: Firelce®

Section VIX 24 Hour Emergency Contact Information

GelTech Solutions, Inc.

Michael Cordani - CEO

1460 Park Lane South

Suite 1

Jupiter, FL 33458

Telephone: 561-512-1420

EMAIL: mcordani@geltechsolutions.com



1460 Park Lane South, Suite 1
Jupiter, FL 33458
561.427.6144 | Fax 561.427.6182