



7B.1 Recreation Site Identification Signs**Text placement****Notes**

Margin shown shall be typically one-half the capital letter height of the forest or unit name.

Each line of text shall be centered between the edges of the sign and shall not extend into the margin.

Use for facilities such as campgrounds, visitor centers, picnic grounds, and trailheads.

Text layout—Recreation Site Identification sign (RS)



Text layout dimensions (inches)

Sign number	H	L	A	B	C	D	E	Facility name ASA Series D (initial caps lower case)	Facility type ASA Series D (upper case)	Forest name ASA Series D	Logo height
RS-1	30	48	4	10	15	17 1/4	23 3/4	4	4	3	4
RS-2	40	63	6 1/2	14	21	24	32	5	5	4	5
RS-3	48	78	6 1/2	16	25	28 3/4	38 3/4	6	6	5	6
RS-4	60	93	9	21	32	36	48	8	8	6	8

Painted, Routed Colors

Top - Legend brown (#20059) on yellow-cream (#23695) background.

Bottom - Legend yellow-cream (#23695) on brown (#20059) background.

Fully Retroreflective Colors

Top - Legend brown on white background.


Bottom - Legend white on brown background.

Sign number	Shield size (inches)	USDA credit line	Road speed (mph)
RS-1	10	P-37	0-30
RS-2	12	P-43	35-40
RS-3	12	P-52	45-50
RS-4	15	P-68	50+

References

- For sign guidelines, see Chapters 7 and 7A.
- For panel construction, see Chapter 14.
- For horizontal text placement, see page 7B-1.
- For Forest Service shield, see page 8C-8.
- For USDA credit line, see page 8C-7.

Text layout—Recreation Site Identification sign (RS M1) modified layout, two-line site type



Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	F	Facility name ASA Series D (initial caps lower case)	Facility type ASA Series D (upper case)	Forest name ASA Series D	Logo height
RSM1-1	30	48	3	8 1/2	13	14 3/4	19 1/4	23 3/4	4	3	3	4
RSM1-2	40	63	4 1/2	12	18 1/2	20 1/2	24	30 1/2	5	4	4	5
RSM1-3	48	78	4 1/2	13	25 1/2	23	31	38 1/2	6	5	5	6
RSM1-4	60	93	7	18	27	30 1/2	39 1/2	48 1/2	8	6	6	8

Notes

Specify names, site type, and sign number when ordering.

Painted, Routed Colors

Top - Legend brown (#20059) on yellow-cream (#23695) background.

Bottom - Legend yellow-cream (#23695) on brown (#20059) background.

Fully Retroreflective Colors

Top - Legend brown on white background.

Bottom - Legend white on brown background.

References

For sign guidelines, see Chapters 7 and 7A.

For panel construction, see Chapter 14.


For horizontal text placement, see page 7B-1.

For Forest Service shield, see page 8C-8.

For USDA credit line, see page 8C-7.

Sign number	Shield size (<i>inches</i>)	USDA credit line	Road speed (<i>mph</i>)
RSM1-1	10	P-37	0-30
RSM1-2	12	P-43	35-40
RSM1-3	12	P-52	45-50
RSM1-4	15	P-68	50+

Text layout—Recreation Site Identification sign (RS M2) modified layout, two-line forest name



Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	F	Facility name ASA Series C (initial caps lower case)	Facility type ASA Series D (upper case)	Forest name ASA Series D	Logo height
RSM2-3	48	63	6	14 1/2	22 3/8	29 7/8	32 3/8	40 1/2	5	5	5	6

Notes

Specify names, site type including 2 lines, and sign number when ordering.

Painted, Routed Colors

Top - Legend brown (#20059) on yellow-cream (#23695) background.

Bottom - Legend yellow-cream (#23695) on brown (#20059) background.

Fully Retroreflective Colors

Top - Legend brown on white background.

Bottom - Legend white on brown background.

References

For sign guidelines, see Chapters 7 and 7A.


For panel construction, see Chapter 14.

For horizontal text placement, see page 7B-1.

For Forest Service shield, see page 8C-8.

For USDA credit line, see page 8C-7.

Sign number	Shield size (<i>inches</i>)	USDA credit line	Road speed (<i>mph</i>)
RSM2-1	10	P-37	0-30
RSM2-2	12	P-43	35-40
RSM2-3	12	P-52	45-50
RSM2-4	15	P-68	50+

Text layout—optional Recreation Site Identification (RSE) signText layout dimensions (*inches*)

Sign number	H	L	A	B	C	Facility Name ASA Series D (initial caps lower case)	Facility type ASA Series D (upper case)	Road speed (<i>mph</i>)
RSE-A	14	30	3	7 ⁵ / ₈	9 ¹ / ₈	3	3	0-30
RSE-B	20	48	3 ³ / ₄	10 ³ / ₄	13 ¹ / ₂	4	4	35-40
RSE-C	24	60	5	13	16 ¹ / ₄	5	5	45-50
RSE-D	28	72	5	15	18 ¹ / ₂	6	6	50+

Painted, Routed Colors

Top – Legend brown (#20059) on yellow-cream (#23695) background.

Bottom – Legend yellow-cream (#23695) on brown (#20059) background.

Fully Retroreflective Colors

Top – Legend brown on white background.

Bottom – Legend white on brown background.

Specify name, site type, and sign number when ordering.

References


For sign guidelines, see Chapters 7 and 7A.

For panel construction, see Chapter 14.

For horizontal text placement, see page 7B-1.

7B.2 Recreation Area Signs

Text layout—Recreation Area – Camping Limit (RA-1) sign



Text layout dimensions (*inches*)

Sign number	H&L	B	C	D	E	F	R	Text height ASA Series C (upper case)	Border width
RA-1	18	1 1/2	3	7 3/4	12 1/2	16 1/2	1 1/2	3	1/2

Notes

Center each line of text and mounting holes on vertical centerline.
Specify number of days when ordering.
All mounting holes are 3/8-inch diameter.


Colors

Fully retroreflective white legend and border on brown background.

References

For sign guidelines, see Chapters 7 and 7A.

Text layout—Recreation Area – Area Closed (RA-2, RA-3) signs



Text layout dimensions (*inches*)


Sign number	H	L	C	D	E	F	R	Text height ASA Series C (upper case)
RA-2, RA-2A	10	20	1 1/2	2 1/4	6	8 1/2	1 1/2	2

Notes

3/8-inch border inset 3/8 inch (RA-2). 1/2-inch border with no inset (RA-2A).

Colors

Black on retroreflective white (RA-2). Retroreflective white on brown (RA-2A).



Text layout dimensions (*inches*)

Sign number	H	L	C	D	E	F	G	R	Text height ASA Series C (upper case) Lines 1 & 2	Text height ASA Series C (upper case) Line 3	
RA-3	10	16	32	1 1/2	2 1/4	6	10 1/2	14 1/2	1 1/2	3C	2C

Notes

1/2-inch border to be inset 1/2 inch.
Center each line of text and mounting holes on vertical centerline.
All mounting holes are 3/8-inch diameter.


Colors

Black on retroreflective white.

References

For sign guidelines, see Chapters 7 and 7A.

Text layout—Recreation Area – Interior Unit Direction (RA-4) sign



Text layout dimensions (inches)

Sign number	H	L	C	D	J	E	F	G	I	R	Text height	Text height	Arrow
											ASA Series C (upper case) Lines 1 & 2	ASA Series C (upper case) Line 3	
RA-4a	16	24	1 1/2	2 1/4	–	6	10	10 3/4	14 1/2	1 1/2	3	2	4 text
RA-4b	18	24	1 1/2	2 1/4	5 7/8	8	12	12 3/4	16 1/2	1 1/2	3	2	4 text


Notes

Center each line of text on vertical centerline.
 All mounting holes are 3/8-inch diameter.
 1/2-inch border with no inset.

Colors

Fully retroreflective white legend and border on brown background.

Text layout—Recreation Area – Lifeguard Sign (RA-5)



Text layout dimensions (inches)

Sign number	H	L	C	D	E	F	R	Text height
								ASA Series C (upper case)
RA-4a	10	18	1 1/2	2 1/4	5 3/4	8 1/2	1 1/2	2

Notes

Center each line of text on vertical centerline.
 All mounting holes are 3/8-inch diameter.
 1/2-inch border with no inset.

Colors


Fully retroreflective white legend and border on brown background.

References

For sign guidelines, see Chapters 7 and 7A.
 For arrow, see Chapter 3D.

7B.3 National Recreation Area Signs

Text layout—National Recreation Area (NRA-REC) sign



Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	F	Facility name ASA Series D (mixed case)	Facility type ASA Series D (upper case)	Logo height
NRA-Rec-4	48	63	4 1/2	12 1/2	21	29 1/2	32	40	5	5	6
NRA-Rec-5	60	78	5 1/2	15 1/2	26	37 1/2	40 1/2	50 1/2	6	6	6
NRA-Rec-6	72	93	6 1/2	19	32	45	45 1/2	60 1/2	8	8	10

Notes

Specify area name, site type, and sign number when ordering.

Yellow-cream and white colors may be changed to any harmonious colors fitting the character of the area that are approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

Sign number	NRA credit line #2	Road speed (mph)
NRA-Rec-4	P-10	0-40
NRA-Rec-5	P-12	40-55
NRA-Rec-6	P-12	55+

Painted, Routed Colors

Top – Legend brown (#20059) on yellow-cream (#23695) background.
Bottom – Legend yellow-cream (#23695) on brown (#20059) background.

Fully Retroreflective Colors

Top – Legend brown on white background.
Bottom – Legend white on brown background.

References

- For sign guidelines, see Chapters 7 and 7A.
- For panel construction, see Chapter 14.
- For horizontal text placement, see page 7B-1.
- For Forest Service shield, see page 8C-8.
- For USDA credit line, see page 7B-10.

Text layout—National Recreation Area – USDA Credit Line #2 (NRA-P)



Text layout dimensions (*inches*)

Sign number	H	L	C	D	R	Border width (retroreflective only)	Text height ASA Series C (mixed case)	Fits panel lengths
NRA-P10	10	Varies	2	6	1 1/2	3/8	2	Up to 63
NRA-P12	12	Varies	2	7	1 1/2	1/2	3	78+

Notes

Center each line of text on vertical centerline.

Yellow-cream and white colors may be changed to any harmonious colors fitting the character of the area that are approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

Specify area name, site type, and sign number when ordering.

Painted, Routed Colors

Yellow-cream (#23695) legend on brown (#20059) background.

Fully Retroreflective Colors


White legend and border on brown background.

References

For sign guidelines, see Chapters 7 and 7A (Recreation) and Chapter 8 (Forest Identification).
For panel construction, see Chapter 14.

7B.4 Federal Recreation Symbols

Text layout—recreation symbol layout



Dimensions (inches)

Sign Number*	H & L	Border width (no inset)
R-000-8	8	1/2
R-000-12	12	1/2
R-000-18	18	5/8
R-000-24	24	5/8
R-000-30	30	3/4



Notes

Recreation symbols may be reversed to show a mirror image if that better reflects the activity.

Colors

Fully retroreflective white symbol and border on brown background. When arrows are needed below recreation symbols, use Auxiliary Route Marker M Series arrows as shown in the *Standard Highway Signs* Chapter 3 or FM Series arrows on page 3D-11 of these Guidelines. Arrow colors are white borders and arrow on brown background. Arrow plaque should be the same length as the recreation symbol or the next length shorter.

References

For sign guidelines, see Chapters 3B, 7, and 7A.
For panel construction, see Chapter 14.

7B.5 Sanitary Dumping Site Signs

Text layout—Sanitary Dumping Site signs (SDS)



Dimensions (inches)


Sign number	H	L	C	D
SDS	22	10	3/8	1

Colors

Fully retroreflective white legend and border on brown background.

7B.6 Forest Service Fee Area Sign

Text layout—Forest Service Fee Area sign (FA)



Dimensions (inches)

Sign number	H	L	A	B	C	D	Hole size	Outside border	Circle border
FA-1	9	9	$5 \frac{5}{8}$	4	$\frac{3}{4}$	$7 \frac{11}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{8}$
FA-2	18	18	$11 \frac{1}{4}$	8	$1 \frac{1}{2}$	$15 \frac{3}{8}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{4}$

Colors

Background and shield background – gold transparent ink (PMS 130).


Background circle – white retroreflective sheeting (engineer grade).

Borders, figures, and type – midnight blue (PMS 282).

Colors are Pantone Matching System (PMS).

7B.7 National Wild and Scenic River Logo

Text layout—National Wild and Scenic River logo (WSR)



Dimensions (inches)

Sign number	H	L	Black border C	White inset D	Text height
WSR-2	18	15 1/2	1/4	3/4	5/8
WSR-3	9	7 3/4	1/8	3/8	5/16
WSR-4	3 1/2	3	15/32	9/64	1/8

Colors

Fully retroreflective colors are Federal Standard 595B.

References

For sign guidelines, see Chapter 5.

For panel construction, see Chapter 14.

For National Wild and Scenic River logo, see Chapter 5.

7B.8 National Wild and Scenic River Sign

Text layout—National Wild and Scenic River sign (WSR)



Dimensions (inches)

Sign number	H	L	C	D	E	F	G	**S	R	River name ASA Series C (upper case)	WSR logo height	Shield size
WSR-1A	24	48*	3 1/2	6 1/2	8 1/2	11 1/4	16 1/4	3	1 1/2	3	18	6
WSR-1B	24	60*	3 1/2	4 1/2	9	10 1/2	16 1/2	4	1 1/2	4	18	6
WSR-1C	30	82*	3 1/2	4	10 1/2	12 1/2	21	6	1 1/2	6	24	8

Notes

*Actual sign length will be determined by the message desired.

**Minimum space shall be the same as letter size used.

Colors

Fully retroreflective white legend, border, and Forest Service shield on brown background.

See page 7B-15 for National Wild and Scenic River logo colors.

References


For sign guidelines, see Chapter 5.

For panel construction, see Chapter 14.


For National Wild and Scenic River logo, see Chapter 5.

7B.9 Solid Waste Disposal Signs

Text layout—Solid Waste Disposal sign (SW-1) PACK IT IN/PACK IT OUT with bag dispenser



Text layout—Solid Waste Disposal sign (SW-2) PACK IT IN/PACK IT OUT reminder sign



Dimensions (inches)

Sign number	H	L	C	D	E	F
SW-2	18	30	2 1/2	3/8	1 1/2	1

Text layout—Solid Waste Disposal sign (SW-3 and SW-4) PACK IT IN/PACK IT OUT site sign



Dimensions (inches)

Sign number	H	L	C	D	E	Location
SW-3	18	13	1	1 1/2	3/8	Site sign
SW-4	11	8	1 3/4	3/4	3/8	Trailside sign

Colors

Black legend on white background.