

## 8C.1 General Layout

## Text placement

**Notes**


Completed signs shall be similar to typical sign layouts shown above, including shape, text, logotype, line spacing, and letter and word spacing.

Margin shown typically shall be one half the capital letter height of the unit name. Each baseline of text shall be centered between the edges of the sign and shall not extend into the margin. The top line of text shall be offset towards the high point of the panel and shall not extend into the margin.

Use for administrative sites and boundaries such as national forests, national grasslands, national recreation areas, and monuments.

## 8C.2 National Forest Boundary Signs

### Text layout—National Forest Entrance sign (FE)



#### Text layout dimensions (inches)

Sign number	H	L	A	B	C	Forest name ASA Series D (upper case)	Logo height	Shield size	USDA credit line	Road speed (mph)
FE-3	36	54	5	13 1/4	22	5	6	10	P-43	0-20
FE-4	48	72	7 1/2	18 1/2	30	6	8	12	P-52	20-30
FE-5	60	90	8	22	37	8	10	15	P-68	30-40
FE-6	72	108	9 1/4	26 1/2	44	10	13	18	P-80	40-50
FE-7	84	126	11	30 1/2	51	11	14	24	P-95	50-55
FE-8	96	144	11	34	59	12	18	24	P-110	55+

#### Notes

Follow text layout on page 8C-14 for two-line unit names.

#### Painted, Routed Colors

Yellow-cream (#23695) legend on brown (#20059) background.

#### Fully Retroreflective Colors

White legend on brown background.

#### References

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For USDA credit line, see page 8C-7.

**Text layout**—Forest Boundary Leaving sign (FL)Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	Forest name ASA Series D or F (upper case)	Logo height	Leaving (lower case)	Shield size	USDA credit line	Road speed ( <i>mph</i> )
FL-3	36	54	3 <sup>3</sup> / <sub>4</sub>	11 <sup>3</sup> / <sub>4</sub>	20 <sup>1</sup> / <sub>2</sub>	27	4D	6	3D	10	P-43	0-20
FL-4	48	72	5 <sup>1</sup> / <sub>2</sub>	16	26	45	6F	8	5D	12	P-52	20-30
FL-5	60	90	7	20	33	45	8D	10	6D	15	P-68	30-40
FL-6	72	108	7 <sup>1</sup> / <sub>2</sub>	23	38 <sup>1</sup> / <sub>2</sub>	54	10D	12	7D	18	P-80	40-50
FL-7	84	126	10	29	48	65	11D	14	8D	24	P-95	50-55
FL-8	96	144	9	32	55	74	12D	18	10D	24	P-110	55+

**Notes**

Follow text layout on page 8C-16 for two-line unit names.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.


For horizontal text placement, see page 8C-1.

For Forest Service shield, page 8C-8.

For USDA credit line, see page 8C-7.

### 8C.3 Minor Forest Boundary Signs

#### Text layout—Minor Forest Boundary Entrance sign (MFE)



Text layout dimensions (inches)

Sign number	H	L	A	B	C	D	E	F	Forest name ASA Series D	Logo height	USDA height ASA Series D
MFE-1 (Trails)	18	18	1 1/2	3	4 3/4	6	9	12 1/2	2	2 1/2	7/8
MFE-2 (Roads)	27	27	2 1/4	4 1/2	7	9	14	19	2 1/2	4	1 1/4

#### Notes

Mount shield on post below sign. Minimum 4-inch size recommended.  
On single post installation, decals may be used for the shield.

#### Painted, Routed Colors


Yellow-cream (#23695) legend on brown (#20059) background.

#### Fully Retroreflective Colors

White legend on brown background.

#### References

For sign guidelines, see Chapter 8.  
For panel construction, see Chapter 14.  
For horizontal text placement, see page 8C-1.

**Text layout—Minor Forest Boundary Leaving sign (MFL)**Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	F	G	Leaving ASA Series C (upper case)	Forest name ASA Series D (upper case)	Logo height	USDA height ASA Series D (upper case)
MFL-1 (Trails)	18	18	1 1/2	3	4 3/4	5 3/4	8 3/4	11 5/8	14 1/2	1 1/2	2	2 1/2	7/8
MFL-2 (Roads)	27	27	2 1/4	4 1/2	7	8 1/2	13	17 1/2	21 1/2	2	2 1/2	3 1/2	1 1/4

**Notes**

Mount shield on post below sign. Minimum 4-inch size recommended.  
On single post installation, decals may be used for the shield.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.  
For panel construction, see Chapter 14.  
For horizontal text placement, see page 8C-1.

### 8C.4 National Forest Land Signs

**Text layout**—National Forest Land—Entering/Leaving sign (NFL-E and NFL-L)



Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	Entering/ Leaving ASA Series D	Logo height	Land ASA Series D
NFL-E-1, NFL-L-1	18	18	2 1/2	5 3/4	8 3/4	12 1/4	2	2 1/2	2
NFL-E-2, NFL-L-2	27	27	3 3/4	8 3/4	13 1/2	18 7/8	3	4	3

#### Painted, Routed Colors

Yellow-cream (#23695) legend on brown (#20059) background.

#### Fully Retroreflective Colors

White legend on brown background.

#### References


For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

## 8C.5 USDA Credit Line #1

## Text layout—USDA Credit Line #1 (P)

Text layout dimensions (*inches*)

Sign number	H	L	Text height ASA Series C or D (upper case)	Border width
P-37	3 1/2	37	1 1/2C	1/4
P-43	5 1/2	43	2C	3/8
P-52	5 1/2	52	2C	3/8
P-56	5 1/2	56	2D	3/8
P-68	6 1/2	68	3C	1/2
P-80	6 1/2	80	3D	1/2
P-95	7 1/2	95	4C	5/8
P-110	7 1/2	110	4D	5/8

**Notes**

Center text on panel.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

## 8C.6 Forest Service Shield

**Text layout**—Forest Service Shield (S)



### Dimensions (*inches*)

Sign number	Size H
S-8	8
S-10	10
S-12	12
S-15	15
S-18	18
S-24	24
S-28	28

### Notes

Line depicts edge of shield. No outside border.

Shield artwork supplied by Government.

Also available in decals sizes 2, 2 1/2, 3, 4, 5, 6, and 8 inches.

### Painted, Routed Colors

Yellow-cream (#23695) legend on brown (#20059) background.

### Fully Retroreflective Colors


White legend and border on brown background.

### References

See Chapter 5 for Wilderness shield.

## 8C.7 Administrative Site Signs

### Text layout—Administrative Site Signs (AS)



Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	Facility name ASA Series D title case)	Facility type ASA Series D (upper case)	Forest name ASA Series D	Logo height
AS-3	36	54	5 1/4	12	18 1/4	20 1/2	27	4	4	4D	6
AS-4	48	72	7 1/4	16 1/4	24 1/2	27 1/2	35 1/4	5	5	4D	6
AS-5	60	90	10	21 1/4	32	35 1/2	45	6	6	6D	8
AS-6	72	108	10 1/2	24 1/2	36 1/2	40 1/2	53 1/2	8	8	8D	10
AS-7	84	126	12 1/2	29	44	49	63	9	9	10D	12
AS-8	96	144	11 1/2	30	48	53 1/2	70	11	11	12D	14

#### Painted, Routed Colors

Top – Legend brown (#20059) on yellow-cream (#23695) background.

Bottom – Legend yellow-cream (#23695) on brown (#20059) background.

#### Fully Retroreflective Colors

Top – Legend brown on white background.

Bottom – Legend white on brown background.

#### References

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.


For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For USDA credit line, see page 8C-7.

Sign number	Shield size ( <i>inches</i> )	USDA credit line	Road speed ( <i>mph</i> )
AS-3	10	P-43	0-20
AS-4	12	P-52	20-30
AS-5	15	P-68	30-40
AS-6	18	P-80	40-50
AS-7	24	P-95	50-55
AS-8	24	P-110	55+

**Text layout**—Forest/District Administrative Site sign (A) for urban location  
Layout for one-line facility name



Text layout dimensions for USDA area (inches)

Sign number	H	L	A	B	C	D	E	USDA ASA Series E (upper case)
A3	18	34	1 3/4	5 3/4	9 3/4	13 3/4	5 1/2	2 1/2
A5	30	54	2 3/4	9 1/4	15 3/4	22 1/4	9	5
A7	46	94	4	14	24	34	16	8

Text layout dimensions for facility and unit area (inches)

Sign number	F	G	I	J	K	S	Facility type ASA Series D or E (upper case)	Facility name ASA Series D	Logo height	Shield size
A3	2 3/4	6	8 3/4	11	14 1/2	2	2E	2	2	6
A5	3 1/2	9 1/2	17	14	17	4	4D	4	4	10
A7	6	13	19	21	26	6	6D	6	6	15

**Painted, Routed Colors**

Left side – Legend brown (#20059) on yellow-cream (#23695) background.  
Right side – Legend yellow-cream (#23695) on brown (#20059) background.


**Fully Retroreflective Colors**

Left side – Legend brown on white background.  
Right side – Legend white on brown background.

**References**

For sign guidelines, see Chapter 8.  
For panel construction, see Chapter 14.  
For horizontal text placement, see page 8C-1.  
For Forest Service shield, see page 8C-8.

**Text layout**—Forest/District Administrative Site sign (A) for urban location  
Layout for two-line facility name



Text layout dimensions for USDA area (*inches*)

Sign number	H	L	A	B	C	D	E	USDA ASA Series E (upper case)
A3	18	34	1 3/4	5 3/4	9 3/4	13 3/4	5 1/2	2 1/2
A3	30	54	2 3/4	9 1/4	15 3/4	22 1/4	9	5
A3	46	94	4	14	24	34	16	8

Text layout dimensions for facility and unit area (*inches*)

Sign number	F	G	I	J	K	L	Facility type ASA Series D or E (upper case)	Facility name ASA Series D	Logo height	Shield size
A3	2 3/4	5 1/2	7 3/4	8 3/4	11	14 1/2	2E	1 1/2	2	6
A3	3 1/2	8 3/4	12 1/2	14	17	23	4D	2 1/2	4	10
A3	6	13	19	21	26	35	6D	4	6	15

**Painted, Routed Colors**

Left side – Legend brown (#20059) on yellow-cream (#23695) background.  
Right side – Legend yellow-cream (#23695) on brown (#20059) background.

**Fully Retroreflective Colors**


Left side – Legend brown on white background.  
Right side – Legend white on brown background.

**References**

For sign guidelines, see Chapter 8.  
For panel construction, see Chapter 14.  
For horizontal text placement, see page 8C-1.  
For Forest Service shield, see page 8C-8.

8C.8 BLM/FS Interagency Signs

Text layout—BLM/FS Interagency sign (BLM/FS)



Text layout dimensions (inches)

Sign number	H	L	R*	S	A	B	C	D	E	F	G	Area name**	Credit texts**	Office**
BLM/FS-1	36	96	7	12	3	9	13	18	22	28	32	4	3	4

\*All radii are 7 inches

\*\*All text News Gothic font

Sign number	Shield or BLM logo (inches)	USDA credit line	Road speed (mph)
BLM/FS-1	S-18	P-43	0-50+

**Painted, Routed Colors**

Legend yellow-cream (#23695) on brown (#20059) background.

**Fully Retroreflective Colors**


Legend white on brown background.

**References**

For shield and credit line, see Chapter 8C.  
For BLM logo, contact BLM.

### 8C.9 National Recreation Area Signs

**Text layout**—National Recreation Area Entrance sign (NRA-Ent), Front Panel



Text layout dimensions (*inches*) One-line National Recreation Area (front)

Sign number	H	L	A	B	C	NRA name ASA Series D (upper case)	Logo height	FS shield size	NRA credit line	Road speed ( <i>mph</i> )
NRA-ENT-4F	48	72	8	16 1/2	27	6	6	12	NRA-P10	0-40
NRA-ENT-5F	60	90	11	21 1/2	36	8	8	15	NRA-P12	45+

#### Notes

Top line of signs shall be offset toward the high point of the panel, but shall not extend into the margin.

Point of sign always faces road and Entrance and Leaving sign points always match each other.

If sign is to be placed on left side of road, order “for left side of road placement.”

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

#### Painted, Routed Colors

Yellow-cream (#23695) legend on brown (#20059) background.

#### Fully Retroreflective Colors

White legend on brown background.

#### References

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For NRA, USDA credit line, see page 7B-10.

**Text layout**—National Recreation Area Entrance sign (NRA-Ent), Front PanelText layout dimensions (*inches*) Two-line National Recreation Area (front)

Sign number	H	L	A	B	C	D	NRA name ASA Series D (upper case)	Logo height	FS shield size	NRA credit line	Road speed ( <i>mph</i> )
NRA-ENT-4F	48	72	8	16 1/2	26 1/2	33	4	6	12	NRA-P10	0-40
NRA-ENT-4F	60	90	11	21 1/2	34	42	5	8	15	NRA-P12	45+

**Notes**

Top line of signs shall be offset toward the high point of the panel, but shall not extend into the margin.

Point of sign always faces road and Entrance and Leaving sign points always match each other.

If sign is to be placed on left side of road, order “for left side of road placement.”

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For NRA, USDA credit line, see page 7B-10.

**Text layout**—National Recreation Area Entrance sign (NRA-Ent), Back PanelText layout dimensions (*inches*) One-line National Recreation Area (back)

Sign number	H	L	A	B	C	D	Leaving ASA Series D (title case)	NRA name ASA Series D	Logo height	FS shield size	NRA credit line	Road speed ( <i>mph</i> )
NRA-ENT-4B	48	72	8	16 ½	27	38	4	6	6	12	NRA-P10	0-40
NRA-ENT-4B	60	90	11	21 ½	34	42	5	8	8	15	NRA-P12	45+

**Notes**

Top line of signs shall be offset toward the high point of the panel, but shall not extend into the margin.

Point of sign always faces road and Entrance and Leaving sign points always match each other.

If sign is to be placed on left side of road, order “for left side of road placement.”

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For NRA, USDA credit line, see page 7B-10.

## Text layout—National Recreation Area Entrance sign (NRA-Ent), Back Panel



## Text layout dimensions (inches)

Sign number	H	L	A	B	C	D	E	Leaving ASA Series D (title case)	NRA name ASA Series D	Logo height	FS shield size	NRA credit line	Road speed (mph)
NRA-ENT-4B	48	72	8	16 1/2	25	31 1/2	38 1/2	4	6	6	12	NRA-P10	0-40
NRA-ENT-4B	60	90	11	21 1/2	33	41	49	4	5	8	15	NRA-P12	45+

**Notes**

Top line of signs shall be offset toward the high point of the panel, but shall not extend into the margin.

Point of sign always faces road and Entrance and Leaving sign points always match each other.

If sign is to be placed on left side of road, order “for left side of road placement.”

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**


For sign guidelines, see Chapter 8.

For panel construction, see Chapter 14.

For horizontal text placement, see page 8C-1.

For Forest Service shield, see page 8C-8.

For NRA, USDA credit line, see page 7B-10.

**Text layout**—National Recreation Area Entering Boundary sign (NRA-BDY)Text layout dimensions (*inches*)

Sign number	H	L	A	B	C	D	E	Area name ASA Series D (upper case)	Logo height
NRA-BDY-4F	48	63	3 1/2	6	16 1/2	27	38	6	8
NRA-BDY-5F	60	78	4 1/2	6 1/2	20	33 1/2	48	7	10
NRA-BDY-6F	72	93	4 1/2	8	23 1/2	39	58 1/2	9	12

**Notes**

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

**Painted, Routed Colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.  
 For panel construction, see Chapter 14.  
 For horizontal text placement, see page 8C-1.  
 For Forest Service shield, see page 8C-8.  
 For NRA, USDA credit line, see page 7B-10.

Sign number	S	Shield size	NRA credit line	Road speed ( <i>mph</i> )
NRA-BDY-4F	13 1/2	10	P-10	0-40
NRA-BDY-5F	17	12	P-12	40-55
NRA-BDY-6F	20	15	P-12	55+

**Text layout**—National Recreation Area Leaving Boundary sign (NRA-BDY)

Text layout dimensions (inches)

Sign number	H	L	A	B	C	D	E	F	Leaving ASA Series D (title case)	Area name ASA Series D (upper case)	Logo height
NRA-BDY-4B	48	63	3 1/2	6	14 1/2	23	33	41	4	5	6
NRA-BDY-5B	60	78	4	7	18	29	41 1/2	52	5	7	8
NRA-BDY-6B	72	93	4 1/2	8	21 1/2	35	50	62 1/2	6	8	10

**Notes**

Yellow-cream and white colors may be changed to any harmonious color fitting the character of the area that is approved in the area management plan by the Regional Forester. Color of the credit line and shield must match color of the site identification sign.

**Painted, routed colors**

Yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective vinyl colors**

White legend on brown background.

**References**

For sign guidelines, see Chapter 8.  
 For panel construction, see Chapter 14.  
 For horizontal text placement, see page 8C-1.  
 For Forest Service shield, see page 8C-8.  
 For NRA, USDA credit line, see page 7B-10.

Sign number	S	Shield size	NRA credit line	Road speed (mph)
NRA-BDY-4B	13 1/2	10	P-10	0-40
NRA-BDY-5B	16 1/2	12	P-12	40-55
NRA-BDY-6B	21	15	P-12	55+

## 8C.10 Wilderness/Primitive Area Signs

**Text layout**—Wilderness/Primitive Area Entrance sign (WPH) (Horizontal)



Text layout dimensions (*inches*)

Sign number	H	L	A	B*	C	D	Wilderness name ASA Series D (upper case)	Wilderness logo (upper case)	Forest name ASA Series D	Logo height
WPH	20	40	2 1/2	5 1/2	7 1/2	12	2 1/2	3	1 1/2	2
WPH	30	60	4 1/4	9 1/4	12 1/4	18 1/2	3 1/2	4	2 1/4	3

### Notes

\*To center of separation line, which is 1/2-inch wide on WPH-40, and 3/4-inch wide on WPH-60.

Install high point of sign nearest to trail.

Specify right panel (R) for installation on right side of trail, or left panel (L) for installation on left side of trail, name of forest, and wilderness area when ordering.

### Colors

Painted, routed unfinished or black finish legend on unfinished or uniform gray transparent stain (matching Federal Standard Color 36357) background.

### References

For sign guidelines, see Chapter 5.

For panel construction, see Chapter 14.

For horizontal text placement, see page 7B-1.


For Wilderness logo, see Chapter 5B.

For separation line, see Chapter 14.

For Forest Service shield, see page 8C-22.

For USDA credit line (optional), see page 8C-22.

**Text layout**—Wilderness/Primitive (Vertical) Area Entrance sign (WPV)  
One-line wilderness name



Text layout dimensions (inches)

Sign number	H	L	A	B	C	D*	E	F	Wilderness name		Forest name ASA Series D	Logo height
									ASA Series D (upper case)	Wilderness logo		
WPV	18	13	1 1/2	3 1/2	5 1/2	7 3/4	9 3/4	12 3/4	1 3/4	1 3/4	1 1/4	1 3/4
WPV	36	24	3	7	11 1/4	15	19 1/2	26	3	3	2	3

#### Notes

\*To center of separation line which is 1/2-inch wide on WPV-18, and 3/4-inch wide on WPV-36.

Mount on right side of trail. Reverse shape for mounting on left.

Install point of sign pointing to the trail.

Specify right panel (R) for installation on right side of trail, or left panel (L) for installation on left side of trail, name of forest, and wilderness area when ordering.

#### Colors

Painted, routed unfinished or black finish legend on unfinished or uniform gray transparent stain background (matching Federal Standard Color 36357).

#### References

For sign guidelines, see Chapter 5.

For panel construction, see Chapter 14.

For horizontal text placement, see page 7B-1.


For Wilderness logo, see Chapter 5B.

For separation line, see Chapter 14.

For Forest Service shield, see page 8C-22.

For USDA credit line (optional), see page 8C-22.

**Text layout**—Wilderness/Primitive (Vertical) Area Entrance sign (WPV)  
Two-line wilderness name



Text layout dimensions (inches)

Sign number	H	L	A	B	C	D*	E	F	Wilderness name		Forest name	
									ASA Series D (upper case)	Wilderness logo	ASA Series D	Logo height
WPV	18	13	1 1/2	3 1/2	5 1/2	7 3/4	8 3/4	11 1/4	1 3/4	1 3/4	1 1/4	1 3/4
WPV	36	24	3	7	11 1/4	15	17 1/2	23 1/2	3	3	2	3

**Notes**

\*To center of separation line which is 1/2-inch wide on WPV-18, and 3/4-inch wide on WPV-36.

Install point of sign pointing to the trail.

Specify right panel (R) for installation on right side of trail, or left panel (L) for installation on left side of trail, name of forest, and wilderness area when ordering.

**Colors**

Painted, routed unfinished or black finish legend on unfinished or uniform gray transparent stain (matching Federal Standard Color 36357) background.

**References**

- For sign guidelines, see Chapter 5.
- For panel construction, see Chapter 14.
- For horizontal text placement, see page 7B-1.
- For Wilderness logo, see Chapter 5B.
- For separation line, see Chapter 14.
- For Forest Service shield, see page 8C-22.
- For USDA credit line (optional), see page 8C-22.

## 8C.10.1 Wilderness/Primitive Area Shield

---

**Text layout**—Wilderness/Primitive Area shield (WP-S)
 

---




---

**Text layout dimensions (inches)**


---

Sign number	To be used with	Shield
WP-S-8*	WPV-18 and 36	8
WP-S-10*	WPH-40 and 60	10

---

**Notes**


\*Use of shield is required at wilderness or primitive boundary sign locations.

## 8C.10.2 Wilderness/Primitive Area Credit Line

---

**Text layout**—Wilderness/Primitive Area credit line (WP-PV and WP-PH)
 

---




---

**Text layout dimensions (inches)**


---

Sign number	H	L	A	Text height ASA Series D	To be used with
WP-PV	3	22	1 1/8	3/4	WPV-18 and 36
WP-PH	3 1/2	42	1	1 1/2	WPH-40 and 60

---

**Notes**

Use of USDA credit line is optional at wilderness or primitive area boundary sign locations.

**Colors**


Painted, routed unfinished or black finish legend on unfinished or uniform gray transparent stain background (matching Federal Standard Color 36357).

**References**

For sign guidelines, see Chapter 5.  
 For panel construction, see Chapter 14.  
 For shield artwork, see Chapter 5B.

8C.11 Job Corps Site Identification Sign

Text layout—Job Corps Site Identification sign (JC-1)



Text layout dimensions (inches)

Sign number	L	H	C	D	E	F	G	M	J	K	N*
JC-1	80	60	6	6D	2	5D	4	5	3	4	16

**Notes**

\*Use ASA Series D size as necessary.

Specify names when ordering.

**Colors**

Painted, routed yellow-cream (#23695) legend on brown (#20059) background.

**Fully Retroreflective Colors**

White legend on brown background.

8C.11.1 Job Corps Symbol

---

Text layout—Job Corps symbol

---



8C.12 YCC Site Identification Sign

Text layout—YCC Site Identification sign (JC-1)



Text layout dimensions (inches)

Sign number	L	H	C	D	E	F	G	P	J	K	Q	M	N	T	S
YCC-1	48	32	1	18	27	5	3	2	1 1/2	2	1	1	2	1	1/2
YCC-2	72	48	1 1/2	27	32 1/2	7	5	3	2	2	1 1/2	1	2 1/4	1 1/2	3/4

**Notes**  
Specify camp name when ordering.

Radius dimensions (inches)

Sign number	R1	R2	R3	R4
YCC-1	6	7	2	1
YCC-2	8 1/2	11	3	1 1/2

8C.12.1 YCC Emblem

---

Text layout—YCC Emblem

---



**Colors**

Background – white No. 17875

Blue – No. 15080

Green – No. 14187

Colors are Federal Standard 595.