

## List of Estimate Tables

### Area

Table NY-1.—Percentage of area by land status, New York, 2012

Table NY-2.—Area of forest land, in thousand acres, by owner class and forest-land status, New York, 2012

Table NY-3.—Area of forest land, in thousand acres, by forest-type group and site productivity class, New York, 2012

Table NY-4.—Area of forest land, in thousand acres, by forest-type group, ownership group, and forest-land status, New York, 2012

Table NY-5.—Area of forest land, in thousand acres, by forest-type group and stand-size class, New York, 2012

Table NY-6.—Area of forest land, in thousand acres, by forest-type group and stand-age class, New York, 2012

Table NY-7.—Area of forest land, in thousand acres, by forest-type group and stand origin, New York, 2012

Table NY-8.—Area of forest land, in thousand acres, by forest-type group and disturbance class, New York, 2012

Table NY-9.—Area of timberland, in thousand acres, by forest-type group and stand-size class, New York, 2012

### Number

Table NY-10.—Number of live trees (at least 1 inch d.b.h./d.r.c.), in thousand trees, on forest land by species group, species, and diameter class, New York, 2012

Table NY-11.—Number of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in thousand trees, on timberland by species group, species, and diameter class, New York, 2012

### Volume

Table NY -12.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Table NY-13.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Table NY-14.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Table NY-15.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and diameter class, New York, 2012

Table NY-16.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand origin, New York, 2012

Table NY-17.—Net volume of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and diameter class, New York, 2012

Table NY-18.—Net volume of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

Table NY-19.—Net volume of sawtimber trees, in million board feet (International ¼-inch rule), on timberland by species group, species, and diameter class, New York, 2012

Table NY-19a.—Net volume of sawtimber trees, in million board feet (Doyle rule), on timberland by species group, species, and diameter class, New York, 2012

Table NY-19b.—Net volume of sawtimber trees, in million board feet (Scribner rule), on timberland by species group, species, and diameter class, New York, 2012

Table NY-20.—Net volume of saw-log portion of sawtimber trees, in million cubic feet, on timberland by species group and ownership group, New York, 2012

### **Growth, Mortality, and Removals**

Table NY-21.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Table NY-21a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status using the accounting method (O’Connell et al. 2013), New York, 2012

Table NY-22.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Table NY-22a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class using the accounting method (O’Connell et al. 2013), New York, 2012

Table NY-23.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Table NY-23a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group using the accounting method (O’Connell et al. 2013), New York, 2012

Table NY-24.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, to 2012

Table NY-24a.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group using the accounting method (O’Connell et al. 2013), New York, 2012

Table NY-25.—Average annual mortality of trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Table NY-26.—Average annual mortality of trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Table NY-27.—Average annual mortality of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Table NY-28.—Average annual mortality of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

Table NY-29.—Average annual removals of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Table NY-30.—Average annual removals of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

### **Weight**

Table NY-31.—Aboveground dry weight of live trees (at least 1 inch d.b.h./d.r.c.), in thousand dry short tons, by owner class and forest-land status, New York, 2012

## County-Level

Table NY-54.—Area of forest land, in thousand acres, by inventory unit, county, and forest-land status, New York, 2012

Table NY-55.—Area of forest land, in thousand acres, by inventory unit, county, ownership group, and forest-land status, New York, 2012

Table NY-57.—Area of timberland, in thousand acres, by inventory unit, county, and stand-size class, New York, 2012

Table NY-58.—Area of timberland, in thousand acres, by inventory unit, county, and stocking class, New York, 2012

Table NY-59.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-inch rule) on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-59a.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Doyle rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-59b.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-60.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-inch rule) on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-60a.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Doyle rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-60b.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-61.—Average annual removals of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-inch rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-61a.—Average annual removals of growing stock trees (at least 5 inches d.b.h.) in million board feet, and sawtimber trees, in million board feet (Doyle rule) on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-61b.—Average annual removals of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Table NY-65.—Sampling errors, in percent, for net volume, average annual net growth, average annual removals, and average annual mortality on timberland, and forest area and timberland area by inventory unit and county, New York, 2012

\*\*Gaps in enumeration of tables are placeholders for future tables such as forest health indicator population estimates (e.g., down woody material)

Table NY-1.—Percentage of area by land status, New York, 2012

<b>Land status</b>	<b>Percentage of area</b>
<b>Accessible forest land</b>	
Unreserved forest land	
Timberland	44.1
Unproductive	0.1
Total unreserved forest land	44.2
Reserved forest land	
Productive	9.5
Unproductive	0.0
Total reserved forest land	9.6
<b>All accessible forest land</b>	<b>53.8</b>
<b>Nonforest and other land</b>	
Nonforest land	32.7
Water	
Census	3.6
Non-Census	0.5
<b>All nonforest and other land</b>	<b>36.7</b>
<b>Nonsampled land</b>	
Access denied	9.2
Hazardous conditions	0.3
Other	--
<b>All land</b>	<b>100.0</b>
<b>Total area (thousands of acres)</b>	<b>31,429</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the percentage rounds to less than 0.1 percent.  
 Columns and rows may not add to their totals due to rounding.

Table NY-2.—Area of forest land, in thousand acres, by owner class and forest-land land status, New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	16.8	--	16.8	--	--	--	16.8
<b>Other Federal</b>							
National Park Service	--	--	--	14.6	--	14.6	14.6
Fish and Wildlife Service	--	--	--	16.4	--	16.4	16.4
Department of Defense or Energy	105.2	--	105.2	--	--	--	105.2
Other Federal	5.5	--	5.5	--	--	--	5.5
<b>State and local government</b>							
State	1,095.4	2.6	1,097.9	2,950.6	8.8	2,959.4	4,057.3
Local (county, municipal, etc.)	518.2	--	518.2	66.0	--	66.0	584.2
<b>Private</b>							
Undifferentiated private	14,164.2	41.2	14,205.4	--	--	--	14,205.4
<b>All owners</b>	<b>15,905.2</b>	<b>43.8</b>	<b>15,949.0</b>	<b>3,047.7</b>	<b>8.8</b>	<b>3,056.5</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the acres round to less than 100 acres.  
 Columns and rows may not add to their totals due to rounding.

Table NY-3.—Area of forest land, in thousand acres, by forest-type group and productivity class, New York, 2012

Forest-type group	Site-productivity class (cubic feet/acre/year)							All classes
	0-19	20-49	50-84	85-119	120-164	165-224	225+	
White / red / jack pine group	--	276.8	459.4	340.2	64.8	--	--	1,141.2
Spruce / fir group	23.8	136.6	307.2	204.1	48.1	--	--	719.8
Loblolly / shortleaf pine group	3.4	59.5	--	17.2	--	--	--	80.1
Other eastern softwoods group	--	39.1	4.6	6.9	--	--	--	50.6
Douglas-fir group	--	1.7	--	--	--	--	--	1.7
Exotic softwoods group	--	100.8	82.9	40.3	16.2	--	--	240.2
Oak / pine group	--	176.3	241.8	143.2	40.4	--	--	601.8
Oak / hickory group	3.6	1,566.5	1,247.6	275.9	89.2	--	--	3,182.8
Oak / gum / cypress group	--	4.8	--	--	--	--	--	4.8
Elm / ash / cottonwood group	10.7	594.8	399.0	180.3	134.1	--	--	1,319.0
Maple / beech / birch group	--	5,627.9	3,816.5	897.0	195.3	--	--	10,536.7
Aspen / birch group	--	253.9	288.4	104.8	24.9	--	--	671.9
Other hardwoods group	--	141.0	98.8	11.2	10.6	--	--	261.6
Exotic hardwoods group	--	13.7	--	--	--	--	--	13.7
Nonstocked	11.1	99.0	34.3	24.5	10.5	--	--	179.5
<b>All forest-type groups</b>	<b>52.6</b>	<b>9,092.3</b>	<b>6,980.7</b>	<b>2,245.7</b>	<b>634.1</b>	<b>--</b>	<b>--</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the acres round to less than 100 acres.  
 Columns and rows may not add to their totals due to rounding.

Table NY-4.—Area of forest land, in thousand acres, by forest-type group, ownership group, and forest-land status, New York, 2012

Forest-type group	Forest Service		Other Federal		State and local government		Undifferentiated private		All forest land
	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	
White / red / jack pine group	--	--	14.2	--	178.1	163.3	785.5	--	1,141.2
Spruce / fir group	--	--	11.1	--	45.4	285.2	355.8	22.3	719.8
Loblolly / shortleaf pine group	--	--	--	--	25.5	40.5	14.1	--	80.1
Other eastern softwoods group	--	--	--	--	--	--	50.6	--	50.6
Douglas-fir group	--	--	--	--	0.9	--	0.9	--	1.7
Exotic softwoods group	--	--	--	--	49.0	22.0	169.2	--	240.2
Oak / pine group	6.7	--	2.5	--	88.1	11.7	492.9	--	601.8
Oak / hickory group	10.1	--	29.1	20.4	276.8	174.9	2,667.9	3.6	3,182.8
Oak / gum / cypress group	--	--	--	--	--	--	4.8	--	4.8
Elm / ash / cottonwood group	--	--	6.3	6.1	131.2	30.1	1,134.5	10.7	1,319.0
Maple / beech / birch group	--	--	21.3	4.6	725.9	2,159.5	7,625.5	--	10,536.7
Aspen / birch group	--	--	14.1	--	46.7	124.4	486.8	--	671.9
Other hardwoods group	--	--	9.0	--	24.3	4.7	223.6	--	261.6
Exotic hardwoods group	--	--	--	--	--	--	13.7	--	13.7
Nonstocked	--	--	3.0	--	21.8	11.7	138.4	4.6	179.5
<b>All forest-type groups</b>	<b>16.8</b>	<b>--</b>	<b>110.7</b>	<b>31.0</b>	<b>1,613.6</b>	<b>3,028.0</b>	<b>14,164.2</b>	<b>41.2</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Table NY-5.—Area of forest land, in thousand acres, by forest-type group and stand-size class, New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
White / red / jack pine group	1,005.8	94.7	40.7	--	--	1,141.2
Spruce / fir group	247.0	337.0	135.8	--	--	719.8
Loblolly / shortleaf pine group	42.7	30.6	6.8	--	--	80.1
Other eastern softwoods group	14.3	3.7	32.6	--	--	50.6
Douglas-fir group	0.9	0.9	--	--	--	1.7
Exotic softwoods group	162.8	53.2	24.2	--	--	240.2
Oak / pine group	461.1	115.2	25.5	--	--	601.8
Oak / hickory group	1,887.1	871.3	424.4	--	--	3,182.8
Oak / gum / cypress group	--	--	4.8	--	--	4.8
Elm / ash / cottonwood group	630.0	445.3	243.7	--	--	1,319.0
Maple / beech / birch group	7,192.9	2,616.8	727.0	--	--	10,536.7
Aspen / birch group	212.2	276.6	183.2	--	--	671.9
Other hardwoods group	45.5	109.1	107.0	--	--	261.6
Exotic hardwoods group	--	7.9	5.8	--	--	13.7
Nonstocked	--	--	--	--	179.5	179.5
<b>All forest-type groups</b>	<b>11,902.2</b>	<b>4,962.3</b>	<b>1,961.5</b>	<b>--</b>	<b>179.5</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the acres round to less than 100 acres.  
 Columns and rows may not add to their totals due to rounding.



Table NY-6.—Area of forest land, in thousand acres, by forest-type group and stand-age class, New York, 2012

Forest-type group	Non stocked	Stand-age class (years)											All classes
		1-20	21-40	41-60	61-80	81-100	101-120	121-140	141-160	161-180	181-200	201+	
White / red / jack pine group	--	19.9	88.6	336.7	296.9	214.2	114.0	27.2	29.9	6.8	6.8	--	1,141.2
Spruce / fir group	--	29.9	56.9	206.4	243.4	110.9	63.8	1.7	--	6.8	--	--	719.8
Loblolly / shortleaf pine group	--	--	18.0	26.8	28.0	7.3	--	--	--	--	--	--	80.1
Other eastern softwoods group	--	17.1	10.2	23.2	--	--	--	--	--	--	--	--	50.6
Douglas-fir group	--	--	0.9	0.9	--	--	--	--	--	--	--	--	1.7
Exotic softwoods group	--	10.3	41.4	115.9	68.8	3.8	--	--	--	--	--	--	240.2
Oak / pine group	--	14.3	51.6	225.5	224.8	60.1	25.6	--	--	--	--	--	601.8
Oak / hickory group	--	216.4	371.5	915.5	1,001.5	546.2	93.9	35.9	2.1	--	--	--	3,182.8
Oak / gum / cypress group	--	--	--	4.8	--	--	--	--	--	--	--	--	4.8
Elm / ash / cottonwood group	--	127.5	329.7	427.3	367.3	44.9	22.3	--	--	--	--	--	1,319.0
Maple / beech / birch group	--	301.0	745.9	2,210.9	3,844.1	2,539.0	675.9	180.0	27.1	6.8	--	6.0	10,536.7
Aspen / birch group	--	87.1	141.1	235.4	124.1	71.3	12.9	--	--	--	--	--	671.9
Other hardwoods group	--	34.8	76.4	88.0	46.6	9.5	--	6.3	--	--	--	--	261.6
Exotic hardwoods group	--	--	5.8	7.9	--	--	--	--	--	--	--	--	13.7
Nonstocked	179.5	--	--	--	--	--	--	--	--	--	--	--	179.5
<b>All forest-type groups</b>	<b>179.5</b>	<b>858.3</b>	<b>1,937.9</b>	<b>4,825.2</b>	<b>6,245.6</b>	<b>3,607.1</b>	<b>1,008.3</b>	<b>251.2</b>	<b>59.1</b>	<b>20.5</b>	<b>6.8</b>	<b>6.0</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the acres round to less than 100 acres.  
Columns and rows may not add to their totals due to rounding.

Table NY-7.—Area of forest land, in thousand acres, by forest-type group and stand origin, New York, 2012

Forest-type group	Stand origin		All forest land
	Natural stands	Artificial regeneration	
White / red / jack pine group	902.4	238.8	1,141.2
Spruce / fir group	658.9	60.9	719.8
Loblolly / shortleaf pine group	66.3	13.8	80.1
Other eastern softwoods group	50.6	--	50.6
Douglas-fir group	--	1.7	1.7
Exotic softwoods group	41.9	198.3	240.2
Oak / pine group	572.1	29.7	601.8
Oak / hickory group	3,139.4	43.5	3,182.8
Oak / gum / cypress group	4.8	--	4.8
Elm / ash / cottonwood group	1,319.0	--	1,319.0
Maple / beech / birch group	10,415.6	121.2	10,536.7
Aspen / birch group	660.8	11.1	671.9
Other hardwoods group	246.9	14.7	261.6
Exotic hardwoods group	13.7	--	13.7
Nonstocked	179.5	--	179.5
<b>All forest-type groups</b>	<b>18,271.7</b>	<b>733.8</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Table NY-8.—Area of forest land, in thousand acres, by forest-type group and disturbance class, New York, 2012

Forest-type group	Disturbance class									All forest land
	None	Insects	Disease	Weather	Fire	Domestic animals	Wild animals	Human	Other	
White / red / jack pine group	1,007.0	60.4	27.2	36.2	--	1.5	8.9	--	--	1,141.2
Spruce / fir group	585.3	--	20.3	97.6	--	--	12.2	4.5	--	719.8
Loblolly / shortleaf pine group	73.6	--	6.5	--	--	--	--	--	--	80.1
Other eastern softwoods group	50.6	--	--	--	--	--	--	--	--	50.6
Douglas-fir group	1.7	--	--	--	--	--	--	--	--	1.7
Exotic softwoods group	229.2	--	--	5.1	--	--	4.2	1.8	--	240.2
Oak / pine group	542.7	34.5	13.1	--	--	--	11.4	--	--	601.8
Oak / hickory group	3,002.5	10.3	33.0	63.3	--	12.8	10.7	10.7	39.5	3,182.8
Oak / gum / cypress group	4.8	--	--	--	--	--	--	--	--	4.8
Elm / ash / cottonwood group	1,002.4	--	11.7	222.7	--	--	11.7	23.7	46.8	1,319.0
Maple / beech / birch group	8,915.8	30.2	1,182.8	185.0	3.4	4.5	90.4	57.2	59.2	10,536.7
Aspen / birch group	600.6	--	6.8	37.9	--	5.3	13.5	7.8	--	671.9
Other hardwoods group	248.3	--	--	--	--	--	8.9	4.4	--	261.6
Exotic hardwoods group	13.7	--	--	--	--	--	--	--	--	13.7
Nonstocked	120.8	--	2.4	23.7	--	1.6	19.9	3.6	7.4	179.5
<b>All forest-type groups</b>	<b>16,399.1</b>	<b>135.5</b>	<b>1,303.8</b>	<b>671.3</b>	<b>3.4</b>	<b>25.7</b>	<b>191.9</b>	<b>113.6</b>	<b>152.9</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Table NY-9.—Area of timberland, in thousand acres, by forest-type group and stand-size class, New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
White / red / jack pine group	844.1	93.0	40.7	--	--	977.8
Spruce / fir group	139.2	195.1	78.0	--	--	412.3
Loblolly / shortleaf pine group	18.2	18.0	3.4	--	--	39.6
Other eastern softwoods group	14.3	3.7	32.6	--	--	50.6
Douglas-fir group	0.9	0.9	--	--	--	1.7
Exotic softwoods group	140.8	53.2	24.2	--	--	218.2
Oak / pine group	449.4	115.2	25.5	--	--	590.1
Oak / hickory group	1,723.9	839.2	420.8	--	--	2,983.9
Oak / gum / cypress group	--	--	4.8	--	--	4.8
Elm / ash / cottonwood group	600.8	442.8	228.5	--	--	1,272.1
Maple / beech / birch group	5,381.1	2,280.7	711.0	--	--	8,372.7
Aspen / birch group	172.0	199.8	175.8	--	--	547.6
Other hardwoods group	45.5	107.8	103.6	--	--	256.9
Exotic hardwoods group	--	7.9	5.8	--	--	13.7
Nonstocked	--	--	--	--	163.2	163.2
<b>All forest-type groups</b>	<b>9,530.2</b>	<b>4,357.2</b>	<b>1,854.7</b>	<b>--</b>	<b>163.2</b>	<b>15,905.2</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the acres round to less than 100 acres.  
 Columns and rows may not add to their totals due to rounding.

Table NY-10.— Number of live trees (at least 1 inch d.b.h./d.r.c.), in thousand trees, on forest land by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Softwood species groups</b>																
<b>Eastern softwood species groups</b>																
Other yellow pines																
Table Mountain pine	--	--	--	--	--	--	20	--	--	--	--	--	--	--	--	20
Pitch pine	7,213	10,297	5,069	2,934	2,076	1,853	766	768	169	36	41	--	--	--	--	31,221
Scotch pine	12,291	7,457	5,874	6,464	3,968	2,420	774	829	85	41	41	--	--	--	--	40,245
Group subtotal	19,504	17,754	10,943	9,398	6,044	4,273	1,559	1,597	254	77	82	--	--	--	--	71,486
Eastern white and red pines																
Red pine	513	2,660	4,010	6,475	9,101	6,604	4,401	1,679	524	--	39	--	--	--	--	36,005
Eastern white pine	105,067	51,201	36,639	28,272	22,220	18,629	13,801	12,128	7,588	5,119	6,195	2,505	813	276	153	310,605
Group subtotal	105,580	53,861	40,648	34,747	31,321	25,234	18,201	13,807	8,112	5,119	6,233	2,505	813	276	153	346,611
Jack pine																
Jack pine	--	--	226	215	371	58	--	--	--	--	--	--	--	--	--	869
Group subtotal	--	--	226	215	371	58	--	--	--	--	--	--	--	--	--	869
Spruce and balsam fir																
Balsam fir	552,928	138,454	61,021	28,644	12,445	4,569	853	420	82	79	39	--	--	--	--	799,535
White spruce	5,272	3,101	3,619	2,265	1,152	660	193	110	40	40	--	--	--	--	--	16,451
Black spruce	17,652	3,755	3,392	1,662	397	--	38	--	--	--	--	--	--	--	--	26,895
Red spruce	429,510	105,740	44,942	25,897	13,931	8,887	5,340	3,510	1,596	590	546	41	--	--	--	640,530
Group subtotal	1,005,362	251,050	112,974	58,468	27,925	14,116	6,424	4,040	1,718	708	585	41	--	--	--	1,483,411
Eastern hemlock																
Eastern hemlock	190,876	101,397	73,739	56,221	41,716	31,610	20,519	13,075	7,696	3,732	3,916	1,100	332	82	--	546,011
Group subtotal	190,876	101,397	73,739	56,221	41,716	31,610	20,519	13,075	7,696	3,732	3,916	1,100	332	82	--	546,011

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern softwoods																
Redcedar/juniper spp.	--	515	124	--	--	--	--	--	--	--	--	--	--	--	--	639
Eastern redcedar	12,683	11,549	4,785	2,574	1,567	761	366	--	--	--	--	--	--	--	--	34,286
Larch spp.	972	--	653	808	918	1,119	841	439	122	39	--	--	--	--	--	5,910
Tamarack (native)	13,077	6,984	2,729	1,927	1,508	1,448	505	825	368	36	36	--	--	--	--	29,442
Norway spruce	14,378	12,525	10,489	8,113	4,301	4,153	2,543	1,304	994	221	367	33	--	--	--	59,421
Blue spruce	384	--	--	--	--	128	--	--	--	--	--	--	--	--	--	512
Douglas-fir	550	--	585	351	163	62	31	--	--	--	--	--	--	--	--	1,742
Northern white-cedar	47,190	24,488	17,536	10,976	4,425	2,561	1,414	598	220	185	117	--	--	--	--	109,710
Group subtotal	89,234	56,060	36,900	24,750	12,882	10,231	5,701	3,166	1,704	481	521	33	--	--	--	241,661
<b>All softwoods</b>	1,410,555	480,121	275,431	183,799	120,259	85,522	52,405	35,685	19,483	10,118	11,337	3,679	1,145	358	153	2,690,050

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Hardwood species groups</b>																
<b>Eastern hardwood species groups</b>																
Select white oaks																
White oak	13,859	6,578	5,290	4,647	2,834	2,584	2,115	1,454	701	550	469	325	249	43	91	41,789
Swamp white oak	334	2,447	1,090	1,176	593	250	341	282	232	174	326	136	--	--	--	7,381
Bur oak	917	2,001	869	236	308	549	151	186	61	43	--	27	--	--	38	5,385
Chinkapin oak	--	--	48	95	41	--	--	--	--	--	--	--	--	--	--	184
Group subtotal	15,110	11,026	7,297	6,154	3,776	3,382	2,606	1,922	994	768	795	488	249	43	129	54,739
Select red oaks																
Northern red oak	53,973	12,556	12,767	14,388	13,543	13,960	12,300	9,326	6,123	4,224	3,673	1,029	360	87	137	158,446
Group subtotal	53,973	12,556	12,767	14,388	13,543	13,960	12,300	9,326	6,123	4,224	3,673	1,029	360	87	137	158,446
Other white oaks																
Chestnut oak	5,190	6,124	4,367	6,075	5,607	5,491	3,547	1,997	1,176	452	306	--	--	--	--	40,332
Post oak	413	882	66	--	--	--	--	--	--	--	--	--	--	--	--	1,361
Group subtotal	5,603	7,005	4,434	6,075	5,607	5,491	3,547	1,997	1,176	452	306	--	--	--	--	41,693
Other red oaks																
Scarlet oak	6,056	3,082	2,595	2,861	2,189	1,594	663	368	173	48	44	--	--	--	--	19,673
Northern pin oak	--	--	--	--	--	43	95	43	43	--	--	--	--	--	--	225
Pin oak	539	--	376	227	123	319	36	197	48	109	170	111	--	--	--	2,255
Black oak	4,512	2,336	2,086	2,112	2,599	1,982	1,805	1,325	902	480	355	248	166	--	85	20,992
Group subtotal	11,107	5,418	5,057	5,199	4,910	3,939	2,599	1,933	1,166	636	569	359	166	--	85	43,145

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Hickory																
Hickory spp.	515	--	--	--	--	43	34	--	44	--	--	--	--	--	--	637
Bitternut hickory	18,508	9,155	6,729	5,019	3,837	2,743	1,523	1,236	655	394	413	--	--	--	--	50,210
Pignut hickory	10,579	2,171	3,601	3,423	2,432	1,170	1,109	747	173	44	44	--	--	--	--	25,493
Shellbark hickory	--	--	--	--	41	--	34	--	--	--	--	--	--	--	--	75
Shagbark hickory	20,743	13,284	6,158	5,863	3,727	2,278	1,559	539	440	243	127	--	--	--	--	54,961
Mockernut hickory	882	550	89	92	48	139	91	48	--	--	--	--	--	--	--	1,938
Group subtotal	51,227	25,160	16,577	14,397	10,086	6,373	4,349	2,569	1,312	680	584	--	--	--	--	133,314
Yellow birch																
Yellow birch	207,164	66,572	39,541	27,640	20,211	15,372	7,758	6,290	4,066	2,963	2,579	1,674	428	86	--	402,344
Group subtotal	207,164	66,572	39,541	27,640	20,211	15,372	7,758	6,290	4,066	2,963	2,579	1,674	428	86	--	402,344
Hard maple																
Sugar maple	611,139	225,496	121,595	91,637	72,230	49,615	32,489	20,121	11,353	6,306	6,133	2,355	818	283	287	1,251,858
Norway maple	984	2,070	1,084	617	370	91	43	--	--	--	--	--	--	--	--	5,258
Group subtotal	612,122	227,566	122,679	92,254	72,600	49,706	32,532	20,121	11,353	6,306	6,133	2,355	818	283	287	1,257,116
Soft maple																
Red maple	645,179	291,489	191,779	136,273	94,531	61,500	40,355	22,149	10,794	4,773	4,257	1,101	205	--	48	1,504,432
Silver maple	20,369	9,346	3,834	2,393	2,182	1,982	1,917	748	685	779	352	160	44	--	140	44,932
Group subtotal	665,549	300,835	195,612	138,666	96,713	63,482	42,271	22,897	11,479	5,552	4,609	1,262	249	--	188	1,549,364
Beech																
American beech	1,281,575	304,038	116,984	67,894	38,853	21,190	11,671	5,539	3,392	2,137	1,093	478	--	--	--	1,854,846
Group subtotal	1,281,575	304,038	116,984	67,894	38,853	21,190	11,671	5,539	3,392	2,137	1,093	478	--	--	--	1,854,846
Sweetgum																
Sweetgum	--	--	48	--	--	48	--	--	--	--	--	--	--	--	--	95
Group subtotal	--	--	48	--	--	48	--	--	--	--	--	--	--	--	--	95

(Table 10 continued on next page)



(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Tupelo and blackgum																
Blackgum	4,570	4,046	1,778	948	519	206	201	70	48	--	--	--	--	--	--	12,386
Group subtotal	4,570	4,046	1,778	948	519	206	201	70	48	--	--	--	--	--	--	12,386
Ash																
White ash	377,940	135,900	61,431	39,862	28,341	20,916	12,632	8,653	4,022	1,974	1,912	335	84	91	--	694,092
Black ash	27,791	12,139	7,674	3,681	1,654	403	239	--	45	--	--	--	--	--	--	53,626
Green ash	97,178	32,038	16,040	10,046	5,538	3,142	2,181	647	965	130	323	43	--	--	--	168,271
Group subtotal	502,909	180,077	85,145	53,589	35,532	24,461	15,052	9,300	5,031	2,104	2,235	378	84	91	--	915,989
Cottonwood and aspen																
Balsam poplar	1,905	--	155	155	--	120	91	38	75	--	--	--	--	--	--	2,538
Eastern cottonwood	826	540	1,555	1,332	822	606	647	351	336	203	305	198	341	43	--	8,104
Bigtooth aspen	18,237	5,151	3,758	3,280	2,602	2,630	1,870	1,172	753	410	334	79	--	--	--	40,275
Quaking aspen	62,405	29,140	17,978	13,857	11,128	9,622	5,509	1,721	762	259	81	--	--	--	--	152,461
Group subtotal	83,372	34,830	23,445	18,624	14,551	12,978	8,117	3,282	1,926	872	719	276	341	43	--	203,377
Basswood																
American basswood	36,410	14,558	10,353	9,259	7,217	5,890	4,256	2,302	1,717	533	600	45	43	74	--	93,259
Group subtotal	36,410	14,558	10,353	9,259	7,217	5,890	4,256	2,302	1,717	533	600	45	43	74	--	93,259
Yellow-poplar																
Yellow-poplar	1,635	356	131	216	121	212	232	218	207	136	270	157	23	48	--	3,962
Group subtotal	1,635	356	131	216	121	212	232	218	207	136	270	157	23	48	--	3,962
Black walnut																
Black walnut	2,054	1,063	1,234	789	899	662	550	325	465	127	82	41	--	--	--	8,290
Group subtotal	2,054	1,063	1,234	789	899	662	550	325	465	127	82	41	--	--	--	8,290

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)														All classes	
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
Other eastern soft hardwoods																
Boxelder	5,144	2,850	3,012	1,638	870	908	317	293	79	--	30	--	--	--	--	15,140
River birch	--	--	95	48	143	48	48	--	--	--	--	--	--	--	--	381
Paper birch	44,801	25,366	19,903	12,820	8,249	3,955	1,725	298	263	41	--	--	--	--	--	117,422
Gray birch	70,790	32,869	6,056	801	125	--	--	--	--	--	--	--	--	--	--	110,641
Northern catalpa	594	--	48	--	--	--	--	--	--	--	--	--	--	--	--	641
Hackberry spp.	--	--	--	--	--	--	--	--	--	43	--	--	--	--	--	43
Hackberry	--	--	169	35	27	27	--	--	--	--	--	--	--	--	--	259
Butternut	475	--	321	255	325	223	286	262	96	159	43	--	--	--	--	2,445
Cucumbertree	2,189	--	211	33	164	142	45	45	144	67	89	--	--	--	--	3,128
American sycamore	--	--	193	89	121	118	44	119	39	--	--	--	--	--	--	722
Black cherry	163,008	51,633	33,050	22,955	19,956	15,933	11,469	7,673	4,673	2,904	1,800	489	175	--	--	335,718
Black willow	9,882	1,454	265	236	714	723	710	448	357	419	252	164	273	81	73	16,052
White willow	--	--	--	--	--	--	--	--	--	--	--	--	--	--	43	43
Weeping willow	--	--	--	--	--	--	--	39	--	39	--	116	--	--	--	194
Sassafras	5,317	1,420	1,122	581	273	92	143	--	48	--	--	--	--	--	--	8,995
American elm	93,577	46,324	20,678	10,042	4,519	2,269	928	637	472	240	41	--	--	--	--	179,727
Slippery elm	1,628	1,501	454	364	122	40	--	--	37	45	--	--	--	--	--	4,190
Group subtotal	397,403	163,417	85,577	49,896	35,610	24,478	15,714	9,814	6,207	3,958	2,256	769	448	81	116	795,742

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods																
Sweet birch	73,999	21,199	16,847	11,924	8,364	4,994	2,916	1,300	614	228	187	--	--	--	--	142,573
Catalpa spp.	--	--	--	--	--	--	--	45	--	--	--	--	--	--	--	45
Flowering dogwood	2,177	1,734	266	--	--	--	--	--	--	--	--	--	--	--	--	4,177
White mulberry	540	--	--	75	--	38	--	--	--	--	--	--	--	--	--	653
Black locust	22,429	5,992	3,714	2,910	2,513	1,940	1,029	571	176	--	--	44	--	--	--	41,319
Rock elm	--	--	--	38	--	--	--	--	--	--	--	--	--	--	--	38
Group subtotal	99,144	28,926	20,826	14,947	10,877	6,972	3,945	1,915	791	228	187	44	--	--	--	188,803

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern noncommercial hardwoods																
Striped maple	326,293	50,129	9,165	1,589	225	--	--	--	--	--	--	--	--	--	--	387,400
Mountain maple	17,711	1,000	36	--	--	--	--	--	--	--	--	--	--	--	--	18,747
Ailanthus	5,292	468	396	159	--	--	--	48	44	--	--	--	--	--	--	6,406
European alder	--	--	44	--	--	--	--	--	--	--	--	--	--	--	--	44
Serviceberry spp.	150,807	35,983	8,589	1,986	445	49	--	--	--	--	--	--	--	--	--	197,858
American hornbeam, musclewood	214,443	21,871	3,095	344	43	--	--	--	--	--	--	--	--	--	--	239,796
American chestnut	407	407	--	45	--	--	--	--	--	--	--	--	--	--	--	859
Hawthorn spp.	221,431	68,556	9,129	1,327	181	38	--	--	--	--	--	--	--	--	--	300,662
Apple spp.	48,080	24,317	21,105	8,473	3,774	827	301	80	35	--	--	--	--	--	--	106,991
Sweet crab apple	442	1,325	--	--	--	--	--	--	--	--	--	--	--	--	--	1,766
Eastern hophornbeam	239,014	91,360	26,781	8,941	2,708	460	132	--	--	--	--	--	--	--	--	369,395
Cherry and plum spp.	--	--	43	38	--	43	--	--	--	--	--	--	--	--	--	124
Pin cherry	33,632	8,037	1,568	362	154	--	43	--	--	--	--	--	--	--	--	43,796
Chokecherry	15,834	2,871	429	298	205	--	--	--	--	--	43	--	--	--	--	19,680
American plum	515	--	--	--	--	--	--	--	--	--	--	--	--	--	--	515
Sweet cherry, domesticated	1,586	2,040	683	689	212	174	111	87	--	--	--	--	--	--	--	5,581
Scrub oak	19,558	827	--	--	--	--	--	--	--	--	--	--	--	--	--	20,385
Willow spp.	--	--	--	--	--	--	38	--	--	--	--	--	--	--	--	38
Peachleaf willow	1,937	775	--	--	--	--	--	--	--	--	--	--	--	--	--	2,712
Bebb willow	--	--	162	--	--	--	--	--	--	--	--	--	--	--	--	162
Balsam willow	--	--	38	--	--	--	--	--	--	--	--	--	--	--	--	38
Mountain-ash spp.	--	--	206	--	--	--	--	--	--	--	--	--	--	--	--	206
American mountain-ash	10,028	1,539	195	166	204	--	--	--	--	--	--	--	--	--	--	12,133
European mountain-ash	557	--	--	--	--	--	--	--	--	--	--	--	--	--	--	557
Northern mountain-ash	--	--	--	36	--	--	--	--	--	--	--	--	--	--	--	36

(Table 10 continued on next page)

(Table 10 continued)

Species group/Species	Diameter class (inches)															All classes
	1.0-2.9	3.0-4.9	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern noncommercial hardwoods																
Other or unknown live tree	539	--	249	76	32	--	--	--	--	--	--	--	--	--	--	897
Group subtotal	1,308,104	311,503	81,914	24,527	8,183	1,591	624	214	79	--	43	--	--	--	1,736,785	
<b>All hardwoods</b>	5,339,031	1,698,953	831,400	545,463	379,810	260,390	168,324	100,033	57,531	31,675	26,737	9,356	3,210	837	9,453,694	
<b>All species groups</b>	6,749,586	2,179,075	1,106,831	729,261	500,070	345,913	220,729	135,718	77,014	41,793	38,074	13,035	4,355	1,195	12,143,744	

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the number of trees rounds to less than 1,000 trees.  
Columns and rows may not add to their totals due to rounding.

Table NY-11.—Number of growing-stock trees (at least 5 inches d.b.h.), in thousand trees, on timberland by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Softwood species groups</b>														
<b>Eastern softwood species groups</b>														
Other yellow pines														
Table Mountain pine	--	--	--	--	20	--	--	--	--	--	--	--	--	20
Pitch pine	2,798	1,796	962	1,066	455	547	92	36	41	--	--	--	--	7,792
Scotch pine	4,540	5,347	3,258	1,877	621	561	85	41	41	--	--	--	--	16,372
Group subtotal	7,337	7,143	4,220	2,943	1,096	1,107	177	77	82	--	--	--	--	24,184
Eastern white and red pines														
Red pine	3,678	6,311	8,711	6,362	3,954	1,434	486	--	39	--	--	--	--	30,974
Eastern white pine	26,738	21,900	15,154	13,978	11,268	9,982	6,517	4,236	4,687	1,732	569	194	153	117,108
Group subtotal	30,416	28,210	23,866	20,340	15,222	11,416	7,003	4,236	4,726	1,732	569	194	153	148,081
Jack pine														
Jack pine	38	102	258	58	--	--	--	--	--	--	--	--	--	456
Group subtotal	38	102	258	58	--	--	--	--	--	--	--	--	--	456
Spruce and balsam fir														
Balsam fir	34,156	15,803	7,408	2,322	343	116	--	79	39	--	--	--	--	60,266
White spruce	3,398	1,874	691	509	157	70	40	--	--	--	--	--	--	6,738
Black spruce	2,376	1,335	288	--	--	--	--	--	--	--	--	--	--	3,999
Red spruce	18,011	10,590	6,287	3,719	2,051	791	190	75	38	--	--	--	--	41,752
Group subtotal	57,941	29,602	14,674	6,551	2,551	978	229	154	77	--	--	--	--	112,755

(Table 11 continued on next page)

(Table 11 continued)

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
Eastern hemlock														
Eastern hemlock	56,592	45,279	30,214	21,557	14,989	9,332	5,429	2,316	1,855	556	84	38	--	188,240
Group subtotal	56,592	45,279	30,214	21,557	14,989	9,332	5,429	2,316	1,855	556	84	38	--	188,240
Other eastern softwoods														
Redcedar/juniper spp.	82	--	--	--	--	--	--	--	--	--	--	--	--	82
Eastern redcedar	2,948	1,904	1,062	474	181	--	--	--	--	--	--	--	--	6,569
Larch spp.	560	808	918	1,119	841	439	77	39	--	--	--	--	--	4,802
Tamarack (native)	1,209	1,668	1,225	1,320	395	742	368	--	--	--	--	--	--	6,926
Norway spruce	8,536	6,881	3,179	2,609	2,109	1,090	926	221	199	33	--	--	--	25,782
Blue spruce	--	--	--	128	--	--	--	--	--	--	--	--	--	128
Douglas-fir	457	312	74	62	31	--	--	--	--	--	--	--	--	937
Northern white-cedar	13,281	7,911	2,438	1,262	804	413	77	113	38	--	--	--	--	26,336
Group subtotal	27,073	19,483	8,897	6,973	4,360	2,685	1,447	372	237	33	--	--	--	71,561
<b>All softwoods</b>	<b>179,397</b>	<b>129,819</b>	<b>82,129</b>	<b>58,422</b>	<b>38,217</b>	<b>25,518</b>	<b>14,285</b>	<b>7,155</b>	<b>6,977</b>	<b>2,320</b>	<b>653</b>	<b>231</b>	<b>153</b>	<b>545,277</b>

(Table 11 continued on next page)

(Table 11 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Hardwood species groups</b>														
<b>Eastern hardwood species groups</b>														
Select white oaks														
White oak	4,561	3,906	2,489	2,335	1,872	1,366	611	515	378	124	175	43	48	18,422
Swamp white oak	945	1,075	593	250	311	234	232	174	299	136	--	--	--	4,248
Bur oak	670	236	264	464	151	186	61	43	--	--	--	--	--	2,075
Chinkapin oak	--	48	41	--	--	--	--	--	--	--	--	--	--	89
Group subtotal	6,176	5,265	3,387	3,049	2,333	1,786	903	732	677	260	175	43	48	24,834
Select red oaks														
Northern red oak	10,341	11,817	11,915	12,479	10,994	8,206	5,487	3,872	3,059	869	314	87	48	79,486
Group subtotal	10,341	11,817	11,915	12,479	10,994	8,206	5,487	3,872	3,059	869	314	87	48	79,486
Other white oaks														
Chestnut oak	3,151	4,679	4,638	4,192	2,811	1,560	865	320	262	--	--	--	--	22,479
Post oak	33	--	--	--	--	--	--	--	--	--	--	--	--	33
Group subtotal	3,184	4,679	4,638	4,192	2,811	1,560	865	320	262	--	--	--	--	22,512
Other red oaks														
Scarlet oak	1,683	2,211	1,808	1,156	554	327	85	48	--	--	--	--	--	7,872
Northern pin oak	--	--	--	43	95	43	43	--	--	--	--	--	--	225
Pin oak	341	227	85	319	36	111	48	109	170	36	--	--	--	1,483
Black oak	1,772	1,822	2,253	1,600	1,640	1,281	858	437	267	204	89	--	41	12,264
Group subtotal	3,796	4,260	4,147	3,119	2,326	1,763	1,034	593	437	240	89	--	41	21,844

(Table 11 continued on next page)



(Table 11 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Hickory														
Hickory spp.	--	--	--	43	34	--	--	--	--	--	--	--	--	78
Bitternut hickory	6,143	4,610	3,525	2,450	1,399	1,192	494	366	299	--	--	--	--	20,477
Pignut hickory	2,967	2,954	2,171	1,000	933	703	173	44	--	--	--	--	--	10,945
Shellbark hickory	--	--	41	--	34	--	--	--	--	--	--	--	--	75
Shagbark hickory	5,563	5,541	3,651	2,121	1,559	452	402	165	43	--	--	--	--	19,495
Mockernut hickory	89	44	48	139	91	48	--	--	--	--	--	--	--	459
Group subtotal	14,762	13,149	9,436	5,753	4,049	2,394	1,068	575	343	--	--	--	--	51,529
Yellow birch														
Yellow birch	23,955	15,777	11,221	7,546	3,280	2,082	1,418	758	370	312	--	--	--	66,718
Group subtotal	23,955	15,777	11,221	7,546	3,280	2,082	1,418	758	370	312	--	--	--	66,718
Hard maple														
Sugar maple	93,335	71,265	55,610	36,443	23,815	13,773	6,860	3,535	2,817	682	113	85	126	308,457
Norway maple	670	499	370	48	43	--	--	--	--	--	--	--	--	1,629
Group subtotal	94,005	71,764	55,979	36,491	23,859	13,773	6,860	3,535	2,817	682	113	85	126	310,087
Soft maple														
Red maple	147,691	108,668	74,662	43,818	29,435	14,837	7,243	2,792	2,174	285	168	--	--	431,773
Silver maple	3,229	1,855	1,823	1,695	1,798	673	597	736	290	130	44	--	95	12,965
Group subtotal	150,920	110,523	76,485	45,512	31,233	15,510	7,840	3,528	2,464	415	212	--	95	444,738

(Table 11 continued on next page)

(Table 11 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Beech														
American beech	54,171	35,155	19,771	12,452	6,512	2,948	1,698	930	501	264	--	--	--	134,402
Group subtotal	54,171	35,155	19,771	12,452	6,512	2,948	1,698	930	501	264	--	--	--	134,402
Sweetgum														
Sweetgum	48	--	--	48	--	--	--	--	--	--	--	--	--	95
Group subtotal	48	--	--	48	--	--	--	--	--	--	--	--	--	95
Tupelo and blackgum														
Blackgum	1,196	773	371	48	95	--	48	--	--	--	--	--	--	2,530
Group subtotal	1,196	773	371	48	95	--	48	--	--	--	--	--	--	2,530
Ash														
White ash	51,631	34,607	24,105	17,551	10,685	7,138	2,915	1,288	1,215	144	45	48	--	151,373
Black ash	6,063	3,170	1,283	366	162	--	45	--	--	--	--	--	--	11,088
Green ash	13,741	8,609	4,789	2,811	1,864	516	860	130	124	43	--	--	--	33,487
Group subtotal	71,435	46,386	30,177	20,728	12,711	7,654	3,819	1,418	1,340	187	45	48	--	195,948
Cottonwood and aspen														
Balsam poplar	155	155	--	120	91	38	75	--	--	--	--	--	--	633
Eastern cottonwood	1,328	1,204	667	563	459	351	336	126	305	120	341	--	--	5,800
Bigtooth aspen	3,249	3,162	2,441	2,436	1,714	1,059	679	369	297	38	--	--	--	15,445
Quaking aspen	16,409	12,276	10,231	8,870	5,031	1,442	680	259	81	--	--	--	--	55,279
Group subtotal	21,140	16,798	13,340	11,988	7,295	2,890	1,770	753	683	158	341	--	--	77,157

(Table 11 continued on next page)

(Table 11 continued)

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
Basswood														
American basswood	7,484	7,741	6,341	5,177	3,840	2,111	1,515	502	553	45	43	38	--	35,390
Group subtotal	7,484	7,741	6,341	5,177	3,840	2,111	1,515	502	553	45	43	38	--	35,390
Yellow-poplar														
Yellow-poplar	69	173	121	212	232	218	207	136	270	91	--	48	--	1,776
Group subtotal	69	173	121	212	232	218	207	136	270	91	--	48	--	1,776
Black walnut														
Black walnut	414	279	710	418	430	244	317	127	--	41	--	--	--	2,980
Group subtotal	414	279	710	418	430	244	317	127	--	41	--	--	--	2,980

(Table 11 continued on next page)

(Table 11acontinued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern soft hardwoods														
Boxelder	624	552	502	218	43	45	41	--	--	--	--	--	--	2,025
River birch	95	48	143	48	48	--	--	--	--	--	--	--	--	381
Paper birch	7,058	5,415	3,272	1,717	651	151	38	--	--	--	--	--	--	18,302
Gray birch	4,601	648	87	--	--	--	--	--	--	--	--	--	--	5,336
Hackberry spp.	--	--	--	--	--	--	--	43	--	--	--	--	--	43
Hackberry	38	35	27	27	--	--	--	--	--	--	--	--	--	127
Butternut	43	81	281	75	154	205	96	43	43	--	--	--	--	1,022
Cucumbertree	211	33	164	142	45	45	121	45	89	--	--	--	--	894
American sycamore	193	89	121	118	44	119	39	--	--	--	--	--	--	722
Black cherry	18,893	14,750	14,534	11,129	8,301	6,313	3,405	2,264	1,382	99	33	--	--	81,102
Black willow	120	191	551	459	553	366	243	335	211	122	273	81	73	3,576
White willow	--	--	--	--	--	--	--	--	--	--	--	--	43	43
Weeping willow	--	--	--	--	--	--	--	--	--	39	--	--	--	39
Sassafras	371	187	230	92	143	--	48	--	--	--	--	--	--	1,069
American elm	16,766	7,874	3,871	1,582	685	494	357	118	41	--	--	--	--	31,788
Slippery elm	328	239	122	40	--	--	37	--	--	--	--	--	--	765
Group subtotal	49,340	30,141	23,905	15,647	10,666	7,738	4,423	2,848	1,767	260	305	81	116	147,237

(Table 11 continued on next page)

(Table 11 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods														
Sweet birch	14,342	10,828	7,618	4,446	2,401	1,122	523	187	140	--	--	--	--	41,606
Catalpa spp.	--	--	--	--	--	45	--	--	--	--	--	--	--	45
Flowering dogwood	48	--	--	--	--	--	--	--	--	--	--	--	--	48
Black locust	2,961	2,325	1,954	1,545	945	335	132	--	--	--	--	--	--	10,198
Rock elm	--	38	--	--	--	--	--	--	--	--	--	--	--	38
Group subtotal	17,350	13,190	9,573	5,991	3,346	1,502	655	187	140	--	--	--	--	51,934
<b>All hardwoods</b>	<b>529,785</b>	<b>387,869</b>	<b>281,517</b>	<b>190,849</b>	<b>126,012</b>	<b>72,378</b>	<b>39,929</b>	<b>20,814</b>	<b>15,682</b>	<b>3,824</b>	<b>1,637</b>	<b>429</b>	<b>473</b>	<b>1,671,197</b>
<b>All species groups</b>	<b>709,182</b>	<b>517,687</b>	<b>363,646</b>	<b>249,270</b>	<b>164,229</b>	<b>97,896</b>	<b>54,214</b>	<b>27,969</b>	<b>22,659</b>	<b>6,144</b>	<b>2,290</b>	<b>661</b>	<b>627</b>	<b>2,216,474</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the number of trees rounds to less than 1,000 trees.  
Columns and rows may not add to their totals due to rounding.

Table NY-12.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	42.9	--	42.9	--	--	--	42.9
<b>Other Federal</b>							
National Park Service	--	--	--	32.8	--	32.8	32.8
Fish and Wildlife Service	--	--	--	52.7	--	52.7	52.7
Department of Defense or Energy	192.4	--	192.4	--	--	--	192.4
Other Federal	4.5	--	4.5	--	--	--	4.5
<b>State and local government</b>							
State	2,936.3	0.2	2,936.5	7,666.8	0.0	7,666.8	10,603.2
Local (county, municipal, etc.)	1,123.2	--	1,123.2	146.1	--	146.1	1,269.3
<b>Private</b>							
Undifferentiated private	28,850.7	1.6	28,852.2	--	--	--	28,852.2
<b>All owners</b>	<b>33,150.0</b>	<b>1.7</b>	<b>33,151.7</b>	<b>7,898.3</b>	<b>0.0</b>	<b>7,898.4</b>	<b>41,050.1</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
 Columns and rows may not add to their totals due to rounding.

Table NY-13.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
White / red / jack pine group	3,444.9	177.9	13.3	--	--	3,636.1
Spruce / fir group	649.9	609.4	44.3	--	--	1,303.6
Loblolly / shortleaf pine group	91.8	28.9	0.3	--	--	121.0
Other eastern softwoods group	22.2	3.1	4.2	--	--	29.4
Douglas-fir group	2.9	1.5	--	--	--	4.4
Exotic softwoods group	435.4	75.6	7.1	--	--	518.1
Oak / pine group	1,456.4	215.4	5.6	--	--	1,677.4
Oak / hickory group	5,105.1	1,176.6	98.0	--	--	6,379.7
Oak / gum / cypress group	--	--	3.4	--	--	3.4
Elm / ash / cottonwood group	1,694.2	554.2	41.5	--	--	2,289.8
Maple / beech / birch group	19,335.9	4,265.3	237.1	--	--	23,838.4
Aspen / birch group	522.4	401.2	39.1	--	--	962.7
Other hardwoods group	130.5	99.5	32.8	--	--	262.8
Exotic hardwoods group	--	12.3	0.5	--	--	12.8
Nonstocked	--	--	--	--	10.3	10.3
<b>All forest-type groups</b>	<b>32,891.7</b>	<b>7,620.8</b>	<b>527.2</b>	<b>--</b>	<b>10.3</b>	<b>41,050.1</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
 Columns and rows may not add to their totals due to rounding.

Table NY-14.—Net volume of live trees (at least 5 inches d.b.h./d.r.c), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.4	--	--	--	0.4
Pitch pine	0.9	1.9	83.1	48.0	133.9
Scotch pine	--	0.5	33.4	145.8	179.7
Group subtotal	1.3	2.4	116.5	193.9	314.1
Eastern white and red pines					
Red pine	--	2.2	298.5	189.4	490.2
Eastern white pine	3.8	28.3	778.2	2,389.5	3,199.8
Group subtotal	3.8	30.5	1,076.7	2,579.0	3,690.0
Jack pine					
Jack pine	1.3	--	--	4.8	6.1
Group subtotal	1.3	--	--	4.8	6.1
Spruce and balsam fir					
Balsam fir	--	--	318.8	283.9	602.7
White spruce	--	--	26.0	33.6	59.6
Black spruce	--	--	19.9	6.7	26.6
Red spruce	--	--	694.8	369.7	1,064.5
Group subtotal	--	--	1,059.6	693.9	1,753.4
Eastern hemlock					
Eastern hemlock	0.0	6.9	756.5	2,362.5	3,126.0
Group subtotal	0.0	6.9	756.5	2,362.5	3,126.0
Other eastern softwoods					
Redcedar/juniper spp.	--	--	0.1	0.1	0.2
Eastern redcedar	--	--	0.4	47.1	47.5
Larch spp.	--	--	36.0	37.5	73.6
Tamarack (native)	--	58.2	31.0	26.7	115.9
Norway spruce	--	--	195.4	160.0	355.4
Blue spruce	--	--	0.8	1.7	2.6
Douglas-fir	--	--	1.5	4.0	5.5
Northern white-cedar	--	--	45.5	161.3	206.9
Group subtotal	--	58.2	310.7	438.5	807.4
<b>All softwoods</b>	<b>6.5</b>	<b>98.0</b>	<b>3,320.0</b>	<b>6,272.5</b>	<b>9,696.9</b>

(Table 14 continued on next page)



(Table 14 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	0.5	16.5	58.2	338.2	413.3
Swamp white oak	--	4.7	1.9	90.0	96.5
Bur oak	--	--	10.5	26.9	37.4
Chinkapin oak	--	--	--	0.9	0.9
Group subtotal	0.5	21.2	70.6	455.9	548.2
Select red oaks					
Northern red oak	11.1	18.9	476.2	1,704.2	2,210.3
Group subtotal	11.1	18.9	476.2	1,704.2	2,210.3
Other white oaks					
Chestnut oak	--	17.4	126.0	290.9	434.3
Post oak	--	--	0.1	--	0.1
Group subtotal	--	17.4	126.1	290.9	434.3
Other red oaks					
Scarlet oak	--	2.3	37.1	77.5	116.8
Northern pin oak	--	--	--	6.2	6.2
Pin oak	--	--	0.1	47.5	47.6
Black oak	--	10.1	84.6	259.3	354.0
Group subtotal	--	12.3	121.7	390.5	524.5
Hickory					
Hickory spp.	--	--	2.6	2.1	4.7
Bitternut hickory	--	--	20.2	327.7	347.9
Pignut hickory	--	1.0	29.1	139.3	169.5
Shellbark hickory	--	--	0.4	1.0	1.3
Shagbark hickory	2.0	0.1	33.7	234.5	270.4
Mockernut hickory	--	2.4	--	6.8	9.1
Group subtotal	2.0	3.5	86.1	711.3	802.9
Yellow birch					
Yellow birch	--	1.4	1,152.0	833.8	1,987.3
Group subtotal	--	1.4	1,152.0	833.8	1,987.3
Hard maple					
Sugar maple	2.7	9.3	2,046.2	4,204.6	6,262.9
Norway maple	--	--	0.9	10.4	11.3
Group subtotal	2.7	9.3	2,047.2	4,215.0	6,274.2
Soft maple					
Red maple	9.1	27.7	1,517.9	4,909.8	6,464.4
Silver maple	--	5.6	51.3	269.5	326.4
Group subtotal	9.1	33.3	1,569.2	5,179.3	6,790.8
Beech					
American beech	1.0	0.6	900.0	1,520.9	2,422.5
Group subtotal	1.0	0.6	900.0	1,520.9	2,422.5

(Table 14 continued on next page)

(Table 14 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Sweetgum					
Sweetgum	--	--	--	0.9	0.9
Group subtotal	--	--	--	0.9	0.9
Tupelo and blackgum					
Blackgum	--	10.0	3.3	15.1	28.3
Group subtotal	--	10.0	3.3	15.1	28.3
Ash					
White ash	4.7	3.9	563.7	1,908.8	2,481.2
Black ash	--	0.1	11.8	69.7	81.5
Green ash	--	14.5	34.0	355.1	403.5
Group subtotal	4.7	18.5	609.4	2,333.6	2,966.3
Cottonwood and aspen					
Balsam poplar	--	--	1.2	9.9	11.1
Eastern cottonwood	--	--	31.3	182.1	213.4
Bigtooth aspen	0.2	1.8	51.6	275.3	329.0
Quaking aspen	1.7	3.8	117.8	652.4	775.7
Group subtotal	1.9	5.6	202.0	1,119.7	1,329.1
Basswood					
American basswood	1.4	10.2	84.3	656.2	752.1
Group subtotal	1.4	10.2	84.3	656.2	752.1
Yellow-poplar					
Yellow-poplar	--	0.3	59.6	60.4	120.3
Group subtotal	--	0.3	59.6	60.4	120.3
Black walnut					
Black walnut	1.8	--	21.3	63.0	86.1
Group subtotal	1.8	--	21.3	63.0	86.1

(Table 14 continued on next page)

(Table 14 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern soft hardwoods					
Boxelder	--	--	5.8	43.1	48.9
River birch	--	--	--	4.6	4.6
Paper birch	--	0.1	210.7	159.2	370.1
Gray birch	--	1.5	1.6	16.7	19.8
Northern catalpa	--	--	--	0.0	0.0
Hackberry spp.	--	--	--	2.7	2.7
Hackberry	--	--	0.4	1.0	1.4
Butternut	--	--	6.1	30.3	36.4
Cucumber tree	0.3	--	3.0	22.9	26.2
American sycamore	--	--	--	11.4	11.4
Black cherry	--	11.0	585.6	1,516.0	2,112.6
Black willow	--	--	17.3	185.9	203.2
White willow	--	--	--	12.4	12.4
Weeping willow	--	--	--	12.7	12.7
Sassafras	--	0.9	1.7	11.3	13.9
American elm	--	6.1	23.6	226.9	256.6
Slippery elm	--	--	0.7	6.6	7.3
Group subtotal	0.3	19.6	856.5	2,263.7	3,140.2
Other eastern hard hardwoods					
Sweet birch	--	1.8	94.9	390.0	486.7
Catalpa spp.	--	--	--	1.6	1.6
Flowering dogwood	--	--	0.2	0.2	0.4
White mulberry	--	--	0.6	--	0.6
Black locust	--	--	31.1	107.0	138.1
Rock elm	--	--	--	0.3	0.3
Group subtotal	--	1.8	126.8	499.0	627.7

(Table 14 continued on next page)

(Table 14 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Eastern noncommercial hardwoods					
Striped maple	--	--	11.4	9.3	20.7
Mountain maple	--	--	0.0	--	0.0
Ailanthus	--	--	2.5	2.3	4.7
European alder	--	--	0.1	--	0.1
Serviceberry spp.	--	0.0	4.7	20.2	24.9
American hornbeam, musclewood	--	--	0.4	5.2	5.6
American chestnut	--	--	--	0.1	0.1
Hawthorn spp.	--	--	1.0	18.2	19.2
Apple spp.	--	0.3	5.7	98.0	104.1
Eastern hophornbeam	0.1	0.1	10.4	87.9	98.4
Cherry and plum spp.	--	--	--	0.7	0.7
Pin cherry	--	--	0.9	5.0	5.9
Chokecherry	--	--	0.1	5.5	5.6
Sweet cherry, domesticated	--	--	0.5	11.4	11.8
Willow spp.	--	--	--	0.7	0.7
Bebb willow	--	--	--	0.3	0.3
Balsam willow	--	--	--	0.0	0.0
Mountain-ash spp.	--	--	0.4	--	0.4
American mountain-ash	--	--	2.1	0.6	2.7
Northern mountain-ash	--	--	0.1	--	0.1
Other or unknown live tree	--	--	--	0.8	0.8
All Species	0.1	0.4	40.2	266.3	306.9
<b>All hardwoods</b>	<b>36.5</b>	<b>184.4</b>	<b>8,552.5</b>	<b>22,579.8</b>	<b>31,353.1</b>
<b>All species groups</b>	<b>42.9</b>	<b>282.4</b>	<b>11,872.5</b>	<b>28,852.2</b>	<b>41,050.1</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-15.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
<b>Softwood species groups</b>														
<b>Eastern softwood species groups</b>														
Other yellow pines														
Table Mountain pine	--	--	--	--	0	--	--	--	--	--	--	--	--	0
Pitch pine	13	16	22	30	18	24	7	2	3	--	--	--	--	134
Scotch pine	14	38	40	37	18	24	3	2	3	--	--	--	--	180
Group subtotal	27	54	62	67	36	48	10	4	5	--	--	--	--	314
Eastern white and red pines														
Red pine	13	43	108	122	120	58	23	--	2	--	--	--	--	490
Eastern white pine	93	169	236	319	353	426	350	289	471	272	124	54	42	3,200
Group subtotal	106	211	345	441	474	485	373	289	474	272	124	54	42	3,690
Jack pine														
Jack pine	0	1	3	1	--	--	--	--	--	--	--	--	--	6
Group subtotal	0	1	3	1	--	0	--	--	--	--	--	--	--	6
Spruce and balsam fir														
Balsam fir	152	179	141	82	22	15	4	5	2	--	--	--	--	603
White spruce	10	13	12	12	5	4	2	2	--	--	--	--	--	60
Black spruce	10	12	5	--	0	--	--	--	--	--	--	--	--	27
Red spruce	124	170	168	170	146	130	78	33	40	5	--	--	--	1,065
Group subtotal	295	375	326	264	174	149	84	39	43	5	--	--	--	1,753
Eastern hemlock														
Eastern hemlock	166	294	390	476	457	408	320	190	258	107	44	15	--	3,126
Group subtotal	166	294	390	476	457	408	320	190	258	107	44	15	--	3,126
Other eastern softwoods														
Redcedar/juniper spp.	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Eastern redcedar	9	12	12	9	6	--	--	--	--	--	--	--	--	47
Larch spp.	2	4	10	18	20	13	4	2	--	--	--	--	--	74
Tamarack (native)	5	11	17	24	11	27	16	2	2	--	--	--	--	116
Norway spruce	26	46	44	62	59	41	42	10	24	3	--	--	--	355
Blue spruce	--	--	--	3	--	--	--	--	--	--	--	--	--	3
Douglas-fir	1	1	1	1	1	--	--	--	--	--	--	--	--	6
Northern white-cedar	35	50	33	31	23	14	8	8	5	--	--	--	--	207
Group subtotal	78	124	117	147	120	96	70	21	31	3	--	--	--	807
<b>All softwoods</b>	<b>673</b>	<b>1,059</b>	<b>1,244</b>	<b>1,396</b>	<b>1,261</b>	<b>1,186</b>	<b>857</b>	<b>544</b>	<b>811</b>	<b>386</b>	<b>168</b>	<b>69</b>	<b>42</b>	<b>9,697</b>

(Table 15 continued on next page)

(Table 15 continued)

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
<b>Hardwood species groups</b>														
<b>Eastern hardwood species groups</b>														
Select white oaks														
White oak	12	26	30	44	52	53	32	33	37	27	36	9	22	413
Swamp white oak	3	6	7	4	8	9	10	10	25	15	--	--	--	97
Bur oak	2	1	3	8	4	6	3	2	--	2	--	--	5	37
Chinkapin oak	0	0	0	--	--	--	--	--	--	--	--	--	--	1
Group subtotal	17	34	40	56	64	68	45	45	62	44	36	9	27	548
Select red oaks														
Northern red oak	30	87	151	257	325	333	282	253	271	122	56	19	25	2,210
Group subtotal	30	87	151	257	325	333	282	253	271	122	56	19	25	2,210
Other white oaks														
Chestnut oak	10	34	57	90	85	63	49	24	21	--	--	--	--	434
Post oak	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Group subtotal	10	34	57	90	85	63	49	24	21	--	--	--	--	434
Other red oaks														
Scarlet oak	6	17	24	28	17	13	6	3	3	--	--	--	--	117
Northern pin oak	--	--	--	1	2	1	2	--	--	--	--	--	--	6
Pin oak	1	1	1	6	1	5	2	6	14	10	--	--	--	48
Black oak	5	12	28	35	49	47	43	28	28	29	23	--	27	354
Group subtotal	12	31	53	69	69	67	53	36	44	39	23	--	27	525
Hickory														
Hickory spp.	--	--	--	1	1	--	3	--	--	--	--	--	--	5
Bitternut hickory	17	35	50	56	45	52	33	27	34	--	--	--	--	348
Pignut hickory	10	24	31	24	34	31	9	3	4	--	--	--	--	169
Shellbark hickory	--	--	0	--	1	--	--	--	--	--	--	--	--	1
Shagbark hickory	17	40	49	46	48	23	23	15	10	--	--	--	--	270
Mockernut hickory	0	1	1	3	2	2	--	--	--	--	--	--	--	9
Group subtotal	43	99	131	129	132	108	68	45	47	--	--	--	--	803
Yellow birch														
Yellow birch	97	169	228	278	200	222	182	165	200	181	50	17	--	1,987
Group subtotal	97	169	228	278	200	222	182	165	200	181	50	17	--	1,987
Hard maple														
Sugar maple	318	596	885	951	904	762	548	388	464	247	97	39	65	6,263
Norway maple	2	3	4	1	1	--	--	--	--	--	--	--	--	11
Group subtotal	320	599	889	952	905	762	548	388	464	247	97	39	65	6,274
Soft maple														
Red maple	427	813	1,069	1,114	1,053	789	491	259	306	106	33	--	6	6,464
Silver maple	9	13	25	36	51	27	32	45	26	18	8	--	36	326
Group subtotal	436	826	1,094	1,150	1,104	816	523	304	332	124	40	--	42	6,791
Beech														
American beech	248	413	449	399	315	202	159	113	80	43	--	--	--	2,423
Group subtotal	248	413	449	399	315	202	159	113	80	43	--	--	--	2,423

(Table 15 continued on next page)

(Table 15 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Sweetgum														
Sweetgum	0	--	--	1	--	--	--	--	--	--	--	--	--	1
Group subtotal	0	--	--	1	--	0	--	--	--	--	--	--	--	1
Tupelo and blackgum														
Blackgum	4	6	5	3	5	3	2	--	--	--	--	--	--	28
Group subtotal	4	6	5	3	5	3	2	--	--	--	--	--	--	28
Ash														
White ash	164	270	355	413	366	346	209	123	168	38	12	16	--	2,481
Black ash	20	24	20	8	7	--	2	--	--	--	--	--	--	82
Green ash	42	65	66	62	62	22	48	9	23	5	--	--	--	404
Group subtotal	227	358	441	483	435	368	260	132	191	43	12	16	--	2,966
Cottonwood and aspen														
Balsam poplar	0	1	--	3	2	1	3	--	--	--	--	--	--	11
Eastern cottonwood	4	9	10	12	20	14	17	13	28	25	58	4	--	213
Bigtooth aspen	10	24	35	55	55	48	39	26	28	11	--	--	--	329
Quaking aspen	50	95	146	197	163	64	38	16	6	--	--	--	--	776
Group subtotal	65	129	191	266	239	127	97	55	62	35	58	4	--	1,329
Basswood														
American basswood	25	61	92	124	134	100	94	39	55	6	8	14	--	752
Group subtotal	25	61	92	124	134	100	94	39	55	6	8	14	--	752
Yellow-poplar														
Yellow-poplar	0	2	2	5	7	11	13	10	29	24	4	13	--	120
Group subtotal	0	2	2	5	7	11	13	10	29	24	4	13	--	120
Black walnut														
Black walnut	2	4	9	10	14	10	20	8	5	4	--	--	--	86
Group subtotal	2	4	9	10	14	10	20	8	5	4	--	--	--	86

(Table 15 continued on next page)

(Table 15 continued)

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
Other eastern soft hardwoods														
Boxelder	5	6	8	11	6	8	3	--	1	--	--	--	--	49
River birch	0	0	2	1	1	--	--	--	--	--	--	--	--	5
Paper birch	52	82	95	72	45	10	12	2	--	--	--	--	--	370
Gray birch	14	5	1	--	--	--	--	--	--	--	--	--	--	20
Northern catalpa	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Hackberry spp.	--	--	--	--	--	--	--	3	--	--	--	--	--	3
Hackberry	1	0	0	0	--	--	--	--	--	--	--	--	--	1
Butternut	0	1	4	3	6	7	5	6	3	--	--	--	--	36
Cucumbertree	0	0	2	2	1	2	7	4	7	--	--	--	--	26
American sycamore	1	1	1	2	1	4	2	--	--	--	--	--	--	11
Black cherry	81	145	240	321	330	315	248	196	156	58	23	--	--	2,113
Black willow	0	1	7	10	17	15	12	24	17	17	43	16	23	203
White willow	--	--	--	--	--	--	--	--	--	--	--	--	12	12
Weeping willow	--	--	--	--	--	1	--	2	--	10	--	--	--	13
Sassafras	2	2	2	1	4	--	2	--	--	--	--	--	--	14
American elm	45	52	45	35	21	21	21	12	4	--	--	--	--	257
Slippery elm	1	2	1	1	--	--	2	1	--	--	--	--	--	7
Group subtotal	204	296	410	460	432	384	313	251	188	85	66	16	35	3,140
Other eastern hard hardwoods														
Sweet birch	44	76	97	91	77	47	28	12	14	--	--	--	--	487
Catalpa spp.	--	--	--	--	--	2	--	--	--	--	--	--	--	2
Flowering dogwood	0	--	--	--	--	--	--	--	--	--	--	--	--	0
White mulberry	--	0	--	0	--	--	--	--	--	--	--	--	--	1
Black locust	9	16	25	32	26	18	7	--	--	5	--	--	--	138
Rock elm	--	0	--	--	--	--	--	--	--	--	--	--	--	0
Group subtotal	54	92	123	124	103	67	35	12	14	5	--	--	--	628

(Table 15 continued on next page)



(Table 15 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern noncommercial hardwoods														
Striped maple	13	6	2	--	--	--	--	--	--	--	--	--	--	21
Mountain maple	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Ailanthus	1	1	--	--	--	2	2	--	--	--	--	--	--	5
European alder	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Serviceberry spp.	14	7	3	0	--	--	--	--	--	--	--	--	--	25
American hornbeam, musclewood	4	1	0	--	--	--	--	--	--	--	--	--	--	6
American chestnut	--	0	--	--	--	--	--	--	--	--	--	--	--	0
Hawthorn spp.	13	5	1	0	--	--	--	--	--	--	--	--	--	19
Apple spp.	33	30	25	9	4	1	1	--	--	--	--	--	--	104
Eastern hophornbeam	41	32	19	5	2	--	--	--	--	--	--	--	--	98
Cherry and plum spp.	0	0	--	1	--	--	--	--	--	--	--	--	--	1
Pin cherry	2	1	1	--	1	--	--	--	--	--	--	--	--	6
Chokecherry	1	1	1	--	--	--	--	--	2	--	--	--	--	6
Sweet cherry, domesticated	1	3	1	2	2	2	--	--	--	--	--	--	--	12
Willow spp.	--	--	--	--	1	--	--	--	--	--	--	--	--	1
Bebb willow	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Balsam willow	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Mountain-ash spp.	0	--	--	--	--	--	--	--	--	--	--	--	--	0
American mountain-ash	0	1	1	--	--	--	--	--	--	--	--	--	--	3
Northern mountain-ash	--	0	--	--	--	--	--	--	--	--	--	--	--	0
Other or unknown live tree	0	0	0	--	--	--	--	--	--	--	--	--	--	1
Group subtotal	125	88	56	18	10	5	3	--	2	--	--	--	--	307
<b>All hardwoods</b>	1,920	3,328	4,420	4,874	4,581	3,715	2,747	1,880	2,068	1,003	450	147	220	31,353
<b>All species groups</b>	2,593	4,387	5,664	6,270	5,842	4,901	3,605	2,424	2,878	1,389	618	216	262	41,050

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the volume rounds to less than 1 million cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-16.—Net volume of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand origin, New York, 2012

Forest-type group	Stand origin		All forest land
	Natural stands	Artificial regeneration	
White / red / jack pine group	2,762.1	874.0	3,636.1
Spruce / fir group	1,169.9	133.7	1,303.6
Loblolly / shortleaf pine group	86.8	34.2	121.0
Other eastern softwoods group	29.4	--	29.4
Douglas-fir group	--	4.4	4.4
Exotic softwoods group	67.7	450.4	518.1
Oak / pine group	1,610.2	67.2	1,677.4
Oak / hickory group	6,292.0	87.7	6,379.7
Oak / gum / cypress group	3.4	--	3.4
Elm / ash / cottonwood group	2,289.8	--	2,289.8
Maple / beech / birch group	23,563.5	274.9	23,838.4
Aspen / birch group	928.0	34.7	962.7
Other hardwoods group	251.6	11.2	262.8
Exotic hardwoods group	12.8	--	12.8
Nonstocked	10.3	--	10.3
<b>All forest-type groups</b>	<b>39,077.6</b>	<b>1,972.4</b>	<b>41,050.1</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-17.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, on timberland by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
<b>Softwood species groups</b>														
<b>Eastern softwood species groups</b>														
Other yellow pines														
Table Mountain pine	--	--	--	--	0	--	--	--	--	--	--	--	--	0
Pitch pine	8	10	11	18	11	17	4	2	3	--	--	--	--	83
Scotch pine	12	33	34	29	15	17	3	2	3	--	--	--	--	147
Group subtotal	20	43	44	47	26	34	7	4	5	--	--	--	--	231
Eastern white and red pines														
Red pine	12	42	104	117	108	51	22	--	2	--	--	--	--	458
Eastern white pine	72	138	173	255	296	359	305	245	366	193	88	38	42	2,570
Group subtotal	85	179	277	372	404	410	327	245	368	193	88	38	42	3,028
Jack pine														
Jack pine	0	1	3	1	--	--	--	--	--	--	--	--	--	5
Group subtotal	0	1	3	1	--	--	--	--	--	--	--	--	--	5
Spruce and balsam fir														
Balsam fir	83	100	84	43	9	4	--	5	2	--	--	--	--	330
White spruce	9	11	8	10	4	3	2	--	--	--	--	--	--	48
Black spruce	7	10	3	--	--	--	--	--	--	--	--	--	--	20
Red spruce	51	70	76	72	56	30	9	5	3	--	--	--	--	372
Group subtotal	150	191	171	125	70	37	11	10	6	--	--	--	--	769
Eastern hemlock														
Eastern hemlock	135	246	295	340	347	298	230	121	128	54	11	6	--	2,211
Group subtotal	135	246	295	340	347	298	230	121	128	54	11	6	--	2,211
Other eastern softwoods														
Redcedar/juniper spp.	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Eastern redcedar	6	9	9	7	3	--	--	--	--	--	--	--	--	35
Larch spp.	1	4	10	18	20	13	3	2	--	--	--	--	--	72
Tamarack (native)	3	10	14	22	9	25	16	--	--	--	--	--	--	98
Norway spruce	21	39	33	41	49	34	39	10	13	3	--	--	--	283
Blue spruce	--	--	--	3	--	--	--	--	--	--	--	--	--	3
Douglas-fir	1	1	1	1	1	--	--	--	--	--	--	--	--	5
Northern white-cedar	29	38	21	17	15	10	3	5	2	--	--	--	--	138
Group subtotal	62	102	87	108	97	82	61	17	15	3	--	--	--	634
<b>All softwoods</b>	<b>451</b>	<b>762</b>	<b>877</b>	<b>994</b>	<b>944</b>	<b>861</b>	<b>636</b>	<b>396</b>	<b>522</b>	<b>250</b>	<b>99</b>	<b>44</b>	<b>42</b>	<b>6,877</b>

(Table 17 continued on next page)

(Table 17 continued)

Species group/Species	Diameter class (inches)												All classes	
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9		37.0+
<b>Hardwood species groups</b>														
<b>Eastern hardwood species groups</b>														
Select white oaks														
White oak	11	22	26	40	47	50	28	30	32	13	28	9	12	349
Swamp white oak	2	6	7	4	7	8	10	10	24	15	--	--	--	93
Bur oak	2	1	3	7	4	6	3	2	--	--	--	--	--	28
Chinkapin oak	--	0	0	--	--	--	--	--	--	--	--	--	--	1
Group subtotal	15	30	36	52	58	64	41	43	55	28	28	9	12	471
Select red oaks														
Northern red oak	25	75	136	232	294	296	255	232	232	104	50	19	14	1,963
Group subtotal	25	75	136	232	294	296	255	232	232	104	50	19	14	1,963
Other white oaks														
Chestnut oak	8	28	48	69	68	50	36	18	17	--	--	--	--	343
Post oak	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Group subtotal	8	28	48	69	68	50	36	18	17	--	--	--	--	343
Other red oaks														
Scarlet oak	4	14	20	21	14	12	4	3	--	--	--	--	--	91
Northern pin oak	--	--	--	1	2	1	2	--	--	--	--	--	--	6
Pin oak	1	1	1	6	1	4	2	6	14	5	--	--	--	40
Black oak	5	11	25	29	44	46	41	26	21	23	13	--	11	295
Group subtotal	9	26	46	57	62	63	49	35	35	28	13	--	11	433
Hickory														
Hickory spp.	--	--	--	1	1	--	--	--	--	--	--	--	--	2
Bitternut hickory	16	33	47	52	43	50	28	26	28	--	--	--	--	321
Pignut hickory	8	21	29	21	30	30	9	3	--	--	--	--	--	151
Shellbark hickory	--	--	0	--	1	--	--	--	--	--	--	--	--	1
Shagbark hickory	15	38	49	43	48	20	21	11	4	--	--	--	--	250
Mockernut hickory	0	0	1	3	2	2	--	--	--	--	--	--	--	9
Group subtotal	40	93	126	119	125	102	58	40	31	--	--	--	--	734
Yellow birch														
Yellow birch	62	100	131	140	88	77	65	44	29	35	--	--	--	771
Group subtotal	62	100	131	140	88	77	65	44	29	35	--	--	--	771
Hard maple														
Sugar maple	252	472	692	715	675	530	341	224	228	76	17	16	35	4,274
Norway maple	2	3	4	1	1	--	--	--	--	--	--	--	--	10
Group subtotal	254	474	695	716	676	530	341	224	228	76	17	16	35	4,284
Soft maple														
Red maple	348	673	872	834	801	550	349	164	174	31	27	--	--	4,824
Silver maple	8	11	22	32	49	25	29	43	22	15	8	--	29	293
Group subtotal	356	684	894	867	850	576	378	207	196	45	35	--	29	5,117
Beech														
American beech	124	230	243	255	192	121	88	62	48	33	--	--	--	1,395
Group subtotal	124	230	243	255	192	121	88	62	48	33	--	--	--	1,395

(Table 17 continued on next page)

(Table 17 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Sweetgum														
Sweetgum	0	--	--	1	--	--	--	--	--	--	--	--	--	1
Group subtotal	0	--	--	1	--	--	--	--	--	--	--	--	--	1
Tupelo and blackgum														
Blackgum	3	4	4	1	2	--	2	--	--	--	--	--	--	16
Group subtotal	3	4	4	1	2	--	2	--	--	--	--	--	--	16
Ash														
White ash	146	243	310	358	316	292	155	84	107	17	7	10	--	2,044
Black ash	18	21	16	7	5	--	2	--	--	--	--	--	--	69
Green ash	38	57	59	58	55	20	44	9	11	5	--	--	--	356
Group subtotal	201	321	384	423	376	312	202	92	118	22	7	10	--	2,469
Cottonwood and aspen														
Balsam poplar	0	1	--	3	2	1	3	--	--	--	--	--	--	11
Eastern cottonwood	4	8	8	12	14	14	17	8	28	14	58	--	--	185
Bigtooth aspen	10	23	33	51	51	43	36	24	25	6	--	--	--	302
Quaking aspen	47	87	135	184	151	56	35	16	6	--	--	--	--	718
Group subtotal	60	120	176	249	218	115	91	49	59	20	58	--	--	1,216
Basswood														
American basswood	20	53	84	112	123	93	86	37	53	6	8	10	--	684
Group subtotal	20	53	84	112	123	93	86	37	53	6	8	10	--	684
Yellow-poplar														
Yellow-poplar	0	1	2	5	7	11	13	10	29	13	--	13	--	104
Group subtotal	0	1	2	5	7	11	13	10	29	13	--	13	--	104
Black walnut														
Black walnut	1	2	7	7	11	8	14	8	--	4	--	--	--	62
Group subtotal	1	2	7	7	11	8	14	8	--	4	--	--	--	62
Other eastern soft hardwoods														
Boxelder	1	3	6	3	1	1	2	--	--	--	--	--	--	17
River birch	0	0	2	1	1	--	--	--	--	--	--	--	--	5
Paper birch	19	36	39	32	18	5	2	--	--	--	--	--	--	151
Gray birch	11	4	1	--	--	--	--	--	--	--	--	--	--	16
Hackberry spp.	--	--	--	--	--	--	--	3	--	--	--	--	--	3
Hackberry	0	0	0	0	--	--	--	--	--	--	--	--	--	1
Butternut	0	0	3	1	4	7	5	3	3	--	--	--	--	26
Cucumbertree	0	0	2	2	1	2	6	3	7	--	--	--	--	24
American sycamore	1	1	1	2	1	4	2	--	--	--	--	--	--	11
Black cherry	55	103	189	239	255	265	188	158	125	13	6	--	--	1,595
Black willow	0	1	6	7	14	13	10	21	15	14	43	16	23	184
White willow	--	--	--	--	--	--	--	--	--	--	--	--	12	12
Weeping willow	--	--	--	--	--	--	--	--	--	4	--	--	--	4
Sassafras	1	1	2	1	4	--	2	--	--	--	--	--	--	11
American elm	39	43	40	27	16	17	17	7	4	--	--	--	--	211
Slippery elm	1	1	1	1	--	--	2	--	--	--	--	--	--	6
Group subtotal	129	194	293	318	315	315	234	194	154	32	48	16	35	2,278

(Table 17 continued on next page)

(Table 17 continued)

Species group/Species	Diameter class (inches)													All classes
	5.0-6.9	7.0-8.9	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods														
Sweet birch	39	70	89	82	65	42	24	11	12	--	--	--	--	433
Catalpa spp.	--	--	--	--	--	2	--	--	--	--	--	--	--	2
Flowering dogwood	0	--	--	--	--	--	--	--	--	--	--	--	--	0
Black locust	8	14	21	27	24	11	7	--	--	--	--	--	--	112
Rock elm	--	0	--	--	--	--	--	--	--	--	--	--	--	0
Group subtotal	47	84	110	109	89	55	31	11	12	--	--	--	--	547
<b>All hardwoods</b>	<b>1,356</b>	<b>2,521</b>	<b>3,417</b>	<b>3,731</b>	<b>3,553</b>	<b>2,786</b>	<b>1,985</b>	<b>1,306</b>	<b>1,296</b>	<b>447</b>	<b>263</b>	<b>93</b>	<b>136</b>	<b>22,891</b>
<b>All species groups</b>	<b>1,807</b>	<b>3,283</b>	<b>4,294</b>	<b>4,725</b>	<b>4,498</b>	<b>3,646</b>	<b>2,621</b>	<b>1,702</b>	<b>1,818</b>	<b>698</b>	<b>362</b>	<b>137</b>	<b>177</b>	<b>29,768</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the volume rounds to less than 1 million cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-18.—Net volume of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.4	--	--	--	0.4
Pitch pine	0.9	1.9	32.1	47.7	82.6
Scotch pine	--	--	12.9	134.6	147.5
Group subtotal	1.3	1.9	45.0	182.3	230.5
Eastern white and red pines					
Red pine	--	2.2	269.8	186.2	458.2
Eastern white pine	3.8	27.6	382.7	2,155.6	2,569.7
Group subtotal	3.8	29.8	652.5	2,341.8	3,027.9
Jack pine					
Jack pine	1.3	--	--	3.3	4.6
Group subtotal	1.3	--	--	3.3	4.6
Spruce and balsam fir					
Balsam fir	--	--	49.6	280.1	329.7
White spruce	--	--	20.0	27.6	47.6
Black spruce	--	--	13.6	6.1	19.6
Red spruce	--	--	22.7	349.2	371.9
Group subtotal	--	--	105.9	662.9	768.8
Eastern hemlock					
Eastern hemlock	0.0	4.4	177.2	2,029.2	2,210.9
Group subtotal	0.0	4.4	177.2	2,029.2	2,210.9
Other eastern softwoods					
Redcedar/juniper spp.	--	--	--	0.1	0.1
Eastern redcedar	--	--	0.0	34.7	34.8
Larch spp.	--	--	35.9	35.9	71.8
Tamarack (native)	--	57.8	16.0	24.5	98.3
Norway spruce	--	--	134.2	149.2	283.4
Blue spruce	--	--	0.8	1.7	2.6
Douglas-fir	--	--	1.5	3.2	4.8
Northern white-cedar	--	--	5.8	132.7	138.5
Group subtotal	--	57.8	194.3	382.2	634.3
<b>All softwoods</b>	<b>6.5</b>	<b>93.9</b>	<b>1,174.9</b>	<b>5,601.8</b>	<b>6,877.0</b>

(Table 18 continued on next page)

(Table 18 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	0.5	13.7	36.4	298.7	349.2
Swamp white oak	--	3.8	1.9	87.4	93.1
Bur oak	--	--	10.5	17.9	28.3
Chinkapin oak	--	--	--	0.7	0.7
Group subtotal	0.5	17.5	48.7	404.6	471.3
Select red oaks					
Northern red oak	10.3	14.4	295.6	1,643.2	1,963.5
Group subtotal	10.3	14.4	295.6	1,643.2	1,963.5
Other white oaks					
Chestnut oak	--	4.4	56.9	281.5	342.8
Post oak	--	--	0.0	--	0.0
Group subtotal	--	4.4	57.0	281.5	342.9
Other red oaks					
Scarlet oak	--	2.2	14.0	75.1	91.4
Northern pin oak	--	--	--	6.2	6.2
Pin oak	--	--	--	39.9	39.9
Black oak	--	3.4	40.7	251.1	295.2
Group subtotal	--	5.6	54.7	372.3	432.7
Hickory					
Hickory spp.	--	--	--	2.1	2.1
Bitternut hickory	--	--	16.2	305.2	321.4
Pignut hickory	--	0.3	16.3	134.2	150.9
Shellbark hickory	--	--	0.4	1.0	1.3
Shagbark hickory	2.0	--	29.4	218.5	249.8
Mockernut hickory	--	2.4	--	6.5	8.9
Group subtotal	2.0	2.7	62.3	667.4	734.4
Yellow birch					
Yellow birch	--	--	47.8	723.5	771.4
Group subtotal	--	--	47.8	723.5	771.4
Hard maple					
Sugar maple	2.7	2.4	453.5	3,815.4	4,273.9
Norway maple	--	--	0.4	9.3	9.7
Group subtotal	2.7	2.4	453.9	3,824.7	4,283.6

(Table 18 continued on next page)



(Table 18 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Soft maple					
Red maple	7.1	16.8	451.0	4,348.9	4,823.8
Silver maple	--	--	49.4	243.6	293.0
Group subtotal	7.1	16.8	500.4	4,592.5	5,116.8
Beech					
American beech	0.8	--	92.6	1,301.9	1,395.3
Group subtotal	0.8	--	92.6	1,301.9	1,395.3
Sweetgum					
Sweetgum	--	--	--	0.9	0.9
Group subtotal	--	--	--	0.9	0.9
Tupelo and blackgum					
Blackgum	--	--	1.9	14.4	16.3
Group subtotal	--	--	1.9	14.4	16.3
Ash					
White ash	4.7	0.1	284.9	1,754.5	2,044.2
Black ash	--	0.1	5.2	63.6	68.9
Green ash	--	1.2	29.5	325.4	356.1
Group subtotal	4.7	1.4	319.6	2,143.4	2,469.2
Cottonwood and aspen					
Balsam poplar	--	--	1.2	9.9	11.1
Eastern cottonwood	--	--	9.3	176.0	185.4
Bigtooth aspen	0.2	1.8	29.8	269.9	301.8
Quaking aspen	1.6	3.8	77.4	635.4	718.1
Group subtotal	1.8	5.6	117.8	1,091.2	1,216.4
Basswood					
American basswood	1.4	8.3	49.0	625.7	684.4
Group subtotal	1.4	8.3	49.0	625.7	684.4
Yellow-poplar					
Yellow-poplar	--	--	44.0	60.4	104.4
Group subtotal	--	--	44.0	60.4	104.4
Black walnut					
Black walnut	1.8	--	7.8	52.7	62.2
Group subtotal	1.8	--	7.8	52.7	62.2

(Table 18 continued on next page)

(Table 18 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern soft hardwoods					
Boxelder	--	--	1.3	16.2	17.5
River birch	--	--	--	4.6	4.6
Paper birch	--	0.1	9.2	141.9	151.2
Gray birch	--	1.1	1.3	13.7	16.2
Hackberry spp.	--	--	--	2.7	2.7
Hackberry	--	--	--	1.0	1.0
Butternut	--	--	3.1	23.3	26.4
Cucumber tree	0.3	--	0.5	22.9	23.7
American sycamore	--	--	--	11.4	11.4
Black cherry	--	8.8	290.0	1,296.2	1,595.0
Black willow	--	--	17.3	167.0	184.3
White willow	--	--	--	12.4	12.4
Weeping willow	--	--	--	4.0	4.0
Sassafras	--	0.4	0.7	10.2	11.4
American elm	--	4.1	16.6	190.1	210.8
Slippery elm	--	--	0.4	5.1	5.5
Group subtotal	0.3	14.6	340.3	1,922.7	2,277.9
Other eastern hard hardwoods					
Sweet birch	--	1.2	62.5	369.3	433.0
Catalpa spp.	--	--	--	1.6	1.6
Flowering dogwood	--	--	0.1	--	0.1
Black locust	--	--	23.5	88.7	112.2
Rock elm	--	--	--	0.3	0.3
Group subtotal	--	1.2	86.0	459.9	547.1
<b>All hardwoods</b>	<b>33.4</b>	<b>94.9</b>	<b>2,579.5</b>	<b>20,182.9</b>	<b>22,890.7</b>
<b>All species groups</b>	<b>39.8</b>	<b>188.8</b>	<b>3,754.4</b>	<b>25,784.7</b>	<b>29,767.7</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-19.—Net volume of sawtimber trees, in million board feet (International 1/4-inch rule), on timberland by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Softwood species groups</b>												
<b>Eastern softwood species groups</b>												
Other yellow pines												
Table Mountain pine	--	--	2	--	--	--	--	--	--	--	--	2
Pitch pine	36	70	46	79	17	9	12	--	--	--	--	269
Scotch pine	106	111	63	77	15	11	14	--	--	--	--	397
Group subtotal	141	181	111	156	32	20	26	--	--	--	--	668
Eastern white and red pines												
Red pine	327	467	489	245	106	--	12	--	--	--	--	1,645
Eastern white pine	569	1,038	1,338	1,718	1,513	1,271	1,902	1,047	490	214	243	11,343
Group subtotal	895	1,505	1,826	1,963	1,619	1,271	1,915	1,047	490	214	243	12,988
Jack pine												
Jack pine	8	5	--	--	--	--	--	--	--	--	--	13
Group subtotal	8	5	--	--	--	--	--	--	--	--	--	13
Spruce and balsam fir												
Balsam fir	277	180	40	21	--	25	14	--	--	--	--	558
White spruce	27	42	20	13	10	--	--	--	--	--	--	113
Black spruce	11	--	--	--	--	--	--	--	--	--	--	11
Red spruce	252	302	260	145	43	27	17	--	--	--	--	1,046
Group subtotal	568	523	320	179	53	52	32	--	--	--	--	1,728

(Table 19 continued on next page)

(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern hemlock												
Eastern hemlock	885	1,217	1,333	1,192	956	502	555	241	50	30	--	6,962
Group subtotal	885	1,217	1,333	1,192	956	502	555	241	50	30	--	6,962
Other eastern softwoods												
Eastern redcedar	22	22	12	--	--	--	--	--	--	--	--	55
Larch spp.	33	70	84	60	13	10	--	--	--	--	--	270
Tamarack (native)	45	84	40	113	72	--	--	--	--	--	--	355
Norway spruce	104	161	212	154	173	52	66	18	--	--	--	940
Blue spruce	--	11	--	--	--	--	--	--	--	--	--	11
Douglas-fir	2	3	4	--	--	--	--	--	--	--	--	9
Northern white-cedar	49	54	53	38	10	21	8	--	--	--	--	233
Group subtotal	255	405	404	365	269	83	74	18	--	--	--	1,874
<b>All softwoods</b>	<b>2,754</b>	<b>3,835</b>	<b>3,995</b>	<b>3,855</b>	<b>2,929</b>	<b>1,927</b>	<b>2,602</b>	<b>1,306</b>	<b>540</b>	<b>244</b>	<b>243</b>	<b>24,231</b>

(Table 19 continued on next page)

(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Hardwood species groups</b>												
<b>Eastern hardwood species groups</b>												
Select white oaks												
White oak	--	142	202	235	140	156	176	75	173	59	79	1,436
Swamp white oak	--	13	31	38	48	54	130	88	--	--	--	402
Bur oak	--	26	15	28	16	13	--	--	--	--	--	97
Group subtotal	--	181	247	301	203	222	305	163	173	59	79	1,935
Select red oaks												
Northern red oak	--	790	1,206	1,323	1,219	1,168	1,215	600	301	121	96	8,039
Group subtotal	--	790	1,206	1,323	1,219	1,168	1,215	600	301	121	96	8,039
Other white oaks												
Chestnut oak	--	237	262	205	164	81	85	--	--	--	--	1,034
Group subtotal	--	237	262	205	164	81	85	--	--	--	--	1,034
Other red oaks												
Scarlet oak	--	69	58	55	19	13	--	--	--	--	--	214
Northern pin oak	--	2	9	6	9	--	--	--	--	--	--	26
Pin oak	--	21	4	16	11	30	72	27	--	--	--	181
Black oak	--	100	183	204	197	130	110	133	80	--	70	1,207
Group subtotal	--	192	255	281	236	172	183	160	80	--	70	1,629

(Table 19 continued on next page)

(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Hickory												
Hickory spp.	--	3	5	--	--	--	--	--	--	--	--	8
Bitternut hickory	--	178	177	233	136	131	150	--	--	--	--	1,006
Pignut hickory	--	69	123	139	45	18	--	--	--	--	--	395
Shellbark hickory	--	--	4	--	--	--	--	--	--	--	--	4
Shagbark hickory	--	146	200	94	104	56	21	--	--	--	--	622
Mockernut hickory	--	10	9	11	--	--	--	--	--	--	--	30
Group subtotal	--	407	519	477	285	205	171	--	--	--	--	2,064
Yellow birch												
Yellow birch	--	505	375	352	321	228	153	199	--	--	--	2,133
Group subtotal	--	505	375	352	321	228	153	199	--	--	--	2,133
Hard maple												
Sugar maple	--	2,552	2,799	2,428	1,664	1,136	1,263	450	103	105	242	12,742
Norway maple	--	2	5	--	--	--	--	--	--	--	--	7
Group subtotal	--	2,555	2,804	2,428	1,664	1,136	1,263	450	103	105	242	12,749
Soft maple												
Red maple	--	2,710	3,169	2,414	1,666	832	909	171	164	--	--	12,035
Silver maple	--	106	195	112	138	218	116	83	47	--	195	1,209
Group subtotal	--	2,816	3,364	2,526	1,804	1,050	1,026	254	210	--	195	13,245
Beech												
American beech	--	920	830	573	450	332	269	197	--	--	--	3,570
Group subtotal	--	920	830	573	450	332	269	197	--	--	--	3,570

(Table 19 continued on next page)

(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Sweetgum												
Sweetgum	--	3	--	--	--	--	--	--	--	--	--	3
Group subtotal	--	3	--	--	--	--	--	--	--	--	--	3
Tupelo and blackgum												
Blackgum	--	2	9	--	10	--	--	--	--	--	--	21
Group subtotal	--	2	9	0	10	--	--	--	--	--	--	21
Ash												
White ash	--	1,225	1,328	1,372	768	434	599	102	42	61	--	5,930
Black ash	--	24	20	--	12	--	--	--	--	--	--	57
Green ash	--	199	230	93	219	46	64	29	--	--	--	879
Group subtotal	--	1,449	1,577	1,465	999	481	663	130	42	61	--	6,867
Cottonwood and aspen												
Balsam poplar	--	9	10	6	17	--	--	--	--	--	--	42
Eastern cottonwood	--	42	59	69	83	44	157	85	360	--	--	898
Bigtooth aspen	--	179	216	203	177	126	137	34	--	--	--	1,073
Quaking aspen	--	634	634	262	172	85	35	--	--	--	--	1,822
Group subtotal	--	864	919	539	449	255	329	119	360	--	--	3,834
Basswood												
American basswood	--	396	519	438	424	193	285	36	48	68	--	2,407
Group subtotal	--	396	519	438	424	193	285	36	48	68	--	2,407
Yellow-poplar												
Yellow-poplar	--	15	31	52	63	54	163	74	--	88	--	540
Group subtotal	--	15	31	52	63	54	163	74	--	88	--	540
Black walnut												
Black walnut	--	25	45	38	68	42	--	24	--	--	--	242
Group subtotal	--	25	45	38	68	42	--	24	--	--	--	242

(Table 19 continued on next page)

(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern soft hardwoods												
Boxelder	--	12	4	7	8	--	--	--	--	--	--	31
River birch	--	4	6	--	--	--	--	--	--	--	--	10
Paper birch	--	115	76	24	8	--	--	--	--	--	--	222
Hackberry spp.	--	--	--	--	--	14	--	--	--	--	--	14
Hackberry	--	1	--	--	--	--	--	--	--	--	--	1
Butternut	--	4	18	32	25	13	17	--	--	--	--	109
Cucumbertree	--	9	5	9	29	15	41	--	--	--	--	107
American sycamore	--	7	4	21	8	--	--	--	--	--	--	40
Black cherry	--	830	1,078	1,246	956	815	668	78	33	--	--	5,705
Black willow	--	28	62	61	51	107	84	86	270	101	156	1,006
White willow	--	--	--	--	--	--	--	--	--	--	85	85
Weeping willow	--	--	--	--	--	--	--	23	--	--	--	23
Sassafras	--	4	17	--	11	--	--	--	--	--	--	32
American elm	--	96	67	80	81	36	23	--	--	--	--	384
Slippery elm	--	2	--	--	8	--	--	--	--	--	--	10
Group subtotal	--	1,112	1,337	1,479	1,185	1,002	833	186	304	101	240	7,780

(Table 19 continued on next page)



(Table 19 continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods												
Sweet birch	--	294	276	190	119	54	61	--	--	--	--	994
Catalpa spp.	--	--	--	8	--	--	--	--	--	--	--	8
Black locust	--	95	102	52	32	--	--	--	--	--	--	281
Group subtotal	--	389	378	250	152	54	61	--	--	--	--	1,283
<b>All hardwoods</b>	--	12,857	14,677	12,728	9,695	6,675	7,004	2,592	1,621	604	922	69,374
<b>All species groups</b>	2,754	16,692	18,672	16,583	12,624	8,602	9,606	3,897	2,161	849	1,165	93,605

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the volume rounds to less than 1 million board feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-19a.—Net volume of sawtimber trees, in million board feet (Doyle rule), on timberland by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Softwood species groups</b>												
<b>Eastern softwood species groups</b>												
Other yellow pines												
Table Mountain pine	--	--	1	--	--	--	--	--	--	--	--	1
Pitch pine	12	33	28	54	13	8	11	--	--	--	--	159
Scotch pine	36	53	38	53	11	10	12	--	--	--	--	214
Group subtotal	49	86	67	108	25	17	23	--	--	--	--	374
Eastern white and red pines												
Red pine	113	223	293	169	81	--	11	--	--	--	--	890
Eastern white pine	196	496	802	1,187	1,163	1,089	1,696	1,001	542	237	269	8,680
Group subtotal	309	719	1,094	1,356	1,244	1,089	1,707	1,001	542	237	269	9,569
Jack pine												
Jack pine	3	2	--	--	--	--	--	--	--	--	--	5
Group subtotal	3	2	--	--	--	--	--	--	--	--	--	5
Spruce and balsam fir												
Balsam fir	96	86	24	15	--	22	12	--	--	--	--	255
White spruce	9	20	12	9	8	--	--	--	--	--	--	58
Black spruce	4	--	--	--	--	--	--	--	--	--	--	4
Red spruce	87	144	156	100	33	23	15	--	--	--	--	558
Group subtotal	196	250	192	124	41	45	27	--	--	--	--	875

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern hemlock												
Eastern hemlock	306	582	799	823	735	430	490	229	55	34	--	4,483
Group subtotal	306	582	799	823	735	430	490	229	55	34	--	4,483
Other eastern softwoods												
Eastern redcedar	8	10	7	--	--	--	--	--	--	--	--	25
Larch spp.	11	34	50	41	10	9	--	--	--	--	--	155
Tamarack (native)	16	40	24	78	56	--	--	--	--	--	--	214
Norway spruce	36	77	127	106	133	44	58	17	--	--	--	598
Blue spruce	--	5	--	--	--	--	--	--	--	--	--	5
Douglas-fir	1	2	2	--	--	--	--	--	--	--	--	4
Northern white-cedar	17	26	32	26	8	18	7	--	--	--	--	134
Group subtotal	88	194	242	252	207	71	65	17	--	--	--	1,136
<b>All softwoods</b>	<b>951</b>	<b>1,833</b>	<b>2,394</b>	<b>2,663</b>	<b>2,251</b>	<b>1,652</b>	<b>2,312</b>	<b>1,247</b>	<b>598</b>	<b>270</b>	<b>269</b>	<b>16,442</b>

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Hardwood species groups</b>												
<b>Eastern hardwood species groups</b>												
Select white oaks												
White oak	--	59	103	138	92	112	143	65	196	66	90	1,066
Swamp white oak	--	6	16	22	31	39	104	80	--	--	--	297
Bur oak	--	11	8	17	10	9	--	--	--	--	--	54
Group subtotal	--	76	127	177	133	160	247	145	196	66	90	1,417
Select red oaks												
Northern red oak	--	330	617	778	801	839	968	553	342	137	109	5,473
Group subtotal	--	330	617	778	801	839	968	553	342	137	109	5,473
Other white oaks												
Chestnut oak	--	99	134	121	108	58	68	--	--	--	--	587
Group subtotal	--	99	134	121	108	58	68	--	--	--	--	587
Other red oaks												
Scarlet oak	--	29	30	32	12	9	--	--	--	--	--	113
Northern pin oak	--	1	5	4	6	--	--	--	--	--	--	15
Pin oak	--	9	2	9	7	21	59	26	--	--	--	134
Black oak	--	42	94	120	129	93	89	120	91	--	79	857
Group subtotal	--	80	130	165	155	124	148	146	91	--	79	1,118

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Hickory												
Hickory spp.	--	1	3	--	--	--	--	--	--	--	--	4
Bitternut hickory	--	74	91	137	89	94	120	--	--	--	--	606
Pignut hickory	--	29	63	82	30	13	--	--	--	--	--	216
Shellbark hickory	--	--	2	--	--	--	--	--	--	--	--	2
Shagbark hickory	--	61	103	55	68	40	16	--	--	--	--	344
Mockernut hickory	--	4	5	6	--	--	--	--	--	--	--	15
Group subtotal	--	170	266	281	187	147	137	--	--	--	--	1,187
Yellow birch												
Yellow birch	--	211	192	207	211	164	122	180	--	--	--	1,287
Group subtotal	--	211	192	207	211	164	122	180	--	--	--	1,287
Hard maple												
Sugar maple	--	1,065	1,433	1,428	1,093	816	1,015	406	116	119	275	7,765
Norway maple	--	1	3	--	--	--	--	--	--	--	--	3
Group subtotal	--	1,066	1,435	1,428	1,093	816	1,015	406	116	119	275	7,768
Soft maple												
Red maple	--	1,131	1,622	1,420	1,094	598	732	149	186	--	--	6,931
Silver maple	--	44	100	66	90	156	93	76	53	--	221	901
Group subtotal	--	1,175	1,722	1,486	1,185	754	825	226	239	--	221	7,832
Beech												
American beech	--	384	425	337	295	239	218	175	--	--	--	2,073
Group subtotal	--	384	425	337	295	239	218	175	--	--	--	2,073

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Sweetgum												
Sweetgum	--	1	--	--	--	--	--	--	--	--	--	1
Group subtotal	--	1	--	--	--	--	--	--	--	--	--	1
Tupelo and blackgum												
Blackgum	--	1	5	--	7	--	--	--	--	--	--	12
Group subtotal	--	1	5	0	7	--	--	--	--	--	--	12
Ash												
White ash	--	511	680	807	504	312	482	89	48	69	--	3,502
Black ash	--	10	10	--	8	--	--	--	--	--	--	29
Green ash	--	83	118	55	144	33	51	25	--	--	--	508
Group subtotal	--	604	807	862	656	345	533	114	48	69	--	4,039
Cottonwood and aspen												
Balsam poplar	--	4	5	3	11	--	--	--	--	--	--	24
Eastern cottonwood	--	18	30	40	54	31	126	74	409	--	--	783
Bigtooth aspen	--	75	111	119	116	91	109	32	--	--	--	653
Quaking aspen	--	264	325	154	113	61	27	--	--	--	--	944
Group subtotal	--	361	470	317	295	183	262	106	409	--	--	2,404
Basswood												
American basswood	--	165	265	258	278	139	231	34	54	78	--	1,502
Yellow-poplar												
Yellow-poplar	--	6	16	31	41	38	132	65	--	100	--	430
Group subtotal	--	6	16	31	41	38	132	65	--	100	--	
Black walnut												
Black walnut	--	10	23	22	45	30	--	21	--	--	--	151
Group subtotal	--	10	23	22	45	30	--	21	--	--	--	151

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern soft hardwoods												
Boxelder	--	5	2	4	5	--	--	--	--	--	--	16
River birch	--	2	3	--	--	--	--	--	--	--	--	5
Paper birch	--	48	39	14	5	--	--	--	--	--	--	106
Hackberry spp.	--	--	--	--	--	10	--	--	--	--	--	10
Hackberry	--	0	--	--	--	--	--	--	--	--	--	0
Butternut	--	2	9	19	16	10	13	--	--	--	--	69
Cucumbertree	--	4	2	5	19	11	33	--	--	--	--	74
American sycamore	--	3	2	12	5	--	--	--	--	--	--	22
Black cherry	--	346	552	733	628	585	530	70	38	--	--	3,483
Black willow	--	12	32	36	33	77	67	77	306	115	177	932
White willow	--	--	--	--	--	--	--	--	--	--	96	96
Weeping willow	--	--	--	--	--	--	--	20	--	--	--	20
Sassafras	--	2	8	--	7	--	--	--	--	--	--	18
American elm	--	40	34	47	53	26	19	--	--	--	--	220
Slippery elm	--	1	--	--	5	--	--	--	--	--	--	6
Group subtotal	--	464	684	870	779	719	663	167	344	115	273	5,079

(Table 19a continued on next page)

(Table 19a continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods												
Sweet birch	--	123	141	112	78	39	49	--	--	--	--	542
Catalpa spp.	--	--	--	5	--	--	--	--	--	--	--	5
Black locust	--	40	52	31	21	--	--	--	--	--	--	144
Group subtotal	--	162	193	147	100	39	49	--	--	--	--	690
<b>All hardwoods</b>	--	5,364	7,512	7,487	6,369	4,793	5,617	2,338	1,840	686	1,046	43,050
<b>All species groups</b>	951	7,197	9,906	10,150	8,620	6,445	7,930	3,585	2,437	956	1,316	59,492

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the volume rounds to less than 1 million board feet.  
Columns and rows may not add to their totals due to rounding.



Table NY-19b.—Net volume of sawtimber trees, in million board feet (Scribner rule), on timberland by species group, species, and diameter class, New York, 2012

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Softwood species groups</b>												
<b>Eastern softwood species groups</b>												
Other yellow pines												
Table Mountain pine	--	--	2	--	--	--	--	--	--	--	--	2
Pitch pine	28	58	40	69	15	8	11	--	--	--	--	229
Scotch pine	83	92	54	68	13	10	13	--	--	--	--	333
Group subtotal	111	150	95	137	29	18	24	--	--	--	--	564
Eastern white and red pines												
Red pine	256	387	419	215	95	--	11	--	--	--	--	1,383
Eastern white pine	445	860	1,147	1,509	1,354	1,154	1,750	974	459	200	228	10,080
Group subtotal	701	1,247	1,566	1,724	1,448	1,154	1,761	974	459	200	228	11,462
Jack pine												
Jack pine	6	4	--	--	--	--	--	--	--	--	--	10
Group subtotal	6	4	--	--	--	--	--	--	--	--	--	10
Spruce and balsam fir												
Balsam fir	217	149	34	19	--	23	13	--	--	--	--	455
White spruce	21	35	17	11	9	--	--	--	--	--	--	94
Black spruce	9	--	--	--	--	--	--	--	--	--	--	9
Red spruce	198	250	223	127	38	24	16	--	--	--	--	876
Group subtotal	445	434	275	158	48	47	29	--	--	--	--	1,434

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Eastern hemlock												
Eastern hemlock	693	1,008	1,143	1,047	855	456	510	225	47	28	--	6,013
Group subtotal	693	1,008	1,143	1,047	855	456	510	225	47	28	--	6,013
Other eastern softwoods												
Eastern redcedar	17	18	10	--	--	--	--	--	--	--	--	45
Larch spp.	26	58	72	53	12	9	--	--	--	--	--	229
Tamarack (native)	36	70	34	99	65	--	--	--	--	--	--	304
Norway spruce	82	133	182	135	155	47	61	16	--	--	--	811
Blue spruce	--	9	--	--	--	--	--	--	--	--	--	9
Douglas-fir	2	3	3	--	--	--	--	--	--	--	--	7
Northern white-cedar	38	44	46	34	9	19	8	--	--	--	--	198
Group subtotal	200	336	347	320	241	75	68	16	--	--	--	1,604
<b>All softwoods</b>	<b>2,156</b>	<b>3,178</b>	<b>3,427</b>	<b>3,386</b>	<b>2,620</b>	<b>1,750</b>	<b>2,393</b>	<b>1,215</b>	<b>505</b>	<b>229</b>	<b>228</b>	<b>21,087</b>

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
<b>Hardwood species groups</b>												
<b>Eastern hardwood species groups</b>												
Select white oaks												
White oak	--	118	174	207	126	142	163	70	165	56	76	1,298
Swamp white oak	--	11	27	34	43	49	120	83	--	--	--	367
Bur oak	--	22	13	25	14	11	--	--	--	--	--	85
Group subtotal	--	151	213	266	183	203	283	154	165	56	76	1,749
Select red oaks												
Northern red oak	--	657	1,039	1,168	1,097	1,066	1,125	566	287	116	91	7,213
Group subtotal	--	657	1,039	1,168	1,097	1,066	1,125	566	287	116	91	7,213
Other white oaks												
Chestnut oak	--	197	226	181	147	74	79	--	--	--	--	904
Group subtotal	--	197	226	181	147	74	79	--	--	--	--	904
Other red oaks												
Scarlet oak	--	57	50	49	17	12	--	--	--	--	--	185
Northern pin oak	--	2	8	5	8	--	--	--	--	--	--	23
Pin oak	--	18	3	14	10	27	67	26	--	--	--	165
Black oak	--	83	158	180	177	119	102	125	76	--	66	1,088
Group subtotal	--	160	219	248	212	157	170	151	76	--	66	1,460

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Hickory												
Hickory spp.	--	2	4	--	--	--	--	--	--	--	--	7
Bitternut hickory	--	148	153	206	122	120	139	--	--	--	--	888
Pignut hickory	--	58	106	123	41	16	--	--	--	--	--	343
Shellbark hickory	--	--	3	--	--	--	--	--	--	--	--	3
Shagbark hickory	--	122	172	83	94	51	19	--	--	--	--	542
Mockernut hickory	--	8	8	10	--	--	--	--	--	--	--	26
Group subtotal	--	338	447	421	257	187	159	--	--	--	--	1,809
Yellow birch												
Yellow birch	--	420	323	311	289	208	142	187	--	--	--	1,880
Group subtotal	--	420	323	311	289	208	142	187	--	--	--	1,880
Hard maple												
Sugar maple	--	2,123	2,410	2,143	1,497	1,037	1,171	424	98	100	231	11,235
Norway maple	--	2	4	--	--	--	--	--	--	--	--	6
Group subtotal	--	2,125	2,415	2,143	1,497	1,037	1,171	424	98	100	231	11,241
Soft maple												
Red maple	--	2,254	2,729	2,131	1,499	760	844	161	156	--	--	10,533
Silver maple	--	88	168	99	124	199	108	78	45	--	186	1,094
Group subtotal	--	2,342	2,897	2,230	1,623	959	952	239	201	--	186	11,628
Beech												
American beech	--	765	715	505	405	303	250	185	--	--	--	3,128
Group subtotal	--	765	715	505	405	303	250	185	--	--	--	3,128

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Sweetgum												
Sweetgum	--	2	--	--	--	--	--	--	--	--	--	2
Group subtotal	--	2	--	--	--	--	--	--	--	--	--	2
Tupelo and blackgum												
Blackgum	--	2	8	--	9	--	--	--	--	--	--	19
Group subtotal	--	2	8	0	9	--	--	--	--	--	--	19
Ash												
White ash	--	1,019	1,143	1,211	691	397	556	96	40	58	--	5,210
Black ash	--	20	17	--	11	--	--	--	--	--	--	49
Green ash	--	166	198	82	197	42	59	27	--	--	--	771
Group subtotal	--	1,205	1,358	1,293	899	439	615	122	40	58	--	6,030
Cottonwood and aspen												
Balsam poplar	--	8	8	5	15	--	--	--	--	--	--	37
Eastern cottonwood	--	35	51	61	74	40	145	80	344	--	--	829
Bigtooth aspen	--	149	186	179	160	115	127	32	--	--	--	948
Quaking aspen	--	527	546	231	155	78	32	--	--	--	--	1,569
Group subtotal	--	719	791	476	404	233	304	112	344	--	--	3,383
Basswood												
American basswood	--	330	447	387	382	176	264	34	46	65	--	2,130
Yellow-poplar												
Yellow-poplar	--	12	26	46	57	49	151	70	--	84	--	496
Group subtotal	--	12	26	46	57	49	151	70	--	84	--	496
Black walnut												
Black walnut	--	21	39	34	61	38	--	23	--	--	--	215
Group subtotal	--	21	39	34	61	38	--	23	--	--	--	215

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern soft hardwoods												
Boxelder	--	10	4	6	7	--	--	--	--	--	--	27
River birch	--	3	5	--	--	--	--	--	--	--	--	9
Paper birch	--	95	65	21	7	--	--	--	--	--	--	189
Hackberry spp.	--	--	--	--	--	13	--	--	--	--	--	13
Hackberry	--	1	--	--	--	--	--	--	--	--	--	1
Butternut	--	3	16	28	22	12	16	--	--	--	--	97
Cucumbertree	--	7	4	8	26	14	38	--	--	--	--	97
American sycamore	--	6	4	18	7	--	--	--	--	--	--	35
Black cherry	--	690	928	1,100	861	744	618	73	32	--	--	5,047
Black willow	--	24	53	54	46	98	78	81	258	97	149	936
White willow	--	--	--	--	--	--	--	--	--	--	81	81
Weeping willow	--	--	--	--	--	--	--	22	--	--	--	22
Sassafras	--	3	14	--	10	--	--	--	--	--	--	28
American elm	--	80	58	71	73	33	22	--	--	--	--	336
Slippery elm	--	2	--	--	7	--	--	--	--	--	--	9
Group subtotal	--	925	1,152	1,306	1,067	915	772	176	290	97	229	6,926

(Table 19b continued on next page)

(Table 19b continued)

Species group/Species	Diameter class (inches)											All classes
	9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	19.0-20.9	21.0-24.9	25.0-28.9	29.0-32.9	33.0-36.9	37.0+	
Other eastern hard hardwoods												
Sweet birch	--	244	238	168	107	49	57	--	--	--	--	863
Catalpa spp.	--	--	--	7	--	--	--	--	--	--	--	7
Black locust	--	79	87	46	29	--	--	--	--	--	--	242
Group subtotal	--	323	325	221	137	49	57	--	--	--	--	1,112
<b>All hardwoods</b>	--	10,693	12,638	11,235	8,725	6,095	6,494	2,441	1,547	577	880	61,325
<b>All species groups</b>	2,156	13,871	16,065	14,621	11,345	7,845	8,887	3,656	2,052	805	1,108	82,411

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0 indicates the volume rounds to less than 1 million board feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-20.—Net volume of saw-log portion of sawtimber trees, in million cubic feet, on timberland by species group and ownership group, New York, 2012

Species group	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines	1.2	1.0	25.6	119.9	147.7
Eastern white and red pines	2.8	24.8	545.6	1,928.7	2,501.9
Jack pine	1.0	--	--	2.2	3.2
Spruce and balsam fir	--	--	54.3	317.6	371.9
Eastern hemlock	--	2.0	130.4	1,503.6	1,636.0
Other eastern softwoods	--	48.1	149.4	220.7	418.2
<b>All softwoods</b>	<b>5.0</b>	<b>75.9</b>	<b>905.3</b>	<b>4,092.7</b>	<b>5,078.9</b>
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks	0.4	14.0	27.4	281.2	323.1
Select red oaks	7.8	10.4	221.3	1,187.4	1,426.8
Other white oaks	--	3.2	31.9	173.3	208.4
Other red oaks	--	3.1	31.4	254.6	289.1
Hickory	1.1	1.9	37.0	345.3	385.2
Yellow birch	--	--	21.8	364.6	386.4
Hard maple	0.9	1.2	251.3	2,063.5	2,316.9
Soft maple	2.4	9.9	247.3	2,306.6	2,566.2
Beech	--	--	42.4	598.0	640.4
Sweetgum	--	--	--	0.6	0.6
Tupelo and blackgum	--	--	1.5	2.7	4.2
Ash	2.1	--	187.8	1,071.7	1,261.6
Cottonwood and aspen	0.4	0.7	71.0	620.5	692.7
Basswood	0.7	7.0	29.7	392.1	429.5
Yellow-poplar	--	--	36.7	48.4	85.1
Black walnut	1.5	--	5.3	36.2	42.9
Other eastern soft hardwoods	0.2	8.3	223.1	1,128.2	1,359.8
Other eastern hard hardwoods	--	1.0	42.7	199.4	243.0
<b>All hardwoods</b>	<b>17.5</b>	<b>60.6</b>	<b>1,509.7</b>	<b>11,074.1</b>	<b>12,661.9</b>
<b>All species groups</b>	<b>22.4</b>	<b>136.5</b>	<b>2,415.0</b>	<b>15,166.9</b>	<b>17,740.8</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
 Columns and rows may not add to their totals due to rounding.



Table NY-21.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	0.7	--	0.7	--	--	--	0.7
<b>Other Federal</b>							
National Park Service	--	--	--	0.6	--	0.6	0.6
Fish and Wildlife Service	--	--	--	1.1	--	1.1	1.1
Department of Defense or Energy	4.7	--	4.7	--	--	--	4.7
<b>State and local government</b>							
State	39.9	0.0	39.9	34.9	0.1	35.0	74.9
Local (county, municipal, etc.)	21.0	--	21.0	-0.5	--	-0.5	20.5
Other non-Federal lands	0.2	--	0.2	--	--	--	0.2
<b>Private</b>							
Undifferentiated private	627.9	0.2	628.1	--	--	--	628.1
<b>All owners</b>	<b>694.4</b>	<b>0.2</b>	<b>694.6</b>	<b>36.1</b>	<b>0.1</b>	<b>36.2</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to owner class and forest-land status as identified in previous inventory when available, else assigned from current inventory.

Table NY-21a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status using the accounting method (O’Connell et al. 2013), New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	0.7	--	0.7	--	--	--	0.7
<b>Other Federal</b>							
National Park Service	--	--	--	0.6	--	0.6	0.6
Fish and Wildlife Service	--	--	--	1.1	--	1.1	1.1
Department of Defense or Energy	3.7	--	3.7	--	--	--	3.7
Other Federal	1.0	--	1.0	--	--	--	1.0
<b>State and local government</b>							
State	70.0	0.0	69.9	48.2	-1.3	46.8	116.8
Local (county, municipal, etc.)	26.1	--	26.1	5.1	--	5.1	31.2
Other non-Federal lands	-0.6	--	-0.6	--	--	--	-0.6
<b>Private</b>							
Undifferentiated private	580.9	-4.5	576.3	--	--	--	576.3
<b>All owners</b>	<b>681.8</b>	<b>-4.6</b>	<b>677.2</b>	<b>55.0</b>	<b>-1.3</b>	<b>53.6</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-22.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Non stocked	
White / red / jack pine group	50.6	9.3	0.8	--	--	60.7
Spruce / fir group	5.4	6.5	2.0	--	--	13.9
Loblolly / shortleaf pine group	1.9	2.5	0.0	--	--	4.4
Other eastern softwoods group	0.3	--	1.0	--	--	1.3
Douglas-fir group	0.7	0.1	--	--	--	0.8
Exotic softwoods group	2.8	3.6	0.3	--	--	6.8
Oak / pine group	33.0	8.4	0.5	--	--	41.9
Oak / hickory group	110.9	45.7	10.0	--	--	166.6
Oak / gum / cypress group	--	0.3	--	--	--	0.3
Elm / ash / cottonwood group	31.6	21.2	4.0	--	--	56.7
Maple / beech / birch group	207.0	122.3	20.5	--	--	349.8
Aspen / birch group	2.2	8.0	4.9	--	--	15.2
Other hardwoods group	4.5	4.2	1.6	--	--	10.4
Exotic hardwoods group	--	--	0.1	--	--	0.1
Nonstocked	--	--	--	--	2.0	2.0
<b>All forest-type groups</b>	<b>451.0</b>	<b>232.2</b>	<b>45.7</b>	<b>--</b>	<b>2.0</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to forest-type group and stand-size class as identified in previous inventory when available, else assigned from current inventory.

Table NY-22a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class using the accounting method (O'Connell et al. 2013), New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Non stocked	
White / red / jack pine group	128.0	-12.1	1.4	--	--	117.2
Spruce / fir group	5.4	11.9	0.6	--	--	17.8
Loblolly / shortleaf pine group	3.2	1.3	0.0	--	--	4.4
Other eastern softwoods group	0.0	0.6	-0.7	--	--	-0.1
Douglas-fir group	0.7	-0.3	--	--	--	0.4
Exotic softwoods group	5.6	-10.0	1.4	--	--	-3.0
Oak / pine group	18.2	-10.9	-4.7	--	--	2.6
Oak / hickory group	139.9	-10.5	-4.5	--	--	124.9
Oak / gum / cypress group	--	-0.5	0.8	--	--	0.3
Elm / ash / cottonwood group	76.2	3.9	0.4	--	--	80.4
Maple / beech / birch group	450.7	-58.3	2.4	--	--	394.8
Aspen / birch group	34.4	-35.1	-4.8	--	--	-5.5
Other hardwoods group	-10.2	6.4	-1.2	--	--	-5.0
Exotic hardwoods group	--	2.8	0.1	--	--	2.9
Nonstocked	--	--	--	--	-1.4	-1.4
<b>All forest-type groups</b>	<b>852.0</b>	<b>-110.9</b>	<b>-8.9</b>	<b>--</b>	<b>-1.4</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Table NY-23.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.0	--	--	--	0.0
Pitch pine	0.0	0.1	2.9	1.0	4.0
Scotch pine	--	0.0	0.6	1.5	2.1
Group subtotal	0.0	0.1	3.5	2.5	6.1
Eastern white and red pines					
Red pine	--	0.2	1.6	2.3	4.0
Eastern white pine	0.1	1.6	15.0	64.1	80.8
Group subtotal	0.1	1.8	16.6	66.4	84.8
Jack pine					
Jack pine	-0.1	--	--	-0.2	-0.3
Group subtotal	-0.1	--	--	-0.2	-0.3
Spruce and balsam fir					
Balsam fir	--	--	2.0	7.1	9.2
White spruce	--	--	0.5	0.9	1.3
Black spruce	--	--	-0.1	0.2	0.1
Red spruce	--	--	3.8	4.0	7.8
Group subtotal	--	--	6.2	12.2	18.5
Eastern hemlock					
Eastern hemlock	--	0.2	7.6	47.4	55.2
Group subtotal	--	0.2	7.6	47.4	55.2

(Table 23 continued on next page)

(Table 23 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern softwoods					
Redcedar/juniper spp.	--	--	--	0.0	0.0
Eastern redcedar	--	--	0.0	0.1	0.1
Larch spp.	--	--	1.5	0.2	1.7
Tamarack (native)	--	0.9	0.3	0.2	1.4
Norway spruce	--	--	1.9	4.5	6.4
Blue spruce	--	--	0.0	0.0	0.0
Austrian pine	--	--	--	0.0	0.0
Douglas-fir	--	--	0.0	0.6	0.6
Northern white-cedar	--	--	0.6	2.0	2.6
Group subtotal	--	0.9	4.3	7.6	12.8
<b>All softwoods</b>	0.0	2.9	38.2	136.0	177.1

(Table 23 continued on next page)

(Table 23 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	0.3	0.1	3.8	4.2
Swamp white oak	--	0.1	0.1	2.8	2.9
Bur oak	--	--	0.3	0.8	1.0
Chinkapin oak	--	--	--	0.0	0.0
Group subtotal	--	0.3	0.4	7.4	8.2
Select red oaks					
Northern red oak	0.1	0.7	8.8	55.6	65.2
All species	0.1	0.7	8.8	55.6	65.2
Other white oaks					
Chestnut oak	--	0.4	2.1	1.9	4.4
Post oak	--	--	0.0	--	0.0
Group subtotal	--	0.4	2.1	1.9	4.4
Other red oaks					
Scarlet oak	--	0.1	0.2	1.9	2.3
Northern pin oak	--	--	--	0.3	0.3
Pin oak	--	--	0.0	1.6	1.6
Black oak	--	-0.3	1.5	9.3	10.5
Group subtotal	--	-0.2	1.7	13.2	14.7
Hickory					
Hickory spp.	--	--	0.0	0.1	0.1
Bitternut hickory	--	--	0.6	10.7	11.3
Pignut hickory	--	0.0	0.3	4.0	4.3
Shellbark hickory	--	--	--	0.0	0.0
Shagbark hickory	0.1	0.0	0.6	5.7	6.4
Mockernut hickory	--	0.0	--	0.2	0.2
Group subtotal	0.1	0.1	1.5	20.7	22.4
Yellow birch					
Yellow birch	--	0.1	-1.9	11.2	9.5
Group subtotal	--	0.1	-1.9	11.2	9.5

(Table 23 continued on next page)

(Table 23 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Hard maple					
Black maple	--	--	--	0.0	0.0
Sugar maple	0.0	0.4	10.5	80.3	91.2
Norway maple	--	--	0.1	0.7	0.8
Group subtotal	0.0	0.4	10.7	81.0	92.0
Soft maple					
Red maple	0.3	0.7	16.1	110.7	127.8
Silver maple	--	-0.4	1.8	3.8	5.3
Group subtotal	0.3	0.3	17.9	114.5	133.0
Beech					
American beech	0.1	0.0	4.6	22.0	26.7
Group subtotal	0.1	0.0	4.6	22.0	26.7
Sweetgum					
Sweetgum	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Tupelo and blackgum					
Blackgum	--	0.2	0.1	0.4	0.8
Group subtotal	--	0.2	0.1	0.4	0.8
Ash					
White ash	0.1	0.1	5.6	62.4	68.1
Black ash	--	0.0	0.3	1.8	2.1
Green ash	--	0.8	0.7	12.3	13.9
Group subtotal	0.1	1.0	6.6	76.5	84.1
Cottonwood and aspen					
Balsam poplar	--	--	0.0	-0.2	-0.2
Eastern cottonwood	--	--	1.7	10.0	11.7
Bigtooth aspen	0.0	-0.1	-0.3	2.0	1.5
Quaking aspen	0.1	-0.2	-0.8	5.9	5.0
Group subtotal	0.1	-0.3	0.5	17.7	18.0
Basswood					
American basswood	0.0	0.2	1.2	8.8	10.3
Group subtotal	0.0	0.2	1.2	8.8	10.3

(Table 23 continued on next page)



(Table 23 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Yellow-poplar					
Yellow-poplar	--	0.0	1.7	2.1	3.9
Group subtotal	--	0.0	1.7	2.1	3.9
Black walnut					
Black walnut	0.0	--	0.8	2.3	3.2
Group subtotal	0.0	--	0.8	2.3	3.2
Other eastern soft hardwoods					
Boxelder	--	--	0.4	2.2	2.6
River birch	--	--	--	0.1	0.1
Paper birch	--	0.0	-6.9	-2.8	-9.7
Gray birch	--	0.0	-0.3	-0.2	-0.4
Northern catalpa	--	--	--	0.0	0.0
Hackberry spp.	--	--	--	0.1	0.1
Hackberry	--	--	0.0	0.1	0.1
Butternut	--	--	-0.2	-3.0	-3.2
Cucumbertree	--	--	0.1	0.7	0.8
American sycamore	--	--	0.0	1.1	1.1
Black cherry	--	0.1	8.3	34.0	42.4
Black willow	--	--	-0.1	2.4	2.3
White willow	--	--	--	0.0	0.0
Weeping willow	--	--	--	3.1	3.1
Sassafras	--	0.1	0.0	0.3	0.4
American elm	--	0.0	0.6	0.5	1.1
Slippery elm	--	--	0.0	-0.6	-0.6
Group subtotal	--	0.2	2.0	38.0	40.2

(Table 23 continued on next page)

(Table 23 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern hard hardwoods					
Sweet birch	--	0.0	1.1	8.0	9.1
Catalpa spp.	--	--	--	0.0	0.0
Flowering dogwood	--	--	0.0	0.0	0.0
White mulberry	--	--	--	0.1	0.1
Black locust	--	--	-2.3	5.0	2.7
Rock elm	--	--	--	0.0	0.0
Group subtotal	--	0.0	-1.2	13.0	11.9
Eastern noncommercial hardwoods					
Striped maple	--	--	-0.5	0.4	-0.1
Mountain maple	--	--	0.0	--	0.0
Ailanthus	--	--	0.1	0.6	0.7
European alder	--	--	0.0	--	0.0
Serviceberry spp.	--	0.0	0.1	0.7	0.9
American hornbeam, musclewood	--	--	0.0	0.1	0.1
American chestnut	--	--	--	0.0	0.0
Hawthorn spp.	--	--	0.0	0.6	0.6
Apple spp.	--	0.0	-0.1	2.5	2.4
Eastern hophornbeam	0.0	0.0	0.0	0.4	0.3
Cherry and plum spp.	--	--	--	-0.1	-0.1
Pin cherry	--	--	0.1	-0.2	-0.1
Chokecherry	--	--	0.0	0.1	0.1
Sweet cherry, domesticated	--	--	0.0	0.3	0.3
Willow spp.	--	--	--	0.0	0.0
Bebb willow	--	--	--	0.1	0.1
Balsam willow	--	--	--	0.0	0.0
Mountain-ash spp.	--	--	0.0	--	0.0
American mountain-ash	--	--	0.0	0.0	0.0
Northern mountain-ash	--	--	0.0	--	0.0
Other or unknown live tree	--	--	--	0.1	0.1
Group subtotal	0.0	0.0	-0.3	5.6	5.2
<b>All hardwoods</b>	<b>0.7</b>	<b>3.5</b>	<b>57.4</b>	<b>492.2</b>	<b>553.7</b>
<b>All species groups</b>	<b>0.7</b>	<b>6.4</b>	<b>95.5</b>	<b>628.1</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-23a.—Average annual net growth of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group using the accounting method (O'Connell et al. 2013), New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.0	--	--	--	0.0
Pitch pine	0.0	0.1	5.5	-1.7	4.0
Scotch pine	--	0.0	0.5	1.6	2.1
Group subtotal	0.0	0.1	6.0	0.0	6.1
Eastern white and red pines					
Red pine	--	0.2	1.7	2.2	4.0
Eastern white pine	0.1	1.6	19.7	59.4	80.8
Group subtotal	0.1	1.8	21.4	61.6	84.8
Jack pine					
Jack pine	-0.1	--	--	-0.2	-0.3
Group subtotal	-0.1	--	--	-0.2	-0.3
Spruce and balsam fir					
Balsam fir	--	--	2.5	6.6	9.2
White spruce	--	--	0.5	0.9	1.3
Black spruce	--	--	-0.1	0.2	0.1
Red spruce	--	--	4.1	3.7	7.8
Group subtotal	--	--	7.0	11.5	18.5
Eastern hemlock					
Eastern hemlock	--	0.2	11.0	44.0	55.2
Group subtotal	--	0.2	11.0	44.0	55.2

(Table 23a continued on next page)

(Table 23a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern softwoods					
Redcedar/juniper spp.	--	--	--	0.0	0.0
Eastern redcedar	--	--	0.0	0.0	0.1
Larch spp.	--	--	1.5	0.2	1.7
Tamarack (native)	--	0.9	0.3	0.2	1.4
Norway spruce	--	--	1.9	4.5	6.4
Blue spruce	--	--	0.0	0.0	0.0
Austrian pine	--	--	--	0.0	0.0
Douglas-fir	--	--	0.0	0.6	0.6
Northern white-cedar	--	--	0.6	2.1	2.6
Group subtotal	--	0.9	4.3	7.6	12.8
<b>All softwoods</b>	0.0	2.9	49.7	124.4	177.1

(Table 23a continued on next page)

(Table 23a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	0.3	3.2	0.7	4.2
Swamp white oak	--	0.1	-0.7	3.5	2.9
Bur oak	--	--	0.3	0.8	1.0
Chinkapin oak	--	--	--	0.0	0.0
Group subtotal	--	0.3	2.8	5.1	8.2
Select red oaks					
Northern red oak	0.1	0.7	18.0	46.4	65.2
Group subtotal	0.1	0.7	18.0	46.4	65.2
Other white oaks					
Chestnut oak	--	0.4	3.0	1.0	4.4
Post oak	--	--	0.0	--	0.0
Group subtotal	--	0.4	3.0	1.0	4.4
Other red oaks					
Scarlet oak	--	0.1	0.2	2.0	2.3
Northern pin oak	--	--	--	0.3	0.3
Pin oak	--	--	0.0	1.6	1.6
Black oak	--	-0.3	2.6	8.2	10.5
Group subtotal	--	-0.2	2.9	12.0	14.7
Hickory					
Hickory spp.	--	--	0.0	0.1	0.1
Bitternut hickory	--	--	0.6	10.7	11.3
Pignut hickory	--	0.0	0.8	3.5	4.3
Shellbark hickory	--	--	0.1	-0.1	0.0
Shagbark hickory	0.1	0.0	0.6	5.7	6.4
Mockernut hickory	--	0.0	--	0.2	0.2
Group subtotal	0.1	0.1	2.1	20.1	22.4
Yellow birch					
Yellow birch	--	0.1	2.1	7.2	9.5
Group subtotal	--	0.1	2.1	7.2	9.5

(Table 23a continued on next page)

(Table 23a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Hard maple					
Black maple	--	--	--	0.0	0.0
Sugar maple	0.0	0.4	17.4	73.4	91.2
Norway maple	--	--	0.1	0.7	0.8
Group subtotal	0.0	0.4	17.6	74.1	92.0
Soft maple					
Red maple	0.3	0.7	15.8	111.0	127.8
Silver maple	--	-0.4	1.8	3.8	5.3
Group subtotal	0.3	0.3	17.6	114.9	133.0
Beech					
American beech	0.1	0.0	3.6	23.1	26.7
Group subtotal	0.1	0.0	3.6	23.1	26.7
Sweetgum					
Sweetgum	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Tupelo and blackgum					
Blackgum	--	0.2	0.1	0.4	0.8
Group subtotal	--	0.2	0.1	0.4	0.8
Ash					
White ash	0.1	0.1	13.1	54.9	68.1
Black ash	--	0.0	0.3	1.8	2.1
Green ash	--	0.8	1.1	11.9	13.9
Group subtotal	0.1	1.0	14.4	68.6	84.1
Cottonwood and aspen					
Balsam poplar	--	--	0.0	-0.2	-0.2
Eastern cottonwood	--	--	1.7	10.0	11.7
Bigtooth aspen	0.0	-0.1	-0.5	2.1	1.5
Quaking aspen	0.1	-0.2	-0.4	5.5	5.0
Group subtotal	0.1	-0.3	0.8	17.4	18.0
Basswood					
American basswood	0.0	0.2	1.2	8.8	10.3
Group subtotal	0.0	0.2	1.2	8.8	10.3

(Table 23a continued on next page)

(Table 23a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Yellow-poplar					
Yellow-poplar	--	0.0	2.1	1.7	3.9
Group subtotal	--	0.0	2.1	1.7	3.9
Black walnut					
Black walnut	0.0	--	0.8	2.3	3.2
Group subtotal	0.0	--	0.8	2.3	3.2
Other eastern soft hardwoods					
Boxelder	--	--	0.4	2.2	2.6
River birch	--	--	--	0.1	0.1
Paper birch	--	0.0	-6.0	-3.7	-9.7
Gray birch	--	0.0	-0.3	-0.2	-0.4
Northern catalpa	--	--	--	0.0	0.0
Hackberry spp.	--	--	--	0.1	0.1
Hackberry	--	--	0.0	0.1	0.1
Butternut	--	--	-0.1	-3.1	-3.2
Cucumbertree	--	--	0.1	0.7	0.8
American sycamore	--	--	0.0	1.1	1.1
Black cherry	--	0.1	13.4	28.9	42.4
Black willow	--	--	-0.1	2.4	2.3
White willow	--	--	--	0.0	0.0
Weeping willow	--	--	--	3.1	3.1
Sassafras	--	0.1	0.1	0.2	0.4
American elm	--	0.0	0.9	0.2	1.1
Slippery elm	--	--	0.0	-0.6	-0.6
Group subtotal	--	0.2	8.5	31.5	40.2

(Table 23a continued on next page)

(Table 23a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Other eastern hard hardwoods					
Sweet birch	--	0.0	2.1	7.0	9.1
Catalpa spp.	--	--	--	0.0	0.0
Flowering dogwood	--	--	0.0	0.0	0.0
White mulberry	--	--	0.1	-0.1	0.1
Black locust	--	--	-2.3	5.0	2.7
Rock elm	--	--	--	0.0	0.0
Group subtotal	--	0.0	-0.1	11.9	11.9
Eastern noncommercial hardwoods					
Striped maple	--	--	-0.5	0.4	-0.1
Mountain maple	--	--	0.0	--	0.0
Ailanthus	--	--	0.2	0.5	0.7
European alder	--	--	0.0	--	0.0
Serviceberry spp.	--	0.0	0.2	0.7	0.9
American hornbeam, musclewood	--	--	0.0	0.1	0.1
American chestnut	--	--	--	0.0	0.0
Hawthorn spp.	--	--	0.0	0.6	0.6
Apple spp.	--	0.0	0.1	2.3	2.4
Eastern hophornbeam	0.0	0.0	0.0	0.3	0.3
Cherry and plum spp.	--	--	--	-0.1	-0.1
Pin cherry	--	--	0.1	-0.2	-0.1
Chokecherry	--	--	0.0	0.1	0.1
Sweet cherry, domesticated	--	--	0.1	0.3	0.3
Willow spp.	--	--	--	0.0	0.0
Bebb willow	--	--	--	0.1	0.1
Balsam willow	--	--	--	0.0	0.0
Mountain-ash spp.	--	--	0.0	--	0.0
American mountain-ash	--	--	0.0	0.0	0.0
Northern mountain-ash	--	--	0.0	--	0.0
Other or unknown live tree	--	--	--	0.1	0.1
Group subtotal	0.0	0.0	0.0	5.2	5.2
<b>All hardwoods</b>	<b>0.7</b>	<b>3.5</b>	<b>97.6</b>	<b>451.9</b>	<b>553.7</b>
<b>All species groups</b>	<b>0.7</b>	<b>6.4</b>	<b>147.3</b>	<b>576.4</b>	<b>730.8</b>

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.



Table NY-24.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, to 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.0	--	--	--	0.0
Pitch pine	0.0	0.1	1.5	0.9	2.4
Scotch pine	--	--	0.1	1.3	1.4
Group subtotal	0.0	0.1	1.5	2.2	3.8
Eastern white and red pines					
Red pine	--	0.1	1.4	2.2	3.7
Eastern white pine	0.1	1.4	7.6	51.5	60.6
Group subtotal	0.1	1.6	8.9	53.8	64.3
Jack pine					
Jack pine	-0.1	--	--	-0.1	-0.2
Group subtotal	-0.1	--	--	-0.1	-0.2
Spruce and balsam fir					
Balsam fir	--	--	0.6	7.1	7.7
White spruce	--	--	0.3	0.7	1.0
Black spruce	--	--	-0.2	0.2	0.1
Red spruce	--	--	0.1	4.1	4.2
Group subtotal	--	--	0.8	12.1	13.0
Eastern hemlock					
Eastern hemlock	--	0.1	1.5	41.5	43.1
Group subtotal	--	0.1	1.5	41.5	43.1
Other eastern softwoods					
Redcedar/juniper spp.	--	--	--	0.0	0.0
Eastern redcedar	--	--	0.0	-0.1	-0.1
Larch spp.	--	--	1.4	0.2	1.5
Tamarack (native)	--	0.9	0.3	0.3	1.4
Norway spruce	--	--	1.3	3.8	5.1
Blue spruce	--	--	0.0	0.0	0.0
Austrian pine	--	--	--	0.0	0.0
Douglas-fir	--	--	0.0	0.5	0.5
Northern white-cedar	--	--	0.1	2.0	2.1
Group subtotal	--	0.9	3.0	6.7	10.6
<b>All softwoods</b>	0.0	2.6	15.8	116.1	134.6

(Table 24 continued on next page)

(Table 24 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	0.2	0.2	5.1	5.4
Swamp white oak	--	0.1	0.0	2.2	2.3
Bur oak	--	--	0.2	0.5	0.7
Chinkapin oak	--	--	--	0.0	0.0
Group subtotal	--	0.2	0.5	7.8	8.5
Select red oaks					
Northern red oak	0.1	0.5	4.8	49.6	54.9
Group subtotal	0.1	0.5	4.8	49.6	54.9
Other white oaks					
Chestnut oak	--	0.1	0.6	1.8	2.5
Post oak	--	--	0.0	--	0.0
Group subtotal	--	0.1	0.6	1.8	2.5
Other red oaks					
Scarlet oak	--	0.1	0.1	2.2	2.4
Northern pin oak	--	--	--	0.3	0.3
Pin oak	--	--	--	1.1	1.1
Black oak	--	0.0	0.7	8.8	9.5
Group subtotal	--	0.1	0.8	12.4	13.3
Hickory					
Hickory spp.	--	--	--	0.1	0.1
Bitternut hickory	--	--	0.1	9.0	9.1
Pignut hickory	--	0.0	0.3	3.5	3.8
Shellbark hickory	--	--	--	0.0	0.0
Shagbark hickory	0.0	--	0.5	4.8	5.3
Mockernut hickory	--	0.0	--	0.2	0.2
Group subtotal	0.0	0.0	0.9	17.5	18.5
Yellow birch					
Yellow birch	--	--	1.1	9.8	10.9
Group subtotal	--	--	1.1	9.8	10.9
Hard maple					
Sugar maple	0.0	0.0	5.5	76.0	81.5
Norway maple	--	--	0.1	0.4	0.4
Group subtotal	0.0	0.0	5.5	76.4	82.0
Soft maple					
Red maple	0.2	0.5	9.4	97.5	107.6
Silver maple	--	--	1.4	4.2	5.6
Group subtotal	0.2	0.5	10.8	101.6	113.1

(Table 24 continued on next page)

(Table 24 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Beech					
American beech	0.0	--	1.0	26.5	27.5
Group subtotal	0.0	--	1.0	26.5	27.5
Sweetgum					
Sweetgum	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Tupelo and blackgum					
Blackgum	--	--	0.0	0.4	0.4
Group subtotal	--	--	0.0	0.4	0.4
Ash					
White ash	0.1	0.0	4.0	54.2	58.2
Black ash	--	0.0	0.2	1.9	2.1
Green ash	--	0.2	0.5	11.3	12.0
Group subtotal	0.1	0.2	4.7	67.4	72.4
Cottonwood and aspen					
Balsam poplar	--	--	0.0	-0.1	-0.1
Eastern cottonwood	--	--	1.1	8.4	9.6
Bigtooth aspen	0.0	-0.1	1.0	1.6	2.5
Quaking aspen	0.1	-0.2	0.5	5.4	5.7
Group subtotal	0.1	-0.3	2.6	15.3	17.6
Basswood					
American basswood	0.0	0.2	0.7	8.5	9.4
Group subtotal	0.0	0.2	0.7	8.5	9.4
Yellow-poplar					
Yellow-poplar	--	--	1.1	1.9	3.1
Group subtotal	--	--	1.1	1.9	3.1
Black walnut					
Black walnut	0.0	--	0.2	1.7	2.0
Group subtotal	0.0	--	0.2	1.7	2.0

(Table 24 continued on next page)

(Table 24 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Other eastern soft hardwoods					
Boxelder	--	--	0.1	0.6	0.7
River birch	--	--	--	0.1	0.1
Paper birch	--	0.0	-0.7	-2.2	-2.9
Gray birch	--	0.0	-0.2	-0.2	-0.4
Hackberry spp.	--	--	--	0.1	0.1
Hackberry	--	--	--	0.1	0.1
Butternut	--	--	0.0	-1.0	-0.9
Cucumber tree	--	--	0.0	0.6	0.6
American sycamore	--	--	0.0	0.9	1.0
Black cherry	--	0.1	4.3	29.0	33.4
Black willow	--	--	0.2	2.4	2.6
White willow	--	--	--	0.0	0.0
Weeping willow	--	--	--	0.7	0.7
Sassafras	--	0.0	0.0	0.3	0.3
American elm	--	0.0	0.5	-0.9	-0.4
Slippery elm	--	--	0.0	-0.9	-0.9
Group subtotal	--	0.2	4.3	29.7	34.2
Other eastern hard hardwoods					
Sweet birch	--	0.0	0.6	7.5	8.1
Catalpa spp.	--	--	--	0.0	0.0
Flowering dogwood	--	--	--	0.0	0.0
Black locust	--	--	0.8	3.1	3.9
Rock elm	--	--	--	0.0	0.0
Group subtotal	--	0.0	1.5	10.6	12.1
<b>All hardwoods</b>	0.6	1.7	41.1	439.0	482.4
<b>All species groups</b>	0.6	4.4	56.9	555.1	617.0

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-24a.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group using the accounting method (O'Connell et al. 2013), New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Table Mountain pine	0.0	--	--	--	0.0
Pitch pine	0.0	0.1	1.4	1.0	2.4
Scotch pine	--	--	0.0	1.4	1.4
Group subtotal	0.0	0.1	1.3	2.4	3.8
Eastern white and red pines					
Red pine	--	0.1	1.5	2.1	3.7
Eastern white pine	0.1	1.4	10.6	48.5	60.6
Group subtotal	0.1	1.6	12.1	50.6	64.3
Jack pine					
Jack pine	-0.1	--	--	-0.1	-0.2
Group subtotal	-0.1	--	--	-0.1	-0.2
Spruce and balsam fir					
Balsam fir	--	--	0.6	7.1	7.7
White spruce	--	--	0.3	0.7	1.0
Black spruce	--	--	-0.2	0.2	0.1
Red spruce	--	--	0.2	4.1	4.2
Group subtotal	--	--	0.9	12.1	13.0
Eastern hemlock					
Eastern hemlock	--	0.1	3.2	39.8	43.1
Group subtotal	--	0.1	3.2	39.8	43.1
Other eastern softwoods					
Redcedar/juniper spp.	--	--	--	0.0	0.0
Eastern redcedar	--	--	0.0	-0.1	-0.1
Larch spp.	--	--	1.4	0.2	1.5
Tamarack (native)	--	0.9	0.3	0.3	1.4
Norway spruce	--	--	1.3	3.8	5.1
Blue spruce	--	--	0.0	0.0	0.0
Austrian pine	--	--	--	0.0	0.0
Douglas-fir	--	--	0.0	0.5	0.5
Northern white-cedar	--	--	0.0	2.1	2.1
Group subtotal	--	0.9	3.0	6.7	10.6
<b>All softwoods</b>	0.0	2.6	20.5	111.5	134.6

(Table 24a continued on next page)

(Table 24a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	0.2	2.8	2.5	5.4
Swamp white oak	--	0.1	-0.6	2.8	2.3
Bur oak	--	--	0.2	0.5	0.7
Chinkapin oak	--	--	--	0.0	0.0
Group subtotal	--	0.2	2.5	5.8	8.5
Select red oaks					
Northern red oak	0.1	0.5	9.7	44.7	54.9
Group subtotal	0.1	0.5	9.7	44.7	54.9
Other white oaks					
Chestnut oak	--	0.1	1.5	0.9	2.5
Post oak	--	--	0.0	--	0.0
Group subtotal	--	0.1	1.5	0.9	2.5
Other red oaks					
Scarlet oak	--	0.1	0.1	2.2	2.4
Northern pin oak	--	--	--	0.3	0.3
Pin oak	--	--	--	1.1	1.1
Black oak	--	0.0	1.8	7.7	9.5
Group subtotal	--	0.1	1.9	11.3	13.3
Hickory					
Hickory spp.	--	--	--	0.1	0.1
Bitternut hickory	--	--	0.1	9.0	9.1
Pignut hickory	--	0.0	0.7	3.2	3.8
Shellbark hickory	--	--	0.1	-0.1	0.0
Shagbark hickory	0.0	--	0.5	4.8	5.3
Mockernut hickory	--	0.0	--	0.2	0.2
Group subtotal	0.0	0.0	1.4	17.0	18.5
Yellow birch					
Yellow birch	--	--	1.3	9.6	10.9
Group subtotal	--	--	1.3	9.6	10.9
Hard maple					
Sugar maple	0.0	0.0	8.2	73.3	81.5
Norway maple	--	--	0.1	0.4	0.4
Group subtotal	0.0	0.0	8.2	73.7	82.0
Soft maple					
Red maple	0.2	0.5	7.5	99.4	107.6
Silver maple	--	--	1.4	4.2	5.6
Group subtotal	0.2	0.5	8.9	103.5	113.1

(Table 24a continued on next page)

(Table 24a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Beech					
American beech	0.0	--	-0.8	28.2	27.5
Group subtotal	0.0	--	-0.8	28.2	27.5
Sweetgum					
Sweetgum	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Tupelo and blackgum					
Blackgum	--	--	0.0	0.4	0.4
Group subtotal	--	--	0.0	0.4	0.4
Ash					
White ash	0.1	0.0	9.4	48.7	58.2
Black ash	--	0.0	0.1	2.0	2.1
Green ash	--	0.2	0.9	11.0	12.0
Group subtotal	0.1	0.2	10.5	61.6	72.4
Cottonwood and aspen					
Balsam poplar	--	--	0.0	-0.1	-0.1
Eastern cottonwood	--	--	1.1	8.4	9.6
Bigtooth aspen	0.0	-0.1	0.9	1.7	2.5
Quaking aspen	0.1	-0.2	0.6	5.3	5.7
Group subtotal	0.1	-0.3	2.5	15.3	17.6
Basswood					
American basswood	0.0	0.2	0.7	8.5	9.4
Group subtotal	0.0	0.2	0.7	8.5	9.4
Yellow-poplar					
Yellow-poplar	--	--	1.6	1.5	3.1
Group subtotal	--	--	1.6	1.5	3.1
Black walnut					
Black walnut	0.0	--	0.2	1.7	2.0
Group subtotal	0.0	--	0.2	1.7	2.0

(Table 24a continued on next page)

(Table 24a continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Other eastern soft hardwoods					
Boxelder	--	--	0.1	0.6	0.7
River birch	--	--	--	0.1	0.1
Paper birch	--	0.0	-0.3	-2.6	-2.9
Gray birch	--	0.0	-0.3	-0.2	-0.4
Hackberry spp.	--	--	--	0.1	0.1
Hackberry	--	--	--	0.1	0.1
Butternut	--	--	0.1	-1.0	-0.9
Cucumber tree	--	--	0.0	0.6	0.6
American sycamore	--	--	0.0	1.0	1.0
Black cherry	--	0.1	5.9	27.4	33.4
Black willow	--	--	0.2	2.4	2.6
White willow	--	--	--	0.0	0.0
Weeping willow	--	--	--	0.7	0.7
Sassafras	--	0.0	0.1	0.2	0.3
American elm	--	0.0	0.6	-1.0	-0.4
Slippery elm	--	--	0.0	-0.9	-0.9
Group subtotal	--	0.2	6.6	27.4	34.2
Other eastern hard hardwoods					
Sweet birch	--	0.0	1.6	6.5	8.1
Catalpa spp.	--	--	--	0.0	0.0
Flowering dogwood	--	--	0.0	0.0	0.0
Black locust	--	--	0.7	3.2	3.9
Rock elm	--	--	--	0.0	0.0
Group subtotal	--	0.0	2.3	9.7	12.1
<b>All hardwoods</b>	0.6	1.7	59.0	421.0	482.4
<b>All species groups</b>	0.6	4.4	79.5	532.5	617.0

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.



Table NY-25.—Average annual mortality of trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, by owner class and forest-land status, New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	0.1	--	0.1	--	--	--	0.1
<b>Other Federal</b>							
National Park Service	--	--	--	0.5	--	0.5	0.5
Fish and Wildlife Service	--	--	--	0.7	--	0.7	0.7
Department of Defense or Energy	1.4	--	1.4	--	--	--	1.4
<b>State and local government</b>							
State	29.7	--	29.7	109.5	--	109.5	139.2
Local (county, municipal, etc.)	11.0	--	11.0	3.4	--	3.4	14.4
Other non-Federal lands	--	--	--	--	--	--	--
<b>Private</b>							
Undifferentiated private	316.1	0.5	316.6	--	--	--	316.6
<b>All owners</b>	<b>358.2</b>	<b>0.5</b>	<b>358.7</b>	<b>114.1</b>	<b>--</b>	<b>114.1</b>	<b>472.7</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
 Columns and rows may not add to their totals due to rounding.

Estimates are assigned to owner class and forest-land status as identified in previous inventory when available, else assigned from current inventory.

Table NY-26.—Average annual mortality of trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by forest-type group and stand-size class, New York, 2012

Forest-type group	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Non stocked	
White / red / jack pine group	26.7	3.1	--	--	--	29.9
Spruce / fir group	9.6	11.0	0.8	--	--	21.5
Loblolly / shortleaf pine group	0.7	0.0	--	--	--	0.7
Other eastern softwoods group	0.2	--	0.2	--	--	0.4
Douglas-fir group	--	0.1	--	--	--	0.1
Exotic softwoods group	9.0	2.6	--	--	--	11.5
Oak / pine group	14.6	3.8	1.4	--	--	19.8
Oak / hickory group	40.7	10.6	1.6	--	--	52.8
Elm / ash / cottonwood group	21.2	8.1	0.9	--	--	30.2
Maple / beech / birch group	214.5	55.4	4.6	--	--	274.5
Aspen / birch group	9.4	17.6	1.0	--	--	28.0
Other hardwoods group	0.9	0.9	1.2	--	--	3.0
Exotic hardwoods group	--	--	0.0	--	--	0.0
Nonstocked	--	--	--	--	0.4	0.4
<b>All forest-type groups</b>	<b>347.4</b>	<b>113.3</b>	<b>11.6</b>	<b>--</b>	<b>0.4</b>	<b>472.7</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to forest-type group and stand-size class as identified in previous inventory when available, else assigned from current inventory.

Table NY-27.—Average annual mortality of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Pitch pine	--	--	0.3	0.5	0.8
Scotch pine	--	--	0.3	4.9	5.1
Group subtotal	--	0.0	0.5	5.4	5.9
Eastern white and red pines					
Red pine	--	--	2.8	2.3	5.1
Eastern white pine	--	--	4.6	19.3	23.9
Group subtotal	--	0.0	7.4	21.5	28.9
Jack pine					
Jack pine	0.1	--	--	0.2	0.3
Group subtotal	0.1	0.0	0.0	0.2	0.3
Spruce and balsam fir					
Balsam fir	--	--	11.8	9.7	21.6
White spruce	--	--	0.0	0.4	0.4
Black spruce	--	--	0.3	0.1	0.4
Red spruce	--	--	9.3	5.5	14.9
Group subtotal	--	0.0	21.5	15.8	37.3
Eastern hemlock					
Eastern hemlock	--	0.0	6.1	11.9	18.1
Group subtotal	--	0.0	6.1	11.9	18.1
Other eastern softwoods					
Eastern redcedar	--	--	0.0	1.1	1.1
Larch spp.	--	--	0.0	0.0	0.1
Tamarack (native)	--	0.2	0.4	0.7	1.3
Norway spruce	--	--	3.3	1.3	4.6
Douglas-fir	--	--	0.0	0.0	0.1
Northern white-cedar	--	--	0.1	1.8	1.9
Group subtotal	--	0.2	3.9	5.0	9.1
<b>All softwoods</b>	0.1	0.2	39.5	59.8	99.6

(Table 27 continued on next page)

(Table 27 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	--	0.8	3.1	3.9
Swamp white oak	--	0.0	0.1	0.3	0.5
Bur oak	--	--	--	0.1	0.1
Group subtotal	--	0.0	0.9	3.5	4.5
Select red oaks					
Northern red oak	--	--	2.4	4.3	6.7
Group subtotal	--	0.0	2.4	4.3	6.7
Other white oaks					
Chestnut oak	--	--	0.3	3.9	4.2
Group subtotal	--	0.0	0.3	3.9	4.2
Other red oaks					
Scarlet oak	--	0.0	0.6	0.7	1.3
Black oak	--	0.5	0.1	2.6	3.1
Group subtotal	--	0.5	0.6	3.3	4.4
Hickory					
Bitternut hickory	--	--	0.3	2.5	2.8
Pignut hickory	--	--	0.1	0.8	0.9
Shagbark hickory	--	--	--	0.0	0.0
Group subtotal	--	0.0	0.5	3.3	3.8
Yellow birch					
Yellow birch	--	--	16.3	10.1	26.4
Group subtotal	--	0.0	16.3	10.1	26.4
Hard maple					
Black maple	--	--	--	0.0	0.0
Sugar maple	--	--	19.2	35.8	55.0
Group subtotal	--	0.0	19.2	35.8	55.0
Soft maple					
Red maple	--	0.1	16.4	39.2	55.7
Silver maple	--	0.6	0.0	5.2	5.8
Group subtotal	--	0.7	16.4	44.5	61.5
Beech					
American beech	0.0	--	22.1	26.2	48.2
Group subtotal	0.0	0.0	22.1	26.2	48.2
Tupelo and blackgum					
Blackgum	--	--	--	0.0	0.0
Group subtotal	--	0.0	0.0	0.0	0.0

(Table 27 continued on next page)

(Table 27 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Ash					
White ash	--	--	6.9	17.4	24.3
Black ash	--	--	0.0	1.0	1.1
Green ash	--	--	0.5	2.5	3.0
Group subtotal	--	0.0	7.4	20.9	28.3
Cottonwood and aspen					
Balsam poplar	--	--	0.0	0.4	0.4
Eastern cottonwood	--	--	0.2	0.7	0.9
Bigtooth aspen	--	0.2	1.5	8.1	9.8
Quaking aspen	--	0.4	5.0	23.4	28.8
Group subtotal	--	0.6	6.8	32.5	40.0
Basswood					
American basswood	--	0.0	0.4	7.5	7.9
Group subtotal	--	0.0	0.4	7.5	7.9
Yellow-poplar					
Yellow-poplar	--	--	--	0.6	0.6
Group subtotal	--	0.0	0.0	0.6	0.6
Black walnut					
Black walnut	--	--	0.0	1.3	1.3
Group subtotals	--	0.0	0.0	1.3	1.3
Other eastern soft hardwoods					
Boxelder	--	--	0.0	1.0	1.0
River birch	--	--	--	0.0	0.0
Paper birch	--	--	9.3	5.7	15.0
Gray birch	--	0.0	0.3	1.4	1.8
Butternut	--	--	0.3	3.8	4.1
Black cherry	--	0.1	3.6	13.3	17.1
Black willow	--	--	0.5	4.9	5.3
Sassafras	--	0.0	--	0.0	0.1
American elm	--	0.2	0.4	16.7	17.3
Slippery elm	--	--	--	1.2	1.2
Group subtotal	--	0.4	14.4	48.1	62.9
Other eastern hard hardwoods					
Sweet birch	--	--	0.8	3.0	3.7
Flowering dogwood	--	--	0.1	0.0	0.1
Black locust	--	--	3.6	0.9	4.5
Group subtotal	--	0.0	4.4	3.9	8.3

(Table 27 continued on next page)

(Table 27 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Eastern hardwood species groups</b>					
Eastern noncommercial hardwoods					
Striped maple	--	--	1.4	0.4	1.8
Ailanthus	--	--	--	0.1	0.1
Serviceberry spp.	--	--	0.0	0.2	0.2
American hornbeam, musclewood	--	--	0.0	0.2	0.2
Hawthorn spp.	--	--	0.0	0.4	0.5
Apple spp.	--	0.0	0.2	2.8	3.1
Eastern hophornbeam	--	0.0	0.3	1.9	2.2
Cherry and plum spp.	--	--	--	0.2	0.2
Pin cherry	--	--	0.0	0.5	0.5
Chokecherry	--	--	--	0.1	0.1
Sweet cherry, domesticated	--	--	--	0.2	0.2
Willow spp.	--	--	--	0.0	0.0
American mountain-ash	--	--	0.1	0.0	0.1
Group subtotal	--	0.1	2.0	7.0	9.0
<b>All hardwoods</b>	0.0	2.3	114.1	256.7	373.1
<b>All species groups</b>	0.1	2.5	153.6	316.6	472.7

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-28.—Average annual mortality of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Pitch pine	--	--	0.1	0.5	0.6
Scotch pine	--	--	0.2	4.0	4.2
Group subtotal	--	--	0.3	4.5	4.8
Eastern white and red pines					
Red pine	--	--	2.6	2.2	4.7
Eastern white pine	--	--	2.6	13.9	16.5
Group subtotal	--	--	5.2	16.1	21.3
Jack pine					
Jack pine	0.1	--	--	0.2	0.3
Group subtotal	0.1	--	--	0.2	0.3
Spruce and balsam fir					
Balsam fir	--	--	1.3	9.3	10.5
White spruce	--	--	0.0	0.3	0.4
Black spruce	--	--	0.3	0.1	0.4
Red spruce	--	--	0.6	4.8	5.4
Group subtotal	--	--	2.2	14.5	16.7
Eastern hemlock					
Eastern hemlock	--	0.0	2.1	9.5	11.6
Group subtotal	--	0.0	2.1	9.5	11.6
Other eastern softwoods					
Eastern redcedar	--	0.0	0.0	0.7	0.8
Larch spp.	--	0.0	0.0	0.0	0.1
Tamarack (native)	--	0.2	0.1	0.7	0.9
Norway spruce	--	0.0	2.5	1.1	3.6
Douglas-fir	--	0.0	0.0	0.0	0.1
Northern white-cedar	--	0.0	0.0	1.4	1.4
Group subtotal	--	0.2	2.7	4.0	6.8
<b>All softwoods</b>	0.1	0.2	12.4	48.8	61.5

(Table 28 continued on next page)

(Table 28 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	0.0	0.4	1.3	1.7
Swamp white oak	--	0.0	0.1	0.3	0.4
Bur oak	--	0.0	0.0	0.1	0.1
Group subtotal	--	0.0	0.4	1.7	2.2
Select red oaks					
Northern red oak	--	--	1.5	3.0	4.5
Group subtotal	--	--	1.5	3.0	4.5
Other white oaks					
Chestnut oak	--	--	0.1	3.1	3.2
Group subtotal	--	--	0.1	3.1	3.2
Other red oaks					
Scarlet oak	--	0.0	0.4	0.1	0.5
Black oak	--	0.0	0.1	0.7	0.7
Group subtotal	--	0.0	0.5	0.7	1.2
Hickory					
Bitternut hickory	--	--	0.3	1.8	2.1
Pignut hickory	--	--	0.0	0.7	0.7
Shagbark hickory	--	--	0.0	0.0	0.0
Group subtotal	--	--	0.3	2.4	2.7
Yellow birch					
Yellow birch	--	--	--	8.1	8.1
Group subtotal	--	--	--	8.1	8.1
Hard maple					
Sugar maple	--	--	2.9	23.6	26.5
Group subtotal	--	--	2.9	23.6	26.5
Soft maple					
Red maple	--	0.0	2.6	26.4	29.0
Silver maple	--	0.0	0.0	4.2	4.2
Group subtotal	--	0.0	2.6	30.6	33.2
Beech					
American beech	--	--	2.3	16.1	18.4
Group subtotal	--	--	2.3	16.1	18.4
Ash					
White ash	--	--	2.6	13.0	15.6
Black ash	--	--	0.0	0.9	0.9
Green ash	--	--	0.5	2.1	2.6
Group subtotal	--	--	3.1	16.0	19.0

(Table 28 continued on next page)



(Table 28 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Cottonwood and aspen					
Balsam poplar	--	0.0	0.0	0.3	0.3
Eastern cottonwood	--	0.0	0.0	0.4	0.4
Bigtooth aspen	--	0.2	0.0	7.3	7.5
Quaking aspen	--	0.4	2.3	20.8	23.5
Group subtotal	--	0.6	2.3	28.7	31.6
Basswood					
American basswood	--	--	0.1	5.5	5.7
Group subtotal	--	--	0.1	5.5	5.7
Yellow-poplar					
Yellow-poplar	--	--	--	0.6	0.6
Group subtotal	--	--	--	0.6	0.6
Black walnut					
Black walnut	--	--	--	0.8	0.8
Group subtotal	--	--	--	0.8	0.8
Other eastern soft hardwoods					
Boxelder	--	0.0	0.0	0.2	0.2
Paper birch	--	0.0	0.8	5.0	5.8
Gray birch	--	0.0	0.3	1.2	1.5
Butternut	--	0.0	0.0	1.7	1.7
Black cherry	--	0.1	1.3	6.7	8.1
Black willow	--	0.0	0.1	3.3	3.4
American elm	--	0.0	0.3	13.5	13.8
Slippery elm	--	0.0	0.0	1.1	1.1
Group subtotal	--	0.1	2.8	32.6	35.5
Other eastern hard hardwoods					
Sweet birch	--	--	0.3	2.2	2.5
Black locust	--	--	0.0	0.7	0.7
Group subtotal	--	--	0.3	2.9	3.2
<b>All hardwoods</b>	--	0.8	19.3	176.4	196.5
<b>All species groups</b>	0.1	1.0	31.7	225.2	258.0

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.  
Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-29.—Average annual removals of live trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on forest land by species group, species, and ownership group, New York, 2012

Species group\Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Scotch pine	--	--	--	1.7	1.7
Group subtotal	--	--	--	1.7	1.7
Eastern white and red pines					
Red pine	--	--	--	3.8	3.8
Eastern white pine	--	--	5.9	31.4	37.3
Group subtotal	--	--	5.9	35.2	41.2
Jack pine					
Jack pine	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Spruce and balsam fir					
Balsam fir	--	--	--	3.5	3.5
White spruce	--	--	0.1	--	0.1
Red spruce	--	--	--	2.3	2.3
Group subtotal	--	--	0.1	5.8	5.8
Eastern hemlock					
Eastern hemlock	--	--	0.8	16.2	17.0
Group subtotal	--	--	0.8	16.2	17.0
Other eastern softwoods					
Eastern redcedar	--	--	0.0	0.0	0.0
Larch spp.	--	--	0.1	0.2	0.2
Tamarack (native)	--	--	--	0.3	0.3
Norway spruce	--	--	--	0.5	0.5
Austrian pine	--	--	--	0.1	0.1
Northern white-cedar	--	--	0.1	0.1	0.2
Group subtotal	--	--	0.2	1.2	1.4
<b>All softwoods</b>	--	--	7.0	60.2	67.2

(Table 29 continued on next page)

(Table 29 continued)

Species group\Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	--	--	0.3	0.3
Swamp white oak	--	--	--	0.0	0.0
Bur oak	--	--	0.0	0.2	0.2
Group subtotal	--	--	0.0	0.6	0.6
Select red oaks					
Northern red oak	--	--	0.5	20.7	21.2
Group subtotal	--	--	0.5	20.7	21.2
Other white oaks					
Chestnut oak	--	--	--	1.5	1.5
Group subtotal	--	--	--	1.5	1.5
Other red oaks					
Scarlet oak	--	--	--	1.6	1.6
Black oak	--	--	--	2.3	2.3
Group subtotal	--	--	--	3.9	3.9
Hickory					
Bitternut hickory	--	--	0.3	4.6	5.0
Pignut hickory	--	--	--	3.4	3.4
Shagbark hickory	--	--	--	1.1	1.1
Group subtotal	--	--	0.3	9.1	9.5
Yellow birch					
Yellow birch	--	--	0.1	7.4	7.5
Group subtotal	--	--	0.1	7.4	7.5
Hard maple					
Sugar maple	--	0.1	4.1	59.2	63.3
Group subtotal	--	0.1	4.1	59.2	63.3
Soft maple					
Red maple	--	0.4	6.3	34.2	40.9
Silver maple	--	--	--	0.5	0.5
Group subtotal	--	0.4	6.3	34.6	41.3
Beech					
American beech	--	--	--	16.7	16.7
Group subtotal	--	--	--	16.7	16.7
Ash					
White ash	--	--	0.3	21.0	21.4
Black ash	--	--	--	1.5	1.5
Green ash	--	--	--	1.5	1.5
Group subtotal	--	--	0.3	24.1	24.4

(Table 29 continued on next page)

(Table 29 continued)

Species group\Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Cottonwood and aspen					
Eastern cottonwood	--	--	0.2	0.5	0.7
Bigtooth aspen	--	--	--	5.4	5.4
Quaking aspen	--	--	0.4	7.7	8.1
Group subtotal	--	--	0.6	13.6	14.2
Basswood					
American basswood	--	--	0.4	11.2	11.7
Group subtotal	--	--	0.4	11.2	11.7
Yellow-poplar					
Yellow-poplar	--	--	--	0.2	0.2
Group subtotal	--	--	--	0.2	0.2
Black walnut					
Black walnut	--	--	--	0.7	0.7
Group subtotal	--	--	--	0.7	0.7
Other eastern soft hardwoods					
Boxelder	--	--	--	2.2	2.2
Paper birch	--	--	--	2.4	2.4
Gray birch	--	--	--	0.1	0.1
Butternut	--	--	--	0.2	0.2
Black cherry	--	1.3	1.2	18.6	21.1
Black willow	--	--	--	0.8	0.8
American elm	--	--	0.1	1.8	1.9
Group subtotal	--	1.3	1.3	26.0	28.6
Other eastern hard hardwoods					
Sweet birch	--	--	--	2.8	2.8
Black locust	--	--	--	0.1	0.1
Group subtotal	--	--	--	2.9	2.9
Eastern noncommercial hardwoods					
Striped maple	--	--	--	0.0	0.0
American hornbeam, musclewood	--	--	--	0.0	0.0
Hawthorn spp.	--	--	--	0.1	0.1
Apple spp.	--	--	--	0.7	0.7
Eastern hophornbeam	--	--	--	0.7	0.7
Pin cherry	--	--	--	0.1	0.1
Group subtotal	--	--	--	1.7	1.7
<b>All hardwoods</b>	--	1.8	13.9	233.9	249.7
<b>All species groups</b>	--	1.8	20.9	294.1	316.9

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-30.—Average annual removals of growing-stock trees (at least 5 inches d.b.h./d.r.c.), in million cubic feet, on timberland by species group, species, and ownership group, New York, 2012

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Softwood species groups</b>					
<b>Eastern softwood species groups</b>					
Other yellow pines					
Pitch pine	--	--	--	2.4	2.4
Scotch pine	--	--	--	1.6	1.6
Group subtotal	--	--	--	4.0	4.0
Eastern white and red pines					
Red pine	--	--	--	3.6	3.6
Eastern white pine	--	--	5.5	28.0	33.4
Group subtotal	--	--	5.5	31.6	37.0
Jack pine					
Jack pine	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Spruce and balsam fir					
Balsam fir	--	--	--	3.7	3.7
Red spruce	--	--	--	2.3	2.3
Group subtotal	--	--	--	6.0	6.0
Eastern hemlock					
Eastern hemlock	--	--	0.0	14.8	14.8
Group subtotal	--	--	0.0	14.8	14.8
Other eastern softwoods					
Eastern redcedar	--	--	0.0	--	0.0
Larch spp.	--	--	0.1	0.1	0.2
Tamarack (native)	--	--	--	0.3	0.3
Norway spruce	--	--	--	0.5	0.5
Austrian pine	--	--	--	0.1	0.1
Northern white-cedar	--	--	--	0.2	0.2
Group subtotal	--	--	0.1	1.2	1.3
<b>All softwoods</b>	--	--	5.6	57.7	63.3

(Table 30 continued on next page)

(Table 30 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
<b>Hardwood species groups</b>					
<b>Eastern hardwood species groups</b>					
Select white oaks					
White oak	--	--	--	0.3	0.3
Bur oak	--	--	0.0	0.2	0.2
All Species	--	--	0.0	0.5	0.5
Select red oaks					
Northern red oak	--	--	0.4	20.9	21.4
All Species	--	--	0.4	20.9	21.4
Other white oaks					
Chestnut oak	--	--	--	1.2	1.2
All Species	--	--	--	1.2	1.2
Other red oaks					
Scarlet oak	--	--	--	1.3	1.3
Black oak	--	--	--	2.0	2.0
All Species	--	--	--	3.3	3.3
Hickory					
Bitternut hickory	--	--	0.3	2.9	3.2
Pignut hickory	--	--	--	3.1	3.1
Shagbark hickory	--	--	--	0.5	0.5
All Species	--	--	0.3	6.5	6.8
Yellow birch					
Yellow birch	--	--	0.0	6.5	6.5
All Species	--	--	0.0	6.5	6.5
Hard maple					
Sugar maple	--	0.1	3.3	50.2	53.6
All Species	--	0.1	3.3	50.2	53.6
Soft maple					
Red maple	--	0.3	5.2	31.0	36.6
Silver maple	--	--	--	0.4	0.4
All Species	--	0.3	5.2	31.4	36.9
Beech					
American beech	--	--	--	12.5	12.5
All Species	--	--	--	12.5	12.5
Ash					
White ash	--	--	0.0	17.0	17.1
Black ash	--	--	--	1.4	1.4
Green ash	--	--	--	1.3	1.3
All Species	--	--	0.0	19.8	19.8

(Table 30 continued on next page)

(Table 30 continued)

Species group/Species	Ownership group				All owners
	Forest Service	Other Federal	State and local government	Undifferentiated private	
Cottonwood and aspen					
Eastern cottonwood	--	--	0.2	0.4	0.6
Bigtooth aspen	--	--	--	4.6	4.6
Quaking aspen	--	--	0.2	7.2	7.4
Group subtotal	--	--	0.4	12.2	12.6
Basswood					
American basswood	--	--	0.4	9.8	10.2
Group subtotal	--	--	0.4	9.8	10.2
Yellow-poplar					
Yellow-poplar	--	--	--	0.1	0.1
Group subtotal	--	--	--	0.1	0.1
Black walnut					
Black walnut	--	--	--	0.6	0.6
Group subtotals	--	--	--	0.6	0.6
Other eastern soft hardwoods					
Boxelder	--	--	--	0.3	0.3
Paper birch	--	--	--	2.6	2.6
Gray birch	--	--	--	0.1	0.1
Butternut	--	--	--	0.1	0.1
Black cherry	--	1.1	0.9	15.5	17.5
Black willow	--	--	--	0.7	0.7
American elm	--	--	0.1	1.6	1.7
Group subtotal	--	1.1	1.0	20.8	22.9
Other eastern hard hardwoods					
Sweet birch	--	--	--	2.5	2.5
Black locust	--	--	--	0.1	0.1
Group subtotal	--	--	--	2.5	2.5
<b>All hardwoods</b>	--	1.5	11.1	198.9	211.6
<b>All species groups</b>	--	1.5	16.7	256.6	274.9

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic feet.

Columns and rows may not add to their totals due to rounding.

Estimates are assigned to ownership group as identified in previous inventory when available, else assigned from current inventory.

Table NY-31.—Aboveground dry weight of live trees (at least 1 inch d.b.h/d.r.c.), in thousand dry short tons, by owner class and forest-land status, New York, 2012

Owner class	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Forest Service</b>							
National forest	1,216	--	1,216	--	--	--	1,216
<b>Other Federal</b>							
National Park Service	--	--	--	1,037	--	1,037	1,037
Fish and Wildlife Service	--	--	--	1,487	--	1,487	1,487
Department of Defense or Energy	4,755	--	4,755	--	--	--	4,755
Other Federal	130	--	130	--	--	--	130
<b>State and local government</b>							
State	76,543	5	76,547	205,785	23	205,807	282,355
Local (county, municipal, etc.)	29,654	--	29,654	4,430	--	4,430	34,084
<b>Private</b>							
Undifferentiated private	795,697	147	795,844	--	--	--	795,844
<b>All owners</b>	<b>907,995</b>	<b>151</b>	<b>908,146</b>	<b>212,739</b>	<b>23</b>	<b>212,761</b>	<b>1,120,908</b>

All table cells without observations in the inventory sample are indicated by --.  
 Table value of 0 indicates the aboveground tree biomass rounds to less than 1,000 dry tons.  
 Columns and rows may not add to their totals due to rounding.



Table NY-54.—Area of forest land, in thousand acres, by inventory unit, county, and forest-land status, New York, 2012

Inventory unit and county	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>Adirondack</b>							
Clinton	418.3	3.4	421.6	65.8	--	65.8	487.4
Franklin	604.4	12.5	616.9	261.5	2.3	263.8	880.7
Jefferson	437.5	--	437.5	--	--	--	437.5
St. Lawrence	1,189.0	6.3	1,195.3	144.3	--	144.3	1,339.5
<b>Total</b>	<b>2,649.2</b>	<b>22.1</b>	<b>2,671.3</b>	<b>471.5</b>	<b>2.3</b>	<b>473.8</b>	<b>3,145.1</b>
<b>Lake Plain</b>							
Erie	208.7	--	208.7	--	--	--	208.7
Genesee	111.7	--	111.7	4.6	--	4.6	116.2
Livingston	155.3	--	155.3	--	--	--	155.3
Madison	223.7	--	223.7	--	--	--	223.7
Monroe	109.3	--	109.3	--	--	--	109.3
Niagara	102.4	--	102.4	--	--	--	102.4
Onondaga	209.5	--	209.5	10.0	--	10.0	219.5
Ontario	194.2	1.8	196.0	--	--	--	196.0
Orleans	70.0	--	70.0	3.0	--	3.0	73.0
Oswego	350.4	3.6	354.0	--	--	--	354.0
Wayne	139.3	--	139.3	--	--	--	139.3
Wyoming	143.9	--	143.9	10.0	--	10.0	153.9
Yates	100.5	--	100.5	--	--	--	100.5
Cayuga/Seneca	219.9	--	219.9	3.1	--	3.1	222.9
<b>Total</b>	<b>2,338.7</b>	<b>5.4</b>	<b>2,344.1</b>	<b>30.6</b>	<b>--</b>	<b>30.6</b>	<b>2,374.7</b>
<b>Western Adirondack</b>							
Fulton	214.3	--	214.3	79.7	--	79.7	294.0
Herkimer	424.3	--	424.3	315.7	--	315.7	740.0
Lewis	523.2	--	523.2	65.3	--	65.3	588.6
Oneida	454.9	--	454.9	13.9	--	13.9	468.8
<b>Total</b>	<b>1,616.8</b>	<b>--</b>	<b>1,616.8</b>	<b>474.6</b>	<b>--</b>	<b>474.6</b>	<b>2,091.4</b>
<b>Eastern Adirondack</b>							
Essex	536.0	--	536.0	501.9	--	501.9	1,037.9
Hamilton	305.5	1.7	307.2	781.1	1.3	782.3	1,089.5
Warren	311.1	1.2	312.4	165.2	--	165.2	477.5
<b>Total</b>	<b>1,152.7</b>	<b>3.0</b>	<b>1,155.6</b>	<b>1,448.1</b>	<b>1.3</b>	<b>1,449.4</b>	<b>2,605.0</b>
<b>Southwest Highlands</b>							
Allegany	437.3	--	437.3	--	--	--	437.3
Cattaraugus	576.1	2.6	578.7	38.4	--	38.4	617.1
Chautauqua	399.0	--	399.0	--	--	--	399.0
Steuben	540.0	--	540.0	--	--	--	540.0
<b>Total</b>	<b>1,952.4</b>	<b>2.6</b>	<b>1,955.0</b>	<b>38.4</b>	<b>--</b>	<b>38.4</b>	<b>1,993.4</b>

(Table 54 continued on next page)

(Table 54 continued)

Inventory unit and county	Unreserved forests			Reserved forests			All forest land
	Timberland	Unproductive	Total	Productive	Unproductive	Total	
<b>South-Central Highlands</b>							
Broome	265.0	--	265.0	--	--	--	265.0
Chemung	155.0	--	155.0	--	--	--	155.0
Chenango	406.3	--	406.3	--	--	--	406.3
Cortland	241.1	--	241.1	--	--	--	241.1
Delaware	696.8	--	696.8	45.4	--	45.4	742.2
Otsego	365.3	--	365.3	8.5	--	8.5	373.7
Schuyler	135.4	--	135.4	--	--	--	135.4
Tioga	162.1	--	162.1	--	--	--	162.1
Tompkins	140.0	--	140.0	--	--	--	140.0
<b>Total</b>	<b>2,566.9</b>	<b>--</b>	<b>2,566.9</b>	<b>53.8</b>	<b>--</b>	<b>53.8</b>	<b>2,620.8</b>
<b>Capitol District</b>							
Albany	187.3	--	187.3	23.5	--	23.5	210.9
Columbia	178.9	--	178.9	--	--	--	178.9
Montgomery	64.8	--	64.8	--	--	--	64.8
Rensselaer	251.1	--	251.1	12.8	--	12.8	263.9
Saratoga	350.8	8.1	359.0	21.4	--	21.4	380.4
Schenectady	87.9	--	87.9	--	--	--	87.9
Washington	315.9	--	315.9	23.2	--	23.2	339.1
<b>Total</b>	<b>1,436.7</b>	<b>8.1</b>	<b>1,444.8</b>	<b>81.0</b>	<b>--</b>	<b>81.0</b>	<b>1,525.9</b>
<b>Catskill-Lower Hudson</b>							
Dutchess	267.6	--	267.6	29.2	--	29.2	296.8
Greene	244.5	--	244.5	96.1	--	96.1	340.6
Orange	236.3	2.6	238.9	44.8	1.8	46.6	285.5
Putnam	55.6	--	55.6	21.9	--	21.9	77.5
Schoharie	276.5	--	276.5	--	--	--	276.5
Suffolk	153.8	--	153.8	52.2	--	52.2	206.0
Sullivan	398.0	--	398.0	5.8	--	5.8	403.9
Ulster	405.9	--	405.9	159.9	3.4	163.3	569.3
Bronx/Rockland/Westchester	134.6	--	134.6	36.6	--	36.6	171.2
Kings/Nassau/New York/Queens/Richmond	19.0	--	19.0	2.9	--	2.9	22.0
<b>Total</b>	<b>2,191.9</b>	<b>2.6</b>	<b>2,194.5</b>	<b>449.5</b>	<b>5.2</b>	<b>454.7</b>	<b>2,649.2</b>
<b>All counties</b>	<b>15,905.2</b>	<b>43.8</b>	<b>15,949.0</b>	<b>3,047.7</b>	<b>8.8</b>	<b>3,056.5</b>	<b>19,005.5</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-55.—Area of forest land, in thousand acres, by inventory unit, county, ownership group, and forest-land status, New York, 2012

Inventory unit and county	Forest Service		Other Federal		State and local government		Undifferentiated private		All forest land
	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	
<b>Adirondack</b>									
Clinton	--	--	--	--	34.2	65.8	384.1	3.4	487.4
Franklin	--	--	--	--	21.6	263.8	582.8	12.5	880.7
Jefferson	--	--	64.4	--	69.3	--	303.9	--	437.5
St. Lawrence	--	--	--	--	71.4	144.3	1,117.7	6.3	1,339.5
<b>Total</b>	--	--	64.4	--	196.4	473.8	2,388.4	22.1	3,145.1
<b>Lake Plain</b>									
Erie	--	--	--	--	12.3	--	196.4	--	208.7
Genesee	--	--	--	4.6	9.7	--	101.9	--	116.2
Livingston	--	--	--	--	5.1	--	150.3	--	155.3
Madison	--	--	--	--	72.6	--	151.1	--	223.7
Monroe	--	--	--	--	19.4	--	89.9	--	109.3
Niagara	--	--	--	--	5.1	--	97.3	--	102.4
Onondaga	--	--	--	--	39.6	10.0	169.9	--	219.5
Ontario	--	--	--	--	--	--	194.2	1.8	196.0
Orleans	--	--	--	3.0	--	--	70.0	--	73.0
Oswego	--	--	--	--	31.6	--	318.8	3.6	354.0
Wayne	--	--	--	--	5.1	--	134.2	--	139.3
Wyoming	--	--	--	--	5.1	10.0	138.8	--	153.9
Yates	--	--	--	--	2.6	--	97.8	--	100.5
Cayuga/Seneca	2.1	--	--	3.1	20.2	--	197.6	--	222.9
<b>Total</b>	2.1	--	--	10.6	228.2	20.0	2,108.4	5.4	2,374.7
<b>Western Adirondack</b>									
Fulton	--	--	--	--	16.1	79.7	198.2	--	294.0
Herkimer	--	--	--	--	16.3	315.7	408.0	--	740.0
Lewis	--	--	14.4	--	99.9	65.3	409.0	--	588.6
Oneida	--	--	--	--	51.0	13.9	403.9	--	468.8
<b>Total</b>	--	--	14.4	--	183.2	474.6	1,419.2	--	2,091.4
<b>Eastern Adirondack</b>									
Essex	--	--	--	--	31.8	501.9	504.2	--	1,037.9
Hamilton	--	--	--	--	--	782.3	305.5	1.7	1,089.5
Warren	--	--	--	--	12.5	165.2	298.6	1.2	477.5
<b>Total</b>	--	--	--	--	44.3	1,449.4	1,108.3	3.0	2,605.0

(Table 55 continued on next page)

(Table 55 continued)

Inventory unit and county	Forest Service		Other Federal		State and local government		Undifferentiated private		All forest land
	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	
<b>Southwest Highlands</b>									
Allegany	--	--	--	--	72.0	--	365.4	--	437.3
Cattaraugus	--	--	--	--	65.2	38.4	510.9	2.6	617.1
Chautauqua	--	--	--	--	30.2	--	368.7	--	399.0
Steuben	--	--	--	--	28.7	--	511.3	--	540.0
<b>Total</b>	--	--	--	--	196.1	38.4	1,756.3	2.6	1,993.4
<b>South-Central Highlands</b>									
Broome	--	--	--	--	31.7	--	233.3	--	265.0
Chemung	--	--	--	--	5.1	--	149.9	--	155.0
Chenango	--	--	--	--	97.6	--	308.7	--	406.3
Cortland	--	--	--	--	32.0	--	209.0	--	241.1
Delaware	--	--	--	--	81.7	45.4	615.1	--	742.2
Otsego	--	--	--	--	22.2	8.5	343.1	--	373.7
Schuyler	14.7	--	--	--	25.1	--	95.6	--	135.4
Tioga	--	--	--	--	6.4	--	155.7	--	162.1
Tompkins	--	--	--	--	9.2	--	130.8	--	140.0
<b>Total</b>	14.7	--	--	--	311.0	53.8	2,241.2	--	2,620.8
<b>Capitol District</b>									
Albany	--	--	--	--	43.6	23.5	143.7	--	210.9
Columbia	--	--	--	--	6.9	--	172.0	--	178.9
Montgomery	--	--	--	--	1.9	--	62.9	--	64.8
Rensselaer	--	--	--	--	25.7	12.8	225.4	--	263.9
Saratoga	--	--	12.8	--	26.5	21.4	311.5	8.1	380.4
Schenectady	--	--	--	--	11.4	--	76.5	--	87.9
Washington	--	--	--	--	7.7	23.2	308.2	--	339.1
<b>Total</b>	--	--	12.8	--	123.6	81.0	1,300.2	8.1	1,525.9

(Table 55 continued on next page)

(Table 55 continued)

Inventory unit and county	Forest Service		Other Federal		State and local government		Undifferentiated private		All forest land
	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	Timberland	Other forest land	
<b>Catskill-Lower Hudson</b>									
Dutchess	--	--	--	14.6	13.8	14.6	253.8	--	296.8
Greene	--	--	--	--	34.1	96.1	210.4	--	340.6
Orange	--	--	9.1	--	16.1	49.2	211.2	--	285.5
Putnam	--	--	--	--	1.5	21.9	54.1	--	77.5
Schoharie	--	--	--	--	36.5	--	239.9	--	276.5
Suffolk	--	--	10.0	5.8	68.2	46.4	75.6	--	206.0
Sullivan	--	--	--	--	29.1	5.8	369.0	--	403.9
Ulster	--	--	--	--	57.8	163.3	348.1	--	569.3
Bronx/Rockland/Westchester	--	--	--	--	64.0	36.6	70.6	--	171.2
Kings/Nassau/New York/Queens/Richmond	--	--	--	--	9.5	2.9	9.6	--	22.0
<b>Total</b>	--	--	19.1	20.4	330.6	436.8	1,842.2	--	2,649.2
<b>All counties</b>	16.8	--	110.7	31.0	1,613.6	3,028.0	14,164.2	41.2	19,005.5

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-57.—Area of timberland, in thousand acres, by inventory unit, county, and stand-size class, New York, 2012

Inventory unit and county	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
<b>Adirondack</b>						
Clinton	153.8	168.2	96.3	--	--	418.3
Franklin	242.6	230.7	131.1	--	--	604.4
Jefferson	180.3	132.5	121.6	--	3.2	437.5
St. Lawrence	514.4	460.1	205.1	--	9.4	1,189.0
<b>Total</b>	<b>1,091.1</b>	<b>991.4</b>	<b>554.1</b>	<b>--</b>	<b>12.6</b>	<b>2,649.2</b>
<b>Lake Plain</b>						
Erie	97.4	69.6	39.9	--	1.8	208.7
Genesee	63.8	23.9	20.4	--	3.6	111.7
Livingston	110.2	39.1	6.0	--	--	155.3
Madison	117.9	43.2	59.0	--	3.6	223.7
Monroe	69.6	18.2	21.5	--	--	109.3
Niagara	48.8	21.5	25.3	--	6.8	102.4
Onondaga	123.9	45.5	40.1	--	--	209.5
Ontario	110.2	39.8	30.6	--	13.7	194.2
Orleans	35.6	21.2	13.2	--	--	70.0
Oswego	242.0	89.9	16.4	--	2.0	350.4
Wayne	99.7	11.9	19.2	--	8.5	139.3
Wyoming	95.5	24.7	23.6	--	--	143.9
Yates	53.8	11.0	34.4	--	1.3	100.5
Cayuga/Seneca	147.6	50.6	18.5	--	3.1	219.9
<b>Total</b>	<b>1,416.1</b>	<b>510.1</b>	<b>368.1</b>	<b>--</b>	<b>44.4</b>	<b>2,338.7</b>
<b>Western Adirondack</b>						
Fulton	144.5	33.6	36.2	--	--	214.3
Herkimer	256.0	143.8	24.5	--	--	424.3
Lewis	315.1	162.7	39.8	--	5.7	523.2
Oneida	267.1	112.5	65.9	--	9.5	454.9
<b>Total</b>	<b>982.6</b>	<b>452.6</b>	<b>166.3</b>	<b>--</b>	<b>15.2</b>	<b>1,616.8</b>
<b>Eastern Adirondack</b>						
Essex	337.5	182.9	14.5	--	1.1	536.0
Hamilton	174.1	92.1	39.4	--	--	305.5
Warren	211.5	84.0	14.1	--	1.6	311.1
<b>Total</b>	<b>723.1</b>	<b>359.0</b>	<b>67.9</b>	<b>--</b>	<b>2.7</b>	<b>1,152.7</b>

(Table 57 continued on next page)

(Table 57 continued)

Inventory unit and county	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
<b>Southwest Highlands</b>						
Allegany	222.3	156.5	46.8	--	11.7	437.3
Cattaraugus	337.5	159.1	69.4	--	10.1	576.1
Chautauqua	256.7	100.7	35.3	--	6.3	399.0
Steuben	264.8	177.7	97.6	--	--	540.0
<b>Total</b>	1,081.3	594.0	249.1	--	28.0	1,952.4
<b>South-Central Highlands</b>						
Broome	155.6	66.1	43.3	--	--	265.0
Chemung	133.0	16.5	5.5	--	--	155.0
Chenango	302.7	51.3	38.6	--	13.6	406.3
Cortland	134.2	69.5	33.0	--	4.4	241.1
Delaware	474.5	172.0	43.5	--	6.8	696.8
Otsego	245.2	82.0	38.1	--	--	365.3
Schuyler	81.5	36.4	15.5	--	2.0	135.4
Tioga	113.0	22.6	24.3	--	2.2	162.1
Tompkins	95.4	38.1	5.2	--	1.3	140.0
<b>Total</b>	1,735.1	554.6	246.9	--	30.4	2,566.9
<b>Capitol District</b>						
Albany	112.2	66.9	8.2	--	--	187.3
Columbia	144.2	16.2	15.3	--	3.1	178.9
Montgomery	36.3	24.9	3.6	--	--	64.8
Rensselaer	188.8	39.4	22.8	--	--	251.1
Saratoga	267.6	63.1	20.2	--	--	350.8
Schenectady	67.6	13.9	6.4	--	--	87.9
Washington	183.2	94.3	34.5	--	3.8	315.9
<b>Total</b>	1,000.0	318.7	111.1	--	6.9	1,436.7
<b>Catskill-Lower Hudson</b>						
Dutchess	221.9	44.1	--	--	1.6	267.6
Greene	205.9	30.4	8.3	--	--	244.5
Orange	161.4	55.6	11.6	--	7.7	236.3
Putnam	55.6	--	--	--	--	55.6
Schoharie	165.5	76.5	34.5	--	--	276.5
Suffolk	60.1	65.3	19.1	--	9.3	153.8
Sullivan	254.8	140.6	--	--	2.6	398.0
Ulster	257.7	134.5	11.8	--	1.8	405.9
Bronx/Rockland/Westchester	113.9	20.3	0.3	--	--	134.6
Kings/Nassau/New York/Queens/Richmond	4.1	9.5	5.5	--	--	19.0
<b>Total</b>	1,501.0	576.8	91.1	--	23.0	2,191.9

(Table 57 continued on next page)

(Table 57 continued)

Inventory unit and county	Stand-size class					All size classes
	Large diameter	Medium diameter	Small diameter	Chaparral	Nonstocked	
<b>All counties</b>	9,530.2	4,357.2	1,854.7	--	163.2	15,905.2

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties



Table NY-58.—Area of timberland, in thousand acres, by inventory unit, county, and stocking class, New York, 2012

Inventory unit and county	Stocking class of growing-stock trees					All classes
	Nonstocked	Poorly stocked	Moderately stocked	Fully stocked	Over-stocked	
<b>Adirondack</b>						
Clinton	12.3	51.0	217.1	120.4	17.4	418.3
Franklin	0.0	127.4	267.2	191.0	18.8	604.4
Jefferson	39.0	143.0	153.5	95.7	6.3	437.5
St. Lawrence	26.7	273.0	554.9	318.2	16.2	1,189.0
<b>Total</b>	<b>78.0</b>	<b>594.5</b>	<b>1,192.7</b>	<b>725.3</b>	<b>58.6</b>	<b>2,649.2</b>
<b>Lake Plain</b>						
Erie	2.3	35.1	71.5	85.2	14.7	208.7
Genesee	7.1	39.9	41.1	23.6	--	111.7
Livingston	4.2	44.7	37.4	66.2	2.8	155.3
Madison	10.4	68.4	95.9	47.6	1.4	223.7
Monroe	11.3	13.1	34.2	48.5	2.2	109.3
Niagara	13.1	17.7	29.7	36.4	5.5	102.4
Onondaga	7.2	27.8	108.5	62.0	4.1	209.5
Ontario	15.6	37.8	69.7	65.5	5.6	194.2
Orleans	--	36.1	12.3	21.7	--	70.0
Oswego	3.7	52.3	129.1	159.5	5.8	350.4
Wayne	9.0	32.8	59.6	28.7	9.2	139.3
Wyoming	7.3	38.4	43.8	54.4	--	143.9
Yates	13.0	21.4	33.1	31.4	1.6	100.5
Cayuga/Seneca	10.1	28.7	98.2	79.5	3.3	219.9
<b>Total</b>	<b>114.2</b>	<b>494.2</b>	<b>864.2</b>	<b>810.1</b>	<b>56.0</b>	<b>2,338.7</b>
<b>Western Adirondack</b>						
Fulton	6.3	32.4	76.9	92.7	6.0	214.3
Herkimer	18.6	69.0	230.6	102.8	3.3	424.3
Lewis	24.2	66.2	251.0	177.9	4.0	523.2
Oneida	19.9	113.0	171.7	131.7	18.7	454.9
<b>Total</b>	<b>68.9</b>	<b>280.6</b>	<b>730.3</b>	<b>505.0</b>	<b>31.9</b>	<b>1,616.8</b>
<b>Eastern Adirondack</b>						
Essex	1.1	118.3	235.1	175.1	6.4	536.0
Hamilton	--	27.7	174.1	92.8	10.9	305.5
Warren	1.8	28.0	119.4	160.3	1.6	311.1
<b>Total</b>	<b>2.9</b>	<b>174.0</b>	<b>528.6</b>	<b>428.2</b>	<b>18.9</b>	<b>1,152.7</b>

(Table 58 continued on next page)

(Table 58 continued)

Inventory unit and county	Stocking class of growing-stock trees					All classes
	Nonstocked	Poorly stocked	Moderately stocked	Fully stocked	Over-stocked	
<b>Southwest Highlands</b>						
Allegany	32.0	89.6	183.4	124.4	7.9	437.3
Cattaraugus	46.3	56.6	212.2	243.8	17.3	576.1
Chautauqua	11.3	92.7	137.5	157.5	--	399.0
Steuben	23.0	80.9	197.8	227.8	10.6	540.0
<b>Total</b>	112.5	319.8	730.9	753.5	35.8	1,952.4
<b>South-Central Highlands</b>						
Broome	10.5	25.3	72.5	145.3	11.3	265.0
Chemung	7.3	20.8	66.3	60.0	0.5	155.0
Chenango	35.3	51.2	134.1	166.7	18.9	406.3
Cortland	25.3	68.5	55.4	91.8	--	241.1
Delaware	28.5	145.5	313.3	208.2	1.3	696.8
Otsego	25.3	36.7	185.1	103.9	14.3	365.3
Schuyler	6.8	19.7	31.5	75.5	1.9	135.4
Tioga	2.2	27.2	63.6	69.1	--	162.1
Tompkins	1.4	27.9	41.6	67.1	1.8	140.0
<b>Total</b>	142.7	423.0	963.3	987.8	50.1	2,566.9
<b>Capitol District</b>						
Albany	1.8	36.5	97.1	45.0	6.9	187.3
Columbia	3.2	33.7	56.7	76.8	8.5	178.9
Montgomery	--	9.4	11.6	43.8	--	64.8
Rensselaer	6.9	40.2	85.2	117.0	1.7	251.1
Saratoga	--	79.9	109.7	136.0	25.2	350.8
Schenectady	0.3	4.7	32.0	50.9	--	87.9
Washington	5.5	60.6	154.6	84.6	10.6	315.9
<b>Total</b>	17.7	265.2	546.9	554.1	52.9	1,436.7
<b>Catskill-Lower Hudson</b>						
Dutchess	2.8	65.1	125.4	67.4	6.8	267.6
Greene	5.7	52.1	76.9	94.0	15.8	244.5
Orange	14.5	33.1	83.5	100.2	5.1	236.3
Putnam	--	6.2	25.8	15.8	7.7	55.6
Schoharie	10.4	17.4	89.6	145.5	13.5	276.5
Suffolk	10.8	47.7	32.8	53.0	9.5	153.8
Sullivan	12.0	56.0	158.8	167.8	3.5	398.0
Ulster	1.8	53.1	146.2	196.0	8.9	405.9
Bronx/Rockland/Westchester	--	13.9	44.1	74.7	2.0	134.6
Kings/Nassau/New York/Queens/Richmond	9.0	8.1	2.0	--	--	19.0
<b>Total</b>	67.0	352.6	785.0	914.5	72.8	2,191.9

(Table 58 continued on next page)

(Table 58 continued)

Inventory unit and county	Stocking class of growing-stock trees					All classes
	Nonstocked	Poorly stocked	Moderately stocked	Fully stocked	Over-stocked	
<b>All counties</b>	604.1	2,903.7	6,341.9	5,678.5	377.0	15,905.2

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the acres round to less than 100 acres.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-59.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-inch rule) on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	63.0	112.5	172.6	150.2	498.3	273.3	202.8	322.0	357.2	1,155.4
Franklin	47.0	177.1	304.1	330.9	859.1	217.4	422.1	759.7	931.4	2,330.5
Jefferson	108.6	40.6	143.0	190.5	482.7	423.8	90.2	440.1	449.7	1,403.8
St. Lawrence	198.0	244.5	643.1	527.3	1,612.8	844.4	539.6	1,610.7	1,341.7	4,336.5
<b>Total</b>	<b>416.6</b>	<b>574.7</b>	<b>1,262.8</b>	<b>1,198.9</b>	<b>3,452.9</b>	<b>1,758.9</b>	<b>1,254.7</b>	<b>3,132.5</b>	<b>3,080.0</b>	<b>9,226.1</b>
<b>Lake Plain</b>										
Erie	12.1	22.0	217.1	135.6	386.9	48.0	73.5	716.8	344.4	1,182.7
Genesee	17.4	0.7	58.0	81.6	157.7	68.6	--	192.6	217.5	478.6
Livingston	14.7	15.2	71.5	201.9	303.3	60.8	41.7	202.9	662.4	967.8
Madison	19.4	57.5	105.0	162.3	344.2	78.5	171.0	298.7	545.2	1,093.3
Monroe	4.0	0.4	98.5	96.8	199.7	8.8	--	363.9	306.5	679.3
Niagara	11.6	0.1	61.7	87.0	160.4	41.1	--	196.7	296.8	534.7
Onondaga	13.8	9.6	144.0	188.6	356.0	57.4	19.7	555.6	628.8	1,261.4
Ontario	27.2	1.4	103.9	239.1	371.5	105.1	3.5	428.1	775.0	1,311.7
Orleans	--	0.5	42.5	56.7	99.8	--	1.6	149.6	182.3	333.6
Oswego	37.6	113.8	471.2	213.9	836.5	164.9	363.1	1,450.9	635.9	2,614.8
Wayne	0.4	4.1	160.9	120.7	286.0	--	--	669.2	421.0	1,090.2
Wyoming	0.5	27.3	53.6	174.7	256.1	1.1	83.6	179.6	616.7	881.0
Yates	12.2	14.6	44.3	76.8	148.0	49.5	56.1	107.5	266.8	479.9
Cayuga/Seneca	10.0	23.3	187.3	235.9	456.5	50.0	82.1	792.5	686.9	1,611.4
<b>Total</b>	<b>180.9</b>	<b>290.3</b>	<b>1,819.6</b>	<b>2,071.6</b>	<b>4,362.4</b>	<b>733.7</b>	<b>895.9</b>	<b>6,304.7</b>	<b>6,586.0</b>	<b>14,520.2</b>
<b>Western Adirondack</b>										
Fulton	67.9	106.1	175.2	135.7	484.9	275.4	318.8	488.2	340.8	1,423.2
Herkimer	28.3	155.2	215.5	317.7	716.7	98.2	482.1	623.9	896.6	2,100.7
Lewis	152.4	156.3	338.9	287.7	935.4	649.0	369.9	925.9	771.8	2,716.6
Oneida	105.0	112.8	334.9	278.2	831.0	472.5	371.0	1,035.1	812.0	2,690.5
<b>Total</b>	<b>353.6</b>	<b>530.4</b>	<b>1,064.6</b>	<b>1,019.3</b>	<b>2,968.0</b>	<b>1,495.1</b>	<b>1,541.8</b>	<b>3,073.0</b>	<b>2,821.2</b>	<b>8,931.0</b>
<b>Eastern Adirondack</b>										
Essex	141.6	187.9	209.3	493.2	1,032.1	626.4	562.5	568.5	1,457.4	3,214.8
Hamilton	16.1	100.4	94.4	285.6	496.5	78.3	299.3	252.2	784.8	1,414.7
Warren	138.8	155.7	113.3	265.9	673.7	587.3	452.7	233.8	687.1	1,961.0
<b>Total</b>	<b>296.4</b>	<b>444.0</b>	<b>417.0</b>	<b>1,044.7</b>	<b>2,202.2</b>	<b>1,292.0</b>	<b>1,314.6</b>	<b>1,054.5</b>	<b>2,929.3</b>	<b>6,590.4</b>

(Table 59 continued on next page)

(Table 59 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	116.0	58.4	254.6	304.6	733.5	451.8	182.3	782.3	877.2	2,293.6
Cattaraugus	62.4	139.9	458.4	491.2	1,151.8	245.3	422.1	1,454.2	1,654.4	3,775.9
Chautauqua	13.9	70.5	320.0	346.1	750.5	30.9	224.8	1,020.3	1,125.5	2,401.4
Steuben	89.2	70.0	269.5	523.0	951.7	373.0	186.8	644.9	1,458.2	2,663.0
<b>Total</b>	<b>281.4</b>	<b>338.9</b>	<b>1,302.4</b>	<b>1,664.8</b>	<b>3,587.5</b>	<b>1,100.9</b>	<b>1,016.1</b>	<b>3,901.7</b>	<b>5,115.3</b>	<b>11,133.9</b>
<b>South-Central Highlands</b>										
Broome	84.3	107.0	199.3	228.6	619.2	342.0	319.8	549.1	758.9	1,969.8
Chemung	42.8	28.2	98.2	163.6	332.8	165.3	96.0	251.9	530.5	1,043.7
Chenango	159.2	187.1	315.7	284.9	946.8	688.8	615.3	928.0	920.4	3,152.5
Cortland	49.5	18.1	146.5	202.5	416.7	200.7	52.6	423.2	600.6	1,277.1
Delaware	58.5	73.6	537.8	609.0	1,279.0	247.8	245.9	1,586.3	1,881.5	3,961.5
Otsego	85.7	117.1	206.3	341.5	750.6	313.3	406.5	573.2	1,052.5	2,345.4
Schuyler	49.0	42.8	71.3	127.0	290.0	225.9	117.7	154.6	407.6	905.7
Tioga	42.5	40.9	91.1	152.4	326.9	125.9	135.0	213.4	491.8	966.0
Tompkins	51.4	11.1	84.0	170.4	316.9	211.6	33.4	278.1	547.2	1,070.3
<b>Total</b>	<b>622.9</b>	<b>626.0</b>	<b>1,750.2</b>	<b>2,279.9</b>	<b>5,279.0</b>	<b>2,521.3</b>	<b>2,022.1</b>	<b>4,957.9</b>	<b>7,190.9</b>	<b>16,692.1</b>
<b>Capitol District</b>										
Albany	109.7	9.4	53.3	165.2	337.7	405.1	18.4	127.3	523.3	1,074.1
Columbia	40.9	64.2	59.7	213.6	378.3	187.9	218.0	151.5	801.2	1,358.5
Montgomery	17.1	33.3	61.1	29.9	141.3	70.5	98.6	147.8	101.2	418.1
Rensselaer	87.6	72.5	162.1	244.3	566.6	414.6	225.4	482.7	809.2	1,931.9
Saratoga	187.0	167.7	226.2	301.4	882.3	890.4	563.9	681.0	981.8	3,117.1
Schenectady	34.2	9.4	58.4	102.2	204.2	149.2	27.7	175.0	329.9	681.8
Washington	109.0	53.6	120.2	297.6	580.4	428.3	153.4	330.0	916.1	1,827.7
<b>Total</b>	<b>585.5</b>	<b>410.1</b>	<b>740.9</b>	<b>1,354.3</b>	<b>3,090.8</b>	<b>2,546.0</b>	<b>1,305.4</b>	<b>2,095.1</b>	<b>4,462.7</b>	<b>10,409.3</b>

(Table 59 continued on next page)

(Table 59 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Catskill-Lower Hudson</b>										
Dutchess	13.0	27.2	191.7	355.1	587.0	43.6	85.9	701.5	1,365.7	2,196.7
Greene	107.3	55.0	62.3	352.1	576.7	470.3	160.3	136.3	1,123.9	1,890.8
Orange	40.6	13.2	98.8	325.1	477.7	185.0	23.5	251.0	1,182.0	1,641.5
Putnam	--	1.3	18.7	121.3	141.3	--	2.0	46.4	526.9	575.3
Schoharie	96.7	97.4	107.6	296.6	598.3	398.3	300.6	242.7	843.7	1,785.2
Suffolk	67.5	5.0	19.3	113.9	205.7	217.2	11.8	43.5	286.6	559.1
Sullivan	72.9	119.3	245.6	427.4	865.3	304.3	373.3	634.5	1,290.4	2,602.5
Ulster	117.8	80.4	260.9	489.9	948.9	549.2	255.5	817.2	1,491.7	3,113.6
Bronx/Rockland/Westchester	0.6	0.7	123.4	287.0	411.7	2.2	--	493.9	1,191.2	1,687.4
Kings/Nassau/New York/Queens/Richmond	9.2	0.0	0.2	2.8	12.3	49.9	--	--	--	49.9
<b>Total</b>	<b>525.6</b>	<b>399.5</b>	<b>1,128.5</b>	<b>2,771.2</b>	<b>4,824.9</b>	<b>2,220.1</b>	<b>1,212.9</b>	<b>3,367.0</b>	<b>9,302.0</b>	<b>16,102.1</b>
<b>All counties</b>	<b>3,263.1</b>	<b>3,614.0</b>	<b>9,486.1</b>	<b>13,404.6</b>	<b>29,767.7</b>	<b>13,668.0</b>	<b>10,563.3</b>	<b>27,886.4</b>	<b>41,487.5</b>	<b>93,605.2</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-59a.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Doyle rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	63.0	112.5	172.6	150.2	498.3	200.5	98.9	169.4	201.9	670.7
Franklin	47.0	177.1	304.1	330.9	859.1	165.9	228.8	454.5	581.0	1,430.2
Jefferson	108.6	40.6	143.0	190.5	482.7	283.8	46.0	333.4	260.6	923.8
St. Lawrence	198.0	244.5	643.1	527.3	1,612.8	601.7	315.0	905.9	763.1	2,585.6
<b>Total</b>	<b>416.6</b>	<b>574.7</b>	<b>1,262.8</b>	<b>1,198.9</b>	<b>3,452.9</b>	<b>1,251.9</b>	<b>688.8</b>	<b>1,863.2</b>	<b>1,806.5</b>	<b>5,610.3</b>
<b>Lake Plain</b>										
Erie	12.1	22.0	217.1	135.6	386.9	27.7	47.2	454.1	204.2	733.2
Genesee	17.4	0.7	58.0	81.6	157.7	34.7	--	118.4	122.4	275.5
Livingston	14.7	15.2	71.5	201.9	303.3	43.3	25.0	120.7	412.5	601.5
Madison	19.4	57.5	105.0	162.3	344.2	46.0	107.9	176.3	340.8	671.0
Monroe	4.0	0.4	98.5	96.8	199.7	6.3	--	240.9	183.2	430.5
Niagara	11.6	0.1	61.7	87.0	160.4	32.0	--	118.7	190.2	340.9
Onondaga	13.8	9.6	144.0	188.6	356.0	44.2	8.8	367.0	369.0	789.0
Ontario	27.2	1.4	103.9	239.1	371.5	64.8	2.1	312.9	511.1	890.9
Orleans	--	0.5	42.5	56.7	99.8	--	0.6	114.7	124.4	239.7
Oswego	37.6	113.8	471.2	213.9	836.5	115.4	228.7	847.8	423.6	1,615.4
Wayne	0.4	4.1	160.9	120.7	286.0	--	--	471.5	259.1	730.6
Wyoming	0.5	27.3	53.6	174.7	256.1	0.4	48.8	111.0	420.2	580.4
Yates	12.2	14.6	44.3	76.8	148.0	31.0	40.7	57.2	161.3	290.2
Cayuga/Seneca	10.0	23.3	187.3	235.9	456.5	42.1	60.3	673.1	386.5	1,162.1
<b>Total</b>	<b>180.9</b>	<b>290.3</b>	<b>1,819.6</b>	<b>2,071.6</b>	<b>4,362.4</b>	<b>487.9</b>	<b>570.0</b>	<b>4,184.3</b>	<b>4,108.5</b>	<b>9,350.7</b>
<b>Western Adirondack</b>										
Fulton	67.9	106.1	175.2	135.7	484.9	197.8	190.0	271.3	182.3	841.4
Herkimer	28.3	155.2	215.5	317.7	716.7	51.1	314.5	379.3	560.5	1,305.5
Lewis	152.4	156.3	338.9	287.7	935.4	470.1	207.8	537.6	456.0	1,671.4
Oneida	105.0	112.8	334.9	278.2	831.0	359.9	243.6	671.1	462.0	1,736.7
<b>Total</b>	<b>353.6</b>	<b>530.4</b>	<b>1,064.6</b>	<b>1,019.3</b>	<b>2,968.0</b>	<b>1,078.9</b>	<b>955.9</b>	<b>1,859.3</b>	<b>1,660.8</b>	<b>5,555.0</b>
<b>Eastern Adirondack</b>										
Essex	141.6	187.9	209.3	493.2	1,032.1	517.9	352.5	372.1	899.2	2,141.7
Hamilton	16.1	100.4	94.4	285.6	496.5	65.4	192.9	146.9	466.6	871.8
Warren	138.8	155.7	113.3	265.9	673.7	434.1	259.7	123.4	372.7	1,189.9
<b>Total</b>	<b>296.4</b>	<b>444.0</b>	<b>417.0</b>	<b>1,044.7</b>	<b>2,202.2</b>	<b>1,017.4</b>	<b>805.0</b>	<b>642.5</b>	<b>1,738.5</b>	<b>4,203.4</b>

(Table 59a continued on next page)

(Table 59a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	116.0	58.4	254.6	304.6	733.5	302.6	106.6	493.9	520.8	1,423.9
Cattaraugus	62.4	139.9	458.4	491.2	1,151.8	161.3	254.4	894.3	1,041.6	2,351.7
Chautauqua	13.9	70.5	320.0	346.1	750.5	15.4	143.4	656.3	699.6	1,514.8
Steuben	89.2	70.0	269.5	523.0	951.7	265.3	102.5	350.3	834.2	1,552.3
<b>Total</b>	<b>281.4</b>	<b>338.9</b>	<b>1,302.4</b>	<b>1,664.8</b>	<b>3,587.5</b>	<b>744.7</b>	<b>607.0</b>	<b>2,394.8</b>	<b>3,096.2</b>	<b>6,842.6</b>
<b>South-Central Highlands</b>										
Broome	84.3	107.0	199.3	228.6	619.2	260.5	191.8	340.6	498.4	1,291.3
Chemung	42.8	28.2	98.2	163.6	332.8	98.0	61.0	139.4	325.2	623.6
Chenango	159.2	187.1	315.7	284.9	946.8	482.6	388.7	536.3	537.5	1,945.2
Cortland	49.5	18.1	146.5	202.5	416.7	131.7	42.4	255.1	328.5	757.7
Delaware	58.5	73.6	537.8	609.0	1,279.0	210.4	167.4	945.3	1,141.7	2,464.8
Otsego	85.7	117.1	206.3	341.5	750.6	175.8	266.7	325.1	634.1	1,401.6
Schuyler	49.0	42.8	71.3	127.0	290.0	181.5	61.9	89.2	230.6	563.1
Tioga	42.5	40.9	91.1	152.4	326.9	74.7	91.3	115.6	289.4	571.0
Tompkins	51.4	11.1	84.0	170.4	316.9	149.2	21.5	167.3	334.2	672.2
<b>Total</b>	<b>622.9</b>	<b>626.0</b>	<b>1,750.2</b>	<b>2,279.9</b>	<b>5,279.0</b>	<b>1,764.3</b>	<b>1,292.6</b>	<b>2,913.9</b>	<b>4,319.6</b>	<b>10,290.4</b>
<b>Capitol District</b>										
Albany	109.7	9.4	53.3	165.2	337.7	275.9	10.1	77.7	354.4	718.0
Columbia	40.9	64.2	59.7	213.6	378.3	143.7	136.8	85.2	525.1	890.8
Montgomery	17.1	33.3	61.1	29.9	141.3	44.5	62.7	74.1	64.2	245.3
Rensselaer	87.6	72.5	162.1	244.3	566.6	338.1	137.9	290.8	516.6	1,283.4
Saratoga	187.0	167.7	226.2	301.4	882.3	727.8	334.7	479.6	618.9	2,161.1
Schenectady	34.2	9.4	58.4	102.2	204.2	111.1	15.4	96.4	239.3	462.1
Washington	109.0	53.6	120.2	297.6	580.4	310.4	91.1	191.3	569.4	1,162.2
<b>Total</b>	<b>585.5</b>	<b>410.1</b>	<b>740.9</b>	<b>1,354.3</b>	<b>3,090.8</b>	<b>1,951.4</b>	<b>788.6</b>	<b>1,294.9</b>	<b>2,887.9</b>	<b>6,923.0</b>

(Table 59a continued on next page)



(Table 59a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
(In million cubic feet)					(In million board feet)					
<b>Catskill-Lower Hudson</b>										
Dutchess	13.0	27.2	191.7	355.1	587.0	25.8	58.0	460.3	996.3	1,540.3
Greene	107.3	55.0	62.3	352.1	576.7	349.2	96.3	65.3	715.3	1,226.0
Orange	40.6	13.2	98.8	325.1	477.7	137.7	12.5	141.6	770.0	1,061.8
Putnam	--	1.3	18.7	121.3	141.3	--	0.7	23.8	389.3	413.7
Schoharie	96.7	97.4	107.6	296.6	598.3	250.8	181.2	132.9	540.6	1,105.5
Suffolk	67.5	5.0	19.3	113.9	205.7	133.6	5.1	26.0	155.4	320.1
Sullivan	72.9	119.3	245.6	427.4	865.3	215.7	254.6	372.0	798.9	1,641.1
Ulster	117.8	80.4	260.9	489.9	948.9	486.2	177.7	535.0	918.9	2,117.9
Bronx/Rockland/Westchester	0.6	0.7	123.4	287.0	411.7	0.8	--	378.2	858.9	1,238.0
Kings/Nassau/New York/Queens/Richmond	9.2	0.0	0.2	2.8	12.3	52.0	--	--	--	52.0
<b>Total</b>	<b>525.6</b>	<b>399.5</b>	<b>1,128.5</b>	<b>2,771.2</b>	<b>4,824.9</b>	<b>1,651.8</b>	<b>785.9</b>	<b>2,135.1</b>	<b>6,143.6</b>	<b>10,716.5</b>
<b>All counties</b>	<b>3,263.1</b>	<b>3,614.0</b>	<b>9,486.1</b>	<b>13,404.6</b>	<b>29,767.7</b>	<b>9,948.3</b>	<b>6,493.8</b>	<b>17,288.1</b>	<b>25,761.7</b>	<b>59,491.9</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-59b.—Net volume of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	63.0	112.5	172.6	150.2	498.3	241.9	167.4	277.9	311.8	999.0
Franklin	47.0	177.1	304.1	330.9	859.1	193.7	353.7	667.2	824.5	2,039.0
Jefferson	108.6	40.6	143.0	190.5	482.7	368.4	74.9	397.7	394.5	1,235.5
St. Lawrence	198.0	244.5	643.1	527.3	1,612.8	742.5	458.3	1,406.1	1,170.3	3,777.2
<b>Total</b>	<b>416.6</b>	<b>574.7</b>	<b>1,262.8</b>	<b>1,198.9</b>	<b>3,452.9</b>	<b>1,546.4</b>	<b>1,054.3</b>	<b>2,748.9</b>	<b>2,701.1</b>	<b>8,050.8</b>
<b>Lake Plain</b>										
Erie	12.1	22.0	217.1	135.6	386.9	40.8	63.6	637.9	302.7	1,045.0
Genesee	17.4	0.7	58.0	81.6	157.7	57.1	--	170.7	189.7	417.5
Livingston	14.7	15.2	71.5	201.9	303.3	53.4	35.5	178.6	584.3	851.7
Madison	19.4	57.5	105.0	162.3	344.2	66.8	147.4	262.6	484.5	961.3
Monroe	4.0	0.4	98.5	96.8	199.7	7.8	--	326.3	269.9	604.0
Niagara	11.6	0.1	61.7	87.0	160.4	36.6	--	173.7	264.1	474.4
Onondaga	13.8	9.6	144.0	188.6	356.0	51.1	16.0	497.8	552.7	1,117.6
Ontario	27.2	1.4	103.9	239.1	371.5	90.3	3.0	386.0	691.4	1,170.7
Orleans	--	0.5	42.5	56.7	99.8	--	1.3	135.0	164.0	300.3
Oswego	37.6	113.8	471.2	213.9	836.5	144.8	312.8	1,275.1	566.1	2,298.8
Wayne	0.4	4.1	160.9	120.7	286.0	--	--	601.3	373.1	974.3
Wyoming	0.5	27.3	53.6	174.7	256.1	0.8	71.1	158.8	550.5	781.3
Yates	12.2	14.6	44.3	76.8	148.0	42.6	49.5	93.0	235.5	420.6
Cayuga/Seneca	10.0	23.3	187.3	235.9	456.5	45.3	72.5	727.5	599.8	1,445.1
<b>Total</b>	<b>180.9</b>	<b>290.3</b>	<b>1,819.6</b>	<b>2,071.6</b>	<b>4,362.4</b>	<b>637.4</b>	<b>772.6</b>	<b>5,624.3</b>	<b>5,828.2</b>	<b>12,862.5</b>
<b>Western Adirondack</b>										
Fulton	67.9	106.1	175.2	135.7	484.9	242.9	271.9	425.4	295.1	1,235.2
Herkimer	28.3	155.2	215.5	317.7	716.7	82.2	416.1	551.2	792.1	1,841.6
Lewis	152.4	156.3	338.9	287.7	935.4	570.2	312.0	812.4	679.1	2,373.6
Oneida	105.0	112.8	334.9	278.2	831.0	418.8	321.4	920.0	709.9	2,370.0
<b>Total</b>	<b>353.6</b>	<b>530.4</b>	<b>1,064.6</b>	<b>1,019.3</b>	<b>2,968.0</b>	<b>1,313.9</b>	<b>1,321.4</b>	<b>2,709.0</b>	<b>2,476.1</b>	<b>7,820.4</b>
<b>Eastern Adirondack</b>										
Essex	141.6	187.9	209.3	493.2	1,032.1	561.3	483.9	504.0	1,289.5	2,838.7
Hamilton	16.1	100.4	94.4	285.6	496.5	70.9	257.4	221.0	688.7	1,238.0
Warren	138.8	155.7	113.3	265.9	673.7	518.3	383.7	202.1	596.5	1,700.6
<b>Total</b>	<b>296.4</b>	<b>444.0</b>	<b>417.0</b>	<b>1,044.7</b>	<b>2,202.2</b>	<b>1,150.6</b>	<b>1,125.0</b>	<b>927.1</b>	<b>2,574.7</b>	<b>5,777.3</b>

(Table 59b continued on next page)

(Table 59b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	116.0	58.4	254.6	304.6	733.5	392.3	155.2	691.2	771.9	2,010.5
Cattaraugus	62.4	139.9	458.4	491.2	1,151.8	212.8	360.9	1,286.1	1,465.6	3,325.5
Chautauqua	13.9	70.5	320.0	346.1	750.5	25.6	194.3	904.5	993.1	2,117.5
Steuben	89.2	70.0	269.5	523.0	951.7	327.9	157.3	559.8	1,273.8	2,318.7
<b>Total</b>	<b>281.4</b>	<b>338.9</b>	<b>1,302.4</b>	<b>1,664.8</b>	<b>3,587.5</b>	<b>958.5</b>	<b>867.6</b>	<b>3,441.6</b>	<b>4,504.5</b>	<b>9,772.2</b>
<b>South-Central Highlands</b>										
Broome	84.3	107.0	199.3	228.6	619.2	302.4	273.3	484.7	675.2	1,735.6
Chemung	42.8	28.2	98.2	163.6	332.8	141.1	82.8	219.3	468.8	911.9
Chenango	159.2	187.1	315.7	284.9	946.8	601.4	530.2	811.4	808.3	2,751.4
Cortland	49.5	18.1	146.5	202.5	416.7	174.1	46.5	373.5	522.2	1,116.3
Delaware	58.5	73.6	537.8	609.0	1,279.0	224.9	214.5	1,395.4	1,661.2	3,496.0
Otsego	85.7	117.1	206.3	341.5	750.6	264.2	352.7	500.8	927.0	2,044.7
Schuyler	49.0	42.8	71.3	127.0	290.0	201.9	98.4	135.5	356.3	792.1
Tioga	42.5	40.9	91.1	152.4	326.9	107.2	117.6	185.2	432.2	842.3
Tompkins	51.4	11.1	84.0	170.4	316.9	185.5	28.8	245.7	484.5	944.5
<b>Total</b>	<b>622.9</b>	<b>626.0</b>	<b>1,750.2</b>	<b>2,279.9</b>	<b>5,279.0</b>	<b>2,202.6</b>	<b>1,745.0</b>	<b>4,351.6</b>	<b>6,335.7</b>	<b>14,634.8</b>
<b>Capitol District</b>										
Albany	109.7	9.4	53.3	165.2	337.7	352.8	15.5	112.5	468.6	949.4
Columbia	40.9	64.2	59.7	213.6	378.3	167.3	187.6	132.3	717.1	1,204.4
Montgomery	17.1	33.3	61.1	29.9	141.3	60.9	85.1	126.7	90.1	362.8
Rensselaer	87.6	72.5	162.1	244.3	566.6	373.0	193.2	425.3	720.5	1,712.0
Saratoga	187.0	167.7	226.2	301.4	882.3	802.8	480.8	609.2	871.6	2,764.5
Schenectady	34.2	9.4	58.4	102.2	204.2	132.5	23.3	151.9	297.0	604.8
Washington	109.0	53.6	120.2	297.6	580.4	377.8	130.8	289.5	812.0	1,610.1
<b>Total</b>	<b>585.5</b>	<b>410.1</b>	<b>740.9</b>	<b>1,354.3</b>	<b>3,090.8</b>	<b>2,267.2</b>	<b>1,116.5</b>	<b>1,847.4</b>	<b>3,977.0</b>	<b>9,208.1</b>

(Table 59b continued on next page)

(Table 59b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Catskill-Lower Hudson</b>										
Dutchess	13.0	27.2	191.7	355.1	587.0	37.2	74.9	625.1	1,235.0	1,972.1
Greene	107.3	55.0	62.3	352.1	576.7	415.7	136.7	115.9	999.7	1,668.1
Orange	40.6	13.2	98.8	325.1	477.7	164.1	19.7	219.5	1,055.2	1,458.5
Putnam	--	1.3	18.7	121.3	141.3	--	1.5	39.9	478.3	519.8
Schoharie	96.7	97.4	107.6	296.6	598.3	343.1	256.7	210.9	746.4	1,557.0
Suffolk	67.5	5.0	19.3	113.9	205.7	186.5	9.6	38.4	248.8	483.3
Sullivan	72.9	119.3	245.6	427.4	865.3	267.3	325.3	557.2	1,138.7	2,288.5
Ulster	117.8	80.4	260.9	489.9	948.9	497.6	223.8	726.4	1,316.0	2,763.7
Bronx/Rockland/Westchester	0.6	0.7	123.4	287.0	411.7	1.8	--	449.5	1,076.7	1,527.9
Kings/Nassau/New York/Queens/Richmond	9.2	0.0	0.2	2.8	12.3	46.5	--	--	--	46.5
<b>Total</b>	<b>525.6</b>	<b>399.5</b>	<b>1,128.5</b>	<b>2,771.2</b>	<b>4,824.9</b>	<b>1,959.7</b>	<b>1,048.2</b>	<b>2,982.7</b>	<b>8,294.7</b>	<b>14,285.3</b>
<b>All counties</b>	<b>3,263.1</b>	<b>3,614.0</b>	<b>9,486.1</b>	<b>13,404.6</b>	<b>29,767.7</b>	<b>12,036.3</b>	<b>9,050.5</b>	<b>24,632.6</b>	<b>36,692.1</b>	<b>82,411.5</b>

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-60.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-inch rule) on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	2.1	4.5	3.5	3.2	13.2	10.5	8.0	13.4	4.4	36.3
Franklin	1.7	2.5	4.1	5.3	13.5	9.0	10.1	23.5	16.7	59.3
Jefferson	3.5	1.1	3.0	4.6	12.2	17.7	3.5	14.1	10.4	45.7
St. Lawrence	4.7	4.7	9.0	8.5	27.0	25.4	11.0	32.7	34.5	103.7
<b>Total</b>	<b>12.0</b>	<b>12.8</b>	<b>19.6</b>	<b>21.5</b>	<b>65.9</b>	<b>62.6</b>	<b>32.5</b>	<b>83.7</b>	<b>66.1</b>	<b>244.9</b>
<b>Lake Plain</b>										
Erie	0.1	0.6	5.8	3.9	10.5	0.6	2.8	20.2	19.7	43.3
Genesee	1.0	0.1	0.7	3.0	4.9	4.3	--	5.9	9.0	19.2
Livingston	0.1	0.2	2.6	5.0	8.0	0.3	0.5	11.1	26.0	38.0
Madison	0.1	0.1	2.9	4.2	7.4	1.1	-1.4	14.9	18.3	33.0
Monroe	0.1	0.0	3.4	2.3	5.8	0.4	--	16.5	10.9	27.7
Niagara	0.6	0.0	1.4	3.0	5.0	2.5	--	9.0	12.9	24.4
Onondaga	0.2	0.0	3.2	6.6	10.1	1.1	0.0	19.6	24.3	44.9
Ontario	1.6	0.2	2.5	6.0	10.3	6.1	0.6	16.0	26.9	49.7
Orleans	--	--	1.2	1.8	3.0	--	--	5.6	4.7	10.2
Oswego	0.8	2.2	8.9	5.7	17.5	4.5	9.3	37.1	24.5	75.3
Wayne	0.0	-0.1	-0.7	3.0	2.2	--	--	-8.3	14.7	6.4
Wyoming	0.1	0.3	-0.4	4.5	4.5	0.2	2.4	1.1	21.7	25.5
Yates	0.4	0.1	1.5	4.6	6.6	2.7	0.7	5.9	17.6	26.9
Cayuga/Seneca	0.3	0.6	2.6	5.7	9.1	1.9	2.3	14.0	29.5	47.7
<b>Total</b>	<b>5.5</b>	<b>4.3</b>	<b>35.6</b>	<b>59.5</b>	<b>105.0</b>	<b>25.8</b>	<b>17.4</b>	<b>168.5</b>	<b>260.6</b>	<b>472.2</b>
<b>Western Adirondack</b>										
Fulton	1.3	1.2	2.7	2.8	8.1	7.7	4.9	15.0	12.3	40.0
Herkimer	0.3	2.8	3.2	5.6	11.9	2.3	13.1	13.9	18.0	47.2
Lewis	5.2	3.1	5.5	5.0	18.9	27.3	12.1	20.9	18.8	79.1
Oneida	0.9	1.8	7.8	4.7	15.3	5.7	7.7	29.8	21.7	64.9
<b>Total</b>	<b>7.8</b>	<b>8.9</b>	<b>19.3</b>	<b>18.1</b>	<b>54.1</b>	<b>43.0</b>	<b>37.9</b>	<b>79.6</b>	<b>70.8</b>	<b>231.2</b>
<b>Eastern Adirondack</b>										
Essex	2.3	1.9	-0.6	8.2	11.8	9.6	5.5	2.3	30.3	47.7
Hamilton	0.6	0.9	1.6	4.2	7.2	3.0	5.8	7.6	14.4	30.8
Warren	3.2	4.2	1.0	6.5	14.9	18.4	17.1	6.1	26.4	68.0
<b>Total</b>	<b>6.1</b>	<b>6.9</b>	<b>2.0</b>	<b>18.9</b>	<b>33.9</b>	<b>31.0</b>	<b>28.4</b>	<b>16.0</b>	<b>71.1</b>	<b>146.5</b>

(Table 60 continued on next page)

(Table 60 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	1.7	0.6	6.3	8.0	16.6	9.6	2.3	30.9	33.6	76.4
Cattaraugus	0.5	3.4	13.4	12.7	30.1	5.2	13.9	61.4	65.2	145.7
Chautauqua	0.5	1.3	8.5	8.7	18.9	2.7	5.9	41.8	43.6	94.0
Steuben	0.6	1.7	5.8	14.5	22.6	9.8	7.0	24.5	59.8	101.2
<b>Total</b>	<b>3.4</b>	<b>7.0</b>	<b>34.0</b>	<b>43.9</b>	<b>88.2</b>	<b>27.3</b>	<b>29.1</b>	<b>158.7</b>	<b>202.3</b>	<b>417.3</b>
<b>South-Central Highlands</b>										
Broome	1.1	2.2	3.6	5.8	12.7	7.4	10.2	16.9	28.0	62.5
Chemung	0.6	0.9	1.9	3.9	7.4	3.2	3.5	8.9	18.9	34.5
Chenango	0.9	3.7	8.1	5.7	18.3	8.0	19.0	37.4	30.0	94.4
Cortland	0.4	0.5	3.4	4.8	9.1	2.9	2.1	13.7	20.7	39.4
Delaware	1.8	0.9	10.3	7.5	20.4	7.9	2.8	45.1	45.5	101.3
Otsego	0.9	2.2	4.5	7.7	15.4	7.1	9.3	19.2	34.1	69.7
Schuyler	0.6	1.6	0.0	2.7	4.9	4.2	5.6	-2.9	14.5	21.4
Tioga	0.6	0.6	2.4	4.2	7.8	5.9	2.8	9.6	19.2	37.5
Tompkins	-0.5	0.2	0.1	3.7	3.5	-1.8	0.6	-0.6	18.7	17.0
<b>Total</b>	<b>6.2</b>	<b>12.9</b>	<b>34.3</b>	<b>46.0</b>	<b>99.4</b>	<b>44.9</b>	<b>56.0</b>	<b>147.3</b>	<b>229.6</b>	<b>477.7</b>
<b>Capitol District</b>										
Albany	1.4	0.1	0.8	3.3	5.6	11.5	-0.2	2.7	12.7	26.7
Columbia	1.0	1.5	2.0	6.8	11.3	5.4	7.3	8.3	35.8	56.7
Montgomery	0.4	0.7	2.1	1.8	5.0	2.5	2.4	10.6	6.9	22.4
Rensselaer	2.7	1.8	3.8	7.0	15.3	14.9	7.2	17.4	35.4	75.0
Saratoga	3.4	2.3	4.3	8.4	18.4	21.4	10.6	22.0	35.7	89.7
Schenectady	1.0	0.0	1.4	2.5	4.9	4.8	0.3	7.8	10.0	22.9
Washington	1.7	1.1	1.7	6.6	11.1	8.7	3.7	9.6	28.4	50.5
<b>Total</b>	<b>11.6</b>	<b>7.5</b>	<b>16.1</b>	<b>36.4</b>	<b>71.5</b>	<b>69.2</b>	<b>31.4</b>	<b>78.4</b>	<b>164.9</b>	<b>343.8</b>

(Table 60 continued on next page)

(Table 60 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
(In million cubic feet)					(In million board feet)					
<b>Catskill-Lower Hudson</b>										
Dutchess	0.5	-1.1	3.1	11.1	13.6	2.4	-3.7	17.0	58.7	74.5
Greene	2.1	0.8	-0.1	7.3	10.2	12.9	4.9	3.3	36.5	57.5
Orange	0.9	0.2	0.7	6.3	8.2	4.8	0.2	3.4	32.6	41.0
Putnam	--	0.0	0.5	1.9	2.4	--	0.0	2.1	11.1	13.2
Schoharie	0.2	1.7	2.3	3.2	7.4	3.2	7.3	8.2	17.5	36.2
Suffolk	4.0	0.6	0.6	5.0	10.3	13.9	2.1	1.1	19.9	37.0
Sullivan	2.7	2.7	4.9	5.2	15.6	13.5	10.5	18.7	30.4	73.2
Ulster	3.4	1.2	4.0	9.8	18.4	17.6	6.1	18.8	45.9	88.3
Bronx/Rockland/Westchester	0.0	0.0	3.0	8.0	11.0	0.1	--	18.6	42.5	61.2
Kings/Nassau/New York/Queens/Richmond	1.6	0.0	0.0	0.3	2.0	8.8	--	--	--	8.8
<b>Total</b>	15.5	6.3	19.1	58.1	99.0	77.2	27.6	91.0	295.0	490.9
<b>All counties</b>	68.0	66.6	180.0	302.4	617.0	380.9	260.2	823.2	1,360.3	2,824.6

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-60a.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Doyle rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	2.1	4.5	3.5	3.2	13.2	6.7	2.9	6.4	0.1	16.0
Franklin	1.7	2.5	4.1	5.3	13.5	6.4	4.7	11.9	7.9	30.9
Jefferson	3.5	1.1	3.0	4.6	12.2	10.1	1.6	10.2	4.6	26.6
St. Lawrence	4.7	4.7	9.0	8.5	27.0	14.3	4.1	8.9	17.1	44.4
<b>Total</b>	<b>12.0</b>	<b>12.8</b>	<b>19.6</b>	<b>21.5</b>	<b>65.9</b>	<b>37.6</b>	<b>13.2</b>	<b>37.4</b>	<b>29.7</b>	<b>117.9</b>
<b>Lake Plain</b>										
Erie	0.1	0.6	5.8	3.9	10.5	0.3	1.6	12.4	10.0	24.3
Genesee	1.0	0.1	0.7	3.0	4.9	2.2	--	3.3	4.6	10.0
Livingston	0.1	0.2	2.6	5.0	8.0	0.1	0.2	6.4	13.7	20.4
Madison	0.1	0.1	2.9	4.2	7.4	0.6	-1.6	7.7	12.2	19.0
Monroe	0.1	0.0	3.4	2.3	5.8	0.3	--	11.4	5.8	17.5
Niagara	0.6	0.0	1.4	3.0	5.0	1.6	--	4.8	7.2	13.6
Onondaga	0.2	0.0	3.2	6.6	10.1	0.7	0.0	12.6	13.3	26.7
Ontario	1.6	0.2	2.5	6.0	10.3	3.7	0.4	10.6	15.8	30.5
Orleans	--	--	1.2	1.8	3.0	--	--	4.2	2.5	6.7
Oswego	0.8	2.2	8.9	5.7	17.5	3.2	5.3	18.4	14.5	41.4
Wayne	0.0	-0.1	-0.7	3.0	2.2	--	--	-17.7	8.3	-9.4
Wyoming	0.1	0.3	-0.4	4.5	4.5	0.1	1.1	0.8	12.0	14.0
Yates	0.4	0.1	1.5	4.6	6.6	2.0	0.5	3.0	9.4	14.8
Cayuga/Seneca	0.3	0.6	2.6	5.7	9.1	1.7	1.5	9.9	15.6	28.7
<b>Total</b>	<b>5.5</b>	<b>4.3</b>	<b>35.6</b>	<b>59.5</b>	<b>105.0</b>	<b>16.4</b>	<b>9.1</b>	<b>87.7</b>	<b>144.9</b>	<b>258.1</b>
<b>Western Adirondack</b>										
Fulton	1.3	1.2	2.7	2.8	8.1	5.4	1.9	6.8	6.2	20.3
Herkimer	0.3	2.8	3.2	5.6	11.9	1.2	7.7	7.8	8.4	25.1
Lewis	5.2	3.1	5.5	5.0	18.9	18.6	5.8	11.3	9.3	45.0
Oneida	0.9	1.8	7.8	4.7	15.3	3.4	4.6	17.0	9.5	34.5
<b>Total</b>	<b>7.8</b>	<b>8.9</b>	<b>19.3</b>	<b>18.1</b>	<b>54.1</b>	<b>28.7</b>	<b>20.0</b>	<b>42.9</b>	<b>33.3</b>	<b>124.9</b>
<b>Eastern Adirondack</b>										
Essex	2.3	1.9	-0.6	8.2	11.8	3.6	3.0	0.9	14.9	22.4
Hamilton	0.6	0.9	1.6	4.2	7.2	2.4	2.5	3.6	4.3	12.8
Warren	3.2	4.2	1.0	6.5	14.9	12.8	8.9	2.9	12.0	36.6
<b>Total</b>	<b>6.1</b>	<b>6.9</b>	<b>2.0</b>	<b>18.9</b>	<b>33.9</b>	<b>18.8</b>	<b>14.4</b>	<b>7.3</b>	<b>31.3</b>	<b>71.8</b>

(Table 60a continued on next page)



(Table 60a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	1.7	0.6	6.3	8.0	16.6	5.5	1.1	18.5	17.3	42.4
Cattaraugus	0.5	3.4	13.4	12.7	30.1	3.2	8.7	34.3	36.6	82.9
Chautauqua	0.5	1.3	8.5	8.7	18.9	1.1	3.5	20.4	22.4	47.4
Steuben	0.6	1.7	5.8	14.5	22.6	7.6	3.5	11.8	30.7	53.7
<b>Total</b>	<b>3.4</b>	<b>7.0</b>	<b>34.0</b>	<b>43.9</b>	<b>88.2</b>	<b>17.6</b>	<b>16.8</b>	<b>85.1</b>	<b>107.0</b>	<b>226.4</b>
<b>South-Central Highlands</b>										
Broome	1.1	2.2	3.6	5.8	12.7	5.2	5.5	10.0	16.5	37.1
Chemung	0.6	0.9	1.9	3.9	7.4	1.7	2.2	4.8	11.3	19.9
Chenango	0.9	3.7	8.1	5.7	18.3	6.0	10.8	19.0	15.5	51.3
Cortland	0.4	0.5	3.4	4.8	9.1	1.6	1.2	7.1	10.7	20.6
Delaware	1.8	0.9	10.3	7.5	20.4	6.1	-0.1	23.6	25.0	54.6
Otsego	0.9	2.2	4.5	7.7	15.4	4.4	5.7	9.9	17.7	37.7
Schuyler	0.6	1.6	0.0	2.7	4.9	4.0	2.6	-2.2	7.5	11.9
Tioga	0.6	0.6	2.4	4.2	7.8	3.1	1.9	4.7	10.0	19.7
Tompkins	-0.5	0.2	0.1	3.7	3.5	-1.6	0.3	-3.2	10.5	6.0
<b>Total</b>	<b>6.2</b>	<b>12.9</b>	<b>34.3</b>	<b>46.0</b>	<b>99.4</b>	<b>30.6</b>	<b>30.0</b>	<b>73.6</b>	<b>124.7</b>	<b>258.8</b>
<b>Capitol District</b>										
Albany	1.4	0.1	0.8	3.3	5.6	6.9	-0.1	1.8	8.0	16.6
Columbia	1.0	1.5	2.0	6.8	11.3	3.5	5.0	4.4	23.5	36.4
Montgomery	0.4	0.7	2.1	1.8	5.0	1.5	1.4	5.0	4.2	12.1
Rensselaer	2.7	1.8	3.8	7.0	15.3	12.4	4.0	9.3	20.3	45.9
Saratoga	3.4	2.3	4.3	8.4	18.4	17.8	5.4	13.2	20.0	56.4
Schenectady	1.0	0.0	1.4	2.5	4.9	3.5	0.1	4.1	6.5	14.2
Washington	1.7	1.1	1.7	6.6	11.1	5.5	1.7	4.5	15.7	27.4
<b>Total</b>	<b>11.6</b>	<b>7.5</b>	<b>16.1</b>	<b>36.4</b>	<b>71.5</b>	<b>51.0</b>	<b>17.5</b>	<b>42.1</b>	<b>98.3</b>	<b>209.0</b>

(Table 60a continued on next page)

(Table 60a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Catskill-Lower Hudson</b>										
Dutchess	0.5	-1.1	3.1	11.1	13.6	1.3	-3.8	10.8	42.3	50.6
Greene	2.1	0.8	-0.1	7.3	10.2	9.2	2.7	0.7	21.1	33.7
Orange	0.9	0.2	0.7	6.3	8.2	3.7	0.1	2.2	20.3	26.3
Putnam	--	0.0	0.5	1.9	2.4	--	0.0	1.0	8.2	9.2
Schoharie	0.2	1.7	2.3	3.2	7.4	2.1	3.5	4.2	10.2	20.0
Suffolk	4.0	0.6	0.6	5.0	10.3	8.1	0.9	0.6	10.4	20.0
Sullivan	2.7	2.7	4.9	5.2	15.6	9.3	6.4	10.2	15.9	41.8
Ulster	3.4	1.2	4.0	9.8	18.4	15.6	3.4	13.0	24.5	56.5
Bronx/Rockland/Westchester	0.0	0.0	3.0	8.0	11.0	0.0	--	13.6	27.4	41.0
Kings/Nassau/New York/Queens/Richmond	1.6	0.0	0.0	0.3	2.0	9.2	--	--	--	9.2
<b>Total</b>	15.5	6.3	19.1	58.1	99.0	58.6	13.2	56.3	180.3	308.3
<b>All counties</b>	68.0	66.6	180.0	302.4	617.0	259.2	134.2	432.3	749.6	1,575.3

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-60b.—Average annual net growth of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	2.1	4.5	3.5	3.2	13.2	9.1	6.3	11.3	3.5	30.2
Franklin	1.7	2.5	4.1	5.3	13.5	7.9	8.3	20.1	14.6	51.0
Jefferson	3.5	1.1	3.0	4.6	12.2	14.9	2.9	12.9	8.8	39.4
St. Lawrence	4.7	4.7	9.0	8.5	27.0	21.6	8.7	26.7	29.6	86.7
<b>Total</b>	<b>12.0</b>	<b>12.8</b>	<b>19.6</b>	<b>21.5</b>	<b>65.9</b>	<b>53.5</b>	<b>26.2</b>	<b>71.0</b>	<b>56.5</b>	<b>207.3</b>
<b>Lake Plain</b>										
Erie	0.1	0.6	5.8	3.9	10.5	0.5	2.3	17.9	16.9	37.6
Genesee	1.0	0.1	0.7	3.0	4.9	3.6	--	5.1	7.7	16.4
Livingston	0.1	0.2	2.6	5.0	8.0	0.2	0.4	9.7	22.5	32.8
Madison	0.1	0.1	2.9	4.2	7.4	0.9	-1.3	12.8	17.7	30.2
Monroe	0.1	0.0	3.4	2.3	5.8	0.4	--	14.8	9.4	24.6
Niagara	0.6	0.0	1.4	3.0	5.0	2.1	--	7.8	11.2	21.1
Onondaga	0.2	0.0	3.2	6.6	10.1	0.9	0.0	17.4	21.4	39.8
Ontario	1.6	0.2	2.5	6.0	10.3	5.3	0.5	14.2	23.6	43.6
Orleans	--	--	1.2	1.8	3.0	--	--	5.0	4.0	9.0
Oswego	0.8	2.2	8.9	5.7	17.5	4.0	7.9	31.7	21.4	64.9
Wayne	0.0	-0.1	-0.7	3.0	2.2	--	--	-9.1	12.8	3.7
Wyoming	0.1	0.3	-0.4	4.5	4.5	0.2	2.0	1.0	18.8	22.0
Yates	0.4	0.1	1.5	4.6	6.6	2.4	0.6	5.1	15.2	23.3
Cayuga/Seneca	0.3	0.6	2.6	5.7	9.1	1.7	2.0	12.6	25.4	41.8
<b>Total</b>	<b>5.5</b>	<b>4.3</b>	<b>35.6</b>	<b>59.5</b>	<b>105.0</b>	<b>22.2</b>	<b>14.5</b>	<b>146.1</b>	<b>228.1</b>	<b>410.9</b>
<b>Western Adirondack</b>										
Fulton	1.3	1.2	2.7	2.8	8.1	6.8	4.0	12.6	10.5	33.9
Herkimer	0.3	2.8	3.2	5.6	11.9	1.9	11.2	12.1	15.2	40.4
Lewis	5.2	3.1	5.5	5.0	18.9	23.7	9.9	18.1	16.0	67.8
Oneida	0.9	1.8	7.8	4.7	15.3	4.9	6.6	25.9	18.8	56.1
<b>Total</b>	<b>7.8</b>	<b>8.9</b>	<b>19.3</b>	<b>18.1</b>	<b>54.1</b>	<b>37.3</b>	<b>31.7</b>	<b>68.7</b>	<b>60.5</b>	<b>198.2</b>
<b>Eastern Adirondack</b>										
Essex	2.3	1.9	-0.6	8.2	11.8	7.9	5.9	1.8	25.9	41.5
Hamilton	0.6	0.9	1.6	4.2	7.2	2.7	4.7	6.4	11.5	25.4
Warren	3.2	4.2	1.0	6.5	14.9	16.1	14.2	5.2	22.3	57.7
<b>Total</b>	<b>6.1</b>	<b>6.9</b>	<b>2.0</b>	<b>18.9</b>	<b>33.9</b>	<b>26.7</b>	<b>24.8</b>	<b>13.4</b>	<b>59.7</b>	<b>124.6</b>

(Table 60b continued on next page)

(Table 60b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group					Major species group				
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods	All species	Pine	Other softwoods	Soft hardwoods	Hard hardwoods	All species
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	1.7	0.6	6.3	8.0	16.6	8.1	1.9	27.1	28.9	66.0
Cattaraugus	0.5	3.4	13.4	12.7	30.1	4.4	11.9	53.4	56.7	126.5
Chautauqua	0.5	1.3	8.5	8.7	18.9	2.2	5.0	35.5	37.4	80.2
Steuben	0.6	1.7	5.8	14.5	22.6	8.9	5.8	20.9	51.4	87.0
<b>Total</b>	<b>3.4</b>	<b>7.0</b>	<b>34.0</b>	<b>43.9</b>	<b>88.2</b>	<b>23.7</b>	<b>24.7</b>	<b>137.0</b>	<b>174.4</b>	<b>359.6</b>
<b>South-Central Highlands</b>										
Broome	1.1	2.2	3.6	5.8	12.7	6.4	8.5	14.8	24.4	54.2
Chemung	0.6	0.9	1.9	3.9	7.4	2.6	3.0	7.7	16.6	30.0
Chenango	0.9	3.7	8.1	5.7	18.3	7.2	16.0	32.1	25.8	81.1
Cortland	0.4	0.5	3.4	4.8	9.1	2.4	1.8	11.8	17.8	33.8
Delaware	1.8	0.9	10.3	7.5	20.4	7.0	2.0	38.8	39.4	87.2
Otsego	0.9	2.2	4.5	7.7	15.4	6.1	8.0	16.4	29.4	59.9
Schuyler	0.6	1.6	0.0	2.7	4.9	3.9	4.6	-2.7	12.5	18.2
Tioga	0.6	0.6	2.4	4.2	7.8	4.9	2.5	8.2	16.5	32.1
Tompkins	-0.5	0.2	0.1	3.7	3.5	-1.7	0.5	-1.1	16.3	14.0
<b>Total</b>	<b>6.2</b>	<b>12.9</b>	<b>34.3</b>	<b>46.0</b>	<b>99.4</b>	<b>39.0</b>	<b>46.8</b>	<b>126.0</b>	<b>198.8</b>	<b>410.6</b>
<b>Capitol District</b>										
Albany	1.4	0.1	0.8	3.3	5.6	9.8	-0.1	2.4	11.2	23.3
Columbia	1.0	1.5	2.0	6.8	11.3	4.6	6.4	7.2	32.0	50.1
Montgomery	0.4	0.7	2.1	1.8	5.0	2.2	2.1	8.9	6.1	19.3
Rensselaer	2.7	1.8	3.8	7.0	15.3	13.5	6.1	15.0	30.9	65.5
Saratoga	3.4	2.3	4.3	8.4	18.4	19.3	8.8	19.2	31.1	78.4
Schenectady	1.0	0.0	1.4	2.5	4.9	4.2	0.2	6.7	8.9	20.0
Washington	1.7	1.1	1.7	6.6	11.1	7.5	3.0	8.1	24.7	43.3
<b>Total</b>	<b>11.6</b>	<b>7.5</b>	<b>16.1</b>	<b>36.4</b>	<b>71.5</b>	<b>61.1</b>	<b>26.4</b>	<b>67.6</b>	<b>144.9</b>	<b>300.0</b>

(Table 60b continued on next page)

(Table 60b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Catskill-Lower Hudson</b>										
Dutchess	0.5	-1.1	3.1	11.1	13.6	2.0	-3.5	15.6	52.9	67.1
Greene	2.1	0.8	-0.1	7.3	10.2	11.3	4.1	2.5	32.3	50.2
Orange	0.9	0.2	0.7	6.3	8.2	4.3	0.2	3.8	28.8	37.1
Putnam	--	0.0	0.5	1.9	2.4	--	0.0	1.7	10.0	11.8
Schoharie	0.2	1.7	2.3	3.2	7.4	2.8	6.0	7.0	15.3	31.1
Suffolk	4.0	0.6	0.6	5.0	10.3	11.8	1.7	1.0	17.1	31.6
Sullivan	2.7	2.7	4.9	5.2	15.6	11.8	9.0	16.7	26.1	63.6
Ulster	3.4	1.2	4.0	9.8	18.4	15.9	5.1	16.5	39.6	77.1
Bronx/Rockland/Westchester	0.0	0.0	3.0	8.0	11.0	0.1	--	17.1	37.7	54.9
Kings/Nassau/New York/Queens/Richmond	1.6	0.0	0.0	0.3	2.0	8.2	--	--	--	8.2
<b>Total</b>	15.5	6.3	19.1	58.1	99.0	68.1	22.7	82.0	259.8	432.6
<b>All counties</b>	68.0	66.6	180.0	302.4	617.0	331.5	217.9	711.7	1,182.6	2,443.8

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-61.—Average annual removals of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet, and sawtimber trees, in million board feet (International ¼-rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	--	1.0	3.1	5.2	9.3	--	0.2	7.6	14.7	22.6
Franklin	1.9	0.5	2.6	10.6	15.6	9.6	0.9	5.4	31.7	47.5
Jefferson	--	0.0	0.4	0.7	1.1	--	--	1.2	2.2	3.4
St. Lawrence	3.0	1.2	5.1	6.5	15.8	11.3	3.8	13.3	22.8	51.2
<b>Total</b>	4.9	2.8	11.1	22.9	41.7	21.0	4.9	27.5	71.4	124.8
<b>Lake Plain</b>										
Erie	--	--	2.1	--	2.1	--	--	3.8	--	3.8
Livingston	--	--	0.8	2.8	3.6	--	--	3.1	10.5	13.6
Madison	--	0.0	0.1	0.9	1.1	--	--	--	4.3	4.3
Monroe	--	--	0.0	0.6	0.7	--	--	--	3.4	3.4
Niagara	--	--	--	0.0	0.0	--	--	--	--	--
Onondaga	--	0.2	1.3	1.0	2.5	--	0.8	5.0	4.0	9.7
Ontario	--	0.1	2.2	2.2	4.5	--	--	8.3	8.3	16.6
Orleans	--	--	0.0	--	0.0	--	--	--	--	--
Oswego	1.5	0.9	6.0	1.0	9.4	7.9	3.0	28.3	2.0	41.1
Wayne	0.0	--	0.0	1.8	1.9	--	--	--	8.3	8.3
Wyoming	--	--	1.1	2.3	3.4	--	--	4.7	9.1	13.8
Yates	0.8	--	--	--	0.8	1.9	--	--	--	1.9
Cayuga/Seneca	--	--	2.3	3.4	5.7	--	--	11.9	12.5	24.4
<b>Total</b>	2.3	1.2	15.9	16.2	35.6	9.8	3.7	65.0	62.5	141.0
<b>Western Adirondack</b>										
Fulton	0.4	--	0.3	--	0.7	1.8	--	--	--	1.8
Herkimer	0.4	0.2	5.8	3.5	9.9	1.4	0.6	18.9	15.0	35.9
Lewis	4.8	--	5.1	0.3	10.3	17.4	--	17.0	0.7	35.1
Oneida	--	0.3	1.0	0.6	2.0	--	1.1	4.5	2.3	8.0
<b>Total</b>	5.5	0.6	12.2	4.5	22.8	20.6	1.7	40.5	18.0	80.8
<b>Eastern Adirondack</b>										
Essex	4.6	3.1	1.6	10.5	19.7	19.0	9.7	5.1	36.9	70.6
Hamilton	--	1.0	2.3	4.3	7.6	--	2.7	4.2	12.0	18.9
Warren	9.1	1.4	1.8	3.5	15.8	43.7	4.6	3.5	10.9	62.7
<b>Total</b>	13.6	5.5	5.8	18.2	43.1	62.7	17.0	12.8	59.8	152.3

(Table 61 continued on next page)

(Table 61 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	0.7	0.1	1.5	5.1	7.5	2.5	--	7.3	20.8	30.6
Cattaraugus	0.6	5.5	4.4	6.5	17.0	2.3	20.7	17.0	24.9	64.8
Chautauqua	--	0.0	4.4	0.5	5.0	--	--	21.0	2.3	23.3
Steuben	3.2	0.6	2.5	4.4	10.7	17.3	2.2	7.5	19.8	46.9
<b>Total</b>	<b>4.5</b>	<b>6.2</b>	<b>12.9</b>	<b>16.5</b>	<b>40.2</b>	<b>22.1</b>	<b>22.8</b>	<b>52.7</b>	<b>67.9</b>	<b>165.6</b>
<b>South-Central Highlands</b>										
Broome	0.2	--	1.6	3.3	5.0	--	--	6.8	12.8	19.6
Chemung	--	--	0.5	0.6	1.1	--	--	1.1	2.8	3.9
Chenango	0.8	0.8	2.5	3.6	7.6	2.3	2.3	12.0	16.4	32.9
Cortland	--	0.5	2.7	4.7	7.9	--	2.1	12.4	21.9	36.4
Delaware	--	--	5.5	0.9	6.4	--	--	21.2	2.4	23.6
Otsego	--	--	1.9	2.4	4.3	--	--	7.5	8.7	16.3
Tioga	--	--	0.1	0.5	0.6	--	--	--	1.6	1.6
Tompkins	--	--	0.3	0.8	1.1	--	--	--	3.2	3.2
<b>Total</b>	<b>0.9</b>	<b>1.4</b>	<b>15.0</b>	<b>16.9</b>	<b>34.1</b>	<b>2.3</b>	<b>4.4</b>	<b>61.0</b>	<b>69.8</b>	<b>137.4</b>
<b>Capitol District</b>										
Albany	2.4	--	1.0	0.1	3.5	10.4	--	--	--	10.4
Columbia	0.1	--	0.2	0.1	0.4	0.4	--	0.9	--	1.2
Montgomery	--	--	0.7	--	0.7	--	--	2.4	--	2.4
Rensselaer	0.1	1.8	2.6	3.9	8.5	--	6.5	5.5	15.9	27.8
Saratoga	6.7	1.0	1.5	6.6	15.9	31.0	3.9	2.7	18.9	56.5
Schenectady	--	--	0.6	2.0	2.6	--	--	3.3	9.6	12.9
Washington	--	0.3	0.9	2.1	3.4	--	1.0	3.2	7.7	12.0
<b>Total</b>	<b>9.3</b>	<b>3.2</b>	<b>7.6</b>	<b>14.8</b>	<b>34.9</b>	<b>41.8</b>	<b>11.4</b>	<b>17.9</b>	<b>52.1</b>	<b>123.2</b>

(Table 61 continued on next page)

(Table 61 continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Catskill-Lower Hudson</b>										
Dutchess	--	1.2	0.6	3.0	4.8	--	5.4	1.1	12.7	19.2
Greene	--	--	0.3	0.5	0.8	--	--	--	2.2	2.2
Orange	--	--	0.6	2.8	3.3	--	--	1.3	12.2	13.5
Schoharie	0.1	--	0.0	1.1	1.1	--	--	--	4.3	4.3
Suffolk	--	--	--	0.4	0.4	--	--	--	1.5	1.5
Sullivan	--	--	1.5	1.7	3.2	--	--	6.9	7.0	13.9
Ulster	--	--	0.3	3.6	3.9	--	--	1.2	13.9	15.1
Bronx/Rockland/Westchester	--	--	0.6	4.3	4.8	--	--	1.3	17.2	18.5
<b>Total</b>	0.1	1.2	3.8	17.3	22.4	--	5.4	11.9	71.0	88.3
<b>All counties</b>	41.2	22.1	84.3	127.3	274.9	180.2	71.3	289.2	472.4	1,013.2

All table cells without observations in the inventory sample are indicated by --.  
Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.  
Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties



Table NY-61a.—Average annual removals of growing stock trees (at least 5 inches d.b.h.) in million board feet, and sawtimber trees, in million board feet (Doyle rule) on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	--	1.0	3.1	5.2	9.3	--	0.1	4.7	7.7	12.5
Franklin	1.9	0.5	2.6	10.6	15.6	8.1	0.3	2.6	18.1	29.1
Jefferson	--	0.0	0.4	0.7	1.1	--	--	0.7	1.0	1.7
St. Lawrence	3.0	1.2	5.1	6.5	15.8	7.4	1.7	7.1	14.0	30.2
<b>Total</b>	4.9	2.8	11.1	22.9	41.7	15.5	2.1	15.1	40.8	73.5
<b>Lake Plain</b>										
Erie	--	--	2.1	--	2.1	--	--	2.2	--	2.2
Livingston	--	--	0.8	2.8	3.6	--	--	1.7	6.9	8.6
Madison	--	0.0	0.1	0.9	1.1	--	--	--	2.5	2.5
Monroe	--	--	0.0	0.6	0.7	--	--	--	2.7	2.7
Niagara	--	--	--	0.0	0.0	--	--	--	--	--
Onondaga	--	0.2	1.3	1.0	2.5	--	0.3	3.8	2.8	6.9
Ontario	--	0.1	2.2	2.2	4.5	--	--	5.4	5.3	10.7
Orleans	--	--	0.0	--	0.0	--	--	--	--	--
Oswego	1.5	0.9	6.0	1.0	9.4	7.3	1.6	19.9	1.1	29.8
Wayne	0.0	--	0.0	1.8	1.9	--	--	--	5.2	5.2
Wyoming	--	--	1.1	2.3	3.4	--	--	2.8	5.6	8.4
Yates	0.8	--	--	--	0.8	0.7	--	--	--	0.7
Cayuga/Seneca	--	--	2.3	3.4	5.7	--	--	8.2	7.7	15.8
<b>Total</b>	2.3	1.2	15.9	16.2	35.6	8.0	1.9	44.0	39.7	93.6
<b>Western Adirondack</b>										
Fulton	0.4	--	0.3	--	0.7	1.4	--	--	--	1.4
Herkimer	0.4	0.2	5.8	3.5	9.9	0.7	0.3	11.6	9.3	21.9
Lewis	4.8	--	5.1	0.3	10.3	11.0	--	10.9	0.4	22.3
Oneida	--	0.3	1.0	0.6	2.0	--	0.8	2.6	1.7	5.0
<b>Total</b>	5.5	0.6	12.2	4.5	22.8	13.1	1.1	25.1	11.3	50.5
<b>Eastern Adirondack</b>										
Essex	4.6	3.1	1.6	10.5	19.7	12.6	6.9	2.9	23.4	45.8
Hamilton	--	1.0	2.3	4.3	7.6	--	1.3	2.5	6.4	10.1
Warren	9.1	1.4	1.8	3.5	15.8	33.3	3.2	1.9	5.9	44.4
<b>Total</b>	13.6	5.5	5.8	18.2	43.1	46.0	11.4	7.3	35.7	100.3

(Table 61a continued on next page)

(Table 61a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	0.7	0.1	1.5	5.1	7.5	1.0	--	5.2	12.7	19.0
Cattaraugus	0.6	5.5	4.4	6.5	17.0	1.3	13.6	10.3	16.1	41.2
Chautauqua	--	0.0	4.4	0.5	5.0	--	--	14.4	1.5	16.0
Steuben	3.2	0.6	2.5	4.4	10.7	17.5	1.4	4.3	13.5	36.7
<b>Total</b>	4.5	6.2	12.9	16.5	40.2	19.8	15.0	34.2	43.8	112.8
<b>South-Central Highlands</b>										
Broome	0.2	--	1.6	3.3	5.0	--	--	3.8	6.9	10.8
Chemung	--	--	0.5	0.6	1.1	--	--	0.6	1.8	2.4
Chenango	0.8	0.8	2.5	3.6	7.6	1.2	1.4	8.0	9.6	20.2
Cortland	--	0.5	2.7	4.7	7.9	--	1.6	8.4	13.1	23.1
Delaware	--	--	5.5	0.9	6.4	--	--	11.7	1.5	13.2
Otsego	--	--	1.9	2.4	4.3	--	--	4.2	5.1	9.3
Tioga	--	--	0.1	0.5	0.6	--	--	--	0.8	0.8
Tompkins	--	--	0.3	0.8	1.1	--	--	--	1.8	1.8
<b>Total</b>	0.9	1.4	15.0	16.9	34.1	1.2	3.0	36.8	40.6	81.6
<b>Capitol District</b>										
Albany	2.4	--	1.0	0.1	3.5	6.9	--	--	--	6.9
Columbia	0.1	--	0.2	0.1	0.4	0.2	--	0.5	--	0.6
Montgomery	--	--	0.7	--	0.7	--	--	1.6	--	1.6
Rensselaer	0.1	1.8	2.6	3.9	8.5	--	4.1	3.5	9.6	17.2
Saratoga	6.7	1.0	1.5	6.6	15.9	25.0	2.0	1.4	10.5	38.9
Schenectady	--	--	0.6	2.0	2.6	--	--	2.5	6.6	9.1
Washington	--	0.3	0.9	2.1	3.4	--	0.7	2.0	4.3	7.0
<b>Total</b>	9.3	3.2	7.6	14.8	34.9	32.0	6.8	11.4	31.0	81.3

(Table 61a continued on next page)

(Table 61a continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
(In million cubic feet)					(In million board feet)					
<b>Catskill-Lower Hudson</b>										
Dutchess	--	1.2	0.6	3.0	4.8	--	5.2	0.5	8.6	14.3
Greene	--	--	0.3	0.5	0.8	--	--	--	1.6	1.6
Orange	--	--	0.6	2.8	3.3	--	--	0.7	7.3	7.9
Schoharie	0.1	--	0.0	1.1	1.1	--	--	--	2.2	2.2
Suffolk	--	--	--	0.4	0.4	--	--	--	1.0	1.0
Sullivan	--	--	1.5	1.7	3.2	--	--	4.6	4.3	8.9
Ulster	--	--	0.3	3.6	3.9	--	--	0.6	8.5	9.1
Bronx/Rockland/Westchester	--	--	0.6	4.3	4.8	--	--	0.6	12.2	12.8
<b>Total</b>	0.1	1.2	3.8	17.3	22.4	--	5.2	7.0	45.6	57.8
<b>All counties</b>	41.2	22.1	84.3	127.3	274.9	135.7	46.5	180.9	288.4	651.5

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-61b.—Average annual removals of growing-stock trees (at least 5 inches d.b.h.), in million cubic feet and sawtimber trees, in million board feet (Scribner rule), on timberland by inventory unit, county, and major species group, New York, 2012

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Adirondack</b>										
Clinton	--	1.0	3.1	5.2	9.3	--	0.2	6.7	12.7	19.7
Franklin	1.9	0.5	2.6	10.6	15.6	8.7	0.7	4.6	27.8	41.7
Jefferson	--	0.0	0.4	0.7	1.1	--	--	1.0	1.9	2.9
St. Lawrence	3.0	1.2	5.1	6.5	15.8	9.8	3.1	11.5	20.2	44.7
<b>Total</b>	4.9	2.8	11.1	22.9	41.7	18.6	4.0	23.9	62.6	109.0
<b>Lake Plain</b>										
Erie	--	--	2.1	--	2.1	--	--	3.3	--	3.3
Livingston	--	--	0.8	2.8	3.6	--	--	2.7	9.4	12.2
Madison	--	0.0	0.1	0.9	1.1	--	--	--	3.8	3.8
Monroe	--	--	0.0	0.6	0.7	--	--	--	3.2	3.2
Niagara	--	--	--	0.0	0.0	--	--	--	--	--
Onondaga	--	0.2	1.3	1.0	2.5	--	0.6	4.6	3.6	8.8
Ontario	--	0.1	2.2	2.2	4.5	--	--	7.4	7.4	14.8
Orleans	--	--	0.0	--	0.0	--	--	--	--	--
Oswego	1.5	0.9	6.0	1.0	9.4	7.3	2.5	25.6	1.7	37.2
Wayne	0.0	--	0.0	1.8	1.9	--	--	--	7.4	7.4
Wyoming	--	--	1.1	2.3	3.4	--	--	4.2	8.1	12.2
Yates	0.8	--	--	--	0.8	1.5	--	--	--	1.5
Cayuga/Seneca	--	--	2.3	3.4	5.7	--	--	10.8	11.1	21.8
<b>Total</b>	2.3	1.2	15.9	16.2	35.6	8.8	3.1	58.6	55.7	126.2
<b>Western Adirondack</b>										
Fulton	0.4	--	0.3	--	0.7	1.6	--	--	--	1.6
Herkimer	0.4	0.2	5.8	3.5	9.9	1.2	0.5	16.7	13.3	31.8
Lewis	4.8	--	5.1	0.3	10.3	15.0	--	15.2	0.6	30.8
Oneida	--	0.3	1.0	0.6	2.0	--	1.0	4.0	2.1	7.1
<b>Total</b>	5.5	0.6	12.2	4.5	22.8	17.8	1.5	35.9	16.0	71.2
<b>Eastern Adirondack</b>										
Essex	4.6	3.1	1.6	10.5	19.7	16.5	8.5	4.5	32.8	62.3
Hamilton	--	1.0	2.3	4.3	7.6	--	2.2	3.7	10.4	16.3
Warren	9.1	1.4	1.8	3.5	15.8	38.9	4.0	3.0	9.5	55.5
<b>Total</b>	13.6	5.5	5.8	18.2	43.1	55.4	14.8	11.2	52.7	134.1

(Table 61b continued on next page)

(Table 61b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
	(In million cubic feet)					(In million board feet)				
<b>Southwest Highlands</b>										
Allegany	0.7	0.1	1.5	5.1	7.5	2.0	--	6.6	18.5	27.1
Cattaraugus	0.6	5.5	4.4	6.5	17.0	1.9	18.0	15.0	22.3	57.2
Chautauqua	--	0.0	4.4	0.5	5.0	--	--	18.9	2.1	21.0
Steuben	3.2	0.6	2.5	4.4	10.7	16.1	1.9	6.6	17.8	42.4
<b>Total</b>	4.5	6.2	12.9	16.5	40.2	20.1	19.9	47.2	60.7	147.8
<b>South-Central Highlands</b>										
Broome	0.2	--	1.6	3.3	5.0	--	--	5.9	11.1	17.0
Chemung	--	--	0.5	0.6	1.1	--	--	0.9	2.5	3.4
Chenango	0.8	0.8	2.5	3.6	7.6	1.9	1.9	10.8	14.4	29.1
Cortland	--	0.5	2.7	4.7	7.9	--	1.9	11.2	19.4	32.4
Delaware	--	--	5.5	0.9	6.4	--	--	18.1	2.2	20.2
Otsego	--	--	1.9	2.4	4.3	--	--	6.6	7.7	14.3
Tioga	--	--	0.1	0.5	0.6	--	--	--	1.3	1.3
Tompkins	--	--	0.3	0.8	1.1	--	--	--	2.8	2.8
<b>Total</b>	0.9	1.4	15.0	16.9	34.1	1.9	3.8	53.5	61.4	120.7
<b>Capitol District</b>										
Albany	2.4	--	1.0	0.1	3.5	9.1	--	--	--	9.1
Columbia	0.1	--	0.2	0.1	0.4	0.3	--	0.8	--	1.1
Montgomery	--	--	0.7	--	0.7	--	--	2.2	--	2.2
Rensselaer	0.1	1.8	2.6	3.9	8.5	--	5.6	4.9	14.0	24.6
Saratoga	6.7	1.0	1.5	6.6	15.9	27.9	3.3	2.3	16.4	49.9
Schenectady	--	--	0.6	2.0	2.6	--	--	3.0	8.7	11.7
Washington	--	0.3	0.9	2.1	3.4	--	0.9	2.9	6.7	10.5
<b>Total</b>	9.3	3.2	7.6	14.8	34.9	37.3	9.8	16.0	45.9	108.9

(Table 61b continued on next page)

(Table 61b continued)

Inventory unit and county	Growing stock					Sawtimber				
	Major species group				All species	Major species group				All species
	Pine	Other softwoods	Soft hardwoods	Hard hardwoods		Pine	Other softwoods	Soft hardwoods	Hard hardwoods	
(In million cubic feet)					(In million board feet)					
<b>Catskill-Lower Hudson</b>										
Dutchess	--	1.2	0.6	3.0	4.8	--	5.1	0.9	11.4	17.4
Greene	--	--	0.3	0.5	0.8	--	--	--	2.0	2.0
Orange	--	--	0.6	2.8	3.3	--	--	1.1	10.8	11.9
Schoharie	0.1	--	0.0	1.1	1.1	--	--	--	3.7	3.7
Suffolk	--	--	--	0.4	0.4	--	--	--	1.3	1.3
Sullivan	--	--	1.5	1.7	3.2	--	--	6.2	6.2	12.4
Ulster	--	--	0.3	3.6	3.9	--	--	1.0	12.3	13.4
Bronx/Rockland/Westchester	--	--	0.6	4.3	4.8	--	--	1.1	15.6	16.7
<b>Total</b>	0.1	1.2	3.8	17.3	22.4	--	5.1	10.4	63.3	78.8
<b>All counties</b>	41.2	22.1	84.3	127.3	274.9	159.9	61.8	256.7	418.3	896.6

All table cells without observations in the inventory sample are indicated by --.

Table value of 0.0 indicates the volume rounds to less than 100,000 cubic or board feet.

Columns and rows may not add to their totals due to rounding.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties

Table NY-65.—Sampling errors, in percent, for net volume, average annual net growth, average annual removals, and average annual mortality on timberland, and forest area and timberland area by inventory unit and county, New York, 2012

Inventory unit and county	Forest area	Timberland area	Growing stock				Sawtimber			
			Volume	Average annual net growth	Average annual removals	Average annual mortality	Volume	Average annual net growth	Average annual removals	Average annual mortality
<b>Adirondack</b>										
Clinton	10.55	11.40	14.63	20.20	43.35	21.96	18.58	23.18	48.27	31.66
Franklin	6.96	8.99	12.12	21.58	39.99	19.42	14.42	20.28	44.86	31.83
Jefferson	10.45	10.45	15.28	18.81	72.50	28.40	19.78	22.77	83.29	61.71
St. Lawrence	5.26	5.52	7.51	16.11	24.04	12.45	9.25	20.83	27.74	21.01
<b>Total</b>	1.47	1.88	3.76	8.70	20.01	8.15	5.45	10.54	22.41	14.78
<b>Lake Plain</b>										
Erie	16.22	16.22	24.17	21.82	69.41	42.09	29.03	24.10	95.57	64.04
Genesee	22.16	22.61	29.93	37.43	--	46.16	32.54	35.47	--	95.57
Livingston	19.11	19.11	24.43	23.90	51.19	34.13	26.94	25.26	55.13	85.52
Madison	15.85	15.85	21.10	33.43	68.58	36.57	23.90	36.32	75.29	54.55
Monroe	22.77	22.77	31.11	44.67	96.94	49.68	33.50	46.35	100.00	67.95
Niagara	23.66	23.66	35.34	33.27	100.00	54.82	37.42	33.25	--	95.57
Onondaga	16.24	16.55	22.14	22.06	58.63	31.27	24.82	25.02	67.92	39.75
Ontario	16.89	16.94	22.38	21.66	46.72	35.89	24.89	21.98	47.63	100.00
Orleans	27.18	27.91	43.06	36.67	100.00	52.10	46.56	40.25	--	--
Oswego	12.27	12.30	14.02	17.27	42.79	20.36	15.08	17.49	46.92	28.85
Wayne	19.70	19.70	26.83	100.00	66.93	72.01	28.34	100.00	68.24	80.70
Wyoming	19.63	20.18	26.75	31.75	65.15	35.45	29.55	33.20	66.20	44.10
Yates	24.22	24.22	36.21	38.35	95.57	61.33	41.08	35.40	95.57	--
Cayuga/Seneca	15.53	15.72	19.10	24.83	52.64	34.24	20.43	21.19	55.65	48.46
<b>Total</b>	2.47	2.52	4.27	7.14	19.20	13.84	5.22	8.77	21.79	28.60
<b>Western Adirondack</b>										
Fulton	13.42	15.70	19.29	24.88	68.18	28.58	20.70	23.59	100.00	41.33
Herkimer	6.87	10.30	12.50	16.02	40.04	18.82	14.89	17.83	39.06	34.14
Lewis	8.68	9.12	11.14	15.49	36.47	21.91	12.73	16.02	37.01	28.67
Oneida	10.00	10.13	13.97	18.71	54.85	20.10	15.56	20.18	57.64	26.22
<b>Total</b>	1.74	2.30	4.33	7.45	23.93	9.62	5.70	8.02	23.84	14.76
<b>Eastern Adirondack</b>										
Essex	6.14	8.29	10.25	30.63	36.11	22.07	12.58	36.63	41.92	30.34
Hamilton	5.80	12.96	15.19	28.20	43.86	27.09	17.41	31.56	43.38	40.17
Warren	10.35	12.36	14.31	22.47	45.20	20.70	16.19	18.19	48.81	34.00
<b>Total</b>	1.03	2.26	4.47	14.37	24.42	13.17	6.40	14.64	28.33	20.92

(Table 65 continued on next page)

(Table 65 continued)

Inventory unit and county	Forest area	Timberland area	Growing stock				Sawtimber			
			Volume	Average annual net growth	Average annual removals	Average annual mortality	Volume	Average annual net growth	Average annual removals	Average annual mortality
<b>Southwest Highlands</b>										
Allegany	11.04	11.04	14.57	16.81	41.52	24.20	16.27	18.09	43.85	30.95
Cattaraugus	8.43	8.83	12.00	12.24	46.76	24.12	13.78	12.77	45.08	39.64
Chautauqua	11.39	11.39	14.25	16.31	52.34	28.05	15.99	16.84	52.28	40.21
Steuben	9.35	9.35	12.61	13.90	35.42	32.64	14.14	14.09	38.08	48.23
<b>Total</b>	2.12	2.27	4.54	5.47	23.77	13.06	5.75	5.83	22.83	20.69
<b>South-Central Highlands</b>										
Broome	14.51	14.51	17.98	20.66	43.14	29.86	19.95	21.13	44.65	46.90
Chemung	19.12	19.12	23.04	23.68	66.62	30.93	23.09	24.47	70.13	44.41
Chenango	11.24	11.24	13.85	17.14	49.31	27.41	14.86	17.15	50.59	35.27
Cortland	15.44	15.44	20.94	21.10	46.38	36.03	22.94	24.41	47.78	61.66
Delaware	7.73	8.19	9.77	15.11	39.91	21.01	10.76	14.47	40.21	27.31
Otsego	12.01	12.18	14.89	17.26	46.08	31.79	15.76	17.87	48.04	43.28
Schuyler	19.59	19.59	25.41	37.09	- -	39.99	29.80	40.26	- -	47.50
Tioga	18.28	18.28	23.19	23.63	68.48	33.92	25.62	25.27	93.66	62.00
Tompkins	20.33	20.33	24.47	34.61	70.33	34.21	25.85	33.68	93.66	48.22
<b>Total</b>	1.67	1.75	3.22	5.28	18.98	9.41	3.99	5.36	20.43	14.06
<b>Capitol District</b>										
Albany	15.82	17.24	21.55	26.30	69.52	24.67	25.93	27.31	70.95	37.83
Columbia	17.42	17.42	21.57	23.69	64.17	40.66	22.11	22.01	77.00	69.11
Montgomery	29.16	29.16	38.13	35.07	79.42	55.58	40.19	36.48	96.73	68.59
Rensselaer	14.25	14.70	18.04	17.07	41.17	27.75	18.97	17.79	43.80	41.30
Saratoga	11.21	11.64	14.86	15.76	40.96	26.66	16.15	15.47	45.53	38.65
Schenectady	25.52	25.52	31.79	32.24	85.30	52.57	36.11	33.95	85.66	70.05
Washington	12.24	12.80	16.63	18.54	36.77	23.20	18.07	20.36	40.85	31.65
<b>Total</b>	2.67	2.94	5.12	5.59	23.14	10.63	6.11	5.87	25.67	17.43

(Table 65 continued on next page)



(Table 65 continued)

Inventory unit and county	Forest area	Timberland area	Growing stock				Sawtimber			
			Volume	Average annual net growth	Average annual removals	Average annual mortality	Volume	Average annual net growth	Average annual removals	Average annual mortality
<b>Catskill-Lower Hudson</b>										
Dutchess	13.66	14.38	16.81	27.70	48.79	33.65	18.34	23.07	49.13	40.19
Greene	12.43	15.20	18.33	20.79	64.19	31.40	20.48	20.12	98.40	54.40
Orange	13.45	14.75	18.65	22.41	63.59	35.42	20.16	22.21	75.01	43.98
Putnam	28.16	32.94	36.93	56.88	--	63.95	38.81	54.12	--	68.64
Schoharie	14.49	14.49	17.70	30.29	66.39	31.04	19.26	27.73	68.73	39.95
Suffolk	15.97	18.52	23.34	27.75	100.00	51.97	29.23	32.53	100.00	--
Sullivan	11.35	11.41	12.72	20.90	50.72	32.50	13.89	17.51	53.62	43.14
Ulster	9.11	11.47	13.35	15.59	44.52	22.43	14.78	17.20	47.91	28.64
Bronx/Rockland/Westchester	17.68	20.08	23.91	26.66	65.09	47.38	25.18	25.59	66.08	65.87
Kings/Nassau/New York/Queens/Richmond	47.28	51.87	59.45	55.10	--	--	70.11	69.14	--	--
<b>Total</b>	2.13	2.73	3.97	6.78	22.89	11.42	4.91	6.31	24.01	15.10
<b>All counties</b>	0.67	0.83	1.48	2.51	8.08	3.94	1.89	2.68	8.73	6.90

Sampling errors that exceed 100% are reported as 100%.

Bronx/Rockland/Westchester = Bronx, Rockland, and Westchester Counties

Kings/Nassau/New York/Queens/Richmond = Kings, Nassau, New York, Queens, and Richmond Counties