

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
<i>Species</i>		
FUNGI		
<i>Acanthophysium farlowii</i> (<i>Aleurodiscus farlowii</i>)		B
<i>Albatrellus avellaneus</i>		B
<i>Albatrellus caeruleoporus</i>		B
<i>Albatrellus ellisii</i>		B
<i>Albatrellus flettii</i>		B
<i>Alpova alexsmithii</i>		B
<i>Alpova olivaceotinctus</i>		B
<i>Arcangeliella camphorata</i> (<i>Arcangeliella</i> sp. nov. #Trappe 12382; <i>Arcangeliella</i> sp. nov. #Trappe 12359)		B
<i>Arcangeliella crassa</i>		B
<i>Arcangeliella lactarioides</i>		B
<i>Asterophora lycoperdoides</i>		B
<i>Asterophora parasitica</i>		B
<i>Baeospora myriadophylla</i>		B
<i>Balsamia nigrens</i> (<i>Balsamia nigra</i>)		B
<i>Boletus haematinus</i>		B
<i>Boletus pulcherrimus</i>		B
<i>Bondarzewia mesenterica</i> (<i>Bondarzewia montana</i>)		B
<i>Bridgeporus nobilissimus</i> (<i>Oxyporus nobilissimus</i>)		A
<i>Cantharellus subalbidus</i>		D
<i>Catathelasma ventricosa</i>		B
<i>Chalciporus piperatus</i> (<i>Boletus piperatus</i>)		D
<i>Chamonixia caespitosa</i> (<i>Chamonixia pacifica</i> sp. nov. #Trappe #12768)		B
<i>Choiromyces alveolatus</i>		B
<i>Choiromyces venosus</i>		B
<i>Chromosera cyanophylla</i> (<i>Mycena lilacifolia</i>)		B
<i>Chroogomphus loculatus</i>		B
<i>Chrysomphalina grossula</i>		B
<i>Clavariadelphus ligula</i>		B
<i>Clavariadelphus occidentalis</i> (<i>Clavariadelphus pistillaris</i>)		B
<i>Clavariadelphus sachalinensis</i>		B
<i>Clavariadelphus subfastigiatus</i>		B
<i>Clavariadelphus truncatus</i> (syn. <i>Clavariadelphus borealis</i>)		B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
FUNGI (continued)		
	<i>Clavulina castanopes</i> v. <i>lignicola</i> (<i>Clavulina ornatipes</i>)	B
	<i>Clitocybe senilis</i>	B
	<i>Clitocybe subditopoda</i>	B
	<i>Collybia bakerensis</i>	B
	<i>Collybia racemosa</i>	B
	<i>Cordyceps capitata</i>	B
	<i>Cordyceps ophioglossoides</i>	B
	<i>Cortinarius barlowensis</i> (syn. <i>Cortinarius azureus</i>)	B
	<i>Cortinarius boulderensis</i>	B
	<i>Cortinarius cyanites</i>	B
	<i>Cortinarius depauperatus</i> (<i>Cortinarius spilomeus</i>)	B
	<i>Cortinarius magnivelatus</i>	B
	<i>Cortinarius olympianus</i>	B
	<i>Cortinarius speciosissimus</i> (<i>Cortinarius rainierensis</i>)	B
	<i>Cortinarius tabularis</i>	B
	<i>Cortinarius umidicola</i> (<i>Cortinarius canabarba</i>)	B
	<i>Cortinarius valgus</i>	B
	<i>Cortinarius variipes</i>	B
	<i>Cortinarius verrucisporus</i>	B
	<i>Cortinarius wiebeae</i>	B
	<i>Craterellus tubaeformis</i> (syn. <i>Cantharellus tubaeformis</i>)	D
	<i>Cudonia monticola</i>	B
	<i>Cyphellostereum laeve</i>	B
	<i>Dermocybe humboldtensis</i>	B
	<i>Destuntzia fusca</i>	B
	<i>Destuntzia rubra</i>	B
	<i>Dichostereum boreale</i> (<i>Dichostereum granulosum</i>)	B
	<i>Elaphomyces anthracinus</i>	B
	<i>Elaphomyces subviscidus</i>	B
	<i>Endogone acrogena</i>	B
	<i>Endogone oregonensis</i>	B
	<i>Entoloma nitidum</i> (<i>Rhodocybe nitida</i>)	B
	<i>Fayodia bisphaerigera</i> (<i>Fayodia gracilipes</i>)	B
	<i>Fevansia aurantiaca</i> (<i>Alpova</i> sp. nov. # Trappe 1966) (<i>Alpova aurantiaca</i>)	B
	<i>Galerina atkinsoniana</i>	B
	<i>Galerina cerina</i>	B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
FUNGI (continued)		
<i>Galerina heterocystis</i>		E
<i>Galerina sphagnicola</i>		E
<i>Galerina vittaeformis</i>		B
<i>Gastroboletus imbellus</i>		B
<i>Gastroboletus ruber</i>		B
<i>Gastroboletus subalpinus</i>		B
<i>Gastroboletus turbinatus</i>		B
<i>Gastroboletus vividus</i> (<i>Gastroboletus</i> sp. nov. #Trappe 2897; <i>Gastroboletus</i> sp. nov. #Trappe 7515)		B
<i>Gastrosuillus amaranthii</i> (<i>Gastrosuillus</i> sp. nov. #Trappe 9608)		E
<i>Gastrosuillus umbrinus</i> (<i>Gastroboletus</i> sp. nov. #Trappe 7516)		B
<i>Gautieria magnicellaris</i>		B
<i>Gautieria otthii</i>		B
<i>Gelatinodiscus flavidus</i>		B
<i>Glomus radiatus</i>		B
<i>Gomphus bonarii</i>		B
<i>Gomphus clavatus</i>		B
<i>Gomphus floccosus</i> , In California		F
<i>Gomphus kauffmanii</i>		B
<i>Gymnomyces abietis</i> (<i>Gymnomyces</i> sp. nov. #Trappe 1690, 1706, 1710; <i>Gymnomyces</i> sp. nov. #Trappe 4703, 5576; <i>Gymnomyces</i> sp. nov. #Trappe 5052; <i>Gymnomyces</i> sp. nov. #Trappe 7545; <i>Martellia</i> sp. nov. #Trappe 1700; <i>Martellia</i> sp. nov. #Trappe 311; <i>Martellia</i> sp. nov. #Trappe 5903)		B
<i>Gymnomyces nondistincta</i> (<i>Martellia</i> sp. nov. #Trappe 649)		B
<i>Gymnopilus punctifolius</i>		B
<i>Gyromitra californica</i>		B
<i>Gyromitra esculenta</i>		F
<i>Gyromitra infula</i>		B
<i>Gyromitra melaleucoides</i>		B
<i>Gyromitra montana</i> (<i>Gyromitra gigas</i>)		F
<i>Hebeloma olympianum</i> (<i>Hebeloma olympiana</i>)		B
<i>Helvella crassitunicata</i>		B
<i>Helvella elastica</i>		B
<i>Helvella maculata</i>		B
<i>Hydnotrya inordinata</i> (<i>Hydnotrya</i> sp. nov. #Trappe 787, 792)		B
<i>Hydnotrya subnix</i> (<i>Hydnotrya subnix</i> sp. nov. #Trappe 1861)		B
<i>Hydnum umbilicatum</i>		B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)

TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
FUNGI (continued)		
<i>Hydropus marginellus</i>	<i>(Mycena marginella)</i>	B
<i>Hygrophorus caeruleus</i>		B
<i>Hygrophorus karstenii</i>		B
<i>Hygrophorus vernalis</i>		B
<i>Hypomyces luteovirens</i>		B
<i>Leucogaster citrinus</i>		B
<i>Leucogaster microsporus</i>		B
<i>Macowanites chlorinosmus</i>		B
<i>Macowanites lymanensis</i>		B
<i>Macowanites mollis</i>		B
<i>Marasmius applanatipes</i>		B
<i>Martellia fragrans</i>		B
<i>Martellia idahoensis</i>		B
<i>Mycena hudsoniana</i>		B
<i>Mycena monticola</i>		B
<i>Mycena overholtsii</i>		B
<i>Mycena quinaultensis</i>		B
<i>Mycena tenax</i>		B
<i>Mythicomycetes corneipes</i>		B
<i>Neolentinus adhaerens</i>		B
<i>Neolentinus kauffmanii</i>		B
<i>Neournula pouchetii</i>		B
<i>Nivatogastrium nubigenum</i>		B
<i>Octavianina cyanescens</i>	<i>(Octavianina sp. nov. #Trappe 7502)</i>	B
<i>Octavianina macrospora</i>		B
<i>Octavianina papyracea</i>		B
<i>Otidea leporina</i>		B
<i>Otidea onotica</i>		F
<i>Otidea smithii</i>		B
<i>Phaeocollybia attenuata</i>		D
<i>Phaeocollybia californica</i>		B
<i>Phaeocollybia dissiliens</i>		B
<i>Phaeocollybia fallax</i>		D
<i>Phaeocollybia gregaria</i>		B
<i>Phaeocollybia kauffmanii</i>		D
<i>Phaeocollybia olivacea</i>		B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
FUNGI (continued)		
	<i>Phaeocollybia oregonensis</i> (syn. <i>Phaeocollybia carmanahensis</i>)	B
	<i>Phaeocollybia piceae</i>	B
	<i>Phaeocollybia pseudofestiva</i>	B
	<i>Phaeocollybia scatesiae</i>	B
	<i>Phaeocollybia sipei</i>	B
	<i>Phaeocollybia spadicea</i>	B
	<i>Phellodon atratus</i> (<i>Phellodon atratum</i>)	B
	<i>Pholiota albivelata</i>	B
	<i>Pithya vulgaris</i>	D
	<i>Plectania melastoma</i>	F
	<i>Plectania milleri</i>	B
	<i>Podostroma alutaceum</i>	B
	<i>Polyzellus multiplex</i>	B
	<i>Pseudaleuria quinaultiana</i>	B
	<i>Ramaria abietina</i>	B
	<i>Ramaria amyloidea</i>	B
	<i>Ramaria araiospora</i>	B
	<i>Ramaria aurantiisiccescens</i>	B
	<i>Ramaria botryis</i> var. <i>aurantiiramosa</i>	B
	<i>Ramaria celerivirescens</i>	B
	<i>Ramaria claviramulata</i>	B
	<i>Ramaria concolor</i> f. <i>marrii</i>	B
	<i>Ramaria concolor</i> f. <i>tsugina</i>	B
	<i>Ramaria conjunctipes</i> var. <i>sparsiramosa</i> (<i>Ramaria fasciculata</i> var. <i>sparsiramosa</i>)	B
	<i>Ramaria coulterae</i>	B
	<i>Ramaria cyaneigranosa</i>	B
	<i>Ramaria gelatiniaurantia</i>	B
	<i>Ramaria gracilis</i>	B
	<i>Ramaria hilaris</i> var. <i>olympiana</i>	B
	<i>Ramaria largentii</i>	B
	<i>Ramaria lorithamnus</i>	B
	<i>Ramaria maculatipes</i>	B
	<i>Ramaria rainierensis</i>	B
	<i>Ramaria rubella</i> var. <i>blanda</i>	B
	<i>Ramaria rubribrunnescens</i>	B
	<i>Ramaria rubrievanescens</i>	B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
FUNGI (continued)		
<i>Ramaria rubripermanens</i>		B
<i>Ramaria spinulosa</i> var. <i>diminutiva</i> (<i>Ramaria spinulosa</i>)		B
<i>Ramaria stuntzii</i>		B
<i>Ramaria suecica</i>		B
<i>Ramaria thiersii</i>		B
<i>Ramaria verlotensis</i>		B
<i>Rhizopogon abietis</i>		B
<i>Rhizopogon atroviolaceus</i>		B
<i>Rhizopogon brunneiniger</i>		B
<i>Rhizopogon chamaleontinus</i> (<i>Rhizopogon</i> sp. nov. #Trappe 9432)		B
<i>Rhizopogon ellipso sporus</i> (<i>Alpova</i> sp. nov. # Trappe 9730)		B
<i>Rhizopogon evadens</i> var. <i>subalpinus</i>		B
<i>Rhizopogon exiguus</i>		B
<i>Rhizopogon flavofibrillosus</i>		B
<i>Rhizopogon inquinatus</i>		B
<i>Rhizopogon truncatus</i>		D
<i>Rhodocybe speciosa</i>		B
<i>Rickenella swartzii</i> (<i>Rickenella setipes</i>)		B
<i>Russula mustelina</i>		B
<i>Sarcodon fuscoindicus</i>		B
<i>Sarcodon imbricatus</i>		B
<i>Sarcosoma latahense</i> (<i>Plectania latahensis</i>)		B
<i>Sarcosoma mexicanum</i> , WA, CA, and Curry and Josephine Counties, OR		F
<i>Sarcosphaera coronaria</i> (<i>Sarcosphaera eximia</i>)		B
<i>Sedecula pulvinata</i>		B
<i>Sowerbyella rhenana</i> (<i>Aleuria rhenana</i>)		B
<i>Sparassis crispa</i>		D
<i>Spathularia flavida</i>		B
<i>Stagnicola perplexa</i>		B
<i>Thaxterogaster pavelekii</i> (<i>Thaxterogaster</i> sp. nov. #Trappe 4867, 6242, 7427, 7962, 8520)		B
<i>Tremiscus helvelloides</i> (syn. <i>Phlogiotis helvelloides</i>)		B
<i>Tricholoma venenatum</i>		B
<i>Tricholomopsis fulvescens</i>		B
<i>Tuber asa</i> (<i>Tuber</i> sp. nov. #Trappe 2302)		B
<i>Tuber pacificum</i> (<i>Tuber</i> sp. nov. #Trappe 12493)		B
<i>Tylopilus porphyrosporus</i> (<i>Tylopilus pseudoscaber</i>)		D

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
LICHENS		
<i>Bryoria pseudocapillaris</i>		B
<i>Bryoria spiralifera</i>		B
<i>Bryoria subcana</i> (syn. <i>Alectoria subcana</i>)		B
<i>Bryoria tortuosa</i> , WA Olympic Peninsula, WA Western Lowlands, WA Western Cascades, OR Western Cascades, OR Coast Range, OR Willamette Valley, and CA Coast Range Physiographic Provinces		A
<i>Bryoria tortuosa</i> , WA Eastern Cascades, OR Eastern Cascades, OR Klamath, CA Klamath, and CA Cascades Physiographic Provinces		D ¹
<i>Buellia oidalea</i>		E
<i>Calicium abietinum</i>		B
<i>Calicium adpersum</i>		E
<i>Calicium glaucellum</i>		F
<i>Calicium viride</i>		F
<i>Cetrelia cetrarioides</i>		E
<i>Chaenotheca chrysocephala</i>		B
<i>Chaenotheca ferruginea</i>		B
<i>Chaenotheca furfuracea</i>		F
<i>Chaenotheca subroscida</i>		E
<i>Chaenothecopsis pusilla</i> (syn. <i>Chaenothecopsis subpusilla</i> , <i>Calcium asikkalense</i> , <i>Calcium floerkei</i> , <i>Calcium pusillum</i> , <i>Calcium subpusillum</i>)		E
<i>Cladonia norvegica</i>		B
<i>Collema nigrescens</i> , in WA and OR, except in OR Klamath Physiographic Province		F
<i>Dendriscoaulon intricatum</i>		B
<i>Dermatocarpon luridum</i>		B
<i>Heterodermia sitchensis</i>		E
<i>Hypogymnia duplicata</i> (syn. <i>Hypogymnia elongata</i>)		A
<i>Hypogymnia oceanica</i>		F
<i>Hypogymnia vittata</i> (<i>Hygomnia vittata</i>)		E
<i>Hypotrachyna revoluta</i> (syn. <i>Parmelia revoluta</i>)		E
<i>Leptogium burnetiae</i> var. <i>hirsutum</i> (syn. <i>Leptogium hirsutum</i>)		A
<i>Leptogium cyanescens</i>		A
<i>Leptogium rivale</i>		B
<i>Leptogium teretiusculum</i>		E
<i>Lobaria linita</i>		A
<i>Lobaria oregana</i> , In California		A
<i>Microcalicium arenarium</i>		B
<i>Nephroma bellum</i>		F

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP <i>Species</i>	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
LICHENS (continued)		
<i>Nephroma isidiosum</i>		E
<i>Nephroma occultum</i>		B
<i>Niebla cephalota</i> (syn. <i>Desmazieria cephalota</i> , <i>Ramalina cephalota</i>)		A
<i>Pannaria rubiginosa</i>		E
<i>Pannaria saubinetii</i>		F
<i>Peltigera pacifica</i>		E
<i>Platismatia lacunosa</i>		C
<i>Pseudocyphellaria</i> sp. 1 (<i>Pseudocyphellaria mougeotiana</i>)		B
<i>Pseudocyphellaria rainierensis</i>		A
<i>Pyrrhospora querneae</i> (syn. <i>Lecidea querneae</i> , <i>Protoblastenia querneae</i>)		E
<i>Ramalina pollinaria</i>		E
<i>Ramalina thrausta</i>		A
<i>Stenocybe clavata</i>		E
<i>Teloschistes flavicans</i>		A
<i>Tholurna dissimilis</i> , south of Columbia River		B
<i>Usnea hesperina</i>		B
<i>Usnea longissima</i> , In California and in Curry, Josephine, and Jackson Counties, Oregon		A
<i>Usnea longissima</i> , In Oregon, except in Curry, Josephine, and Jackson Counties and in Washington		F
BRYOPHYTES		
<i>Brotherella roellii</i>		E
<i>Buxbaumia viridis</i>		D ¹
<i>Diplophyllum albicans</i>		D
<i>Diplophyllum plicatum</i>		B
<i>Encalypta brevicolla</i> v. <i>crumiana</i>		B
<i>Herbertus aduncus</i>		B
<i>Iwatsukiella leucotricha</i>		B
<i>Kurzia makinoana</i>		B
<i>Marsupella emarginata</i> v. <i>aquatica</i>		B
<i>Orthodontium gracile</i>		B
<i>Ptilidium californicum</i> , In California		A
<i>Racomitrium aquaticum</i>		B
<i>Rhizomnium nudum</i>		B
<i>Schistostega pennata</i>		A
<i>Tetraphis geniculata</i>		A
<i>Tritomaria exsectiformis</i>		B
<i>Tritomaria quinquedentata</i>		B

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)		
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).	Category
VERTEBRATES		
Del Norte salamander	<i>Plethodon elongatus</i>	D ¹
Larch Mountain salamander	<i>Plethodon larselli</i>	A
Shasta salamander	<i>Hydromantes shastae</i>	A
Siskiyou Mountains salamander	<i>Plethodon stormi</i>	C
Van Dyke's salamander	<i>Plethodon vandykei</i> (Cascade population only)	A
Great Gray Owl	<i>Strix nebulosa</i>	C
Oregon Red Tree Vole	<i>Arborimus longicaudus</i>	C
MOLLUSKS		
<i>Ancotrema voyanum</i>		E ^{3,4}
<i>Cryptomastix devia</i>		A
<i>Cryptomastix hendersoni</i>		A
<i>Deroceras hesperium</i>		B ⁴
<i>Fluminicola</i> n. sp. 1		A ²
<i>Fluminicola</i> n. sp. 2		A
<i>Fluminicola</i> n. sp. 3		A ²
<i>Fluminicola</i> n. sp. 11		A ²
<i>Fluminicola</i> n. sp. 14		A
<i>Fluminicola</i> n. sp. 15		A
<i>Fluminicola</i> n. sp. 16		A
<i>Fluminicola</i> n. sp. 17		A
<i>Fluminicola</i> n. sp. 18		A
<i>Fluminicola</i> n. sp. 19		A ²
<i>Fluminicola</i> n. sp. 20		A ²
<i>Fluminicola seminalis</i>		A ²
<i>Helminthoglypta hertleini</i>		B ⁴
<i>Helminthoglypta talmadgei</i>		A
<i>Hemphillia burringtoni</i> (<i>Hemphillia</i> "burringtoni")		A
<i>Hemphillia glandulosa</i>		C
<i>Hemphillia malonei</i>		C
<i>Hemphillia pantherina</i>		B ⁴
<i>Juga</i> (<i>O</i>) n. sp. 2		A
<i>Juga</i> (<i>O</i>) n. sp. 3		A
<i>Lyogyrus</i> n. sp. 1		A
<i>Lyogyrus</i> n. sp. 2		A
<i>Lyogyrus</i> n. sp. 3		A
<i>Megomphix hemphilli</i> , South of south boundary of Lincoln, Benton, and Linn Counties, Oregon		F ⁵
<i>Megomphix hemphilli</i> , North of south boundary of Lincoln, Benton, and Linn Counties, Oregon		A
<i>Monadenia chaceana</i>		B ⁴
<i>Monadenia churchi</i>		F ⁵
<i>Monadenia fidelis klamathica</i>		B ^{3,4}
<i>Monadenia fidelis minor</i>		A

Table 1-1. Species Included in Survey and Manage Standards and Guidelines and Category Assignment (January 2001 ROD)	
TAXA GROUP	<i>Note:</i> Where taxon has more than one name indicated, first name is current accepted name, second one (in parentheses) is name used in NFP (Table C-3).
<i>Species</i>	Category
MOLLUSKS (continued)	
<i>Monadenia fidelis ochromphalus</i>	B ^{3,4}
<i>Monadenia troglodytes troglodytes</i>	A
<i>Monadenia troglodytes wintu</i>	A
<i>Oreohelix</i> n. sp.	A
<i>Pristoloma articum crateris</i>	B ^{2,4}
<i>Prophysaon coeruleum</i> , In California and Washington	A
<i>Trilobopsis roperi</i>	A
<i>Trilobopsis tehamana</i>	A
<i>Vertigo</i> n. sp.	A
<i>Vespericola pressleyi</i>	A
<i>Vespericola shasta</i>	A
<i>Vorticifex klamathensis sinitsini</i>	E
<i>Vorticifex</i> n. sp. 1	E
VASCULAR PLANTS	
<i>Arceuthobium tsugense mertensiana</i> (Washington only)	F
<i>Bensoniella oregana</i> (California only)	A
<i>Botrychium minganense</i> , In Oregon and California	A
<i>Botrychium montanum</i>	A
<i>Coptis asplenifolia</i>	A
<i>Coptis trifolia</i>	A
<i>Corydalis aquae-gelidae</i>	C
<i>Cypripedium fasciculatum</i> (entire range)	C
<i>Cypripedium montanum</i> (entire range)	C
<i>Eucephalus vialis</i> (<i>Aster vialis</i>)	A
<i>Galium kamtschaticum</i> , Olympic Peninsula, WA Eastern Cascades, OR & WA Western Cascades Physiographic Provinces, south of Snoqualmie Pass	A
<i>Platanthera orbiculata</i> var. <i>orbiculata</i> (<i>Habenaria orbiculata</i>)	C
ARTHROPODS	
Canopy herbivores (south range)	F
Coarse wood chewers (south range)	F
Litter and soil dwelling species (south range)	F
Understory and forest gap herbivores (south range)	F

FOOTNOTES

- ¹ Although Pre-Disturbance Surveys are deemed practical for these species, continuing pre-disturbance surveys is not necessary in order to meet management objectives.
- ² For these species, until Management Recommendations are written, the following language will be considered part of the Management Recommendation: “Known and newly discovered sites of these species will be protected from grazing by all practical steps to ensure that the local population of the species will not be impacted.”
- ³ For these species, until Management Recommendations are written, the language “known and newly discovered sites of these species will be protected from grazing by all practical steps to ensure that the local population of the species will not be impacted” is the Management Recommendation and no other recommendations are imposed at this time.
- ⁴ Based upon direction contained in the ROD, equivalent-effort pre-disturbance surveys are required for these eight mollusk species.
- ⁵ Based upon direction contained in the ROD, these two mollusk species require management of sites known as of 9/30/99.