


CONCRETE MASONRY UNIT BARRIER

TYPICAL ID	CLEAR WIDTH	GEOTEXTILE TYPE	LEVELING COURSE			FOOTING			HEIGHT	EMBEDMENT DEPTH	CMU WALL			MORTER TYPE	COMMENTS
			TYPE	DEPTH	WIDTH	TYPE	DEPTH	WIDTH			FACE ROCK	END TYPE	FACE ROCK		
										IN	OUT	TOP			
CMB-1		G	L			FT									


N/A WHEN NOT APPLICABLE

NOTES:

1. SET 2 INCH MINIMUM DIAMETER DRAIN PIPE 1 INCH BELOW TREAD AND OUTSLOPE DRAIN PIPE AT 2 TO 3%.
2. COMPACT BACKFILL, LEVELING COURSE AND FOUNDATION IN 6 INCH LIFTS UNTIL NO VISUAL DISPLACEMENT.
3. REMOVE AND DISPOSE OF DUFF AND TOP ORGANIC LAYERS DOWN TO MINERAL SOIL.
4. CLEAR WIDTH IS GREATER OR EQUAL TO THE TREAD AND SHOULDER WIDTHS DEFINED IN SECTION 911.



GEOTEXTILE TYPE END VIEW



ELEVATION VIEW

LEVELING COURSE MATERIAL

FOOTING MATERIAL

GEOTEXTILE TYPE	GEOTEXTILE MATERIAL	COMMENTS
G1	NON-WOVEN	
G2	WOVEN	
G3	GEOGRID	
G4		

TYPE	MATERIAL	GRADATION	COMMENTS
L1	PITRUN		
L2	AGGREGATE		
L3			

TYPE	MATERIAL	GRADATION	COMMENTS
FT1	CONCRETE		
FT2	AGGREGATE		
FT3			

U.S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
STANDARD TRAIL PLAN

PROJECT NAME & LOCATION

DRAWING NAME
CONCRETE MASONRY UNIT BARRIER

SECTION TYPICAL ID

933 - SIDE BARRIERS CMB

REVISION DATE
XX/XX/XX

NO SCALE

DRAWING NO.
STD_933-20-02

SHEET OF