


RAILING SYSTEM

TYPICAL ID	CLEAR WIDTH	SECTION TYPE	POST			RAIL	HANDRAIL	COMMENTS
			SIZE	HEIGHT	EMBEDMENT DEPTH	SIZE	TYPE	
RLS-1								


N/A WHEN NOT APPLICABLE



(A) IBC
(HIGH USE)
WELDED CONSTRUCTION

(B) AASTO
(MEDIUM USE)
WELDED CONSTRUCTION

(C) OSHA
(LOW USE)
WELDED CONSTRUCTION



TYPICAL SECTION

NOTES:

1. REMOVE AND DISPOSE OF DUFF AND TOP ORGANIC LAYERS DOWN TO MINERAL SOIL.
2. COMPACT BACKFILL IN 6 INCH LIFTS UNTIL NO VISUAL DISPLACEMENT.
3. 1/8 INCH WEEP HOLES ARE REQUIRED AT BOTTOMS AND LOW POINTS OF RAILS AND POSTS.
4. ALL ENDS TO BE CAPPED.
5. ALL SHARP EDGES TO BE GROUND SMOOTH.
6. CLEAR WIDTH IS GREATER OR EQUAL TO THE TREAD AND SHOULDER WIDTHS DEFINED IN SECTION 911.